Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 9/18/2019 10:39:25 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: Requesting public comment on two Underground Injection Control (UIC) Draft Area Permits and one associated proposed aquifer exemption decision for the Dewey-Burdock uranium in-situ recovery (ISR) site
Attachments: Requesting public comment on two Underground Injection Control (UIC) Draft Area Permits and one associated proposed aquifer exemption decision for the Dewey-Burdock uranium in-situ recovery (ISR) site

Your message did not reach some or all of the intended recipients.

Subject:Requesting public comment on two Underground Injection Control (UIC) Draft Area Permits and one associated proposed aquifer exemption decision for the Dewey-Burdock uranium in-situ recovery (ISR) site
Sent:9/18/2019 10:39:27 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 9/18/2019 10:39:27 PM
Diagnostic code = MtsCongested; Reason code = TransferFailed; Status code = 540
< #5.4.310 smtp;550 5.4.310 DNS domain gmail.con does not exist [Message=InfoDomainNonexistent] [LastAttemptedServerName=gmail.con] [BL0GCC02FT014.eop-gcc02.prod.protection.outlook.com]>

Delivery has failed to these recipients or groups:

Ex. 6 Personal Privacy (PP)

Your message couldn't be delivered. The Domain Name System (DNS) reported that the recipient's domain does not exist.

Contact the recipient by some other means (by phone, for example) and ask them to tell their email admin that it appears that their domain isn't properly registered at their domain registrar. Give them the error details shown below. It's likely that the recipient's email admin is the only one who can fix this problem.

For more information and tips to fix this issue see this article:
https://go.microsoft.com/fwlink/?LinkId=389361.

Diagnostic information for administrators:

Generating server: DM6PR09MB2650.namprd09.prod.outlook.com

Ex. 6 Personal Privacy (PP)

Remote Server returned '550 5.4.310 DNS domain gmail.con does not exist [Message=InfoDomainNonexistent] [LastAttemptedServerName=gmail.con] [BL0GCC02FT014.eop-gcc02.prod.protection.outlook.com]'

Original message headers:


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=UpbouflkaSHNJKYzVHpuUqQojzmQ4Zm3m+UvKBgOpFbl0VhdeNqeUqP3PI2/wGtVU2tAjYKg31wPRACqV7MZX3E
g8zlDpWXBgUt2A4S7kVT4n2ay6mK8jvYjT51rHqq4vkKU4Svz1rFpgDuhrYjW3/Y/JCY/DMjWa4OYj8nnM+tRsLao
KTZL59pHOMQ5il665SH5B/SpBYuDx4n3h7zWuMwc3CpI5K+qEnh3M1AGFFUMhBbqhU/2XyCw4uAmsHPrQwAVwOUa2
3EafjopAjyfqQlN8KzVGdSDxC/KnNJfM+3z4qKGnuNbuKHCj+ak8RFJ6CdheMVLAasVAE/v+mfv4g==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=8C9MaNOXNzIN1COjtc/Sm4Sk93fsy84snUxfH+J99W8=;

b=m00dAo0QYmmXbDxoYrC8PA3kiplg5c8zlwsHSOD5fM22V59zzBOqd9kb0C0v+bAiGXjlLQ+UHt0WZptlVnTayeH
Y2HrU43pD/ANQ7EZ2qYLpWZCwCdzR7C9uxOCrLFazZEfaurgbrYdckfjPN2xYZC/jS/k9nDGE3fwNwO2yo4hn+EhL
UKqnWoOSy65jDnPQShBVUf0nfVnhJlFUyoHiigyoo4AGTSiAh4lZNLaj7bI5+cKp+xGFWmXB4ffXATwvOhW9F4xGQ
Opx3hlpnzuMF48Z6ocaakyDbe6nXZUgKv2UVRPUI60Fz396inMjnVqVqZ89QcsIY+MEOdwuqd4Gpw==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=8C9MaNOXNzIN1COjtc/Sm4Sk93fsy84snUxfH+J99W8=;

b=YfY7vazLRIV0r8wWkweCrn7U9jR8uj+rbry7AlwQJiRYEV+3HfkxXZ2RMI211JWd8bZTbGAKTuK8Q3Ili1JdT/Hs
0imBksQUTAp3XbQL63thzECjhU8QAeE7ntQoj8bJIztZnHahn9U7rOOKTVPzjHQYXKLMLPj0WoPXfT2CU2Qo=
Received: from DM6PR09MB4076.namprd09.prod.outlook.com (10.141.167.74) by
 DM6PR09MB2650.namprd09.prod.outlook.com (20.176.98.26) with Microsoft SMTP
 Server (version=TLS1_2, cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id
 15.20.2284.18; Wed, 18 Sep 2019 22:39:23 +0000
Received: from DM6PR09MB4076.namprd09.prod.outlook.com
 ([fe80::9839:cd8:2688:2341]) by DM6PR09MB4076.namprd09.prod.outlook.com
 ([fe80::9839:cd8:2688:2341%3]) with mapi id 15.20.2284.009; Wed, 18 Sep 2019
 22:39:23 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: Requesting public comment on two Underground Injection Control (UIC)
 Draft Area Permits and one associated proposed aquifer exemption decision for
 the Dewey-Burdock uranium in-situ recovery (ISR) site
Thread-Topic: Requesting public comment on two Underground Injection Control
 (UIC) Draft Area Permits and one associated proposed aquifer exemption
 decision for the Dewey-Burdock uranium in-situ recovery (ISR) site
Thread-Index: AdVucc4bnyuAvFNDQta/gvMxZad9YQ==
Date: Wed, 18 Sep 2019 22:39:23 +0000
Message-ID:
<DM6PR09MB4076E6AA86F8A6BC64A7EC0DF48E0@DM6PR09MB4076.namprd09.prod.outlook.com>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
authentication-results: spf=none (sender IP is )
 smtp.mailfrom=Robinson.Valois@epa.gov;
x-originating-ip: [24.8.243.57]
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: db6d476f-1a13-48a3-3e29-08d73c890df0
x-microsoft-antispam:
BCL:0;PCL:0;PULEID:(2390118)(7020095)(4652040)(8989299)(4534185)(4627221)(201703031133081
)(201702281549075)(8990200)(5600167)(711020)(4605104)(1401327)(2017052603328)(49563074)(7
193020);SRVR:DM6PR09MB2650;
x-ms-traffictypediagnostic: DM6PR09MB2650:
x-ms-exchange-purlcount: 1
x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr
x-microsoft-antispam-prvs:
<DM6PR09MB2650E24B4BEE5EC27E77BEB3F48E0@DM6PR09MB2650.namprd09.prod.outlook.com>
```

x-ms-oob-tlc-oobclassifiers: OLM:7219;
x-forefront-prvs: 01644DCF4A
x-forefront-antispam-report:
SFV:NSPM;SFS:(10019020)(346002)(376002)(366004)(136003)(396003)(39860400002)(37874003)(19
9004)(189003)(733005)(66576008)(66946007)(66476007)(7696005)(6306002)(54896002)(6436002)(
6506007)(71200400001)(9686003)(55016002)(74316002)(86362001)(71190400001)(256004)(1444400
5)(5024004)(26005)(99936001)(1671002)(7736002)(236005)(99286004)(5660300002)(102836004)(1
86003)(66556008)(33656002)(606006)(881003)(790700001)(76116006)(2906002)(64756008)(525360
14)(66446008)(19627405001)(486006)(81166006)(14454004)(25786009)(8936002)(7276002)(736600
2)(81156014)(7406005)(3846002)(966005)(8676002)(7416002)(76576003)(478600001)(861006)(316
002)(6116002)(65686005)(66066001)(109986005)(7336002)(476003);DIR:OUT;SFP:1102;SCL:1;SRVP
:DM6PR09MB2650;H:DM6PR09MB4076.namprd09.prod.outlook.com;FPR:;SPF:None;LANG:en;PTR:InfoNo
Records;A:1;MX:1;
received-spf: None (protection.outlook.com: epa.gov does not designate
 permitted sender hosts)
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam-message-info:
GFdMOMnClV7FriYSO3parwgfSAzmWkPZqgS/p9mBDUuQW+c4UDUbzkgQs8OWRREuwl+su+TGxzoIxmbrtG7SWyW6V
T8YT1AeQzQCRWxwU85wDq4WGLiMOtTrP8BhLPn5UfgdmNFrg1N7DEVlSZZIzlyWrTYe4iC0FkJBUGJB1EmgUVoJhM
pDI+8aI3qv3OLjmlykPOHciYVbIvALQsfEW7hgwGOefyvWjXlkba5v6iuQLIKg+rZ78cB07XSij11DVp+blRAeADF
4BieDPhnX2KStUb1uXwlqhqvAHIDuo6xK0GwhaqHCdXuEyqnRWfRKp9n6FinuZJhpJMdVosd2B3ihq+2hgivSN/Oi
EDL3Xj2akBB6NNLuWk/JiKINwgDFNleKo5djAHEF7m8LU08oYOaJutCcy7etnhO64gwPazU=
x-ms-exchange-transport-forked: True
Content-Type: multipart/mixed;
        boundary="_006_DM6PR09MB4076E6AA86F8A6BC64A7EC0DF48E0DM6PR09MB4076namp_"
MIME-Version: 1.0
X-OriginatorOrg: epa.gov
X-MS-Exchange-CrossTenant-Network-Message-Id: db6d476f-1a13-48a3-3e29-08d73c890df0
X-MS-Exchange-CrossTenant-originalarrivaltime: 18 Sep 2019 22:39:23.6270
 (UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
6XL0jlCxjQk+Vx5taVxQF5R3F1x8J/nigvKzAil4MzuGWWf+xiH9/Je8xGl+7sPCVTKC4wLAh+sIhdVfVd8aBw==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB2650