Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/26/2020 7:46:57 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/26/2020 7:46:58 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/26/2020 7:46:58 PM
Diagnostic code = MtsCongested; Reason code = TransferFailed; Status code = 540
< #5.4.316 smtp;550 5.4.316 Message expired, connection refused>

Delivery has failed to these recipients or groups:

Ex. 6 Personal Privacy (PP)
Your message wasn't delivered. Despite repeated attempts to deliver your message, the recipient's email system refused to accept a connection from your email system.

Contact the recipient by some other means (by phone, for example) and ask them to tell their email admin that it appears that their email system is refusing connections from your email server. Give them the error details shown below. It's likely that the recipient's email admin is the only one who can fix this problem.

For Email Admins
No connection could be made because the target computer actively refused it. This usually results from trying to connect to a service that is inactive on the remote host - that is, one with no server application running. For more information and tips to fix this issue see this article: https://go.microsoft.com/fwlink/?LinkId=389361

Diagnostic information for administrators:

Generating server: DM6PR09MB5109.namprd09.prod.outlook.com
Receiving server: DM6PR09MB5109.namprd09.prod.outlook.com

Ex. 6 Personal Privacy (PP)

11/26/2020 7:46:57 PM - Server at DM6PR09MB5109.namprd09.prod.outlook.com returned '550 5.4.316 Message expired, connection refused(Socket error code 10061)'
11/26/2020 7:36:56 PM - Server at miyoshidaiko.com (208.91.197.27) returned '450 4.4.316 Connection refused [Message=Socket error code 10061] [LastAttemptedServerName=miyoshidaiko.com] [LastAttemptedIP=208.91.197.27:25] [BL0GCC02FT006.eop-gcc02.prod.protection.outlook.com](Socket error code 10061)'

Original message headers:


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=Oy49HTfrfdjJ5rzztkEklyurRz/GNAy4U/zzp6M0TU4neH5u9TzJDdp/znrfJklHgB8WVpvMe+ZsTBXY2ps7IRw
+LcVprjBJWDMCb9b3CXalvtFPY9MD93YA60sre2KzcZvMzzMs9zzfOcJHQ98MvwG5gTo6dRe40IQa+fPZYZsnoUoc
4h2r1wQDKwkoyGVCLEAXsS06JE4CJDjTmgdn3E3FLA2zOFj4IRR26Mucak8kWkX4vq8P8LGvlzQaW4iNZ2pxsaVGY
CdgxjzocL6eCtB9hEFCXvNt3RGwSel7LqJjaKIGBv7Lga873VrDzfYLjhzDJumRO9isfF8DD+UT2A==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=4DqrJNOX2kotOGMepTHpJXFFlNLHkoFKyQYjERPshAg=;

b=XKfZWqg8L20b/g2muuxqLpqD3cuiMHwQRfLA6sQyfGbZ/4qIHBQ9nvhe4sivz8u6fkKCkJRgjmnoOohtKivNS63
bL7Ma8XsyLyn9eNzC+nKqZ2A67wDk91j1S/2vVDy6nF3gcV6NbK2MMFV2bayXDOgR0wIZNPpdYsu3MyZJwfYVAZDG
tJYyhHeFhugGsRv4SSmZOd6Rw7MBzS01P61MK3pqTytqZCHjbn2IcfAzZtK4FgvEoLOGF9m851IUX1QixXkf/W8Xu
D3tDYeTRbShY0eb1TAktlsi2BVBPwhu4MKo41WojbPnnRE3LAXn/9o8k6D49uZdw0dLA1siCuKntg==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=4DqrJNOX2kotOGMepTHpJXFFlNLHkoFKyQYjERPshAg=;

b=wf2AgcTMpkNz6vmh669JynjO+gg/heLppBTNXsLAf+J8deNYFB2zzl+uSwPHA0czvcRNz4OMesiTw+T8/u7+wlF
oY0vtRA6ij8bL7LMjNXV8W8oICZ3pOdjyhNJnecEwUcqPQRotTWlMYQVChODtBWjXh6S0ZHc4wA39R2Ndl68=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB5109.namprd09.prod.outlook.com (2603:10b6:5:266::12) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.23; Wed, 25 Nov
 2020 19:45:01 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:45:01 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDY1sEK0PMV7P3TOq7Lsp9EYoWzg==
Date: Wed, 25 Nov 2020 19:45:00 +0000
Message-ID:
<DM8PR09MB6469E716D4BADD82D5BA8E2AF4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach:
X-MS-TNEF-Correlator:
authentication-results: btinternet.com; dkim=none (message not signed)
 header.d=none;btinternet.com; dmarc=none action=none header.from=epa.gov;
x-originating-ip: [97.118.130.155]
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: 637a808d-eb77-465a-c89f-08d8917a9941
x-ms-trafficctypediagnostic: DM6PR09MB5109:
```

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr
x-microsoft-antispam-prvs:
<DM6PR09MB5109BC929BF0FAEE23B1EA08F4FA0@DM6PR09MB5109.namprd09.prod.outlook.com>
x-ms-oob-tlc-oobclassifiers: OLM:5236;
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam: BCL:0;
x-microsoft-antispam-message-info:
fPap8EHKuescu0fzUBHqY4yyadPikQkmaBmDELauhQQwS4K4K1b8sqXSttVTWPi9DdP7ytu2dUXKpZqBFWw1ydlic
T5ZygYjQplA3Pvy9mHQVl2NoidWAP6KMwkAMnOGMJnSPt3DhfKaQJb4wpeFJgJRx1JVlOiwAtayCllQ7fEkLA+5T9
yHMNYvJwBlAV4XY+CMbYRYIbIz84izslPcwmkiUMn3D6ERjS3HoNzUiXFGVCfVRWFUZFDrFPaq0qWuV98rSHhjvEW
uaBECNTD0hPls6wPhzXJLQsCFsHZGX/3Dvv2XaXT6OrwUxWU8b1NxbDaqDHwnOr4DOZQkrNeS5uVQh5Q7ym1WPihg
bOK6051RN5mmqL31MoIoeG/3is79sOOFTx0zj8AEzdQ11tX3SwGxRXEw5ARiqpG895vsWfQA/1Ju+eCHYE8tJcZ1Z
gdd0u0WW/pigoqtsPwUXYaY17sSg9/lDLgzMokh7JBUEaBtSjWJ1ZDDPkq2QwHqrV3p
x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(396003)(346002)(376002)(366004)(1
36003)(26005)(316002)(8676002)(71200400001)(166002)(186003)(56600300002)(52536014)(8636200
1)(109986005)(33656002)(83080400002)(66476007)(66446008)(64756008)(66556008)(66946007)(29
06002)(65806005)(966005)(4744005)(76116006)(8936002)(7696005)(7406005)(6506007)(7336002)(
7276002)(7416002)(55016002)(7366002)(478600001)(76576003)(89122003)(88732003)(9686003)(10
5050200002);DIR:OUT;SFP:1102;
x-ms-exchange-antispam-messagedata:
E2gO6TzUYeaZiI8kjo/iILietIiQvGYl1+gFbxbziZiwUBtx9x8J3jqwKG6Ea97ml7ccmU1giDC2a5nQz5eVYVBV+
TLdCFSna/BWPl/WMsomC+ZMawQanINEw8TNPs/KPmARrYGGnWaC3JiWj8q6OU2ES0Q66ARvuckBFk6ZzAm+SWJYzQ
Kdbv+kTCnuPa1YbY3MfvOo/3u7FCVAUiT5j+ZKRq/tst3sn/5HhobZGCskKJTjcvyNb9FGY7/wo422Zq+LQQxBQxz
wcZuSu1NgTJ8QmxIPHgXKYuFdcjh/+4Kw+pKbGJjm8LAuEmI/uCXwctA426HMR7Y6iNZOMTY7eStk/QToCduXypr2
oANL/cQVD2vnlk/gFc0zRypxu0Qk8IuZrx3VNPvDJleJrmhdRPTw+RgpcCIXbgiSACPwaeVWvRKDWu7NNPhFU07sK
GAL7EF8RhAfW0arCTHVRkq5arU/SIY+T10WzyxTOmfjp0raNST2jZ+GIq0ihjciuq/8G55lHJggXXUYq0BUAuYH4c
yAchRd+56VLmVEepuMZ253ujVGWiipT6lEeGeNVba51GeFqk6/xbmxm8C2B0MfPViSQYHnQkRcG6lW+PA81QxrMNt
ixm1Lzw+S5Z3t2djUGjuQhVyvmfCSs+5iPm4wjDCOA4S8+EnAu2VXfXeeZ0vpsLHjYxDjOkkjGLYL7xntDAcZ6SAP
PDZ7ncpoCfy+qHfVgoW4vn4J6QWcInEm2YFsjd4ChGHJ8nC0VlTO9mzGi979YOJYNxiOYYxb23JyWPkVcz7eTEUCB
bpjVhkkHKIMmhFk+M0CjD7yXzwfihCcD+Uvm6wr7b8gn5s98uyXzNNJ6sJxme7D0x4wnhuPG8666pJjcBF6Afsp5S
aQR/Q+uf2vN1dsewN47aRAOh4Odg==
x-ms-exchange-transport-forked: True
Content-Type: multipart/alternative;
boundary="_000_DM8PR09MB6469E716D4BADD82D5BA8E2AF4FA0DM8PR09MB6469namp_"
MIME-Version: 1.0
X-OriginatorOrg: epa.gov
X-MS-Exchange-CrossTenant-AuthAs: Internal
X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com
X-MS-Exchange-CrossTenant-Network-Message-Id: 637a808d-eb77-465a-c89f-08d8917a9941
X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 19:45:00.0955
(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
awid7vQBRHWmkdGAY9x1A7kOtxInnx30XyO6l9Zbb3+GljA5BzzwPju1JTf3N/vDyiLspPTTXMgqHXudcKaibA==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB5109