Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 8:30:10 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 8:30:10 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 8:30:10 PM
Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511
<mail01.netbay.com.au #5.1.1 smtp;550 5.1.1 Ex. 6 Personal Privacy (PP) Recipient address rejected: User unknown in virtual mailbox table>

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

Ex. 6 Personal Privacy (PP) wasn't found at netbay.com.au.

Robinson.Valois **Office 365** Ex. 6 Personal Privacy (PP)
Action Required Recipient

Unknown To address

How to Fix It

The address may be misspelled or may not exist. Try one or more of the following:

- Send the message again following these steps: In Outlook, open this non-delivery report (NDR) and choose **Send Again** from the Report ribbon. In Outlook on the web, select this NDR, then select the link "**To send this message again, click here.**" Then delete and retype the entire recipient address. If prompted with an Auto-Complete List suggestion don't select it. After typing the complete address, click **Send**.
- Contact the recipient (by phone, for example) to check that the address exists and is correct.
- The recipient may have set up email forwarding to an incorrect address. Ask them to check that any forwarding they've set up is working correctly.

- Clear the recipient Auto-Complete List in Outlook or Outlook on the web by following the steps in this article: Fix email delivery issues for error code 5.1.1 in Office 365, and then send the message again. Retype the entire recipient address before selecting **Send**.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.1

This error occurs because the sender sent a message to an email address outside of Office 365, but the address is incorrect or doesn't exist at the destination domain. The error is reported by the recipient domain's email server, but most often it must be fixed by the person who sent the message. If the steps in the **How to Fix It** section above don't fix the problem, and you're the email admin for the recipient, try one or more of the following:

The email address exists and is correct - Confirm that the recipient address exists, is correct, and is accepting messages.

Synchronize your directories - If you have a hybrid environment and are using directory synchronization make sure the recipient's email address is synced correctly in both Office 365 and in your on-premises directory.

Errant forwarding rule - Check for forwarding rules that aren't behaving as expected. Forwarding can be set up by an admin via mail flow rules or mailbox forwarding address settings, or by the recipient via the Inbox Rules feature.

Mail flow settings and MX records are not correct - Misconfigured mail flow or MX record settings can cause this error. Check your Office 365 mail flow settings to make sure your domain and any mail flow connectors are set up correctly. Also, work with your domain registrar to make sure the MX records for your domain are configured correctly.

For more information and additional tips to fix this issue, see Fix email delivery issues for error code 550 5.1.1 in Office 365.

Original Message Details

Created Date:	11/25/2020 8:30:03 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	**Ex. 6 Personal Privacy (PP)**
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.1.1* **Ex. 6 Personal Privacy (PP)** *Recipient address rejected: User unknown in virtual mailbox table*
DSN generated by:	DM8PR09MB6200.namprd09.prod.outlook.com
Remote server:	mail01.netbay.com.au

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH
1	11/25/2020 8:30:04 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 8:30:04 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6200.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=dKD85FF3/P9tKLECllW4y0vvxkaYYjL9Sq9ytQ03e0gCFmXN7ThEJ8SBhZkB6N9H31V6hg2Onb9ptISSmn4ukyS
VIPYd3epp2mWX6OfrKtTJtf5Xug+KhK+biM0owxiJThB1kbiK3V5Mc50tLZwRckLOTyhPw4lyVOWi9BLD2VhDrab8
/H4kaUL2vxD+OdDGtmb4z5iTt/aIGji99g/54FwsuidHTLdWEjibuJHtFP/XfYNyYxk4Q+m34o/VstlG6HP8DQD6l
sHP/fDZdPJYfOk8I1ERyYa/eAB27gaPHLelRw4+A5rnaDmNCNsTPV9YL0gkpa+grI/UWbi/Tq0Boq==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=VvGsGcCPebClkCaaYviJ/3FhFW3q44QT6/VgGA1B2fg=;

b=bjM6sP6vs0H8ABlybne19SIsHA9Vy+8+QpdX43jTowJ2TJtXZ8i1GbE8sSMXfz43tsupXFPaHam0+CwBnMInarT
a9KZ9jgNXZdJ20zWUT9P9mHtG0UQKqhUoFnQtf/b6iZwdNSFQbQTcd/p4KHLAmXMSzMvNrK+V40RIazKPaq6GvfOq
5FHNWVHAYSQIpy6CLNqDbzTq+ss0S3YVnEW9JyZMM6ofqk8H003Ol6sULIoSWroKKIrQRcycEkcoteEpjPPEt93/4
iohO8d4OUDVsYUCI6jEEpEeBG/TttJNePPdO171pkgf7a8dQ0UhHQ/2A3zj3emjVCose8cLvcGdcQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=VvGsGcCPebClkCaaYviJ/3FhFW3q44QT6/VgGA1B2fg=;

b=osuFVn+bJmUCdaaawO6Fk099INOLS3HDeLHxmgmf5AGOzfjx5+4HTe+kzIJollCVSpvWIaGw0DNzfTZI3ESShta
SS/BLaAD24klbwggxldZzL/s3qJhjIPQ/yrppB7IghsyRt67va3S+1JBz6kMmcbZ7uPi2NsDGe6/fIXs+VPg=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM8PR09MB6200.namprd09.prod.outlook.com (2603:10b6:5:2f3::13) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.20; Wed, 25 Nov
 2020 20:30:04 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 20:30:04 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
```

Thread-Index: AdbDa35w0fYtwsgER5y1waaF995guQ==

Date: Wed, 25 Nov 2020 20:30:03 +0000

Message-ID:
<DM8PR09MB646933D5B4E116AD6167D3FAF4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: verizon.net; dkim=none (message not signed)
 header.d=none;verizon.net; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: ab6233ff-b3f9-4c4f-12be-08d89180e44f

x-ms-traffictypediagnostic: DM8PR09MB6200:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM8PR09MB62001C76AE32218C292E59ECF4FA0@DM8PR09MB6200.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
wxYLDrS97baDDeoudijpVfoRmiAl30cgNEs1cGmozfhLzcWDdU9hJyvUPThkYLC4hPVQPgCdPn7zTOr0Uy8sd7JMM
UXaQso8dYA2PTT5VTitOoXk8x6oTLodGPY5rdj5CNbMg1X737FwpAFS1C97XVi6OUHPHuJHZb60kqzvna825s0UgD
AegDi3zRq974y6u/Ilh9g/2tCfY6JyzwL7Qeup4PmZC3Q1dGOyMsq35czELFBnB23JBTE7LledwacHwtsjdDgKYk6
XR8N7MLAsITBEVEJ0XCL7+PZ0GkE6fPo52tyVcv+ARA9GtqDPZxBHvBts/4Hz7+F2QSI/MzEUniW0XL0xiycB5p7G
wB2MVDcaWvQo9P7nOQwW/aAxH3io8cpGayup89uWz4Gf4G5HQSEFDf8i3vzYJ4vVobpCL6/9L+cKacnRdSdfZLGvz
gjPHRhoAKszEEuKmCbwFLwE3AxQY73z91dCoF1P51KZZF4IA71SNl1eendpLZesLiHv

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(346002)(136003)(396003)(376002)(39860400002)(3
66004)(83080400002)(86362001)(71200400001)(89122003)(966005)(8676002)(478600001)(166002)(
88732003)(76576003)(7336002)(7366002)(7696005)(55016002)(8936002)(26005)(4744005)(7406005
)(7276002)(316002)(33656002)(66556008)(65686005)(76116006)(5660300002)(6506007)(52536014)
(66946007)(2906002)(9686003)(7416002)(186003)(66476007)(66446008)(64756008)(109986005)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
CEhbmPvQ4tWzKt4VZediY1XWO7KaHc9Pr7Bek1DRZXkmU3WmW7hxJm+vn0VRscAYfi3Q7nwO71CEjeIJw1c3ccfqw
IiWuLMpGfc1m+pXtjaHmt51baln/9z4yNCc4en9dv6t2tHpDbGm28aXqhRik0iHzsWy9e8iRQbYKNugcGqD+z2HjY
Zl4tUOxJzsPuvostGePWJPxzcY0wE2LPEogU9aBRzRraXQXUdYgBoRBnflp/EETfxpCA7qQWbCLC+X8jjYG5UAIp4
afiUr6/l2W9WYeyt20HB6N+CkQWpbJcAWVAu4o3AXv3qd7pYpqZJNvK8hnYZYbFJgw4lm9Ecb+UQTy3jXSFPDesgK
6BQS6GALGZgm/g63QqXhzrxD6PnkSW8/CrvCTf+59IUbu75K8zw2ylmAcBOBBjV7bU6hFp15KOaQBhwq3eNi/X089
/dyt82RucxC2hAH640nh/Jgj4s8e7ne1c5NIeoJxCsI0HCCeyQoqs5YlgX9Hp8iNKKKE4+MrAk6C4HC9sCvnaqC6/
pwGqsGQ0zVzcvAbQOBjtg/vSXd+Nmk6ZLQ7gWBKmlsdObH9VkPTKwI3AVjly2CjeCvAX4SwaePfj7uz8IhJLPviH2
H221LEec356smqJN1dCQWEvLVPesF07kxqddQjwAbLAbNaecLGaaJAiDTulm6sudILT2ja3kxPZnu5FiLgulEQZUw
+vkX6oiNC8I3LhM85mR4hgkQyjyyeTEpOLBiaC+2uh1guCBEIohzw2RusnXG5oqkxsyOUwJN5kUv7k2KuBSRb01Qd
QLEGHO7PVdWni02u0nl76QaXPPCrU6aIIZdidB9Gu17hbnI0Ehc4tkMj6GJGw4iGSTpd89f6dCaGvtNija/Wo+tq9
ZXM7WR1n5nnaJh94sPNM6G+1Kg2w==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB646933D5B4E116AD6167D3FAF4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: ab6233ff-b3f9-4c4f-12be-08d89180e44f
X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 20:30:03.3405
(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
EfP54IojloHgnRE+I+olF6CdnmUZwtK0VCnzEcFiXcYJMUjHIMKlMT6C2FiJOJHlYV/7XLL9yPA4i50jdjbOCA==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM8PR09MB6200