Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 8:17:00 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 8:17:01 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 8:17:01 PM
Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511
<mx.google.com #5.1.1 smtp;550-5.1.1 The email account that you tried to reach does not exist. Please try 550-5.1.1 double-checking the recipient's email address for typos or 550-5.1.1 unnecessary spaces. Learn more at 550 5.1.1 https://support.google.com/mail/?p=NoSuchUser s64si1697152oih.245 - gsmtp><mx.google.com #5.1.1 smtp;550-5.1.1 The email account that you tried to reach does not exist. Please try 550-5.1.1 double-checking the recipient's email address for typos or 550-5.1.1 unnecessary spaces. Learn more at 550 5.1.1 https://support.google.com/mail/?p=NoSuchUser s64si1697152oih.245 - gsmtp><mx.google.com #5.1.1 smtp;550-5.1.1 The email account that you tried to reach does not exist. Please try 550-5.1.1 double-checking the recipient's email address for typos or 550-5.1.1 unnecessary spaces. Learn more at 550 5.1.1 https://support.google.com/mail/?p=NoSuchUser s64si1697152oih.245 - gsmtp>

Office 365

Your message couldn't be delivered to multiple recipients.

The recipients weren't found at Ex. 6 Personal Privacy (PP)

Robinson.Valois	Office 365	Recipients
Action Required		Recipients
Unknown To address		

Couldn't deliver to the following recipients:
Ex. 6 Personal Privacy (PP)

How to Fix It

The address may be misspelled or may not exist. Try one or more of the following:

- Send the message again following these steps: In Outlook, open this non-delivery report (NDR) and choose **Send Again** from the Report ribbon. In Outlook on the web, select this NDR, then select the link "**To send this message again, click here.**" Then delete and retype the entire recipient address. If prompted with an Auto-Complete List suggestion don't select it. After typing the complete address, click **Send**.
- Contact the recipient (by phone, for example) to check that the address exists and is correct.
- The recipient may have set up email forwarding to an incorrect address. Ask them to check that any forwarding they've set up is working correctly.
- Clear the recipient Auto-Complete List in Outlook or Outlook on the web by following the steps in this article: Fix email delivery issues for error code 5.1.1 in Office 365, and then send the message again. Retype the entire recipient address before selecting **Send**.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.1

This error occurs because the sender sent a message to an email address outside of Office 365, but the address is incorrect or doesn't exist at the destination domain. The error is reported by the recipient domain's email server, but most often it must be fixed by the person who sent the message. If the steps in the **How to Fix It** section above don't fix the problem, and you're the email admin for the recipient, try one or more of the following:

The email address exists and is correct - Confirm that the recipient address exists, is correct, and is accepting messages.

Synchronize your directories - If you have a hybrid environment and are using directory synchronization make sure the recipient's email address is synced correctly in both Office 365 and in your on-premises directory.

Errant forwarding rule - Check for forwarding rules that aren't behaving as expected. Forwarding can be set up by an admin via mail flow rules or mailbox forwarding address settings, or by the recipient via the Inbox Rules feature.

Mail flow settings and MX records are not correct - Misconfigured mail flow or MX record settings can cause this error. Check your Office 365 mail flow settings to make sure your domain and any mail flow connectors are set up correctly. Also, work with your domain registrar to make sure the MX records for your domain are configured correctly.

For more information and additional tips to fix this issue, see Fix email delivery issues for error code 550 5.1.1 in Office 365.

Original Message Details

Created Date: 11/25/2020 8:16:56 PM

Sender Address: Robinson.Valois@epa.gov
Recipient Address: **Ex. 6 Personal Privacy (PP)**
Subject: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error: *550-5.1.1 The email account that you tried to reach does not exist. Please try 550-5.1.1 double-checking the recipient's email address for typos or 550-5.1.1 unnecessary spaces. Learn more at 550 5.1.1 https://support.google.com/mail/?p=NoSuchUser s64si1697152oih.245 - gsmtp*
DSN generated by: DM8PR09MB6085.namprd09.prod.outlook.com
Remote server: mx.google.com

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH
1	11/25/2020 8:16:57 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 8:16:57 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6085.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=TXLWHmmoRBOxS+pI38tpYdlWi3Hcbzh2ZrLPRQIjnFF2te//A0nJ0s48nAwO03RxmWdiZMvxPe1LoqX+e1WQ8t3
Dh1X7PAYfUZho0rt/ZTxkbMbDWepW1LE3C0kNZ6Mw44d2s1pqSZqr98SfCvYHzbe/DPLzfnqSBN3M4npvAGXx8jqy
HKF2OYFu94kRedDAVchun5dng6NHJL1hoUlB9XnKiIuBhjvU9QOvowCqDqW30tkjsUCdpvcj3/LgP2+xgNakKeSbw
e+OiveS1lpeewY6A9yboMzETTm+XgW35y7isktZ8luInoM/P9RC6s3TQDxACO4qKg9f3QHNCqhM0w==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=0ANkdzngWROGMfiNmFjVCCTfZBBzWGfaQ/dq4lp5KWw=;

b=SFveecFUBjam+Go1Ff5J4TAtbli49vZ4t6VGio/let+k7GpLJuKsDWdnoIhqV4uxaIDtFPmri3RWW2pSXwS4XDt
YtZtKrmra0qY5YhdgNpaq344GL8NQa6CIfECs89x38ipSWMwMDE3w1Tnz+OqzEulIKFp4/zBt9wvrPKFuhr4LGpXZ
E0U3VfbcpF2cXIRGMpw3Pj06HMIXhAQc9MzJQXE9sQWhnYybvIVSxHvsCFxsR7ZdMxmhSbAhlo4yXnN9kS3BUE1Io
2C5QlrTFfXGSVKlsq+l+ZFP33HPZZwjawgp5cgINuWztna36P5wbCGGLkWVz4eWLN3CtttBZ5lAaQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=0ANkdzngWROGMfiNmFjVCCTfZBBzWGfaQ/dq4lp5KWw=;

b=e9LP48SbArWBYghwqMcphwBMXC5v7XVvxGJSu4jfEc0WtqFVFtv0kqWk4KXYdSrFdfy/3p6PAJlMWhyGIu5S+K3
Fs+0C95rpurnvOCjlvlbuUMTzNvS4ZIOfVIJpTeD8t6kTVNcaiz352i76/TuTo2TykkLLV4XCD3uuzNzAXzQ=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM8PR09MB6085.namprd09.prod.outlook.com (2603:10b6:5:2ec::13) with
 Microsoft SMTP Server (version=TLS1_2,
```

cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.20; Wed, 25 Nov 2020 20:16:57 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020 20:16:57 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDZ6R/D9gy/+f7TPCnnRlzO4k2Kw==
Date: Wed, 25 Nov 2020 20:16:56 +0000
Message-ID: <DM8PR09MB64695AB65935F83BF23F26E7F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach:
X-MS-TNEF-Correlator:
authentication-results: gmail.com; dkim=none (message not signed) header.d=none;gmail.com; dmarc=none action=none header.from=epa.gov;
x-originating-ip: [97.118.130.155]
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: 70574611-70ca-4744-6293-08d8917f0f1a
x-ms-traffictypediagnostic: DM8PR09MB6085:
x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr
x-microsoft-antispam-prvs: <DM8PR09MB6085B8EF62FDA600879FF42CF4FA0@DM8PR09MB6085.namprd09.prod.outlook.com>
x-ms-oob-tlc-oobclassifiers: OLM:5236;
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam: BCL:0;
x-microsoft-antispam-message-info:
bcsdGsCfmKaJ09GY7C8RiAjGcP2CMqCG6yGcw+NErn+7Qwcp0yR2M5nAR+csHtKpRtDC8zwzRDFmJt/P3u0huJaRi
jLD7L0aNGeTj+NXvaZZtBdB7WYbtjkGYh6osm076xSUKR05THxJ70QHIH7YrEGKg8LP4vUBdpaISHHwWHT91wUrZ3
ZPTffh0aOx3rAB8S+ZC8wv3ujUWDSvWXNDn+zIXLnXNLUIApJjgpWDeIGMDO7gBNbPJXYvLjc6bMzJG2Fy13rB3UJ
FQUuPIVXemTYYX85cvNC/Woj14EGJNQz8wgCakoPHjIrxPCSapl8NACymYGost7MhKnNixBl3fK0j1Qt/10NrTRTg
zACKdujnanONUEVDBO8CgLLG0NHc+8AUtMu+3idxL3HFSD9bHDRCjOyTLpopz9qRLkRG5tMxRDHWAlvMsFQDQzw/b
y8SVaXQERLY6emy+Jp6GeLT+boQQoRPEd95jSt5abvtMjqNJ4KuCl53bAUtlnDTEHfy
x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.prod.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(396003)(346002)(39860400002)(136003)(366004)(376002)(83080400002)(86362001)(71200400001)(88732003)(89122003)(478600001)(76576003)(166002)(8676002)(966005)(7696005)(66476007)(7336002)(8936002)(7406005)(7276002)(7366002)(33656002)(55016002)(26005)(316002)(109986005)(7416002)(66556008)(66946007)(76116006)(5660300002)(4744005)(6506007)(2906002)(186003)(65686005)(64756008)(66446008)(52536014)(9686003)(105050200002);DIR:OUT;SFP:1102;
x-ms-exchange-antispam-messagedata:
3JSwiYgu0epUo6a5KiXV0ofwQ7wh3/ubFhUNsqY4WAgjt52I6+KlF4JKXKnug5iPhd/6uGWsxBhqQGKWYcM8VD+l3
lhEJxZzNoEBoQeDluscxnYkynC6tyqzlOZ7kqbTL553JFtmm+AuHGfdGYetyhuhBQ3sIt5/4OFwPK/gtvbKwlVWTS
89YB1vW7aCnVS5MMn0UKSptnDHZv1wEp5iJ3OSc7VpkuhGjvGiSHTZlhbTCJcI0zpnI5ZjBKdmu2r63DfZvmQIwvj
9DX/3N2QICPN6dCNOr89CbZ4QBMHPfVfNmsmjoeiamZH4yxSfIWdpFbGIvNn46EXdsfIY35K86DpJWG+cAZOHw0ME
Q9qwkTk5HfLQBN4eXNEsu1OapFb7wYCJS4jCwmn90/6ks51VGD7FTYushUdV8fUb0a52J483wdZm/x8QKtq/DePSv
mUSUAA68kyOeWFZUVURAd+N/cCVN07jb7Fl/fKYPWMjUcUlHNEFV1WQPp4xQl2UCsc1ko0aaDzmhET0/KUx6eB6/v

xsvaXSCypR9c4wvZSPZ6GUKAfurcbahlEL4gIwe89qvpXuaNV98I/0CBhqGKPfOE/7NEXK2w2ZFaXyP0uptWSvdly
Va8w/m/kqL2dP+Kyj+CzVQV3E1UhOh065q2BnKAzllrdjl2b7D6IN0d+xnCt4BVO3Jb69UrMlvGZqWwTSkxF+vq7a
WfRhphwMlnb2hxMLhQzgTE9hL3nIGKTjhA7XM+loOWUnsctkok/oCmlREeQBnrwHHtYR9KUF8djYDF4QiZ/KyEV2P
5nLVY9llLR5bCY9Lv2ImmisxNFj5XBJHXVhx/Fh0JZqzorsEvfai+797vp7Qiqj4e/6yKUmarogc8ls6oUpVApt2P+
OFkHW512m8wIjlkWmVvlDkYXqSSw==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;

boundary="_000_DM8PR09MB6469AB65935F83BF23F26E7F4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 70574611-70ca-4744-6293-08d8917f0f1a

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 20:16:56.1139

(UTC)

X-MS-Exchange-CrossTenant-fromentityheader: Hosted

X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7

X-MS-Exchange-CrossTenant-mailboxtype: HOSTED

X-MS-Exchange-CrossTenant-userprincipalname:
S3C4AzGK9DzKC4e206tzZZjfY0c7IXcKiC3AR6gyoeTmqduhuKD0+hKQ4KXxejtT6YGleDE3GccHiO2ylF69uQ==

X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM8PR09MB6085