Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 8:01:13 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 8:01:14 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 8:01:14 PM
Diagnostic code = OrNameUnrecognized; Reason code = TransferFailed; Status code = 510
<barracuda.iitri.org #5.1.351 smtp;550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 No such user Ex. 6 Personal Privacy (PP) >

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

Ex. 6 Personal Privacy (PP) wasn't found at iitri.org, or the mailbox is unavailable.

Robinson.Valois **Office 365** Ex. 6 Personal Privacy (PP)
Action Required Recipient

Unknown To address

How to Fix It

The email address might be misspelled or it might not exist. Try one or more of the following:

- **Retype the recipient's address, then resend the message** - If you're using Outlook, open this non-delivery report message and click **Send Again** from the menu or ribbon. In Outlook on the web, select this message, and then click the "**To send this message again, click here.**" link located just above the message preview window. In the To or Cc line, delete and then retype the entire recipient's address (ignore any address suggestions). After typing the complete address, click **Send** to resend the message. If you're using an email program other than Outlook or Outlook on the web, follow its standard way for resending a message. Just be sure to delete and retype the recipient's entire address before resending it.
- **Remove the recipient from the recipient Auto-Complete List, then resend the message** - If you're using Outlook or Outlook on the web, follow the steps in the "Remove the

recipient from the recipient Auto-Complete List" section of this article. Then resend the message. Be sure to delete and retype the recipient's entire address before clicking **Send**.

- **Contact the recipient by some other means,** (by phone, for example) to confirm you're using the right address. Ask them if they've set up an email forwarding rule that could be forwarding your message to an incorrect address.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.351

When Office 365 tried to send the message, the external email server returned an error stating that the recipient is unknown or the mailbox is unavailable. This error was reported by an email server outside Office 365.

If you or the sender can't fix the problem, contact the responsible party's email admin - Give them the error code and error message from this non-delivery report (NDR) to help them troubleshoot the issue. To determine who the responsible party might be, check the error for information about where the problem is happening. For example, look for a domain name like contoso.com. A domain name in the error might suggest who is responsible for the error. It could be the recipient's email server, or it could be a third-party service that your organization or the recipient's organization is using to process or filter email messages.

Although the sender might be able to fix the issue by correcting the recipient address, it's likely that only the recipient's email admin can fix the problem. Unfortunately, it's unlikely Office 365 Support will be able to help with these kinds of externally reported errors.

Original Message Details

Created Date:	11/25/2020 8:01:10 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	Ex. 6 Personal Privacy (PP)
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 No such user* Ex. 6 Personal Privacy (PP)
DSN generated by:	DM6PR09MB5240.namprd09.prod.outlook.com
Remote server:	barracuda.iitri.org

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH

1	11/25/2020 8:01:11 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 8:01:11 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM6PR09MB5240.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=GlV8Azq+i1Ki5ZPPKe5y25h88qjagAZCfGifnGaBKwijJNFUd8jWc19nplu98H5qyr/7FZOpa5Cv0d3yM/vwf+2
yFU9i/PtAvIpalELSKke/xPJPoz6WiZAcWsqqq28nL/04xbhAscnk9H1I1Wfyceq6da/sgGhwkWfzv5FffHILbkA3
tNryugRpiN0yBsuPjB9MJVJHxqGzVgBzecDjurERb9nfXVvaiuCsdj5N1b/b2nPSaubS+DHnaLLssWeTcYimf/vi/
e3Qn0ysJ4J4S/Q576GjZwiNXKibtq6kRWqxcQ0vUjW+DVxz7UOkMlaHVR1/Bi27Rk3O4PFC/abC8A==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=QJ6flkEjdp+nZhi/wJ9I1J6PY1SOX7iq3VPyLtioIU8=;

b=RaIjYpVN7XPL494qRh8prnvUPY4JCe9YhoKJAU8R7FxJ4jWWQZ/7YLeWg70gsc6SrDmqp4oA11joWjs5yrqpP2K
U/v/hNMQVTrJ+rW39TGVDo4rpJkNPSy+vZUF71oL3S++OW89614jHOHnKtn4EJ69KdppWlHzodPVNJIiyL4afoCbW
jzCWgZizEfx9Qx1v2c9L0LxKGP8kLXsOaA2VhIIBD/hUE3JzfuWpPS3XLkFeZiYXGHzPv2A7GD4EizhTmD1QV8xmk
33EdshsmfmbimfCbfoXBvSgkL5nH15QeAR09wlnIk31F30JpqZJT0NazXIXJO/MnNJ9zpnMquPHGq==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=QJ6flkEjdp+nZhi/wJ9I1J6PY1SOX7iq3VPyLtioIU8=;

b=exXrpl0ScCnPsaZ9Tt2d/GlKIWDaJN2oAHcc9ECnjujWhz88fD6rcSH5nk0wLgHZwAnJRZJtPQ3yueVNBqOIA2o
vyL4e0wAmQJO/q+8FWcUHelkRHvSyVIV2aZ545ItLzurx/DYD+cPT+y2RzToYLiVjelQAtR5sbZfswKX6YJE=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB5240.namprd09.prod.outlook.com (2603:10b6:5:260::24) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.20; Wed, 25 Nov
 2020 20:01:11 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 20:01:11 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDZamq4kWYY8vSS4e1aEJ25IgxDQ==
Date: Wed, 25 Nov 2020 20:01:10 +0000
Message-ID:
<DM8PR09MB64691B921D5EB79258B8E7C2F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
```

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: gmail.com; dkim=none (message not signed)
 header.d=none;gmail.com; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: eaf0341c-fbd7-426b-368d-08d8917cdb4b

x-ms-traffictypediagnostic: DM6PR09MB5240:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM6PR09MB52400D7353F38D925D861D0BF4FA0@DM6PR09MB5240.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
adjnpJmqBzZMT/VyF33AKFtyhI2/LmMlCu44BQlo+62s95is72ydUzFWrh/ZIv8vec3lVbB3klK6X28kuLevHyi+2
wg5liz8gZzc9MPIfxWk2SYUCe7ANepHbbjD+D26uVCfwNsrLSmgGtchOIJ1y/9utEcsGzQrJdOnTVLMAieb+Ptw/D
KYldSz9bGTcRVtz4f0a6Za5s6hCH2UcIAg+avKgPRxIo03P/bbmdljvew0A1TCSyyzyShJrqDMRERnHoK1rDyNB3h
gCe/71qjJUJFK7nPdjMpKxXef361qk/oG7dfK3YZDXgy+nXFdh9IL3ucLVvInVCKkLfbf5RK3Um+ZKKqFeUZ5wDmA
rJDgdUvYs/+eHyG9zaeJ18NTzWJ/xFsi5/DmSMSufw6RSwlz4riOPppZjz56R/Zzeq4Hp7jxshVx1Odf3PJzTemjF
7H4W5EsgaLc2es9Zc3zr6Q9zSXdCINhNYazTlli/e/sFcU4zCWwYuOuuGwHPio5f0Dc

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(136003)(376002)(396003)(346002)(3
66004)(5660300002)(76116006)(86362001)(6506007)(7696005)(66946007)(26005)(88732003)(71200
400001)(33656002)(66556008)(186003)(66446008)(33080400002)(2906002)(64756008)(966005)(664
76007)(52536014)(7406005)(55016002)(7366002)(7416002)(7276002)(7336002)(76576003)(1099860
05)(65686005)(8676002)(166002)(316002)(4744005)(89122003)(8936002)(9686003)(478600001)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
HQ7pCqTL2VoNoc4YwOYku09K3p2BmcJzKAelRoKO6zhv+22dZdFtyvsjOZzQ8w/VUWk/iP3+bWpeyPQCwJdm/o9de
uonPs5u0fCnKRZ5ba6qBp6WngOfeLQ1lfBrbex4yiM1Y5i9W4EFqDK/a20R8TOgHIXndSzyfJ59VnMPKZQoLXKylX
UhH9eD9dZ+rdPgrpRU0IHLTye0JWAfGUBvLERoCyfvK/1Elba8WFgNl7nQAwpwpBTDaXtyjSYgf7djlxvsbwo2LFZ
5YeGnn+Jfz1yDLI6hVyPfrufb67wSKPel/6r4z6kxsj7cbLOj+fl+xhNzIUsCVqY41aijjqmPAA+PyFg/UMIsdmqB
WFN4pnOcfChbp3e8XTrhgn1xOF15Wn0Ycmjtm7zbm3vPGE/KQtmyDjl45bkPcxt2IMOCks3wiY8kTN/jo/H/VCJJn
kudHirenansghRHN+DCrPpPemLqPEE3qZ9CjYgQ/QSHFuKX6hdllzpq79+8ADE6Stilba4JpQwqiAnMYY20nNC1u8
zKJoPplVRqhC0y48KFL8rBpBWud6lwS29lJ+Qi9tT+ij0nq+VBNE4mRDxodZ4p8QLJflq+oKMimQdlgLGr3javyvL
P0olUmEsvumCgcI2pibSIKJ3AFlVLlDnprnZ3bJqOOAj8+ovUFbBPduElbiaS+KikRzccl2z4hxE4lL0aet0vt3Ot
fQ3CQO9034lkQ5+lCu5Xi9hTJZAQPQPfyLx6I+eaFScACciHmqGa33Sx3BP+2LO1lBiP5n9GQ123E+luNux2E3a4T
/ACnKBCW4zgaYXEet7d3W9Sz2BJ34rOcVYeQlQYkS0IvsYp/eK8gFpulpecHPbLCVvp0Ggga/cOvEbH/uZnejyfu
hgELBe9Q6fHXTJzbLCx1crzX4iAg==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
 boundary="_000_DM8PR09MB6469B921D5EB79259B8E7C2F4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: eaf0341c-fbd7-426b-368d-08d8917cdb4b

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 20:01:10.2288
 (UTC)

X-MS-Exchange-CrossTenant-fromentityheader: Hosted

X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7

X-MS-Exchange-CrossTenant-mailboxtype: HOSTED

X-MS-Exchange-CrossTenant-userprincipalname:
OOUdVoPY4XnuTBdVFveYVS5d7B0Fyy5AI0ADSm0C6nh0h0oQGC0ShSnjUOQq6s9rsIASJ9nuLAWtNstg/ALR6A==

X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB5240