Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 7:59:30 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 7:59:31 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 7:59:31 PM
Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511
<mx01.wow.cmh.synacor.com #5.1.1 smtp;550 5.1.1 [R2] Recipient Ex. 6 Personal Privacy (PP) does not exist here.>

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

Ex. 6 Personal Privacy (PP) wasn't found at wideopenwest.com.

Robinson.Valois **Office 365** Ex. 6 Personal Privacy (PP)
Action Required Recipient
Unknown To address

How to Fix It

The address may be misspelled or may not exist. Try one or more of the following:

- Send the message again following these steps: In Outlook, open this non-delivery report (NDR) and choose **Send Again** from the Report ribbon. In Outlook on the web, select this NDR, then select the link "**To send this message again, click here.**" Then delete and retype the entire recipient address. If prompted with an Auto-Complete List suggestion don't select it. After typing the complete address, click **Send**.
- Contact the recipient (by phone, for example) to check that the address exists and is correct.
- The recipient may have set up email forwarding to an incorrect address. Ask them to check that any forwarding they've set up is working correctly.

- Clear the recipient Auto-Complete List in Outlook or Outlook on the web by following the steps in this article: Fix email delivery issues for error code 5.1.1 in Office 365, and then send the message again. Retype the entire recipient address before selecting **Send**.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.1

This error occurs because the sender sent a message to an email address outside of Office 365, but the address is incorrect or doesn't exist at the destination domain. The error is reported by the recipient domain's email server, but most often it must be fixed by the person who sent the message. If the steps in the **How to Fix It** section above don't fix the problem, and you're the email admin for the recipient, try one or more of the following:

The email address exists and is correct - Confirm that the recipient address exists, is correct, and is accepting messages.

Synchronize your directories - If you have a hybrid environment and are using directory synchronization make sure the recipient's email address is synced correctly in both Office 365 and in your on-premises directory.

Errant forwarding rule - Check for forwarding rules that aren't behaving as expected. Forwarding can be set up by an admin via mail flow rules or mailbox forwarding address settings, or by the recipient via the Inbox Rules feature.

Mail flow settings and MX records are not correct - Misconfigured mail flow or MX record settings can cause this error. Check your Office 365 mail flow settings to make sure your domain and any mail flow connectors are set up correctly. Also, work with your domain registrar to make sure the MX records for your domain are configured correctly.

For more information and additional tips to fix this issue, see Fix email delivery issues for error code 550 5.1.1 in Office 365.

Original Message Details

Created Date:	11/25/2020 7:59:27 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	Ex. 6 Personal Privacy (PP)
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.1.1 [R2] Recipient* Ex. 6 Personal Privacy (PP) *does not exist here.*
DSN generated by:	DM6PR09MB5240.namprd09.prod.outlook.com
Remote server:	mx01.wow.cmh.synacor.com

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH
1	11/25/2020 7:59:28 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 7:59:28 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM6PR09MB5240.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=JETDeYltvKSc3nyoBS95Zh+gTbKtzVgUJH99dZgGiuk/14KYzn3LcO96zBYGNL8fwcN5vdZDzu/dA24vRIqIFzh
Rysdkx9EVGrMwlAzJXXpUK3YP6nWXzBz7QLZlGlTIZUmqWDUg30eA8Ox2IIs6jG0dEcoFa2c1VOi4JHkzKaJ3iS5J
k9BTsnvvNapSyIEs0lMFtxK6npX8DneULnFdWqZ7al3rexjMJPkr16OZLH9EtukskhHYPxHG2W7BgEa9aUzBjUGlQ
iJegGY8FFfUev+2etkCSQtwQBe0IUVWziX20BDZejaW/GjsleckHIAlHcQ7tTnJOEzHG69F8JQlug==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=kTMnyDxshst5C+jzRi+bFk/ydH5LgnnK76/rTLcW9EE=;

b=eMR9VdIOJJZbrhxn6NOPu0KOkla66A2rJ+7UN2GW0T8TXnwdrYcWZT9dpAUI6oYEAi7uCe7mAmV191GY2MkIrUE
TX9dVWC6MGBBPJAAwTLgByefwz7iSxhXIFvcnTToM3sZFr8CAis+U6Vokw5hXwjcPBU/2lucEi4X5RzyYYdHE7Xxi
TB+56TdL2JuRsd+YMLroNgvzWLyWJZkodEKTzQaUarVnTsA/q2g2914jxGI30por6qKdNs8Q+Ukx2kZvspPquQlZu
6kw1/KYTW3io8UXS8uge/u4VxjZ+oLP93SgiaqbIAmb0QOHGz+lDnbWqThoZUqt6uL7ftrecbB2NQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=kTMnyDxshst5C+jzRi+bFk/ydH5LgnnK76/rTLcW9EE=;

b=mQYpIGtWnmjpPEG78JZjNw+BiaI8gcoLmPCUFwuBc/T0qW53CwdOHNgNYbq7uZdtrl6CJac4ODph58qMmNQpoPG
ycnDswAsPDhHrg29iIfed90RWAR4+DSywwWEDCH7Af7DvGUBWO8il94XLG8MYJHhvqoKDpN2WGuxq4XWvO8g=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB5240.namprd09.prod.outlook.com (2603:10b6:5:260::24) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.20; Wed, 25 Nov
 2020 19:59:28 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:59:28 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDZTs7iw1JYW10Su6kb5LTILVtR5Q==
```

Date: Wed, 25 Nov 2020 19:59:27 +0000

Message-ID:
<DM8PR09MB6469CD256EEED589E7E6262DF4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: yahoo.com; dkim=none (message not signed)
 header.d=none;yahoo.com; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 030684af-de7d-41d9-3b8c-08d8917c9e03

x-ms-traffictypediagnostic: DM6PR09MB5240:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM6PR09MB5240402968378EBD8C31CA35F4FA0@DM6PR09MB5240.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
zwZmr1pzFEoy39+SaGzIm7o/d8uN4caIncqnho+Ag1/KL73LutsrNXTpp55wjM227KlwRD3CVr83rYpw5NF/+Gn0p
GIKFhocKkAyRGhkTMrpu5/vmgGTujvZ5PHUhloNANFqgII3EMxfKMtcRxYXYqGsg8cRflln6vHLeDfySBsuAhcEFw
PjrFU2GD17KuM/uQin7TJE29OTJ1LEBt+FsfZJtk3VRPbTr0o2CHzm0CR5DIPYz718sL/v5ffh8bU7ZhqbfddgAL4
1YG29+/BLu7KTH9vZJAg0BPS+SKWy1j3Lv9JKQg7WqT3aIgrxgpzASpvbh0zJTMRbskQ2DOQG1wixH85D093ej3ng
PrzVh3YzrMxRNHi8nty4tXNSz1+tQTx4sGdaJuZeB2qyzLjjEjY8XQTQnNiWugpB/4xIaZLQD0O1F/t3bBaLNntTH
TOhuDdgvutsKiNcBqHuIUZeMncsZVi+iVXPKUbJ5RGgNeexJVyDR4eEBgitprRFweOq

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(136003)(376002)(396003)(346002)(3
66004)(5660300002)(76116006)(86362001)(6506007)(7696005)(66946007)(26005)(86732003)(71200
400001)(33656002)(66556008)(186003)(66446008)(83080400002)(2906002)(64756008)(966005)(664
76007)(52536014)(7406005)(55016002)(7366002)(7416002)(7276002)(7336002)(76576003)(1099860
05)(65686005)(8676002)(166002)(316002)(4744005)(89122003)(8936002)(9686003)(478600001)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
ZYYjBHLsS2wLov2dGrFAQB/bfaXjF8PB/UhtxfnaoCJv6hqj1/ThVdFiTZwfe+2F54rheg+aZ/R9nc9rvYwCGaZqK
Q92Td4AFB19YTvo4p14NGWJYfmKsWtuojeJdVCFQ7YkvOyckrAZ4hR6ESz+487qswcUMSmsKtQ7ItPTWeaJh1k4K4
EkeZV4jNh5xqXWN3Bqyexa/zJr9QtozHl/FxZVfX/zaimhmtbIpjBnCxZs8P0FWDAPVxkC/Ky2ZxalFkoE+8uShBC
rjX4gqEGcLg73wTLghI7AHJL3PT6vxdydyxihwTwsylQEPvQqoVsKXZnxNnS0D7/cHE+HHAlmXB0ijqlNUCwiRaVn
VhhOiFifc/zfz22SjTY0DfEAusEM4tkcH0yVXFwayuaH/LhaabPvv0x3Rizv9248XN5+8pM7qUKm4HK9Tlr7LIAN3
W2Zw0sK2+SQAmSmyrBMIfEPrQuP+jcwKpnqLjF6PlxjChckUrlitX5Z4/HeRgm28e49duBgnB2rqt9UYUlxpcYG50
Y60AcOYX9D3P4+PcgF2HBk0ct8uxtmX6ShXJ4bNF8HCS79OE4Q1s2tjH5lXzCd/wLtM7112pWuSdPM0ZRjltgvwYt
20B2Ds8Lv8cMw5/dZ/koMuIQAm6AWX3rXLsYTjOA3MPOto3WDQrIs0flXKxi6hUCnnCEbUmIU4ItoVDwCrrlBy3kk
/wUyply+17J92L0zNPmkqO28ionEhGuiNP0IXSyfvi763NYv2zAmvF8360oLvrdnXeAESc7UznQxnUYR3o3eHcxMq
eSe2Js+NMEqkvm8dDdiHCPJrwbZ9wJB0zUPilT5CwzzA+Tsh/ZQhrGPtvf4sof5aJWfpIpoyw6nq0h124xF6dPuI2
sKkWPt7AfGQZaJ96vwyTmrln0piQ==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB6469CD256EEED589E7E6262DF4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 030684af-de7d-41d9-3b8c-08d8917c9e03

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 19:59:27.3961
(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
tkE1hEZoId+T7v2KliQqahWFPn3Mkv+fhT0Szc0Ln56dYoG3G5kBl/XI9LfmnhQOpPFGMlLeqNatB7YnF0VcfQ==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB5240