Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 8:04:21 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 8:04:22 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 8:04:22 PM
Diagnostic code = OrNameUnrecognized; Reason code = TransferFailed; Status code = 510
<gmx.net #5.1.351 smtp;550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 Requested action not taken: mailbox unavailable>

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

Ex. 6 Personal Privacy (PP) wasn't found at gmx.de, or the mailbox is unavailable.

Robinson.Valois **Office 365** Ex. 6 Personal Privacy (PP)
Action Required Recipient
Unknown To address

How to Fix It

The email address might be misspelled or it might not exist. Try one or more of the following:

- **Retype the recipient's address, then resend the message -** If you're using Outlook, open this non-delivery report message and click **Send Again** from the menu or ribbon. In Outlook on the web, select this message, and then click the "**To send this message again, click here.**" link located just above the message preview window. In the To or Cc line, delete and then retype the entire recipient's address (ignore any address suggestions). After typing the complete address, click **Send** to resend the message. If you're using an email program other than Outlook or Outlook on the web, follow its standard way for resending a message. Just be sure to delete and retype the recipient's entire address before resending it.

- **Remove the recipient from the recipient Auto-Complete List, then resend the message** - If you're using Outlook or Outlook on the web, follow the steps in the "Remove the recipient from the recipient Auto-Complete List" section of this article. Then resend the message. Be sure to delete and retype the recipient's entire address before clicking **Send**.
- **Contact the recipient by some other means,** (by phone, for example) to confirm you're using the right address. Ask them if they've set up an email forwarding rule that could be forwarding your message to an incorrect address.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.351

When Office 365 tried to send the message, the external email server returned an error stating that the recipient is unknown or the mailbox is unavailable. This error was reported by an email server outside Office 365.

If you or the sender can't fix the problem, contact the responsible party's email admin - Give them the error code and error message from this non-delivery report (NDR) to help them troubleshoot the issue. To determine who the responsible party might be, check the error for information about where the problem is happening. For example, look for a domain name like contoso.com. A domain name in the error might suggest who is responsible for the error. It could be the recipient's email server, or it could be a third-party service that your organization or the recipient's organization is using to process or filter email messages.

Although the sender might be able to fix the issue by correcting the recipient address, it's likely that only the recipient's email admin can fix the problem. Unfortunately, it's unlikely Office 365 Support will be able to help with these kinds of externally reported errors.

Original Message Details

Created Date:	11/25/2020 8:04:15 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	**Ex. 6 Personal Privacy (PP)**
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 Requested action not taken: mailbox unavailable*
DSN generated by:	DM6PR09MB5240.namprd09.prod.outlook.com
Remote server:	gmx.net

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH
1	11/25/2020 8:04:17 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 8:04:17 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM6PR09MB5240.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=DF4qvKBay2RJEgZFYeOLFdefr/vTNhtkOO3Ev6QqDzgp9398hb3iJHOWtOE3isDzlgP59j+ttijZiK/jVhaBuRG
aWL3DlLjD8lBHzBTHcUm+W2zhIyWH3Lvbiz8Hcql28pGHc0ul/EVVnedMQSRsg3hlFu/NYJOGJ3nfZCnd0k+FvDEd
UnGUofN0Vez0ULlMB2zZ6a5jJ657vb5r7PowFJbA/Z7SBxcNO83fyHVS+qTAnKlyT5tz4oY30jFTYerlIjwXqXkaW
3zp8s14wtSjKGWVtGOwt6c5mBl28No/EC+CGezTO2sPfwu/MN2D4y+PGAJDQPxs3I0TGLpTqFfqYA==
APC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=m8XlQLs7vq+Bbjl1OLTMiw9niqdhzZwStpHDljZbRzs=;

b=IeV3VCnwpWfLqI+u0JYYb0C4o/f3zQqh78501kKZ0zspen/J1ZpmVT+eMXIWg7UEZtKGBKOmr6uNyk9Se2KPG35
C0DKiFEUjSV90yiiPQosfTgZAGQbhHDNxBu68Tyrfcfn9ohLq2p7xHyrZhA54KONndRcJuyW59nVL3DkJ7Ta7gSJj
GaL90VIkLItdqgXUV6EziuiFH9MQ4ex9pdUGVzJOss6TCPWANgm6i9tuz2PinmKiwHavaBP5+9qCNeLsoPKOrPBmJ
IX15i3ADtYGya+JRX/5X4u7+7ZRdKusiPi+Nk+uYRblsXLc+hkxd8NpVIyNYM+MttIJainEt8vFFQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=m8XlQLs7vq+Bbjl1OLTMiw9niqdhzZwStpHDljZbRzs=;

b=Ban1OSrcDXinmt7WYwEp7+DkpWb6acZhiyflYOPyON+IbKA9ea0LqFPxmPe0sfO+ghqPrwkjfyEAWQDz/QWnQsJ
Htt0S3+M6kEP+b/5BEC8KJmOMRZ/l8QQIhVGZcp9O7Jb3ch3F1qekHZ8PzNRedVxdC1waG5GanPRgZQJZiPw=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB5240.namprd09.prod.outlook.com (2603:10b6:5:260::24) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.20; Wed, 25 Nov
 2020 20:04:17 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 20:04:17 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDZd4PFaDDCUN6RSOW02yWIGdHQg==
Date: Wed, 25 Nov 2020 20:04:15 +0000
```

Message-ID:
<DM8PR09MB6469C57D9656F321FA966BF4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: hotmail.com; dkim=none (message not signed)
 header.d=none;hotmail.com; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 08eb7a16-a9b8-42a8-468b-08d8917d4a38

x-ms-traffictypediagnostic: DM6PR09MB5240:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM6PR09MB5240BB4D33A1ED2DA0454587F4FA0@DM6PR09MB5240.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
nkeKAbkwTGla8v4+JDqj/0Ea/tZnSWx+A1CLK4AAH7429nFsb7OLaFatXaBWqj75wHg66a6XUTZzp109yCiSqj1fv
BvC9AYcbw8KPnWlMqYhvvIu6ypk8OIj9oGL5/rYdtUbf0Ex80tl3gERKtnYwKVLUWO8uTl6qWt6yASxoOccIImHVo
c5MGOlY3hJXuyHriPurxYhFPI8qSvmwOHELW0m8gB7HcLxYqpuUqU3z3dqbzbxsf2ren8EB2p1SvbvjP4OYyr7rzn
Uo3vPSiPcFQAYIuiFv//oEtqZM19CcubAGbhvm8uX3yOdEWEhMCoVynRkpEmbfbEi5jDyuO65u0ZeElyxW+Vhhfas
Gwmh7XGaQfFJu9HDFKEtk357oJmxEBYgBMo3U3Q2WsAu1y40Pd9grTR5wK3ezSqfPUkGUFUnc1SDoczGPdQnvfccT
zkHPF2kUPML34qUt+VKCr2jLL38gUEPwiFk1FVZYoZDSQpXFFd4GPKKJyVCeUr93r5T

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(396003)(366004)(346002)(376002)(136003)(398604
00002)(7336002)(7366002)(7416002)(7276002)(109986005)(76576003)(7406005)(55016002)(474400
5)(9686003)(478600001)(89122003)(52536014)(8936002)(65686005)(316002)(8676002)(166002)(76
96005)(6506007)(66946007)(76116006)(86362001)(5660300002)(966005)(66476007)(66446008)(830
80400002)(2906002)(64756008)(26005)(83732003)(186003)(66556008)(71200400001)(33656002)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
z1ffKCnO/VZ15UQTJUHy1GJ9dvIO+jm8KmeU7hGUQ/zhu7K/DgypAszg2RR5uLRpN7Tg/zST85L/MIhAL5qFBBzcK
C6Jhtpz9nelIFvapWOC9DVZQzyU3AI7ix7Qxv/UR4tc6F7uYKg/EhGwpqziiJiNsaul57VvktNWzCwqzl380tqh4K
hqwn7XyITT1jKIrT4Z3yi7AE0a5ACkPL1cWwhuOnZkQLYNfQ9nBdB26+Tj8CtWF2G/oWooHYfnwhG5Zf2BM/8h4yf
xZCZV1Z4D+6wJZLq8mFgGx5DcF4XoTQ8hUAqLqFuHA3xh8Aprl5zq3dTCeYG5DwqlEpZ/DjyyYziqPgqXAG35uYq4
WuzI14UtNREUD/w1lj098sbbvv1UfHA25Cndt5FOVhWf9WQ8nBZzNUKCCe2q5QNPm6A+GPGI+qDOUZ+Z6aKWBBYA8
3lQUyPT3va5zwh4Zeri87p9Gn2ehKTr6KA8DH/8E1IdAd4luyJCAWZ62RBAjoLsKYWbLf+v5CKw9+9vXc7MMeGKly
3tgkzZ30bjnubdq33aV1U3l/u2fer1/aieH6Td4XmMMhIM6vveKbafkg8PPLaNw5JA+B9XfyF/WdpUanZ9SPpUU9w
JStYPNnwLZRoxUMT4wGOzAGMn7w5sj8nSUZtAIuzJhNwEK1DLXFQRNyRPYv58fzmEh+OKMkFnb0TxoTYwG7NKrJCj
TE1UAnNHa9S3rtIcpYMI/4uUoB3DTWsLj173J5pisq53R36ZmCE2/g1A669PT3sLTR/Evft6td8D6zRsHXUjZMZrz
5k0h4a660bYyz4LD9nsbtWkOcIZ1Np2+lhsmTj0kauwdRRW3/PzPcrXQl/a2VnQSqee1/B2L0fJObptIJ2su8lGkz
DX+Cm85jkmn7I7OkfCm3TMm2u8zQ==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
 boundary="_000_DM8PR09MB6469C57D9656F321FA966BF4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 08eb7a16-a9b8-42a8-468b-08d8917d4a38

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 20:04:15.9276

(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
q/woQU523rrdD8o6tBk6NI14hJpC2P//YhXahzLYDIM9UyOrKtnjlFhvdLiSmailsOVv1M5Ywuxydeaf5WxnJw==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB5240