Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 7:56:47 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 7:56:47 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 7:56:47 PM
Diagnostic code = OrNameUnrecognized; Reason code = TransferFailed; Status code = 510
<sa-prd-rgin-024.btmx-prd.synchronoss.net #5.1.351 smtp;550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 RCPT TO:<Ex. 6 Personal Privacy (PP) User unknown>

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

Ex. 6 Personal Privacy (PP) wasn't found at Ex. 6 Personal Privacy (PP) or the mailbox is unavailable.

Robinson.Valois **Office 365** Ex. 6 Personal Privacy (PP)
Action Required Recipient
[redacted]
Unknown To address

How to Fix It

The email address might be misspelled or it might not exist. Try one or more of the following:

- **Retype the recipient's address, then resend the message -** If you're using Outlook, open this non-delivery report message and click **Send Again** from the menu or ribbon. In Outlook on the web, select this message, and then click the "**To send this message again, click here.**" link located just above the message preview window. In the To or Cc line, delete and then retype the entire recipient's address (ignore any address suggestions). After typing the complete address, click **Send** to resend the message. If you're using an email program other than Outlook or Outlook on the web, follow its standard way for resending a message. Just be sure to delete and retype the recipient's entire address before resending it.

- **Remove the recipient from the recipient Auto-Complete List, then resend the message** - If you're using Outlook or Outlook on the web, follow the steps in the "Remove the recipient from the recipient Auto-Complete List" section of this article. Then resend the message. Be sure to delete and retype the recipient's entire address before clicking **Send**.
- **Contact the recipient by some other means,** (by phone, for example) to confirm you're using the right address. Ask them if they've set up an email forwarding rule that could be forwarding your message to an incorrect address.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.351

When Office 365 tried to send the message, the external email server returned an error stating that the recipient is unknown or the mailbox is unavailable. This error was reported by an email server outside Office 365.

If you or the sender can't fix the problem, contact the responsible party's email admin - Give them the error code and error message from this non-delivery report (NDR) to help them troubleshoot the issue. To determine who the responsible party might be, check the error for information about where the problem is happening. For example, look for a domain name like contoso.com. A domain name in the error might suggest who is responsible for the error. It could be the recipient's email server, or it could be a third-party service that your organization or the recipient's organization is using to process or filter email messages.

Although the sender might be able to fix the issue by correcting the recipient address, it's likely that only the recipient's email admin can fix the problem. Unfortunately, it's unlikely Office 365 Support will be able to help with these kinds of externally reported errors.

Original Message Details

Created Date:	11/25/2020 7:56:37 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	**Ex. 6 Personal Privacy (PP)**
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 RCPT TO:* **Ex. 6 Personal Privacy (PP)** *User unknown*
DSN generated by:	DM6PR09MB4853.namprd09.prod.outlook.com
Remote server:	sa-prd-rgin-024.btmx-prd.synchronoss.net

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH
1	11/25/2020 7:56:38 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 7:56:38 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM6PR09MB4853.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=cpCQ/gV7rfBihorCUjR9u8cyc/ID9mq1EMuFd+yqf0IOPJz4VNHOjEJ1KmJPIBsy0GAijvq1zSKf9pbzTX00iba
jQIr357J7Fad0nJ/qDmjR7ICsbUAjCIBxE8TfV2BCP29Xye6scE5TI/SqMDBM8dBIXsMfm23bV6SDs4HjR96zJutO
T87ONVMDAF2ICTW3aJXUUMvpwUMK7uQ3++02t8eXnZxFA6+ir3F4QcCpuD0O+TvI1AoGQKzVt7WXfKzcJLYP93GBO
hkPSS/qcCysye/SLuwJiCFVvcRLHOO0yTF7tRrTPN4vxgzdLSV5uNDrvL0PI65Wh4Bp5VeMcLRn2A==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=N7QgrxN9DA6YY7Eoea2DJMHeRIA8KFcxop6E4jXjOhw=;

b=mkrfx3i/l0FXxAFS+XFPh5ksqLYcb+76oUkiwKlVjhMysy5Q4VPr6FWuVBtbzmfpiVDl3GGJDfqScTMCOFKn8Fl
qdox/39TyhWo/Gnh4rllu+fQUr9Y/qCu2abPPhrwOPTd6JMJQea9BOQ2TYY8VyfC/oevkVELARGboR0FSe92jKqiD
CqxXJsdIcqyXf8upDgQmU6HEAeJpvjvKsbNSxE09Kf4qCCUzYKuo/u9pBVYaHXIflUNJAE/SUql8Yzn2T1ULIRGF0
hlmaqu0vmX53/E2tNC7X5+WzOl/L+XkfzR1Z0TYzpj9pp1jjAcAGf116mArGfefqvt/xVtOtj5bNQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=N7QgrxN9DA6YY7Eoea2DJMHeRIA8KFcxop6E4jXjOhw=;

b=rPzoTKe5CDeN8Bb0yK6cUpinXdTN3TsO5FwXvJzK0Dwl21RQS8+TO/sj1Dzejccf+dNBm9eB8zMX9vuEMqkyeL9
fLsQTHZECwkQ72tW3ygcqXdlr3KfNfcZeozvKVTJdS5uNKdYevIL3DrdiJmn6QnAlOmC0rg7KZCyJr7UXBEs=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB4853.namprd09.prod.outlook.com (2603:10b6:5:26a::15) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3589.20; Wed, 25 Nov
 2020 19:56:38 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:56:38 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDZKXIBuy249scS9y7eS9rfe44Jg==
Date: Wed, 25 Nov 2020 19:56:37 +0000
```

Message-ID:
<DM8PR09MB6469A1FD485D6638471C0307F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: btinternet.com; dkim=none (message not signed)
 header.d=none;btinternet.com; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 5fce10a4-3531-49aa-25a6-08d8917c38c9

x-ms-traffictypediagnostic: DM6PR09MB4853:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM6PR09MB4853EAA81D096520DE4CB2FCF4FA0@DM6PR09MB4853.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
0LKnBSCheWWPf8J9vc0OjYnZ/nWbr3qnieKf8cyYGyw+MkjdTC6kVy+jopvZzxvlua0r34Ohw2N0F0crr41B/wjLK
dDzy36UXp6IiSUOWqvE7anIUPdDnoShDmm5Ap0hXUUAulnjTVnHfl28BiJxPGFpAGP+rf6Jai0W0NUjI9KtnvZZFr
4S4FYSOh7iPkNiYZUzbKDy4p5LQuH3wNdeZH825nyXjhUT62hDqbhKESaQY8iasgpZHuJYC70P1zmlC4I0rmY8yPc
U/aKmvbgM5j8cUo8TOng90Mj7lmxYiuDC3+EGKGIyrYftj2sUG1Hx5L5ks0v48q2bfIC4yygO7zpJBDXKKQIt5/w+
liM8V3pqJXyNXYEvcllli7fp7qOY+/v5O+b6yQjKhX/eiv28vp16f5Ez7l/zqOLX5SdECYda3z0S7ALQEczU2q9vP
Cv4nGuWP7yRn2QIbu5HP0d2Kbq0a5srKXT0BT6iiF3WG5lonUcJutG6jfEk0hpko2xl

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(366004)(376002)(346002)(136003)(3
96003)(478600001)(88732003)(76576003)(83080400002)(966005)(65686005)(76116006)(89122003)(
316002)(64756008)(52536014)(66556008)(4744005)(96362001)(66476007)(66446008)(33656002)(71
200400001)(2906002)(7696005)(9686003)(66946007)(55016002)(8676002)(7406005)(8936002)(7416
002)(109986005)(7276002)(166002)(7366002)(6506007)(186003)(7336002)(5660300002)(26005)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
DIeOF7N44pm1HoouKHGYT1LEN0bcH8Cminh+jJqd3pTG3bIUb1PHFrnCzw1ylGgye+ZaSYIiUOkp1hOBGySLtsPMQ
pFVIO1pr1U07iPpF/SAuW8SMNPski4Sd5191seJ1EjmKlniSgDQXF5H0koP3RuJJ4JaO5+CcWk8Eaf0NWA6W1tNh1
FSZMQucsFDRULlWTKdJ07c5gF12riGU1J7muuniUuVaq6R2wPjgnP7pnBc2e+3+XxkEo/Z018oYViYToetVldrUy8
HE9DhUs43kaxokzg1C2tmPfpTtERweWfL+SBmrVSb1/bDfRjSuEbvt179IHA7eh6PbxlpNLvc76n0C32too6CyNWc
73XcmGrkp5bW3UQjS1O4UXAdGLPTzatBHprHtc5XAI0TD97HCooWiTQP3oxufnb0Ly+5bu8BDfu54a8TWDDbgBA3r
QnG1DnoravI1UQVYajfyXJnIjBKhnfup/bqKs8m9Futv/z2qQt4L8JQADD8PEDi4ioJQWYMfuXUb01tQn77aWD/zA
JkYHKBSC+PGmtevTT6FBkw7Lt2qaiarGOm0up+H1SdGcZmblq1PL26CYhZTFzZ9d3aZWVvjuCgkPagC/s1VIdPQm7
YiZzir735NcBWzJy730OxTWwLf6GgMmGKcbaHzvVW9UnMM8Zy57ZmKsk0ngcGeyUshEX3JTUuaTwoF2Y22RqaPunu
r/7JufAxOhrnbPXXymAFPXfPjECzPB6jUvJW4vTz0fp6IwrZRYhqJG60WSW73PAZE+DT0wun9PkCUHjNZgIAfxyYS
/L11apjIrsu2TYBLb0itqfHeo0zT/sy11zTqHONL7fqAdf7wSd1ZHH0a0AwK8nRdjn9MeWCRDLE9iknjbR1gZoEgp
LnAsFw7avIKPHuK6uk4YPHgNoMrA==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB6469A1FD485D6638471C0307F4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 5fce10a4-3531-49aa-25a6-08d8917c38c9

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 19:56:37.5258

(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
XYWnbg587cHDAdW6lBSL461/z89KynilJ8ZbUkeZhsTu+c4x7VGtFuKt1GgUwwlobxBx5hA405yPINI298EQ3w==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB4853