Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 7:45:04 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 7:45:04 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 7:45:04 PM
Diagnostic code = OrNameUnrecognized; Reason code = TransferFailed; Status code = 510
<us-smtp-1.mimecast.com #5.1.351 smtp;550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 Invalid Recipient - https://community.mimecast.com/docs/DOC-1369#550 [iL5Op9pyPHCt1NSCIiHYAg.us257]>

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

Ex. 6 Personal Privacy (PP) wasn't found at laphil.org, or the mailbox is unavailable.

Robinson.Valois **Office 365** Ex. 6 Personal Privacy (PP)
Action Required Recipient

Unknown To address

How to Fix It

The email address might be misspelled or it might not exist. Try one or more of the following:

- **Retype the recipient's address, then resend the message -** If you're using Outlook, open this non-delivery report message and click **Send Again** from the menu or ribbon. In Outlook on the web, select this message, and then click the "**To send this message again, click here.**" link located just above the message preview window. In the To or Cc line, delete and then retype the entire recipient's address (ignore any address suggestions). After typing the complete address, click **Send** to resend the message. If you're using an email program other than Outlook or Outlook on the web, follow its standard way for resending a message. Just be sure to delete and retype the recipient's entire address before resending it.

- **Remove the recipient from the recipient Auto-Complete List, then resend the message** - If you're using Outlook or Outlook on the web, follow the steps in the "Remove the recipient from the recipient Auto-Complete List" section of this article. Then resend the message. Be sure to delete and retype the recipient's entire address before clicking **Send**.
- **Contact the recipient by some other means,** (by phone, for example) to confirm you're using the right address. Ask them if they've set up an email forwarding rule that could be forwarding your message to an incorrect address.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.351

When Office 365 tried to send the message, the external email server returned an error stating that the recipient is unknown or the mailbox is unavailable. This error was reported by an email server outside Office 365.

If you or the sender can't fix the problem, contact the responsible party's email admin - Give them the error code and error message from this non-delivery report (NDR) to help them troubleshoot the issue. To determine who the responsible party might be, check the error for information about where the problem is happening. For example, look for a domain name like contoso.com. A domain name in the error might suggest who is responsible for the error. It could be the recipient's email server, or it could be a third-party service that your organization or the recipient's organization is using to process or filter email messages.

Although the sender might be able to fix the issue by correcting the recipient address, it's likely that only the recipient's email admin can fix the problem. Unfortunately, it's unlikely Office 365 Support will be able to help with these kinds of externally reported errors.

Original Message Details

Created Date:	11/25/2020 7:45:00 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	Ex. 6 Personal Privacy (PP)
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 Invalid Recipient - https://community.mimecast.com/docs/DOC-1369#550 [iL5Op9pyPHCt1NSCIiHYAg.us257]*
DSN generated by:	DM6PR09MB5109.namprd09.prod.outlook.com
Remote server:	us-smtp-1.mimecast.com

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH
1	11/25/2020 7:45:01 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 7:45:01 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM6PR09MB5109.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=Oy49HTfrfdjJ5rzztkEklyurRx/GNAy4U/zzp6M0TU4neH5u9TzJDdp/znrfJklHgB8WVpvMe+ZsTBXY2ps7IRw
+LcVprjBJWDMCb9b3CXalvtFRY9MD93XA60sre2KzcZvMzzMs9xxfOcJHQ98MvwG5gTo6dPe40IQa+fRZY2snoUoo
4h2r1wQDXwkoyGVCLEAXsS06JE4CJDjTmgdn3E3FLA2zOFj4IRR26Mucak8kWkX4vq8P8LGvlzQaW4iNZ2pzsaVOY
CdgxjzocL6eCtB9hEFCXvNt3RGwSe17LqJjaKTGEv7Lga873VrDrfYLjhrDJumKO9isfF8DD+UT2A==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=4DqrJN0X2kotOGMepTHpJXFFlNLHkoFKyQYjERPshAg=;

b=XKfZWqq8L20b/g2muuxqLpqD3cuiMHwQPflA6sQyfGbZ/4qIHBQ9nvke4sivx8u6fkKCkJRgjmnoOoktKivNS63
bL7Ma8XsyLyn9eNzC+nKqZ2A67wDk91j1S/2vVDy6nFSgcV6NbR2MMFV2bayXDOqP0wTZNPpdYsu3MyZJwfYVAZDG
tJYyhHeFhugGsRv43SmZOd6Rw7MBzS0lP6lMK3pqTytqZCHjbn2IcfAzZtK4FgvEoLOGF9m85lIUX1QixXkf/W8Xu
D3tDYeTRbShY0eb1TAktlsi2BVBPwhu4MKo4lWojbPnnPE3LAXn/9o8k6D49uZdw0dLA1siCuKntg==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=4DqrJN0X2kotOGMepTHpJXFFlNLHkoFKyQYjERPshAg=;

b=wf2AgcTMpkNz6vmh669JynjO+gg/heLppBTNXslAf+J8deNYFB2zzl+uSwPHA0czvcRNz4OMesiTw+T8/u7+wlF
oY0vtRA6ij8bL7LMjNXV8W8oICZ3pOdjyhNJnecEwUcqPQRotTWlMYQVChODtBWjXh6S0ZHc4wA39R2Ndl6S=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB5109.namprd09.prod.outlook.com (2603:10b6:5:266::12) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.23; Wed, 25 Nov
 2020 19:45:01 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:45:01 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDY1sEK0PMV7P3TOq7Lsp9EYoWzg==
Date: Wed, 25 Nov 2020 19:45:00 +0000
```

Message-ID:
<DM8PR09MB6469E716D4BADD82D5BA8E2AF4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: btinternet.com; dkim=none (message not signed)
 header.d=none;btinternet.com; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 637a808d-eb77-465a-c89f-08d8917a9941

x-ms-traffictypediagnostic: DM6PR09MB5109:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM6PR09MB5109BC929BF0FAEE23B1EA08F4FA0@DM6PR09MB5109.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
fPap8EHKuescu0fzUBHqY4yyadPikQkmaBmDELauhQQwS4K4K1b8sqXSttVTWPi9DdP7ytu2dUXKpZqBFWw1ydlic
T5ZygYjQplA3Pvy9mHQVl2NoidWAP6KMwkAMnOGMJnSPt3DhfKaQJb4wpeFJgJRx1JVlOiwAtayCllQ7fEkLA+5T9
yHMNXvJwBlAV4XY+CMbYRYIbIz84izslPcwmkiUMn3D6ERjS3HoNrUiXFGVCfVRWFUZFDzFPaq0qWuV98rSHhjvEW
uaBECNTD0hPls6wRhxXJLQsCFsHZGX/3Dvv2XaXT6OrwUxWU8b1NxbDaqDHwnOr4DOZQkzNeS5uVQk5Q7yml WFihg
bOK6051RN5mmqL31MoIoeG/3is79sOOFTx0zj8AEzdQl1tX3SwGxPXEw5APiqpG895vsWfQA/lJu+eCHYE3tJcZ12
gdd0u0WW/pigoqtsPwUXYaYl7sSg9/lDLgzMokh7JBUEaBtSjWJ1ZDDPkq2QwHqrV3p

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(396003)(346002)(376002)(366004)(1
36003)(26005)(316002)(8676002)(71200400001)(166002)(186003)(5660300002)(52536014)(8636200
1)(109986005)(33656002)(83080400002)(66476007)(66446008)(64756008)(66556008)(66946007)(29
06002)(65686005)(966005)(4744005)(76116006)(8936002)(7696005)(7406005)(6506007)(7336002)(
7276002)(7416002)(55016002)(7366002)(478600001)(76576003)(89122003)(98732003)(9686003)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
E2gO6TzUYeaZ1I8kjo/iILietIiQvGYl1+qFbxbziZiwUBtx9x8J3jqwKG6Ea97ml7ccnU1giDC2a5nQx5eVYVBV+
TLdOFSna/BWRi/WMsomC+ZMawQanINEw8TNRs/KPmARrYGGnWaC3J1Wj8q6OU2ES0Q66ARvuckBFk6ZzAm+SWJYzQ
Rdbv+kTCnuRalYbY3MfvOo/3u7FCVAUiT5j+ZKRq/tst3sn/5WhobZGCskKJTjcvyNb9FGY7/wo422Zg+LQQxBQxz
wcZuSu1NgTJ8QmzIRHgXKYuFdcjh/+4Kw+pKbGJjm8LAuEmI/uCXwctA426HMR7Y6iNZOMTY7eStk/QIoCduXyprZ
oANL/cQVD2vnlk/gFc0zRypxu0QkSIuZrx3VNPvDJleJrmhdRPTw+RgpcCIXbgiSACPwaeVWvRRDWu7NNPhFU07sK
GAL7EF8RhAfW0arCTHVRkq5arU/SIY+T10WzyxTOmfjp0zaNST2jZ+GIq0ihjciuq/8G55lHJggXYUYq0BUAuYH4c
yAchPd+56VLmVEepuMZ253ujVGWiipT61EeGeNVba51GeFqk6/xbmzm8C2B0MfRViSQYHnQkRcG6lW+PA81QxrMNt
ixm1Lzw+S5Z3t2djUGjuQhVyvmfC9s+5iPm4wjDCOA4S8+EnAu2VXfXeeZ0vpsLHjYxDjOkkjGLYL7xntDAcZ6SAP
PD27ncpoCfy+qHfVgoW4vn4J6QWcInEm2YFsjd4ChGHJ8nC0VlTO9mzGi979YOJYNxiOYYzb23JyWRkVcz7eTEUCB
bpjVhkkHKIMmhFh+MOCjD7yXzwfihCcD+Uvm6wr7b8gn5s98uyXzNNJ6sJxme7D0x4wnhuPG8666pJjcBF6Afsp5S
aQR/Q+uf2vN1dsewN47aRAOh4Odg==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB6469E716D4BADD82D5BA8E2AF4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 637a808d-eb77-465a-c89f-08d8917a9941

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 19:45:00.0955

(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
awid7vQBRHWmkdGAY9z1A7kCtxInnx30XyO6i9Zbb3+GljA5BzzwPjulJTf3N/vDyiLspPTTXMgqHXudcKaibA==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB5109