Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 7:56:42 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 7:56:43 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 7:56:43 PM
Diagnostic code = NoDiagnostic; Reason code = TransferFailed; Status code = 500
<mtaproxy204.free.mail.ir2.yahoo.com #5.0.350 smtp;550 5.0.350 Remote server returned an error -> 552 1 Requested mail action aborted, mailbox not found>

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

When Office 365 tried to send your message, the receiving email server outside Office 365 reported an error.

Robinson.Valois	Office 365	Ex. 6 Personal Privacy (PP)
Sender		Action Required
		Policy violation or system error

How to Fix It

Check the "Reported Error" from the "Error Details" section shown below for more information about the problem. The error might tell you what went wrong and how to fix it. For example, if the error states that the message was blocked due to a potential virus or because the message was too large, try sending the message again without attachments.

If you're not able to fix the problem, it's likely that only the recipient's email admin can fix it. Contact the recipient by some other means (by phone, for example) and ask them to tell their email admin about the problem. Give them the "Reported Error" from the "Error Details" section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.0.350

The error reported by the receiving server wasn't specific enough to determine the exact nature of the problem. These errors often indicate the message violates a security or policy setting configured on the recipient's email servers.

If the sender is unable to fix the problem by modifying their message, then it's likely a problem that only the recipient's email admin can fix. Try the following:

Check the error for information about the problem - The "Reported Error" returned by the external email server can be found in the "Error Details" section below. This error might tell you what went wrong and provide clues for how to fix it. For example, if the error states the message was rejected due a Sender Policy Framework (SPF) issue, then you'll have to work with your domain registrar to correctly configure your domain's SPF records.

Check the error for information about where the problem is happening - For example, look for a domain name like contoso.com. A domain name in the error might suggest who is responsible for the error. It could be the recipient's email server, or it could be a third-party service that your organization or the recipient's organization is using to process or filter email messages.

If you can't fix the problem, contact the responsible party's email admin - Give them the error code and error message from this non-delivery report (NDR) to help them troubleshoot the issue. For security or policy violation issues, it might be sufficient for them to just add your sending IP addresses or domain to their allowed senders list.

It's likely that only the recipient's email admin can fix the problem. Unfortunately, it's unlikely Office 365 Support will be able to help with these kinds of externally reported errors.

Original Message Details

Created Date:	11/25/2020 7:56:37 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	Ex. 6 Personal Privacy (PP)
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.0.350 Remote server returned an error -> 552 1 Requested mail action aborted, mailbox not found*
DSN generated by:	DM6PR09MB4853.namprd09.prod.outlook.com
Remote server:	mtaproxy204.free.mail.ir2.yahoo.com

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH

1	11/25/2020 7:56:38 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 7:56:38 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM6PR09MB4853.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=cpCQ/gV7rfBikorCUjR9u8cyc/ID9mqlEMuFd+yqf0IOPJz4VNHOjEJlKmJPIBsy0GAijvqlzSKf9pbzTX00iba
jQIr357J7Fad0nJ/qDmjK7ICsbUAjCIBxE9TfV2BCP29Xye6scE5TI/SqMDBM8dBIXsMfm23bV6SDs4HjP96zJutO
T87ONVMDAF2ICTW3aJKUUMvpwUMK7uQ3++02t8eXnZxFA6+ir3F4QcCpuD0O+TvIlAoGQKzVt7WXfKxcJLYP93GBO
hkPS3/qcCysye/SLuwJiCFVvcRLHOO0yTF7tRrTPN4vxgzdLSV5uNDrvL0RI65Wh4Bp5VeMcLRn2A==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=N7QgrzN9DA6YY7Eoea2DJMHeRIA8KFcxop6E4jXjOhw=;

b=mkrfx3i/10FXxAFS+XFPh5ksgLYcb+76oUkiwK1VjhMysy5Q4VPr6FWuVBtbzmfpiVD13GGJDfgScTMCOFKn8Fl
qdox/39IyhWo/Gnh4rllu+fQUr9Y/qCu2abPPhrwOPTd6JMJQea9BOQ2TYY8VyfC/oevkVELARGboR0FSs92jKgiD
CqxXJsdIcqyXf8upDgQmU6HEAeJpvjvKsbNSxE09Kf4qCCUzYKuo/u9pBVYaHXIflUNJAE/SUq18Yxn2T1ULIRGF0
hlmaqu0vmX53/E2tNC7X5+WzOl/L+XkfzR1Z0IYzpj9ppljjAcAGfl16mArGfefqvt/xVtOtj5bNQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=N7QgrzN9DA6YY7Eoea2DJMHeRIA8KFcxop6E4jXjOhw=;

b=rRzoTKe5CDeN8Bb0yK6cUpinXdTN3TsO5FwXvJzK0Dwl21RQS8+TO/sjlDzejccf+dNBm9eB8zMX9vuEMqkyeL9
fLsQTHZECwkQ72tWSygcqXdlr3KfNfc2eozvKVTJd85uNKdYevILSDrdiJmn6QnAlOmC0rg7K2CyJr7UXBEs=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB4853.namprd09.prod.outlook.com (2603:10b6:5:26a::15) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3589.20; Wed, 25 Nov
 2020 19:56:38 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:56:38 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDZKXIBuy249scS9y7eS9rfe44Jg==
Date: Wed, 25 Nov 2020 19:56:37 +0000
Message-ID:
<DM8PR09MB6469A1FD485D6638471C0307F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
```

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: btinternet.com; dkim=none (message not signed)
 header.d=none;btinternet.com; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 5fce10a4-3531-49aa-25a6-08d8917c38c9

x-ms-traffictypediagnostic: DM6PR09MB4853:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM6PR09MB4853EAA81D096520DE4CB2FCF4FA0@DM6PR09MB4853.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
0LKnBSCheWWPf8J9vc0OjYmZ/nWbr3qnieKf8cyYGyw+MkjdTC6kVy+jopvZzxvlua0r340hw2N0F0crr41B/wjLK
dDzy36UYp6TiSUOWqvE7anTUPdDnoShDmm5Ap0hXUUAulnjTVnHfl28BiJxRGFpAGP+rf6Jai0W0NUjI9KtnvZZFr
4S4FYSOh7iRkNiYZUzbKDy4p5LQuH3wNdeZH825nyXjhUT6ZhDqbhKESaQY8iasgpZHuJYC70P1zmlC4IOrmY8yPc
U/aKmvbgM5j8cUo8TOng90Mj7lmxYiuDC3+EGKGIyrYftj2sUGlHx5L5hs0v48q2bfIC4yygO7zpJBDXKKQIt5/w+
1iM8V3pqJXyNXYEvcllli7fp7qOY+/v5O+b6yQjKhX/eiv28vp16f5Ez7l/zqOLX5SdECYda9z0S7ALQEczU2q9vP
Cv4nGuWP7yPn2QIbu5HP0d2Kbq0a5srKXT0BT6iiF3WG5lonUcJutG6jfEk0hpko2zl

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(366004)(376002)(346002)(136003)(3
96003)(478600001)(88732003)(76576003)(83080400002)(966005)(65686005)(76116006)(89122003)(
316002)(64756008)(52536014)(66556008)(4744005)(96362001)(66476007)(66446008)(33656002)(71
200400001)(2906002)(7696005)(9686003)(66946007)(55016002)(8676002)(7406005)(8936002)(7416
002)(109986005)(7276002)(166002)(7366002)(6506007)(186003)(7336002)(5660300002)(26005)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
DIeOF7N44pmlHooukHGYTlLEN0bcH8Cmimh+jJqd3pTG3bIUb1PHFrnCzwlylGgye+ZaSYIiUOkplhOBGy3LtsPMQ
pFVIOlprlU07iPpF/SAuW80MNRski4Sd5191seJiEjmKlniSgDQXF5H0koP3RuJJ4JaO5+CcWk8Eaf0NWA6W1tNhl
FSZMQucsFDBULlWTKdJ07c5gF12riGU1J7muuniUuVaq6RZwRjgnP7pnBc2e+3+XzkEo/Z018oYViYToetVldrUy8
HE9DhUs43kaxokzglC2tmPfpTtERweWfL+SBmrVSbl/bDfRjSuEbvtl79IHA7eh6PbxlpNLvc76n0C32toc6CyNWc
73XcmGrkp5bW3UQjSlO4UXAdGLPTzatBHprHtc5XAI0TD97HCooWiTQP3oxufnb0Ly+5bu8BDfu54a8TWDDbgBA3r
QmG1DnoravI1UQVYajfyXJnIjBKhnfup/bqKs8m9Futv/rZqQt4L8JQADD8PEDi4ioJQWYMfuXUb01tQn77aWD/zA
JkYHKB3C+PGmtevTT6FBkw7Lt2qaiarGOm0up+H1SdGcZmblq1PLZ6CYhZTFzZ9d3aZWVvjuCqkPagC/slVIdPQm7
YiZzir735NcBWzJy730GxTWwLf6GqMnGKcbaHzvVW9UnMM8ZyS7ZmKsk0ngcGeyUshEX3JTUuaTwoF2Y22PqaPunu
r/7JufAxOhrnbRXYmAFRXfPjECxPB6jUvJW4vTx0fp6IwrZRYhqJG60WSW73RAZE+DT0wun9RkCUHjNZgIAfxyY3
/L1lapjIrsu2FYBLb0itqfHeo0xT/sylizTqHONL7fgAdf7wSdlZHH0a0AwK8nRdjn9MeWCRDLE9iknjbRlgZoEgp
LnAsFw7avIKRHuK6uk4YPHgNoMrA==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
 boundary="_000_DM8PR09MB6469A1FD485D6638471C0307F4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 5fce10a4-3531-49aa-25a6-08d8917c38c9

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 19:56:37.5258
 (UTC)

X-MS-Exchange-CrossTenant-fromentityheader: Hosted

X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7

X-MS-Exchange-CrossTenant-mailboxtype: HOSTED

X-MS-Exchange-CrossTenant-userprincipalname:
XYWnbq587cHDAdW6lBSL461/x89KyniIJ8ZbUkeZhsTu+c4x7VGtFuKt1GqUwwlobxBx5hA405yPINI298EQ3w==

X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB4853