Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 7:56:41 PM
To: info@data-basic.de
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 7:56:42 PM

The following recipient(s) cannot be reached:

info@data-basic.de on 11/25/2020 7:56:42 PM
Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511
<mx00.udag.de #5.1.1 smtp;550 5.1.1 <info@data-basic.de>: Recipient address rejected: User unknown in local recipient table>

Office 365

Your message to info@data-basic.de couldn't be delivered.

info wasn't found at data-basic.de.

Robinson.Valois	Office 365	info
Action Required		Recipient

Unknown To address

How to Fix It

The address may be misspelled or may not exist. Try one or more of the following:

- Send the message again following these steps: In Outlook, open this non-delivery report (NDR) and choose **Send Again** from the Report ribbon. In Outlook on the web, select this NDR, then select the link "**To send this message again, click here.**" Then delete and retype the entire recipient address. If prompted with an Auto-Complete List suggestion don't select it. After typing the complete address, click **Send**.
- Contact the recipient (by phone, for example) to check that the address exists and is correct.
- The recipient may have set up email forwarding to an incorrect address. Ask them to check that any forwarding they've set up is working correctly.

- Clear the recipient Auto-Complete List in Outlook or Outlook on the web by following the steps in this article: Fix email delivery issues for error code 5.1.1 in Office 365, and then send the message again. Retype the entire recipient address before selecting **Send**.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.1

This error occurs because the sender sent a message to an email address outside of Office 365, but the address is incorrect or doesn't exist at the destination domain. The error is reported by the recipient domain's email server, but most often it must be fixed by the person who sent the message. If the steps in the **How to Fix It** section above don't fix the problem, and you're the email admin for the recipient, try one or more of the following:

The email address exists and is correct - Confirm that the recipient address exists, is correct, and is accepting messages.

Synchronize your directories - If you have a hybrid environment and are using directory synchronization make sure the recipient's email address is synced correctly in both Office 365 and in your on-premises directory.

Errant forwarding rule - Check for forwarding rules that aren't behaving as expected. Forwarding can be set up by an admin via mail flow rules or mailbox forwarding address settings, or by the recipient via the Inbox Rules feature.

Mail flow settings and MX records are not correct - Misconfigured mail flow or MX record settings can cause this error. Check your Office 365 mail flow settings to make sure your domain and any mail flow connectors are set up correctly. Also, work with your domain registrar to make sure the MX records for your domain are configured correctly.

For more information and additional tips to fix this issue, see Fix email delivery issues for error code 550 5.1.1 in Office 365.

Original Message Details

Created Date:	11/25/2020 7:56:37 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	info@data-basic.de
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.1.1 <info@data-basic.de>: Recipient address rejected: User unknown in local recipient table*
DSN generated by:	DM6PR09MB4853.namprd09.prod.outlook.com
Remote server:	mx00.udag.de

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH
1	11/25/2020 7:56:38 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 7:56:38 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM6PR09MB4853.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=cpCQ/gV7xfBikorCUjR9u8cyc/ID9nq1EMuFd+yqf0IOPJz4VNHOjEJ1KmJPIBsy0GAijvq1rSKf9pbrTX00iba
jQIr357J7Fad0nJ/qDmjK7ICsbUAjCIBxE8TfV2BCP29Xye6scE5TI/SqMDBM8dBIXsMfm23bV6SDs4HjR96zJutO
T87ONVMDAF2ICTW3aJXUUMvpwUMK7uQ3++02t8eXnZxFA6+ir3F4QcCpuD0O+TvI1AoGQKzVt7WXfKxcJLYP93GBO
hkPSS/qcCysye/SLuwJiCFVvcPLHOO0yTF7tRrTPN4vxgzdLSV5uNDrvL0RI65Wh4Bp5VeMcLPn2A==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=N7QgrxN9DA6YY7Eoea2DJMHeRIA8KFcxop6E4jXjOhw=;

b=mkrfx3i/10FXxAFS+XFPh5ksgLYcb+76oUkiwK1VjhMysy5Q4VPr6FWuVBtbzmfpiVD13GGJDfgScTMCOFKn8Fl
qdoz/39IyhWo/Gnh4rllu+fQUr9Y/qCu2abPPhrwOPTd6JMJQea9BOQ2TYY8VyfC/oevkVELAPGboR0FSs92jKgiD
CqzXJsdIcqyXf9upDqQmU6HEAeJpvjvKsbNSxE09Kf4qCCUzYKuo/u9pBVYaHXIflUNJAE/SUq18Yxn2T1ULIPGF0
hlmaqu0vmX53/E2tNC7Y5+WzOl/L+XkfzR1Z0IYzpj9pplJjAcAGf116mArGfefqvt/xVtOtj5bNQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=N7QgrxN9DA6YY7Eoea2DJMHeRIA8KFcxop6E4jXjOhw=;

b=rRzoTKe5CDeN8Bb0yK6cUpinXdTN3TsO5FwXvJzR0Dwl21RQS8+TO/sj1Dzejccf+dNBm9eB8zMX9vuEMqkyeL9
fLsQTHZECwkQ72tWSygcqXdlr3KfNfc2eozvKVTJd85uNKdYevILSDrdiJmn6QnA1OmC0rg7KZCyJr7UXBEs=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB4853.namprd09.prod.outlook.com (2603:10b6:5:26a::15) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3589.20; Wed, 25 Nov
 2020 19:56:38 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:56:38 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
```

Thread-Index: AdbDZKXIBuy249scS9y7eS9rfe44Jg==

Date: Wed, 25 Nov 2020 19:56:37 +0000

Message-ID:
<DM8PR09MB6469A1FD485D6638471C0307F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: btinternet.com; dkim=none (message not signed)
 header.d=none;btinternet.com; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 5fce10a4-3531-49aa-25a6-08d8917c39c9

x-ms-traffictypediagnostic: DM6PR09MB4853:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM6PR09MB4853EAA81D096520DE4CB2FCF4FA0@DM6PR09MB4853.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
OLKnBSCheWWPf8J9vc0OjYmZ/nWbr3qnieKf8cyYGyw+MkjdTC6kVy+jopvZzxvlua0r34OhwZN0F0crr41B/wjLK
dDzy36UXp6IiSUOWqvE7anIUPdDnoShDmm5Ap0hXUUAulnjTVnHfl28BiJxRGFpAGP+rf6JaiOW0NUjI9KtnvZZFr
4S4FYSOh7iPkNiYZUzbKDy4p5LQuH3wNdeZH825nyXjhUT6ZhDqbhKESaQY8iasgpZHuJYC70P1zmlC4IOrnY8yPc
U/aKmvbgM5j8cUo8TOng90Mj7lmxYiuDC3+EGKGIyrYftj2sUG1Hx5L5ks0v48q2bfIC4yygO7zpJBDXKKQIt5/w+
1iM8V9pqJXyNXYEvc1111i7fp7qOY+/v5O+b6yQjKhX/eiv29vp16f5Ez7l/zqOLX5SdECYda9z0S7ALQEczU2q9vP
Cv4nGuWP7yRn2QIbu5HP0d2Kbq0a5srKXT0BT6iiF3WG5lonUcJutG6jfEk0hpko2xl

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(366004)(376002)(346002)(136003)(3
96003)(478600001)(88732003)(76576003)(83080400002)(966005)(65686005)(76116006)(89122003)(
316002)(64756008)(52536014)(66556008)(4744005)(86362001)(66476007)(66446008)(33656002)(71
200400001)(2906002)(7696005)(9686003)(66946007)(55016002)(8676002)(7406005)(8936002)(7416
002)(109986005)(7276002)(166002)(7366002)(6506007)(186003)(7336002)(5660300002)(26005)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
DIeOF7N44pm1HooukHGYT1LEN0bcH8Cminh+jJqd3pTG3bIUb1RHFrnCzw1ylGgye+ZaSYI1UOkp1hOBGySLtsPMQ
pFVIG1prlU07iPpF/SAuW8SMNPski4Sd5191seJ1EjmKlniSgDQXF5H0koP3PuJJ4JaO5+CcWk8Eaf0NWA6W1tNh1
F3ZMQucsFDBUL1WIKdJ07c5gF12riGU1J7muuniUuVaq6R2wRjgnP7pnBc2e+3+XxkEo/Z0l8oYViYToetVldrUy8
HE9DhUs43kaxokzglC2tmPfpTtERweWfL+SPmrVSb1/bDfRjSuEbvt179IHA7eh6PbxipNLvo76n0C32too6CyNWc
73KcmGrkp5bWSUQjS1O4UXAdGLPTzatBHprHtc5XAI0TD97HCooWiTQP3oxufnb0Ly+5bu8BDfu54a8TWDDbgBA3r
QnG1DnoravI1UQVYajfyXJnIjBKhnfup/bqKs8m9Futv/r2qQt4L8JQADD8PEDi4ioJQWYMfuXUb01tQn77aWD/zA
JkYHKBSC+PGmtevTT6FBkw7Lt2qaiarGOm0up+H13dGcZmblq1PLZ6CYhZTFzZ9d3aZWVvjuCgkPagC/s1VIdPQm7
Yi2zir735NcBWzJy730OxTWwLf6GqMmGKcbaHzvVW9UmMM8ZyS7ZmKsk0ngcGeyUshEX3JTUuaTwoF2Y22RqaPunu
r/7JufAxOhrnbPXXymAFRXfPjECxPB6jUvJW4vTx0fp6IwrZRYhqJG60WSW73PAZE+DT0wun9PkCUHjNZgIAfxyYS
/L1lapjIrsu2FYBLb0itqfHeo0xT/sylizTqHONL7fqAdf7wSd1ZHH0a0AwK8nRdjn9MeWCRDLE9iknjbR1gZoEgp
LnAsFw7avIKPHuK6uk4YPHgNoMrA==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
 boundary="_000_DM8PR09MB6469A1FD485D6638471C0307F4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 5fce10a4-3531-49aa-25a6-08d8917c38c9
X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 19:56:37.5258
(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
XYWnbg587cHDAdW6lBSL46l/z89KynlIJ82bUkeZhsTu+c4z7VGtFuKt1GgUwwlobzBx5hA405yPINI298EQ3w==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB4853