Non Delivery Report

**From:** Mail Delivery System [MAILER-DAEMON@smtp15.mailnet.ptd.net]
**Sent:** 11/25/2020 7:40:02 PM
**To:** Ex. 6 Personal Privacy (PP)
**Subject:** Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
**Attachments:** EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 7:40:05 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 7:40:05 PM
Diagnostic code = LengthConstraintViolatd; Reason code = TransferFailed; Status code = 522
<mb19.mailnet.ptd.net #5.2.2 smtp; 552 5.2.2 Over quota>

**Delivery has failed to these recipients or groups:**

Ex. 6 Personal Privacy (PP)
The recipient's mailbox is full and can't accept messages now. Please try resending your message later, or contact the recipient directly.

The following organization rejected your message: mb19.mailnet.ptd.net.

**Diagnostic information for administrators:**

Generating server: smtp15.mailnet.ptd.net

Ex. 6 Personal Privacy (PP)
mb19.mailnet.ptd.net
Remote Server returned '554 5.2.2 <mb19.mailnet.ptd.net #5.2.2 smtp; 552 5.2.2 Over quota>'

Original message headers:

```
Return-Path: <Robinson.Valois@epa.gov>
Received: from localhost (localhost [127.0.0.1])
        by smtp15.mailnet.ptd.net (Postfix) with ESMTP id 2ED595067B8;
        Wed, 25 Nov 2020 14:40:02 -0500 (EST)
X-Virus-Scanned: Debian amavisd-new at smtp15.mailnet.ptd.net
X-Spam-Flag: NO
X-Spam-Score: -1.082
X-Spam-Level:
```

X-Spam-Status: No, score=-1.082 required=5 tests=[BAYES_00=-1.9,
        DKIMWL_WL_HIGH=-0.001, DKIM_SIGNED=0.1, DKIM_VALID=-0.1,
        DKIM_VALID_AU=-0.1, DKIM_VALID_EF=-0.1, FROM_GOV_DKIM_AU=-0.001,
        HTML_MESSAGE=0.001, MISSING_HEADERS=1.021, SPF_HELO_PASS=-0.001,
        SPF_PASS=-0.001] autolearn=no autolearn_force=no
Received: from smtp15.mailnet.ptd.net ([127.0.0.1])
        by localhost (smtp15.mailnet.ptd.net [127.0.0.1]) (anavisd-new, port 10024)
        with LMTP id YgQilnx6jEhq; Wed, 25 Nov 2020 14:40:01 -0500 (EST)
Received-SPF: Pass (mailfrom) identity=mailfrom; client-ip=40.107.89.114; helo=gcc02-bl0-
obe.outbound.protection.outlook.com; envelope-from=robinson.valois@epa.gov;
receiver=<UNKNOWN>
DMARC-Filter: OpenDMARC Filter v1.3.2 smtp15.mailnet.ptd.net 4DA1350694E
Authentication-Results: smtp15.mailnet.ptd.net; dmarc=pass (p=reject dis=none)
header.from=epa.gov
DKIM-Filter: OpenDKIM Filter v2.11.0 smtp15.mailnet.ptd.net 4DA1350694E
Authentication-Results: smtp15.mailnet.ptd.net;
        dkim=pass (1024-bit key; unprotected) header.d=epa.gov header.i=@epa.gov
header.b="nEB9LW7E";
        dkim-atps=neutral
Received: from GCC02-BL0-obe.outbound.protection.outlook.com (mail-
bl2gcc02on2114.outbound.protection.outlook.com [40.107.89.114])
        (using TLSv1.2 with cipher ECDHE-RSA-AES256-GCM-SHA384 (256/256 bits))
        (No client certificate requested)
        by smtp15.mailnet.ptd.net (Postfix) with ESMTPS id 4DA1350694E;
        Wed, 25 Nov 2020 14:40:01 -0500 (EST)
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=SZj/EW5nCGiL5N3grq/D2LzF1H8bLiEPcQYP5EUD9uYSNZszQt6382GROfJ0azGdgqLhuxRQcdZ1+SAd5Gs0vJj
5OPQtNo2GWyk7j6h0d0QPC5k4jAwa8fn5Rw5bWadcJbVqepfPnNX1BMMPMbPvQwdmEpoOmPqFGyIPPa7OqmF0tV40
tHn3gB2bi3VSeIS76Ahi6viJo2z6B5FYd8nucup7mtrSbvMhq5X3XBJ9z1OUO96odD1lXQ4LBmHBobsTrVCvMqe7x
Mff9YL7lcQL1d+StZ6QIiL1d08jnsAOUNsmPA3vD2jX4L4FY3mv+MxplrQuPmZyjPUSJgb3Wie8Ig==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=mcc41C+jtp6dEMjBIHHHa5VN+iliDXp4Q+QaARgRg+g=;

b=BIgbDURRvCjeBUUPu50yeXYf6xSab4fEAn6gAHVmZPubFuwLSX2fMijaEp0LSJzR2x+EkUqkW5E2MNa+QOZNoLf
miDf4ePCbqVsagIzhDPzG+hty5G4n2VPS++VyiaCHv6BIrbEtUPNq7C3hd36F19fZo+tyr1iJSeo77iaYoDZA+eMc
dsr/yb1Z+389ccDxnDfQBbbW2Z8H76CLXv9X9Qv/LByu5te4Z3RDhqqM/Z6c1Oa107VIeamJry8q5/in2c5fOhum6
1VZIG88c9IzaMxTuPpYKOpPNTP1Y78ZHD1MPzM07LQHiOcdUycS41SeCIzjCvNXN3PbwVlq8Wp6bQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=mcc41C+jtp6dEMjBIHHHa3VN+iliDXp4Q+QaARgRg+g=;

b=nEB9LW7EIilvFwQ/JPQixiismE/pqzec2iyR3jK0lipE0n5dHkooPZIM2iWy3C4dqSRlNFy6+OEAj9KOzI7CQA2
O/7kMQ39bQCCFesuCR0tLSx3Q708O2pdVP5zMyQ0OX5S9dV95jDlezw7JmeJnf2lKrIPr4nPr12xSeItra9c=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB5109.namprd09.prod.outlook.com (2603:10b6:5:266::12) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.23; Wed, 25 Nov
 2020 19:39:59 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:39:59 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents

Thread-Index: AdbDYo7oyhUx/dfXEJaWvgK+NhF/sA==
Date: Wed, 25 Nov 2020 19:39:57 +0000
Message-ID:
 <DM8PR09MB6469747 7C1879BAF790999E9F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach:
X-MS-TNEF-Correlator:
authentication-results: yahoo.com; dkim=none (message not signed)
 header.d=none;yahoo.com; dmarc=none action=none header.from=epa.gov;
x-originating-ip: [97.118.130.155]
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: dea49a2a-eda9-476d-e311-08d89179e504
x-ms-traffictypediagnostic: DM6PR09MB5109:
x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr
x-microsoft-antispam-prvs:
 <DM6PR09MB5109007 86C0FC87047DB5442F4FA0@DM6PR09MB5109.namprd09.prod.outlook.com>
x-ms-oob-tlc-oobclassifiers: OLM:5236;
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam: BCL:0;
x-microsoft-antispam-message-info:

1AceB1HBzHuAgGcf+BI6kPxDMI57jpeAOHU/2cTF3OhKye09K2bayYyZ//ZqxPayZVBLkgT6vUhVcyKHY7SwaFYj7
VoBpC2Y//0czMyu5wiw49Xa3qVFokXkpM7mYcggxnM0uo/XK07uqppyhEAk7M4kFlqI5Pbm9t3yEatGEj4ei7geiu
6UG0wOOQpM0Zcc7o2yYU/4YNN4qdQxGXWkNazLRUaOE/Y51F6ghzmsuJPTWnn5RNJMlho7wya22GbDdxlwUSDIrnq
qfle40aNHZ7+gBBMbudg3Ds4Ni/dkJTTQjc47cp8bJ8Nq2us8rV+0+zPj9BSSdRQMlcumcf5YW+2IQv3TMV7PIvwa
lPO7tUa3LipJNSEbWHZxMQxhFYQKgTcX+uo0AYPmOy6DtBh7N4srGunLZRZkQG8RozyrfleEDbdhPg1zpXKYE3NQ2
BGwNNo503W09O6ZQPqCAzfIn2bEACzwriWee/nYKROgDCZ5cSHLMvXlR1QAzVvD8gYx
x-forefront-antispam-report:

CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(396003)(346002)(376002)(366004)(1
36003)(26005)(316002)(8676002)(71200400001)(166002)(186003)(5660300002)(52536014)(8636200
1)(109986005)(33656002)(83080400002)(66476007)(66446008)(64756008)(66556008)(66946007)(29
06002)(65686005)(966005)(4744005)(76116006)(8936002)(7696005)(7406005)(6506007)(7336002)(
7276002)(7416002)(55016002)(7366002)(478600001)(76576003)(89122003)(88732003)(9686003)(10
5050200002);DIR:OUT;SFP:1102;
x-ms-exchange-antispam-messagedata:

jaYdeNJtxsJW9ZG8TLoGYr+4B+7WrDKYKH+797R/OIARPgwfB45AP9/3tKXRFkq2yuykxpmDz2T3aFnmx7Ag5pTrJ
Uh4JOdIRd7nZx+cF35uiAhc2gv1kD6U0rSNF1jH7UzbBRcVBHZRZEFOCdzk9H2h5tHtg6GpJTPfG/rF5OiLVDXpFQ
dRY/Vsh25A6Y8iUthDOCo3jivvKjh7abpZB2vQIkZRKN4tXmZOXDII8fF+zfviG7qbC+g3bJS2ld0wiy+k3H/V19G
B6Zrmlb8iBGTTq+35WzPTaNwuymuj5j8P8crQhgrqfnyJFkPqS4+RGulsSEC7GtSduoBcnNq5S2HyXLkOZliSGaKk
S6bX+JWPjdJou+xz+hOFah4xepjf35FUvR71Xwuk6UjkCekoicWZY+SojsilSzA8w3HuU04BalRUQJdfAzVR6SSDh
aarP+bDf9wuRrq5uA7FGpJNlCxoMIB6L2ErnvzJbLSioAG8Xgh8qaWFcitVnlVQ4Ydq22YCDQOGWsYdLqWrA/ON9F
4dXMVf0v+oRWH0hHIu1mEj8rg1sRu5PxIEtKT9uZB6g8nZKpkA/0VRYYIUfq/vE8ZV6c8nvWEf3oPZYIFLYfdyOsr
Jzbs5u7Smd3QebIJC5JMlYu9i90y83WcDhktUiDdnlzPJsHdw0zPviNYMmIlLzT8KYWzqhSdGpRDqx5I7yGPWiMHv
amJ4k14otT65NrRDg8yYRiW8lwor+TphFVylWvpJLx4EsrJpB3mSJk2Wcwbg8bjuznGpkcThyTV5JfN8VqP9fnxDI
C7D0PuoVFBMyTQMjOFdVIAx1I6BXjg02K0xJDoxXTX3+FZO6jyzWJ4L9VJcSXbi8BquWal/FU2Zc5RWDyWhSg3Czb
eTWTz5wmdfy2MeJlKSHq9S/6NR/w==
x-ms-exchange-transport-forked: True
Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB6469747 7C1879BAF790999E9F4FA0DM8PR09MB6469namp_"
MIME-Version: 1.0
X-OriginatorOrg: epa.gov
X-MS-Exchange-CrossTenant-AuthAs: Internal
X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com
X-MS-Exchange-CrossTenant-Network-Message-Id: dea49a2a-eda9-476d-e311-08d89179e504
X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 19:39:57.9872
 (UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED

X-MS-Exchange-CrossTenant-userprincipalname:
wDcK/qhexhCREQgWt3HirexRSDZ1R5RF7ldJqiKPNgULmf4Vg+4PqBeDPeCkYsfL0E7AiLGOpRaQzmxfD09Azg==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB5109