Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 7:45:05 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 7:45:06 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 7:45:06 PM
Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511
<mail4c26.carrierzone.com #5.1.1 smtp;550 5.1.1 Ex. 6 Personal Privacy (PP) . User unknown>

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

Ex. 6 Personal Privacy (PP) wasn't found at myfairpoint.net.

Robinson.Valois **Office 365** Ex. 6 Personal Privacy (PP)
Action Required Recipient

Unknown To address

How to Fix It

The address may be misspelled or may not exist. Try one or more of the following:

- Send the message again following these steps: In Outlook, open this non-delivery report (NDR) and choose **Send Again** from the Report ribbon. In Outlook on the web, select this NDR, then select the link "**To send this message again, click here.**" Then delete and retype the entire recipient address. If prompted with an Auto-Complete List suggestion don't select it. After typing the complete address, click **Send**.
- Contact the recipient (by phone, for example) to check that the address exists and is correct.
- The recipient may have set up email forwarding to an incorrect address. Ask them to check that any forwarding they've set up is working correctly.

- Clear the recipient Auto-Complete List in Outlook or Outlook on the web by following the steps in this article: Fix email delivery issues for error code 5.1.1 in Office 365, and then send the message again. Retype the entire recipient address before selecting **Send**.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.1

This error occurs because the sender sent a message to an email address outside of Office 365, but the address is incorrect or doesn't exist at the destination domain. The error is reported by the recipient domain's email server, but most often it must be fixed by the person who sent the message. If the steps in the **How to Fix It** section above don't fix the problem, and you're the email admin for the recipient, try one or more of the following:

The email address exists and is correct - Confirm that the recipient address exists, is correct, and is accepting messages.

Synchronize your directories - If you have a hybrid environment and are using directory synchronization make sure the recipient's email address is synced correctly in both Office 365 and in your on-premises directory.

Errant forwarding rule - Check for forwarding rules that aren't behaving as expected. Forwarding can be set up by an admin via mail flow rules or mailbox forwarding address settings, or by the recipient via the Inbox Rules feature.

Mail flow settings and MX records are not correct - Misconfigured mail flow or MX record settings can cause this error. Check your Office 365 mail flow settings to make sure your domain and any mail flow connectors are set up correctly. Also, work with your domain registrar to make sure the MX records for your domain are configured correctly.

For more information and additional tips to fix this issue, see Fix email delivery issues for error code 550 5.1.1 in Office 365.

Original Message Details

Created Date:	11/25/2020 7:45:00 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	**Ex. 6 Personal Privacy (PP)**
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.1.1* **Ex. 6 Personal Privacy (PP)** *... User unknown*
DSN generated by:	DM6PR09MB5109.namprd09.prod.outlook.com
Remote server:	mail4c26.carrierzone.com

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH
1	11/25/2020 7:45:01 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 7:45:01 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM6PR09MB5109.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=Oy49HTfrfdjJ5rzztkEklyurRz/GNAy4U/zzp6M0TU4neH5u9TzJDdp/znrfJklHgB9WVpvMe+ZsTBXY2ps7IKw
+LcVprjBJWDMCb9b3CXalvtFRY9MD93XA60sre2KzcZvMzzMs9zxfOcJHQ98MvwG5gTo6dRe40IQa+fRZYZsnoUoo
4h2r1wQDXwkoyGVCLEAXsS06JE4CJDjTmqdn3E3FLA2zOFj4IRR26Mucak8kWkX4vq8P8LGvlzQaW4iNZ2pxsaVGY
CdgxjzocL6eCtB9hEFCXvNt3RGwSel7LqJjaKIGBv7Lga873VrDrfYLjhrDJumKO9isfF8DD+UT2A==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=4DqrJN0X2kotOGMepTHpJXFFlNLHkoFKyQYjERPshAg=;

b=XKfZWqg8L20b/g2muuzqLpqD3cuiMHwQRflA6sQyfGbZ/4qIHBQ9nvhe4sivz8u6fkKCkJRgjmnoOoktKivNS63
bL7Ma8XsyLyn9eNzC+nKqZ2A67wDk91jlS/2vVDy6nFSgcV6NbR2MMFV2bayXDOgR0wIZNPpdYsu3MyZJwfYVAZDG
tJYyhNeFhugGsRv4SSnZOd6Rw7MB2S01P6lMK3pqTytqZCHjbn2IcfAzZtK4FgvEoLOGF9m85lIUY1QixXkf/W8Xu
D3tDYeTRbShY0eb1TAktlsi2BVBPwhu4MKo4lWojbPnnPE3LAXn/9o8k6D49uZdw0dLA1siCuKntg==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=4DqrJN0X2kotOGMepTHpJXFFlNLHkoFKyQYjERPshAg=;

b=wf2AgcTMpkNz6vmh669JynjO+gg/heLppBTNXsLAf+J8deNYFB2zzl+uSwPHA0czvcRNz4OMesiTw+T8/u7+wlF
oY0vtRA6ij8bL7LMjNXV8W8oIC23pOdjyhNJmecEwUcqPQRotTW1MYQVChODtBWjXh6S0ZHc4wA39R2Ndl6S=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB5109.namprd09.prod.outlook.com (2603:10b6:5:266::12) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.23; Wed, 25 Nov
 2020 19:45:01 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:45:01 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDY1sEK0PMV7P3TOq7Lsp9EYoWzg==
```

Date: Wed, 25 Nov 2020 19:45:00 +0000

Message-ID:
<DM8PR09MB6469E716D4BADD82D5BA8E2AF4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: btinternet.com; dkim=none (message not signed)
 header.d=none;btinternet.com; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 637a808d-eb77-465a-c89f-08d8917a9941

x-ms-traffictypediagnostic: DM6PR09MB5109:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM6PR09MB5109BC929BF0FAEE23B1EA08F4FA0@DM6PR09MB5109.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
fPap9EHKuescu0fzUBHqY4yyadPikQkmaBmDELauhQQwS4K4K1b8sqXSttVTWRi9DdR7ytu2dUXKpZqBFWw1ydlic
T5ZygYjQplA3Pvy9mHQVl2NoidWAP6KMwkAMnOGMJnSPt3DhfKaQJb4wpeFJgJPxlJV1OiwAtayCllQ7fEkLA+5T9
yHMNXvJwB1AV4XY+CMbYKYIbIx84izslPcwmkiUMn3D6ERjS3HoNrUiXFGVCfVKWFUZFDrFPaq0gWuV98rSHhjvEW
uaBECNTD0hPls6wRhxXJLQsCFsHZGX/3Dvv2XaXT6OrwUxWU8b1NxbDaqDHwnOr4DOZQkrNeS5uVQk5Q7ym1WFihg
bOK6051PN5mmqL31MoIoeG/3is79sOOFTx0xj8AEzdQ11tX3SwGxRXEw5ARiqpG895vsWfQA/1Ju+eCHYE8tJcZ1Z
gddOu0WW/pigoqtsPwUXYaYl7sSg9/lDLgzMokh7JBUEaBtSjWJ1ZDDPkq2QwHqrV3p

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(396003)(346002)(376002)(366004)(1
36003)(26005)(316002)(8676002)(71200400001)(166002)(186003)(5660300002)(52536014)(8636200
1)(109986005)(33656002)(83080400002)(66476007)(66446008)(64756008)(66556008)(66946007)(29
06002)(65686005)(966005)(4744005)(76116006)(8936002)(7696005)(7406005)(6506007)(7336002)(
7276002)(7416002)(55016002)(7366002)(478600001)(76576003)(89122003)(88732003)(9686003)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
E2gO6TzUYeaZ1I8kjo/iILietIiQvGY11+gFbxbziZiwUBtx9x8J3jqwKG6Ea97ml7ccmU1giDC2a5nQx5eVYVBV+
TLdOFSna/EWR1/WMsomC+ZMawQanINEw8TNRs/KPmARrYGGnWaC3JiWj8q6OU2ES0Q66APvuckBFk6ZzAm+SWJYzQ
Kdbv+kTCnuPa1YbY3MfvOo/3u7FCVAUiT5j+ZKRq/tst3sn/5HhobZGCskKJTjcvyNb9FGY7/wo4Z2Zg+LQQxBQxz
wcZu0u1NgTJ8QmxIRHgXKYuFdcjh/+4Kw+pKbGJjm8LAuEmI/uCXwctA426HMR7Y6iNZOMTY7eStk/QIoCduXyprZ
oANL/cQVD2vnlk/gFc0zRypxu0QkSIu2rx3VNPvDJleJrmhdRPTw+RqpcCIXbgiSACPwaeVWvPKDWu7NNPhFU07sK
GAL7EF8PhAfW0arCTHVPkq5arU/STY+T10WxyxTOmfjp0raNST2jZ+GIq0ihjciuq/8G55lHJggXXUYq0BUAuYH4c
yAchRd+56VLmVEepuMZ253ujVGWiipT6lEeGeNVba5lGeFqk6/zbmxm8C2B0MfRViSQYHnQkRcG6lW+PA81QxrMNt
ixm1Lzw+S5Z3t2djUGjuQhVyvmfCSs+5iPm4wjDCOA438+EnAu2VXfXeeZ0vpsLHjYxDjOkkjGLYL7xntDAcZ6SAP
PDZ7ncpoCfy+qHfVgoW4vn4J6QWcInEm2YFsjd4ChGHJ8nC0VlTO9mzGi979YOJYNxiOYXb23JyWPkVcz7eTEUCB
bpjVhkHKIMmhFk+M0CjD7yXzwfihCcD+Uvm6wr7b8gn5s98uyXzNNJ6sJxme7D0x4wnhuPG8666pJjcBF6Afsp5S
aQP/Q+uf2vNldsewN47aPAOh4Odg==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB6469E716D4BADD82D5BA8E2AF4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 637a808d-eb77-465a-c89f-08d8917a9941

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 19:45:00.0955
(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
awid7vQBPHWmkdGAY9xlA7kCtxInnx30XyO6192bb3+GljA5BzzwRjulJTf3N/vDyiLspPTTXMgqHXudcKaibA==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB5109