Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 7:40:01 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 7:40:01 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 7:40:01 PM
Diagnostic code = OrNameUnrecognized; Reason code = TransferFailed; Status code = 510
< #5.1.351 smtp;550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 Invalid recipient: <lisa.mikolich@sympatico.ca>>

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

Ex. 6 Personal Privacy (PP) wasn't found at sympatico.ca, or the mailbox is unavailable.

Robinson.Valois **Office 365** Ex. 6 Personal Privacy (PP)
Action Required Recipient
Unknown To address

How to Fix It

The email address might be misspelled or it might not exist. Try one or more of the following:

- **Retype the recipient's address, then resend the message -** If you're using Outlook, open this non-delivery report message and click **Send Again** from the menu or ribbon. In Outlook on the web, select this message, and then click the "**To send this message again, click here.**" link located just above the message preview window. In the To or Cc line, delete and then retype the entire recipient's address (ignore any address suggestions). After typing the complete address, click **Send** to resend the message. If you're using an email program other than Outlook or Outlook on the web, follow its standard way for resending a message. Just be sure to delete and retype the recipient's entire address before resending it.

- **Remove the recipient from the recipient Auto-Complete List, then resend the message** - If you're using Outlook or Outlook on the web, follow the steps in the "Remove the recipient from the recipient Auto-Complete List" section of this article. Then resend the message. Be sure to delete and retype the recipient's entire address before clicking **Send**.
- **Contact the recipient by some other means,** (by phone, for example) to confirm you're using the right address. Ask them if they've set up an email forwarding rule that could be forwarding your message to an incorrect address.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.351

When Office 365 tried to send the message, the external email server returned an error stating that the recipient is unknown or the mailbox is unavailable. This error was reported by an email server outside Office 365.

If you or the sender can't fix the problem, contact the responsible party's email admin - Give them the error code and error message from this non-delivery report (NDR) to help them troubleshoot the issue. To determine who the responsible party might be, check the error for information about where the problem is happening. For example, look for a domain name like contoso.com. A domain name in the error might suggest who is responsible for the error. It could be the recipient's email server, or it could be a third-party service that your organization or the recipient's organization is using to process or filter email messages.

Although the sender might be able to fix the issue by correcting the recipient address, it's likely that only the recipient's email admin can fix the problem. Unfortunately, it's unlikely Office 365 Support will be able to help with these kinds of externally reported errors.

Original Message Details

Created Date:	11/25/2020 7:39:57 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	Ex. 6 Personal Privacy (PP)
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 Invalid recipient:* Ex. 6 Personal Privacy (PP)
DSN generated by:	DM6PR09MB5109.namprd09.prod.outlook.com

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH

1	11/25/2020 7:39:59 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 7:39:59 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM6PR09MB5109.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=SZj/EW5nCGiL5NSgrq/D2LzF1H8bLiEPcQYP5EUD9uYSNZszQt6382GROfJ0azGdgqLhuxRQcdZl+SAd5Gs0vJj
5OPQtNo2GWyk7j6h0d0QPC5k4jAwa8fn5Pw5bWadcJbVqepfPnNX1BMMRMbPvQwdmEpoOmPqFGyIPPa7OqmF0tV4O
tHn3gB2bi3VSeIS76Ahi6viJoZz6B5FYd8nucup7mtrSbvMhq5X3XBJ9x1OUG96odD11XQ4LBmHBobsTrVCvMqe7x
Mff9YL71cQL1d+StZ6QIiL1dOSjnsAOUNsmBASvDZjX4L4FY3nv+MzplrQuPmZyjPUSJgb3Wie8Ig==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=mcc41C+jtp6dEMjBIHHHaSVN+illDXp4Q+QaARgPg=g=;

b=BIgbDURPvCjeBUUPu50yeYYf6xSab4fEAn6gAHVmZRubFuwLSY2fMijaEp0LSJzR2x+EkUqkW5E2MNa+QOZNoLf
miDf4ePCbqVssgIxhDRzG+hty5G4n2VRS++VyiaCHv6BIrbEtUPNq7C3hd36Fl9fZo+tyrliJSeo77iaYoDZA+eMc
dsr/ybl2+389ccDxnDfQBbbW2Z8H76CLXv9X9Qv/LByu5te4ZSRDhqqM/Z6clOal07VIeamJry8q5/in2c5fOhum6
1VZIG88c9IzaMxTuRpYKOpPNTPlY78ZHDlMPxMO7LQHiOcdUycS4lSeCIzjCvNXN3PbwVlq8Wp6bQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=mcc41C+jtp6dEMjBIHHHaSVN+illDXp4Q+QaARgPg=g=;

b=nEB9LW7EIilvFwQ/JPQixiismE/pqzecZiyR3jK0lipE0n5dHkocPZIM2iWy3C4dqSR1NFy6+OEAj9KOxI7CQAZ
O/7kMQ39bQCCFesuCR0tLSx3Q70802pdVR5xMyQ0OX5S9dV95jDlexw7JmeJmf2lKrIPr4nPr12xSeItra9c=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB5109.namprd09.prod.outlook.com (2603:10b6:5:266::12) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.23; Wed, 25 Nov
 2020 19:39:59 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:39:59 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDYo7oyhUx/dfXTJaWvgK+NhF/sA==
Date: Wed, 25 Nov 2020 19:39:57 +0000
Message-ID:
<DM8PR09MB64697477C1879BAF790999E9F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
```

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: yahoo.com; dkim=none (message not signed)
 header.d=none;yahoo.com; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: dea49a2a-eda9-476d-e311-08d89179e504

x-ms-traffictypediagnostic: DM6PR09MB5109:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM6PR09MB5109007860FC87047DB5442F4FA0@DM6PR09MB5109.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
1AceBlHBzHuAgGcf+BI6kPzDMI57jpeAOHU/2cTF3OhKye09K2bayYyZ//ZqxPayZVBLkgT6vUhVcyKHY7SwaFYj7
VoBpC2Y//0czMyu5wiw49Xa3qVFokXkpM7mYcggznM0uo/XK07uqppyhEAk7M4kFlqI5Pbm9t3yEatGEj4ei7geiu
6UG0wOCQpM0Zcc7oZyYU/4YNN4qdQxGYWkNaxLRUaOE/Y51F6ghrmsuJPTWnn5KNJMLho7wya22GbDdxlwUSDIrnq
qfle40aNHZ7+gBBMbudg3Ds4Ni/dkJTTQjc47cp8bJ8Nq2us8rV+0+zPj9BS8dRQMlcumcf5YW+2IQv3TMV7PIvwa
lPO7tUa3LipJNSEbWHZxMQxhFYQKgTcX+uo0AYRmOy6DtBh7N4srGunLZR2kQG8RozyrfleEDbdhPglzpXKYE3NQ2
BGwNNo503W09O6ZQPqCAzfIn2bBACzwriWee/nYKPOgDCZ5cSHLMvXlR1QAzVvD8gYz

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(396003)(346002)(376002)(366004)(1
36003)(26005)(316002)(8676002)(71200400001)(166002)(186003)(5660300002)(52536014)(8636200
1)(109986005)(33656002)(83080400002)(66476007)(66446008)(64756008)(66556008)(66946007)(29
06002)(65686005)(966005)(4744005)(76116006)(8936002)(7696005)(7406005)(6506007)(7336002)(
7276002)(7416002)(55016002)(7366002)(478600001)(76576003)(89122003)(88732003)(9686003)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
jaYdeNJtxsJW9ZG8TLoGYr+4B+7WxDKYKH+797R/OIARPgwfB45AR9/3tKXRFkg2yuykxpmDz2T3aFnmx7Ag5pTzJ
Uh4JOdIRd7nZx+cF35uiAhc2gv1kD6U0rSNF1jH7UzbBRcVBHZPZEFOCdzk9H2h5tktg6GpJTPfG/rF5OiLVDXpFQ
dPY/Vsh25A6Y8iUthDOCo3jivvKjh7abpZB2vQIkZRXN4tXmZOXDII8fF+zfviG7qbC+g3bJS21d0wiy+k3H/V19G
B6Zrmlb8iBGTTq+35WzPTaNwuymuj5j8P8crQhgrqfnyJFkPqS4+RGulsSEC7GtSduoBcnNq5S2HyXLkOZliSGaKk
S6bX+JWRjdJou+zz+hOFah4xepjf35FUvR71Xwuk6UjkCekoicWZY+SojsilSzA8w3HuU04BalRUQJdfAxVR63SDh
aarP+bDf8wuRrq5uA7FGpJNlCxoMIB6L2ErnvzJbLSioAG8Xgh8qaWFcitVnlVQ4YdqZ2YCDQOGWsYdLqWrA/ON9F
4dXMVf0v+oPWH0hHIu1mEj8rg1sRu5PzIEtKT9uZB6g8nZKpkA/0VRYYIUfq/vE82V6c8nvWEf3oP2YIFLYfdyOsr
Jzbs5u78md3QebIJC5JMlYu9i90y83WcDhktUiDdnlzPJsNdw0zPviNYMmI1LzT8KXWzqh8dGpRDgz5I7yGPWiMHv
anJ4k14otT65NrPDg8yYPiW81wor+TphFVylWvpJLz4EsnJpB3mSJk2Wcwbg8bjurnGpkcThyTV5JfN8VqR9fnxDI
C7D0PuoVFBMyTQMjOFdVIAx1I6BXjg02K0xJDoxXTX3+FZO6jyzWJ4L9VJcSXbi8BquWal/FU22c5RWDyWhSg3Czb
eTWTz5wmdfy2MeJlKSHq9S/6NP/w==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB6469477C1879BAF790999E9F4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: dea49a2a-eda9-476d-e311-08d89179e504

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 19:39:57.9872
 (UTC)

X-MS-Exchange-CrossTenant-fromentityheader: Hosted

X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7

X-MS-Exchange-CrossTenant-mailboxtype: HOSTED

X-MS-Exchange-CrossTenant-userprincipalname:
wDoK/qhexhCREQgWt3HirexRSDZ1R5RF7ldJqiKPNgULmf4Vg+4PqBeDPeCkYsfL0E7AiLGOpPaQxmxfD09Azg==

X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB5109