Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 6:36:38 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 6:36:39 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 6:36:39 PM
Diagnostic code = NoDiagnostic; Reason code = TransferFailed; Status code = 500Diagnostic code = OrNameUnrecognized; Reason code = TransferFailed; Status code = 510
<smtp-28.iol.local #5.0.350 smtp;550 5.0.350 Remote server returned an error -> 550
Ex. 6 Personal Privacy (PP) User quota exceeded><smtp-28.iol.local #5.1.351 smtp;550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 Invalid Recipient
Ex. 6 Personal Privacy (PP) [smtp-28.iol.local; LIB_520]>

smtp-28.iol.local rejected your message to the following email addresses:

Ex. 6 Personal Privacy (PP)
Your message couldn't be delivered. When Office 365 tried to send the message, the external email server returned the error below. This is probably due to a problem or policy setting on the recipient's email system.

Check the error for information about the problem. The error might tell you what went wrong and how to fix it. For example, if it says the message was blocked due to a potential virus, try sending the message again without attachments.

For Email Admins
This error was reported by an email server outside Office 365, and if the sender is unable to fix the problem by modifying their message then it's likely that it's a problem that only the recipient's email admin can fix.

1. **Check the error for information about the problem.** The error might tell you what went wrong and provide clues for how to fix it. For example, if it says the message was rejected due a Sender Policy Framework (SPF) issue then you'll have to work with your domain registrar to properly configure your SPF record.
2. **Check the error for information about where the problem is happening.** For example, look for a domain name like contoso.com. This tells you which organization was responsible for the error. The recipient's email server could be causing the problem, or it could be due to a third-party service that your organization or the recipient's organization is using to process or filter email messages.

3. **If you can't fix the problem, contact the responsible party's email admin.** This could be the recipient's email admin, your smart host service admin, or someone similar. Provide them with the error code and error message from this non-delivery report (NDR) to help them troubleshoot the issue.

Unfortunately, Office 365 support is unlikely to be able to help with these kinds of externally reported errors.

smtp-28.iol.local gave this error:
Remote server returned an error -> 550 Ex. 6 Personal Privacy (PP) **User quota exceeded**

Ex. 6 Personal Privacy (PP)

Your message couldn't be delivered. It appears that the email address you sent your message to wasn't found at the destination domain, or the recipient's mailbox is unavailable. The email address might be misspelled or it might not exist. Try to fix the problem by doing one or more of the following:

- **Send the message again**. Before you do, delete and retype the complete address. If your email program automatically suggests an address to use don't select it.
- **Clear the recipient Auto-Complete List entry** in your email program by following the steps in this article. Then resend the message, but before you do, delete and retype the complete address. If your email program suggests an address to use don't select it.
- **Contact the recipient by some other means** (by phone, for example) to confirm you're using the right address. Ask them if they've set up an email forwarding rule that could be forwarding your message to an incorrect address.

If you're still unable to fix the problem, ask the recipient to tell their email admin about the problem, and give them the server that reported the error below.

For Email Admins
When Office 365 tried to send the message, the external email server returned the error below. This error was reported by an email server outside Office 365, and if the sender is unable to fix the problem by correcting the recipient's email address or clearing the Auto-Complete List entry, then it's likely a problem that only the recipient's email admin can fix.

- **Check the error for information about where the problem is happening.** For example, look for a domain name. The domain name will tell you which organization was responsible for the error. The recipient's email server could be causing the problem, or it could be due to a third-party service that your organization or the recipient's organization is using to process or filter email messages.
- **If you can't fix the problem, contact the responsible party's email admin.** This could be the recipient's email admin, your smart host service admin, or someone similar. Give them the error and the name of the server that reported the error to help them troubleshoot the issue.

Unfortunately, Office 365 support is unlikely to be able to help with these kinds of externally reported errors.

smtp-28.iol.local gave this error:
Remote server returned unknown recipient or mailbox unavailable -> 550 Invalid Recipient
Ex. 6 Personal Privacy (PP) **[smtp-28.iol.local; LIB_520]**

Diagnostic information for administrators:

Generating server: DM8PR09MB6150.namprd09.prod.outlook.com

Ex. 6 Personal Privacy (PP)

smtp-28.iol.local
Remote Server returned '550 5.0.350 Remote server returned an error -> 550 <sadaqat.balsamo@libero.it> User quota exceeded'

Ex. 6 Personal Privacy (PP)

smtp-28.iol.local
Remote Server returned '550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 Invalid Recipient <lucianograniello.tcs@libero.it> [smtp-28.iol.local; LIB_520]'

Original message headers:


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=FiCRXLRthYo/6wtvNp8v9MTcpFjoc7XdLL2iG2kWXoeRJtO3ggGwhr0hGuFeJmGPTVDUg6a9ptVur9rGxouJtop
hZeo50cbpDfnBoGVxJa3J/rtUwSLG+2Fgol4T9+nUq6nS7Of+NdqeJj8QEe/DSdYW0qnthOhE6PzdT3qVFJukkheu
Z/Yhs7wDJ0YC3sVvr8+nqdacRqYBDYLBhD9QbyTw//NSLNanJruSKcKZ8SU5FYIXF8EFpZnwiuB/21lWcOl/P8ay2
A0efVU5k9zsOHlEeH16AMzJt4YI8pl8h+CqZlzn71GLG5dW6sDRsd9l9IvGueSNks2hQ/gvAnvD3g==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=2DQAW3x8Axe3wlCzyQ7gPksF08yDb6I9YoBygthcrac=;

b=lUyzwfxwg5vU0RnSp3WxDJ1O1nbNxv3KVHil6S75/vVzlIQn+W9oD586GZOChB01a26XrlTsEvGZvrO0KbVmOI8
PAkx6il/uEAB5vAAqJb0enayTWfcm3lxXihtescorpDGkiG/Rvj3+7fYBdyFewlzgdhCc0P8nyetrAvgMQ48iz2yL
XxG5wCo9BCpQNEf9y1AzWVZDfBn7frbbGTLdFnBJwRUOFTr55IyaYgDht2WVLvtNkZ6wDY9wsczh8YnEuexEBKPjQ
cryOsDkGdCPzcYFkQDkQJQ2RUBmzh2SiBiWmwdVbonprU9epYtW+9tDv/kLJjxcdccippiCzIshmQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=2DQAW3x8Axe3wlCzyQ7gRksF08yDb6I9YoBygthcrac=;

b=qnSP6hfdIZi9rdzxKKswGb32D+E30uGAYqPWDjHIUMddqRfry9jhxHCuXDDS1lpCQWfsIj+39k7T8/WevsQyEM2
GWbl+nNsuqOrejy3FU6IKvD7P4tfZWNYkBLi2OlrAd4QuIWiyVmKSn3y/+sWLpSsJrDwTsw2uqjiMc8LeM7g=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM8PR09MB6150.namprd09.prod.outlook.com (2603:10b6:5:2ef::24) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.20; Wed, 25 Nov
 2020 18:36:33 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 18:36:33 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
```

Thread-Index: AdbDWbwu7IUzucDZQemaVA7hqbD0fg==
Date: Wed, 25 Nov 2020 18:36:32 +0000
Message-ID:
<DM8PR09MB6469B6D111EF659A898AC88F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach:
X-MS-TNEF-Correlator:
authentication-results: yahoo.com; dkim=none (message not signed)
 header.d=none;yahoo.com; dmarc=none action=none header.from=epa.gov;
x-originating-ip: [97.118.130.155]
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: 025ab14d-5506-4c1b-38ea-08d8917108d7
x-ms-traffictypediagnostic: DM8PR09MB6150:
x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr
x-microsoft-antispam-prvs:
<DM8PR09MB6150130BECE8D783AE351686F4FA0@DM8PR09MB6150.namprd09.prod.outlook.com>
x-ms-oob-tlc-oobclassifiers: OLM:5236;
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam: BCL:0;
x-microsoft-antispam-message-info:
IabwDcHnbnpEUPRz/yJoblnM42ys4a/Mj/Tur5R98jvtGnNhwrwKN9I3TJPTsffgHgeYXRj8Jy/LyUvtsMCSYpF8S
7mIVXsGGTK+nL5mh/bc8fiwFMPi2LyN021Km9aCjtz92o7GHPK+wIZgjqOtEFEBuWG4y/+QJopm5W3lSHEG3TETRM
e3nn6/HYy6u+lOqAzbFhB905JrzkXOP5/Ne1ORuUIAK96ryWF0eORaJwesIrvihJP/tw90Z2hi/5OT7+4NUfQ76wl
anzwzrrjPqBoWASEbBbHMo+wv0HPMH6f/WNCoWyEsSmGW2DHc3QCl5sIC0qgTNIpLOgFAUTBvQdop9BhkN3UpgVjO
PrVBdQ8f6ePQaSP4ikidkU2UQyjClmPrVwDBt3q0eMTVilt+hzQAecjZ6qjbKXTaagDivlxB+qOnF7kO9N2EU5tlu
AL8pAOCbf3OXProU/Og9NkMXTxoZ9hjqrZc2DvK2qozMBnLN4+6S6tQ0xE3ti9bJznk
x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(346002)(396003)(136003)(39860400002)(366004)(3
76002)(7276002)(55016002)(8676002)(66556008)(478600001)(64756008)(5660300002)(7336002)(74
06005)(316002)(2906002)(86362001)(7366002)(66946007)(66476007)(76116006)(66446008)(525360
14)(7416002)(7696005)(109986005)(966005)(83080400002)(8936002)(9686003)(76576003)(166002)
(89122003)(65686005)(186003)(88732003)(6506007)(71200400001)(4744005)(26005)(33656002)(10
5050200002);DIR:OUT;SFP:1102;
x-ms-exchange-antispam-messagedata:
uCZ+NPrrHqH8Kpn5VxPn/CfxHt/wP+D//vDkBrefYrCxHTzsk20zed/LvVmqHYUVoBhxSil30GY/biWEz+uj75K1G
dw3h9eS9RSYih5uU3DNKB3UPr2wKIni0vvkr/w9ULe5qX8o9etel/atjF8uycFmBI2xasYw91t5UDCPF0QM0HnzbA
wnKsNMLrEFRPjBKWcab4qMzDH7R3JaWtybFIk4kwNOwO21G5kWxXJRICotvk6bdMpLoy3xUwczDoWtKm9ExPQxPyX
SRRjrTmQQW9i5nHRJVeA62npVfVBesuIGilc9m3bANX32y/80uWOCX0Yvi8b2QTQasLMHiKP0ebZZj1CNobcpQQ9r
eLJ7M50pNzY/pXsBtzI8/z6NJjc8Y7043JyIH8s1KM+vosqINjzJ1zVGq3jHlz1DwEu0NITe/3US6cwVBHq4+sdqD
w4X8mahWJWjYPzsSObmUUi0vJrC8WHpvSEVzSir2Tn5uZAqknLLH3Fa8oRVvWPf1L0a9FXYFgMVGjX6RUWINmCj1M
GXq4+IA/43qTRrtbwUfQXNlcGh0Ye0Q+VBkswLsS3PAgvpUK4Jzh4AaWJthRo6GPs3ZooW670WAqExYaG9PPs/Afm
DOMuWWafpLonncXK9Yc+8mYOYanHzhWLddSWWH04kod91udJgKkvDromY4TMPviDz45WOLl4Dsinhi6GcZaIK20Gc
UYAz9/2kfk673f/fcgrHvIkQyub1L/fmBPTTusinbVNukU2mtdBGmNIKiKl7ZG1srY7To0d5WKgP9aSHyhfrIg8rq
DiAj9C9GYfyYVK9VgMKe87jEpkeMm7FLE1/fyKPE1/gI7rbWKXWnl7Q9boFJgphZUVBnPOfBuSzzLGytN/ANkmReX
EFhwcnPM+UWBoduE2LV8BtDKGveA==
x-ms-exchange-transport-forked: True
Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB6469B6D111EF659A898AC88F4FA0DM8PR09MB6469namp_"
MIME-Version: 1.0
X-OriginatorOrg: epa.gov
X-MS-Exchange-CrossTenant-AuthAs: Internal
X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com
X-MS-Exchange-CrossTenant-Network-Message-Id: 025ab14d-5506-4c1b-38ea-08d8917108d7
X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 18:36:32.6234
 (UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
ebsPfNnwb/mG+80/hoWEYFCXYYioDpn+SKEyj6peV7XlN3nq4bR9r0rzrm+p2GGDHDRYp968ursDGGsoHUlNig==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM8PR09MB6150