Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 6:36:35 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 6:36:36 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 6:36:36 PM
Diagnostic code = OrNameUnrecognized; Reason code = TransferFailed; Status code = 510
< #5.1.351 smtp;550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 Invalid recipient: Ex. 6 Personal Privacy (PP)

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

Ex. 6 Personal Privacy (PP) wasn't found at sympatico.ca, or the mailbox is unavailable.

Robinson.Valois **Office 365** Ex. 6 Personal Privacy (PP)
Action Required Recipient
[redacted]
Unknown To address

How to Fix It

The email address might be misspelled or it might not exist. Try one or more of the following:

- **Retype the recipient's address, then resend the message -** If you're using Outlook, open this non-delivery report message and click **Send Again** from the menu or ribbon. In Outlook on the web, select this message, and then click the "**To send this message again, click here.**" link located just above the message preview window. In the To or Cc line, delete and then retype the entire recipient's address (ignore any address suggestions). After typing the complete address, click **Send** to resend the message. If you're using an email program other than Outlook or Outlook on the web, follow its standard way for resending a message. Just be sure to delete and retype the recipient's entire address before resending it.

- **Remove the recipient from the recipient Auto-Complete List, then resend the message** - If you're using Outlook or Outlook on the web, follow the steps in the "Remove the recipient from the recipient Auto-Complete List" section of this article. Then resend the message. Be sure to delete and retype the recipient's entire address before clicking **Send**.
- **Contact the recipient by some other means,** (by phone, for example) to confirm you're using the right address. Ask them if they've set up an email forwarding rule that could be forwarding your message to an incorrect address.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.351

When Office 365 tried to send the message, the external email server returned an error stating that the recipient is unknown or the mailbox is unavailable. This error was reported by an email server outside Office 365.

If you or the sender can't fix the problem, contact the responsible party's email admin - Give them the error code and error message from this non-delivery report (NDR) to help them troubleshoot the issue. To determine who the responsible party might be, check the error for information about where the problem is happening. For example, look for a domain name like contoso.com. A domain name in the error might suggest who is responsible for the error. It could be the recipient's email server, or it could be a third-party service that your organization or the recipient's organization is using to process or filter email messages.

Although the sender might be able to fix the issue by correcting the recipient address, it's likely that only the recipient's email admin can fix the problem. Unfortunately, it's unlikely Office 365 Support will be able to help with these kinds of externally reported errors.

Original Message Details

Created Date:	11/25/2020 6:36:32 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	**Ex. 6 Personal Privacy (PP)**
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 Invalid recipient:* **Ex. 6 Personal Privacy (PP)**
DSN generated by:	DM8PR09MB6150.namprd09.prod.outlook.com

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH

1	11/25/2020 6:36:33 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 6:36:33 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6150.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=FiCRXLRthYo/6wtvNp8v9MTcpFjoc7XdLL2iG2kWXoeRJtO3ggGwhr0hGuFeJmGPTVDUg6a9ptVur9rGxouJtop
hZeo50cbpDfmBoGVxJa3J/rtUwSLG+2Fgol4T9+nUq6nS7Of+NdqeJj8QEe/DSdYW0qnthOhE6PzdT3qVTJukkheu
Z/Yhs7wDJ0YC3sVvr8+nqdacRqYBDYLBhD9QbyTw//NSLNanJruSKcKZ8SU5FYIXF8EFpZnwiuR/211Wc01/P8ayZ
A0efVU5k9zsOH1EeH16AMzJt4YI8pl8h+CqZlzn71GLG5dW6sDPsd9l9IvGueSNks2hQ/gvAnvD3g==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=2DQAW3x8Axe3wlCzyQ7gRksF08yDb6I9YoBygthcrac=;

b=lUyzwfxwg5vU0PnSp3WxDJ1G1nbNzv3KVHil6S75/vVz1IQn+W9oD586GZOChB01aZ6XrlTsEvGZvrO0KbVnOI8
PAkx6il/uBAB5vAAqJb0enayTWfcm3lxXihtescrpDGkiG/Rvj3+7fYBdyFewlzgdhCc0P8nyetrAvgMQ4Siz2yL
XxG5wCo9BCpQNEf9y1AzWVZDfBn7frbbGTLdFnBJwRUOFTr55IyaYgDht2WVLvtNkZ6wDY9wsczhSYnEuexEBKPjQ
cryOsDkGdCPxcYFkQDkQJQ2RUBmzh2S1BiWmwdVbonprU9epYtW+9tDv/kLJjxcdccipplCzIshmQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=2DQAW3x8Axe3wlCzyQ7gRksF08yDb6I9YoBygthcrac=;

b=qn8P6hfdIZi9rdzzKKswGb82D+E30uGAYqPWDjMIUMddqKfry9jhxHCuXDDS1lpCQWfsIj+39k7T8/WevsQyEMZ
GWbl+nNsuqOrejy3FU6IKvD7P4tfZWKXkBLi2OlrAd4QuIWiyVmKSn3y/+sWLpSsJrDwTsw2uqjiMc8LeM7g=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM8PR09MB6150.namprd09.prod.outlook.com (2603:10b6:5:2ef::24) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.20; Wed, 25 Nov
 2020 18:36:33 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 18:36:33 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDWbwu7IUzucDZQemaVA7hqbD0fg==
Date: Wed, 25 Nov 2020 18:36:32 +0000
Message-ID:
<DM8PR09MB64695B6D111EF659A898AC88F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
```

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: yahoo.com; dkim=none (message not signed)
 header.d=none;yahoo.com; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 025ab14d-5506-4c1b-38ea-08d8917108d7

x-ms-traffictypediagnostic: DM8PR09MB6150:

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM8PR09MB6150130BECE8D783AE351686F4FA0@DM8PR09MB6150.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
IabwDcHnbnpEUPPz/yJoblnM42ys4a/Mj/Tuz5R98jvtGnNhwrwKN9I3TJPTeffgHgeYXRj8Jy/LyUvtsMCSYpF8S
7mIVXsGGTK+nL5mh/bc8fiwFMP12LyNO21Km9aCjtz92o7GHPK+wIZqjqOtEFEBuWG4y/+QJopm5W31SHEG3TETRM
eSnn6/HYy6u+lOqAzbFhB905JrzkXOP5/Ne1OPuUTAK96ryWF0eORaJwesIrvihJP/tw90Z2hi/5CT7+4NUfQ76wl
anzwzrrjPqBoWASEbBbHMo+wv0HPMH6f/WNCoWyEsSmGW2DHc3QC15sIC0qgTNIpLOgFAUTBvQdop9BhkN3UpgVjO
PrVBdQ8f6ePQaSP4ikidkU2UQyjClmPrVwDBt3q0eMTVilt+hzQAecjZ6qjbKXTaagDivlxB+qOnF7kO9N2EU5tlu
AL8pAOCbf3OXProU/Og9NkMXTxoZ9kjqrZc2DvK2qozMBnlN4+6S6tQ0xESti9bJznk

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(346002)(396003)(136003)(39860400002)(366004)(3
76002)(7276002)(55016002)(8676002)(66556008)(478600001)(64756008)(5660300002)(7336002)(74
06005)(316002)(2906002)(86362001)(7366002)(66946007)(66476007)(76116006)(66446008)(525360
14)(7416002)(7696005)(109986005)(966005)(83080400002)(8936002)(9686003)(76576003)(166002)
(89122003)(65686005)(186003)(88732003)(6506007)(71200400001)(4744005)(26005)(33656002)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
uCZ+NPrrHqH8Kpn5V2Rn/CfxHt/wP+D//vDhBrefYrCxHTzsk20zed/LvVmgHKUVoBhxSil30GY/biWEz+uj75K1G
dw3h9eS9P8Yih5uU3DNKB3UPr2wKIni0vvkr/w9ULe5qX8o9etel/atjF8uycFmBI2xasYw91t5UDCPF0QM0HnzbA
wnKsNMLrEFRRjBKWcab4qMzDH7R3JaWtybFIk4kwNOwO21G5kWxXJBICotvk6bdMpLoy3xUwczDoWtKm9ExPQxPyX
SPRjrTmQQW9i5nHRJVeA62npVfVBesuIGilc9m3bANX32y/80uWOCX0Yvi8b2QTQasLMHiKR0ebZZj1CNobcpQQ9r
eLJ7M50pNrX/pXsBtxI8/z6NJjc8Y7043JyIH8s1KM+vosqINjzJ1xVGq3jH1z1DwEu0NITe/3US6cwVBHq4+sdqD
w4X8mahWJWjYPzsSObmUUi0vJrC8WHpvSEVzSir2Tn5uZAqknLLHSFa8oRVvWPf1L0a9FXYFgMVGjX6RUWINmCj1M
GXq4+IA/43qTRrtbwUfQXNlcGh0Ye0Q+VBkswLsSSPAgvpUK4Jzh4AaWJthRo6GPs3ZooW670WAqExYaG9PPs/Afm
DOMuWWafpLonncXN9Yc+8mYOYanHxhWLddSWWH04kod91udJgKkvDromY4TMPviDz45WOL14Dsimhi6GcZaIKZ0Gc
UXAz9/2kfk673f/fcgrHvIkQyub1L/fmPPITusinbVNukU2mtdPGmNIKiKl7ZG1srY7ToUd5WKgP9aSHyhfrIg8zq
DiAj9C9GYfyYVK9VgMKe87jEpkeMm7FLE1/fyKPE1/gI7rbWKXWnl7Q9boFJgphZUVBnPOfBuSxzLGytN/ANkmReX
EFhwcmPM+UWBoduEZLV3BtDRGveA==

x-ms-exchange-transport-forked: True

Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB6469B6D111EF659A898AC88F4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 025ab14d-5506-4c1b-38ea-08d8917108d7

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 18:36:32.6234
 (UTC)

X-MS-Exchange-CrossTenant-fromentityheader: Hosted

X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7

X-MS-Exchange-CrossTenant-mailboxtype: HOSTED

X-MS-Exchange-CrossTenant-userprincipalname:
ebsPfNnwB/mG+80/hoWEYFCXYYioDpm+SKEyj6peV7XlN3nq4bK9r0rzrm+p2GGDHDRYp968ursDGGsoHUlNig==

X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM8PR09MB6150