Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 7:18:36 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 7:18:37 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 7:18:37 PM
Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511
<mailin81.aul.t-online.de #5.1.1 smtp;550-5.1.1 user unknown 550 5.1.1 Unknown recipient.>

Office 365

Your message to Ex. 6 Personal Privacy (PP) couldn't be delivered.

Ex. 6 Personal Privacy (PP) wasn't found at Ex. 6 Personal Privacy (PP)

Robinson.Valois **Office 365** Ex. 6 Personal Privacy (PP)
Action Required Recipient

Unknown To address

How to Fix It

The address may be misspelled or may not exist. Try one or more of the following:

- Send the message again following these steps: In Outlook, open this non-delivery report (NDR) and choose **Send Again** from the Report ribbon. In Outlook on the web, select this NDR, then select the link "**To send this message again, click here.**" Then delete and retype the entire recipient address. If prompted with an Auto-Complete List suggestion don't select it. After typing the complete address, click **Send**.
- Contact the recipient (by phone, for example) to check that the address exists and is correct.
- The recipient may have set up email forwarding to an incorrect address. Ask them to check that any forwarding they've set up is working correctly.

- Clear the recipient Auto-Complete List in Outlook or Outlook on the web by following the steps in this article: Fix email delivery issues for error code 5.1.1 in Office 365, and then send the message again. Retype the entire recipient address before selecting **Send**.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.1

This error occurs because the sender sent a message to an email address outside of Office 365, but the address is incorrect or doesn't exist at the destination domain. The error is reported by the recipient domain's email server, but most often it must be fixed by the person who sent the message. If the steps in the **How to Fix It** section above don't fix the problem, and you're the email admin for the recipient, try one or more of the following:

The email address exists and is correct - Confirm that the recipient address exists, is correct, and is accepting messages.

Synchronize your directories - If you have a hybrid environment and are using directory synchronization make sure the recipient's email address is synced correctly in both Office 365 and in your on-premises directory.

Errant forwarding rule - Check for forwarding rules that aren't behaving as expected. Forwarding can be set up by an admin via mail flow rules or mailbox forwarding address settings, or by the recipient via the Inbox Rules feature.

Mail flow settings and MX records are not correct - Misconfigured mail flow or MX record settings can cause this error. Check your Office 365 mail flow settings to make sure your domain and any mail flow connectors are set up correctly. Also, work with your domain registrar to make sure the MX records for your domain are configured correctly.

For more information and additional tips to fix this issue, see Fix email delivery issues for error code 550 5.1.1 in Office 365.

Original Message Details

Created Date:	11/25/2020 7:18:31 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	Ex. 6 Personal Privacy (PP)
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	*550-5.1.1 user unknown 550 5.1.1 Unknown recipient.*
DSN generated by:	DM6PR09MB5077.namprd09.prod.outlook.com
Remote server:	mailin81.aul.t-online.de

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH
1	11/25/2020 7:18:32 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 7:18:32 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM6PR09MB5077.namprd09.prod.outlook.com	Microsoft SMTP Serv cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=gnzi7vVg9mChSXaNviKhs0flkddRp8ew89g9zsDPXM3cOW+2tzt9nIvdnbfE0cVEhBf7nHearpFKLnkRjjp9Qcd
LyVQ+uThYItZDzGM1yiVyyMZk446MhyX33DA0wK40n/ZUA1IyJPN2IvGhqoXtUt2vuo2CW0tjNPIZbu56U9J4/CgU
fd0R2OeVUM5+sul4Njdps52EUFC2i1IrQ1ZE0DE+SKHZwGqhjqbtEV2vM9ckT6zAY0IaMsWcOB9Tsfs6bErAaMNXe
BhCx1ANMXy1Ccy257sXTNmeTRwjY8iiWkCP7p21+PqagiM9etq6PulV9JjCOLcHH9Mc2BZZU1/5Zg==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=vqqhw23zGz0nX4N4HMixymD0z7QLNfkdo3UqfwCKaHc=;

b=VouwAc8LwwfajFAY7/DxITDKNouYXmMYEEJI0sPHGjo5K5/vqEtu7cyQeMZ/Gg9CueoX8EGGMwIlINKeVUZMJtg
l0acgllZSirLO7smTmkpjBK4NRgRt+3nIUt2XuZSnyhHRh/p7tuZOJTXn9g9FHtKLO7RFc/d7ml3lGiuf/FDD5bCG
0a8mQsdlKaOYZxC2pC3n4TByhrsQYtA3lQEnmyb24vMG9P6gSBbi62DHILbUFWuH6jOKNzwzGV0cJIbiS6Yreq+Cm
GMo3nCiQmOkq5JGm2DqsbQVppVuL7Mu3k+uL3jmuxv6E30QjDJnIZw4G/KG9Il4zMvcikZF8nGDSw==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=vqqhw23zGz0nX4N4HMixymD0z7QLNfkdo3UqfwCKaHc=;

b=LwevHfoII51tF01mey2t4li/V5UCCAv2kvnQkU7IWTM+Ihtrfy82wfqPTgEVs3favA8vq43PwOo2iJ+IklDUoTo
mU1oNqsNeVYGic+hiCvTcWJ7nCuTidgiVw5+cXyLqg8PHyvX9lN5uiok89fLsvLQNYxeXvYIPmjWPETZnKEE=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB5077.namprd09.prod.outlook.com (2603:10b6:5:263::21) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.22; Wed, 25 Nov
 2020 19:18:32 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:18:32 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDX0Xv5yZoHLkbR+2VmiDcji7avw==
```

Date: Wed, 25 Nov 2020 19:18:31 +0000

Message-ID:
<DM8PR09MB6469883070D53FA65D0973B5F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

authentication-results: yandex.ru; dkim=none (message not signed)
 header.d=none;yandex.ru; dmarc=none action=none header.from=epa.gov;

x-originating-ip: [97.118.130.155]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 0137dc13-cb28-4b5d-0fd4-08d89176e5f2

x-ms-traffictypediagnostic: DM6PR09MB5077:

x-ms-exchange-transport-forked: True

x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr

x-microsoft-antispam-prvs:
<DM6PR09MB50778E5C36DF95A10134B9EBF4FA0@DM6PR09MB5077.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:5236;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
KtbPUnqCjfbvztUxTLmTNnT0Y+0iNIej5pUS8zXtgKZWT0G5DaRuAk+/zTerkJmWjZ1YwkOosxj36qoPiwCiLLWWK
ITkAh5vgQY3A0pA7OIJMNW5EZkRW7K/eE21Jv3Hbq9xQZkhgAme5LmBNstHAg2EP618X0YZSQK5dAgSpGwy5XvcUZ
e0uxbGyNzg5fVypCDv5vL2j45iVr6QR4/ujPsJS2LA8OGfYZ7WbwfwflsvILqAYRf+hhGCIalNZ+0t+699OpHJhfY
0WXAnpMDJsq2WpbhwlWTeuugjFrL2Skh4y7p9VWeCf/6ibTsdCj4N0qZ1H6rHUv/5nPg/sbUdnIM4FbnzY2NCQ0lS
NxR5616qNPPXJeGaJw86jSua5mD0OnVkRJc5koVGuJPUoJYusOyPvXtzJzfrR8FoPqZy7s2vzGgg5XUJus5VSVfNf
gE6fnEC6w/fbifsej08dFlO4RnJ5XGN+IBaMg3NHtJrJvxqvTgwd8Lo5a9pf2DVqpaw

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(346002)(376002)(396003)(39860400002)(136003)(3
66004)(316002)(83080400002)(66556008)(66446008)(166002)(66476007)(7696005)(109986005)(647
56008)(33656002)(4744005)(966005)(76116006)(6506007)(88732003)(76576003)(89122003)(478600
001)(8676002)(66946007)(8936002)(65686005)(86362001)(26005)(55016002)(5660300002)(7336002
)(7366002)(7406005)(7416002)(2906002)(7276002)(9686003)(71200400001)(186003)(52536014)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
kVp2zfGJXSGocmH53IBwdWtI1XfgD4pjiIECinEdmJfXr615bDWn/7/PhjbTGAJaZk91nY3q36jgpRc05ZK2wGDBl
1PzzhUFc6wxCD3AeThNfsJPPekECiLSPcV7sxzMU7G8fafFbya07WG7dju1BgwKnZ8FSg0QtTcAHdtlzjtHajOgzy
2qWObuRGpCKkPTmSu1hlnmn8jViy/A2/6lvoR7Zmua9D8J60zaTvEHsDPOSVy6jXmxGLXH4AM6JHUuDXqrs6c4hY+
FIfRhK8DmTvNgeG853tDh+CwbGPufMbJgSYsqNR/jPOAYxrzJmzIUjtLtviU8d7yVT6jCppsTFCqBZJUDcViIopzG
1npTZCJ2Cmox6aDOSaX00t3kw8+jTEieNKGZ7mtRG1hrO/7yyo1adw8XnjVKCkaEHccz3EgIdc4UgRpn434zGHydn
y5vmblR6sTkuO8tSFY33/jWdIUpF46H9udmQVJqpYr+a9kAARi6dkUEkKD+j+OVtT/f+KqNMPDQH1eZlNagJGQxO5
XV3E7zPuAazYiay05igTgmbAIigv8sknTZYBG6Ah7YkPdkWG4gsujqeYYHAG8Fut75WXQ5s7/XbW68dydIJRj4URs
2PtgFkcJaFAWRMKluLvVUwnM9oBaFLketYEtfYgelHn2MrQr6wwxfAPLyl8zWPqy01C1KBcrYgddE9YPaFmwQXbIL
zfsUG9nBlip9QUBRbFhNd2W6Nv0yfnedRqxRdhFY7mFmxD71WwOXDkOWh/xs64aiObSQr1H/tLDjGpgceRPVSyNVV
TsYSGE5rAzvB2PoyN/P9jfZ2sNULNacPRGX+j74XLHMJPq2w775SnVSAwcX45J+EuoEsf0uh1Edy20kPf6beZ0APg
l5NIyXY5zb/6iF3CZ76d8bOnS9nQ==

Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB6469883070D53FA65D0973B5F4FA0DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 0137dc13-cb28-4b5d-0fd4-08d89176e5f2

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 19:18:31.0256
(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
R5CzhYPPEF/8bSvhvnertlJL9jchVbwlW81Y4wrY7lFoH7VeXuDq5RsrM/TpnTOyU+7V152wEJAnyPRh/eR3dA==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB5077