Message

From: Clark, Jacqueline [clark.jacqueline@epa.gov]
Sent: 4/4/2018 2:22:58 PM
To: Bair, Rita [bair.rita@epa.gov]; Poy, Thomas [poy.thomas@epa.gov]
Subject: FW: Press inquiry - GenX in water supplies

Hi – FYI – Roger Reinhart just forwarded the invite to R3 drinking water management to attend.

Jacqueline Clark

Associate Regional Counsel
U.S. EPA, Region 5 (C-14J)
77 W. Jackson Blvd.
Chicago, IL 60604
Direct: (312) 353-4191
Fax: (312) 385-5474
email: clark.jacqueline@epa.gov

This e-mail, including attachments, contains information that may be confidential, protected by the attorney/client or other privileges, or otherwise exempt from disclosure under applicable law. If you are not the intended recipient, please do not read this email, delete it, including attachments, and notify the sender that you have received this email in error. The unauthorized use, dissemination, distribution or reproduction of this e-mail, including attachments, is prohibited and may be unlawful.

From: Clark, Jacqueline
Sent: Wednesday, April 04, 2018 9:01 AM
To: Bair, Rita <bair.rita@epa.gov>; Lippert, Allison <lippert.allison@epa.gov>
Cc: Harris, Kimberly <harris.kimberly@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>; Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>; Reinhart, Roger <Reinhart.Roger@epa.gov>
Subject: RE: Press inquiry - GenX in water supplies

Ex. 5 Deliberative Process (DP)

Jacqueline Clark

Associate Regional Counsel
U.S. EPA, Region 5 (C-14J)
77 W. Jackson Blvd.
Chicago, IL 60604
Direct: (312) 353-4191
Fax: (312) 385-5474
email: clark.jacqueline@epa.gov

This e-mail, including attachments, contains information that may be confidential, protected by the attorney/client or other privileges, or otherwise exempt from disclosure under applicable law. If you are not the intended recipient, please do not read this email, delete it, including attachments, and notify the sender that you have received this email in error. The unauthorized use, dissemination, distribution or reproduction of this e-mail, including attachments, is prohibited and may be unlawful.

From: Bair, Rita
Sent: Wednesday, April 04, 2018 8:41 AM
To: Lippert, Allison <lippert.allison@epa.gov>
Cc: Clark, Jacqueline <clark.jacqueline@epa.gov>; Harris, Kimberly <harris.kimberly@epa.gov>; Wilson, Jennifer

<wilson.jenniferA@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>
Subject: RE: Press inquiry - GenX in water supplies

Ex. 5 Deliberative Process (DP)

From: Lippert, Allison
Sent: Wednesday, April 04, 2018 8:19 AM
To: Harris, Kimberly <harris.kimberly@epa.gov>; Bair, Rita <bair.rita@epa.gov>
Cc: Clark, Jacqueline <clark.jacqueline@epa.gov>
Subject: Press inquiry - GenX in water supplies

Hi Rita – please see the request below. Is there anything we can say about sampling results? I've included our statement from February, but let me know if this request should be referred elsewhere. Thanks

Request – Fayetteville Observer (Greg Barnes) – DDL not specified
The EPA announced in January that it would be checking for GenX in 14 public drinking water sources around Chemours' Washington Works plant in West Virginia. I assume those sources are in both Ohio and West Virginia. I'm hoping to get someone to tell me what they found. I know it was found in Little Hocking's unfinished water, but not in the finished water. Need to know about the others.

OW/R5/R3 statement – February 2018
Protecting public health is EPA's highest priority. To ensure the safety of drinking water, EPA has requested The Chemours Company sample for the perfluorinated compound GenX in public and private water supplies in the vicinity of its Washington Works, West Virginia facility. The agency is working with the West Virginia Department of Environmental Protection and the Ohio Environmental Protection Agency on this request. Chemours has agreed to conduct the sampling requested, provided each drinking water supply gives permission to Chemours to conduct the GenX sampling.

Allison Lippert
U.S. EPA Region 5
312-353-0967