Message

From: Clark, Jacqueline [clark.jacqueline@epa.gov]
Sent: 8/9/2016 9:18:56 PM
To: Reinhart, Roger [Reinhart.Roger@epa.gov]
Subject: RE: Test America Method

Thank you.

Jacqueline Clark

Associate Regional Counsel
U.S. EPA, Region 5 (C-14J)
77 W. Jackson Blvd.
Chicago, IL 60604
Direct: (312) 353-4191
Fax: (312) 385-5474
email: clark.jacqueline@epa.gov

This e-mail, including attachments, contains information that may be confidential, protected by the attorney/client or other privileges, or otherwise exempt from disclosure under applicable law. If you are not the intended recipient, please do not read this email, delete it, including attachments, and notify the sender that you have received this email in error. The unauthorized use, dissemination, distribution or reproduction of this e-mail, including attachments, is prohibited and may be unlawful.

From: Reinhart, Roger
Sent: Tuesday, August 09, 2016 4:17 PM
To: Clark, Jacqueline <clark.jacqueline@epa.gov>
Subject: RE: Test America Method

Ex. 5 AC/DP

From: Clark, Jacqueline
Sent: Tuesday, August 09, 2016 5:12 PM
To: Reinhart, Roger <Reinhart.Roger@epa.gov>
Subject: RE: Test America Method

Hi Roger – **Ex. 5 AC/DP**

Jacqueline Clark

Associate Regional Counsel
U.S. EPA, Region 5 (C-14J)
77 W. Jackson Blvd.
Chicago, IL 60604
Direct: (312) 353-4191
Fax: (312) 385-5474
email: clark.jacqueline@epa.gov

This e-mail, including attachments, contains information that may be confidential, protected by the attorney/client or other privileges, or otherwise exempt from disclosure under applicable law. If you are not the intended recipient, please do not read this email, delete it, including attachments, and notify the sender that you have received this email in error. The unauthorized use, dissemination, distribution or reproduction of this e-mail, including attachments, is prohibited and may be unlawful.

From: Reinhart, Roger
Sent: Tuesday, August 09, 2016 3:40 PM
To: Carroll, Gregory <Carroll.Gregory@epa.gov>; Johnson, KarenD <Johnson.KarenD@epa.gov>; Clark, Jacqueline <clark.jacqueline@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>; Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>; Davies, Lynne <Davies.Lynne@epa.gov>; Collins, Charlie <collins.charlie@epa.gov>; Roberts, Lynne <roberts.lynne@epa.gov>
Cc: Burneson, Eric <Burneson.Eric@epa.gov>; Oshida, Phil <Oshida.Phil@epa.gov>; Hautman, Dan <Hautman.Dan@epa.gov>
Subject: RE: Test America Method

Hi Greg,

Ex. 5 AC/DP

Ex. 5 AC/DP Thanks again for your assistance in this matter.

Roger Reinhart

From: Carroll, Gregory
Sent: Monday, August 08, 2016 4:55 PM
To: Reinhart, Roger <Reinhart.Roger@epa.gov>; Johnson, KarenD <Johnson.KarenD@epa.gov>; Clark, Jacqueline <clark.jacqueline@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>; Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>; Davies, Lynne <Davies.Lynne@epa.gov>; Collins, Charlie <collins.charlie@epa.gov>; Roberts, Lynne <roberts.lynne@epa.gov>
Cc: Burneson, Eric <Burneson.Eric@epa.gov>; Oshida, Phil <Oshida.Phil@epa.gov>; Hautman, Dan <Hautman.Dan@epa.gov>
Subject: RE: Test America Method

Thanks for sharing. Ex. 5 AC/DP

Ex. 5 AC/DP

From: Reinhart, Roger
Sent: Monday, August 08, 2016 3:28 PM
To: Johnson, KarenD <Johnson.KarenD@epa.gov>; Clark, Jacqueline <clark.jacqueline@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>; Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>; Davies, Lynne <Davies.Lynne@epa.gov>; Collins, Charlie <collins.charlie@epa.gov>; Roberts, Lynne <roberts.lynne@epa.gov>; Carroll, Gregory <Carroll.Gregory@epa.gov>
Subject: FW: Test America Method

From: HARTTEN, ANDREW S [mailto:Andrew.S.Hartten@chemours.com]
Sent: Monday, May 16, 2016 2:03 PM
To: Johnson, KarenD <Johnson.KarenD@epa.gov>; Reinhart, Roger <Reinhart.Roger@epa.gov>
Subject: Test America Method

Hello Karen and Roger,

Attached are two documents which describe the Analytical Method utilized by Test America for Washington Works related drinking water samples. I believe what we are asking is that we continue to utilize this method as a EPA Method 537 equivalent. It is my understanding Method 537 allows some flexibility and the laboratory can amend certain aspects to achieve a range of LODs, etc. We report at 5 parts per trillion using this method, which is actually much lower than the MRL required under UCMR3 (i.e., 20 ppt).

If there needs to be conversation between project analytical chemists and the EPA Cinn., OH contact, that can easily be arranged.

Thanks.....Andrew

Andrew S. Hartten
Principal Project Manager-Corporate Remediation
+1 302 773 1289
Ex. 6 Personal Privacy (PP)
The Chemours Company
1007 Market Street, #3094
Wilmington, DE 19899

Linkedin | Twitter | Chemours.com

This communication is for use by the intended recipient and contains information that may be Privileged, confidential or copyrighted under applicable law. If you are not the intended recipient, you are hereby formally notified that any use, copying or distribution of this e-mail, in whole or in part, is strictly prohibited. Please notify the sender by return e-mail and delete this e-mail from your system. Unless explicitly and conspicuously designated as "E-Contract Intended. This e-mail does not constitute a contract offer, a contract amendment, or an acceptance of a contract offer. This e-mail does not constitute a consent to the use of sender's contact information for direct marketing purposes or for transfers of data to third parties.

Francais Deutsch Italiano Espanol Portugues Japanese Chinese Korean

https://www.chemours.com/Chemours_Home/en_US/email_disclaimer.html