Message

From: Lazos, Pamela [Lazos.Pamela@epa.gov]
Sent: 11/17/2020 10:42:28 PM
To: Wilson, Jennifer [wilson.jenniferA@epa.gov]; Clark, Jacqueline [clark.jacqueline@epa.gov]; Reinhart, Roger [Reinhart.Roger@epa.gov]; Zedella, Leah [Zedella.Leah@epa.gov]
Subject: RE: Meeting to Discuss Ohio's PFAS CWS Sampling Results Near DuPont's Washington Works

Can you give me a little more context as to what is going on, Jenny? Then I can answer your question.
Thanks,
Pam

From: Wilson, Jennifer <wilson.jenniferA@epa.gov>
Sent: Tuesday, November 17, 2020 5:23 PM
To: Clark, Jacqueline <clark.jacqueline@epa.gov>; Lazos, Pamela <Lazos.Pamela@epa.gov>; Reinhart, Roger <Reinhart.Roger@epa.gov>; Zedella, Leah <Zedella.Leah@epa.gov>
Subject: FW: Meeting to Discuss Ohio's PFAS CWS Sampling Results Near DuPont's Washington Works

Enforcement confidential and deliberative. Do not release for FOIA or discovery. Subject to attorney/client privileges.

Hi All,

Ex. 5 AC/DP

Thank you,
Jenny

From: Wilson, Jennifer
Sent: Tuesday, November 17, 2020 4:18 PM
To: Clark, Jacqueline <clark.jacqueline@epa.gov>; Lazos, Pamela <Lazos.Pamela@epa.gov>; Speir, Jeffrey <speir.jeffrey@epa.gov>; Reinhart, Roger <Reinhart.Roger@epa.gov>; Zedella, Leah <Zedella.Leah@epa.gov>; Braverman, Carole <braverman.carole@epa.gov>; Poeske, Regina <Poeske.Regina@epa.gov>; Lindstrom, Andrew <Lindstrom.Andrew@epa.gov>
Subject: Meeting to Discuss Ohio's PFAS CWS Sampling Results Near DuPont's Washington Works

Enforcement confidential and deliberative. Do not release for FOIA or discovery. Subject to attorney/client privileges.

Hi Everyone,

You will be receiving an e-mail and/or calendar invitation from Amy Klei, Ohio's Drinking Water Program Manager, or Kim Harris regarding a meeting to discuss Ohio's PFAS CWS sampling results near DuPont's Washington Works facility. I believe Ohio EPA will give us a presentation, but I am not sure.

Have a good evening,
Jenny

Jennifer Wilson, P.E.
Environmental Engineer, Water Enforcement and Compliance Assurance Branch
U.S. EPA Region 5
ECW-15J
77 West Jackson Blvd.
Chicago, IL *60604*

e-mail: wilson.jennifera@epa.gov
Phone: (312)353-3115
Fax: (312)697-2751

This email may contain deliberative, attorney-client, attorney work product, or otherwise privileged material. Do not release under FOIA without appropriate review. If this email has been received by you in error, you are instructed to delete it from your machine and all storage media whether electronic or hard copy.