Message

From: rogers, rick [rogers.rick@epa.gov]
Sent: 1/10/2018 4:23:24 PM
To: schafer, joan [schafer.joan@epa.gov]; Rodrigues, Cecil [rodrigues.cecil@epa.gov]; Duchovnay, Andrew [Duchovnay.Andrew@epa.gov]; D'Andrea, Michael [DANDREA.MICHAEL@EPA.GOV]; Reinhart, Roger [Reinhart.Roger@epa.gov]
Subject: RE: Q&As for Chemours QUICK TURNAROUND

Ex. 5 Deliberative Process (DP)

Thanks,

Rick

Rick Rogers, Associate Director
Office of Drinking Water and Source Water Protection
Water Protection Division (3WP20)
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: schafer, joan
Sent: Wednesday, January 10, 2018 11:08 AM
To: Rodrigues, Cecil <rodrigues.cecil@epa.gov>; Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>; rogers, rick <rogers.rick@epa.gov>; D'Andrea, Michael <DANDREA.MICHAEL@EPA.GOV>; Reinhart, Roger <Reinhart.Roger@epa.gov>
Subject: Q&As for Chemours QUICK TURNAROUND

Folks – please take a look at the Q&As below – these have been finalized by HQ. (five different AA-ships)
They are asking us to weigh in on the highlighted area = ASAP –
If it's accurate, please let me know.
Also, Andrew – can you let me know if you are in the office tomorrow if we get the ok to issue the letter?
Thanks.

Q&As

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Joan T. Schafer, Senior Advisor
U.S. Environmental Protection Agency
Region 3 Office of Communications and Government Relations
1650 Arch Street
Philadelphia, PA 19103
215-814-5143 (ph)
215-814-5102