Message

From: Smith, Barbara [Smith.Barbara@epa.gov]
Sent: 3/24/2020 12:36:50 PM
To: Rice, Scott [Rice.Scott@epa.gov]
Subject: RE: Hydro Extrusions USA, Cressona, PA 2019 GW Rpt Review

Stay strong Scott – at least you are away from the big urban centers. Enjoy your time. -Barb

From: Rice, Scott <Rice.Scott@epa.gov>
Sent: Tuesday, March 24, 2020 8:35 AM
To: Smith, Barbara <Smith.Barbara@epa.gov>
Subject: RE: Hydro Extrusions USA, Cressona, PA 2019 GW Rpt Review

Sure thing Barbara. Yes, I am working from home. My understanding is the Gov. is going to lockdown WV later today, so who knows when we will get back to the office. Take care!

From: Smith, Barbara <Smith.Barbara@epa.gov>
Sent: Tuesday, March 24, 2020 8:32 AM
To: Rice, Scott <Rice.Scott@epa.gov>
Subject: RE: Hydro Extrusions USA, Cressona, PA 2019 GW Rpt Review

Thanks for making this effort, Scott. Are you having to work at home, like us over here in Philly? -Barb

From: Rice, Scott <Rice.Scott@epa.gov>
Sent: Monday, March 23, 2020 5:30 PM
To: Smith, Barbara <Smith.Barbara@epa.gov>; Pizarro, Luis <pizarro.luis@epa.gov>
Cc: Bunker, Kelly <Bunker.Kelly@epa.gov>
Subject: RE: Hydro Extrusions USA, Cressona, PA 2019 GW Rpt Review

Hi Barbara. I'll take a look and see if I can find it. I'm having problems getting on the share drives right now. I might also have a hard copy in the office.

From: Smith, Barbara <Smith.Barbara@epa.gov>
Sent: Monday, March 23, 2020 5:27 PM
To: Rice, Scott <Rice.Scott@epa.gov>; Pizarro, Luis <pizarro.luis@epa.gov>
Cc: Bunker, Kelly <Bunker.Kelly@epa.gov>
Subject: RE: Hydro Extrusions USA, Cressona, PA 2019 GW Rpt Review

Thanks Scott ! Do you or Kelly have the original Consent Decree (or Order) that EPA issued this Facility back in the early 90's, when it was Cressona Aluminum Company? If so, could you send it to me? This is not a Corrective Action Site, where we would ask or at least know why the petroleum/PCBs and DNAPL disappeared over time. I imagine there was a removal action or some other GW treatment. Thanks. -BarbS.

From: Rice, Scott <Rice.Scott@epa.gov>
Sent: Monday, March 23, 2020 4:35 PM
To: Pizarro, Luis <pizarro.luis@epa.gov>; Smith, Barbara <Smith.Barbara@epa.gov>
Cc: Bunker, Kelly <Bunker.Kelly@epa.gov>
Subject: RE: Hydro Extrusions USA, Cressona, PA 2019 GW Rpt Review

Hi Luis et al. I totally agree with Barbara's recommendations. Let me know if you need additional information and or review. regards

From: Pizarro, Luis <pizarro.luis@epa.gov>
Sent: Monday, March 23, 2020 4:27 PM
To: Smith, Barbara <Smith.Barbara@epa.gov>
Cc: Rice, Scott <Rice.Scott@epa.gov>; Bunker, Kelly <Bunker.Kelly@epa.gov>
Subject: FW: Hydro Extrusions USA, Cressona, PA 2019 GW Rpt Review

Barbara – A direction for the facility is to come from our Branch.

Scott – We would like your reaction to Barbara's recommendation (of changes beyond what they requested) based on your site history.

Kelly - How we would go about getting back to the facility responding to this request? Is this a plan amendment/submital/approval

Luis A. Pizarro,Chief
RCRA Corrective Action Branch #1
Land, Chemicals and Redevelopment Division
US EPA Region 3
215 814 3444

From: Smith, Barbara <Smith.Barbara@epa.gov>
Sent: Monday, March 23, 2020 3:57 PM
To: Rice, Scott <Rice.Scott@epa.gov>
Cc: Pizarro, Luis <pizarro.luis@epa.gov>
Subject: Hydro Extrusions USA, Cressona, PA 2019 GW Rpt Review

Hi Scott –
I hope you are having a good Monday. I've attached my review of the GW Report. My manager, Luis Pizarro requested that I review it and provide you with any comments regarding the Facility's request to reduce groundwater monitoring. My comments support reduction in monitoring. If you would like to discuss this Facility and/or my comments, please reach out to me, and we'll talk.

Barbara Smith
RCRA CA Project Manager
US EPA, Region III (3LD10)
1650 Arch Street, Philadelphia, PA 19103-2029
Ph: (215) 814-5786