Message

From: Cagurangan, Christopher [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=3DFEF56A2BFA46A6AD01DD75EE3FE8E5-CCAGURAN]
Sent: 2/27/2020 5:22:12 PM
To: Petropoulou, Sissy@CDPH [Sissy.Petropoulou@cdph.ca.gov]
CC: Draper, William@CDPH [William.Draper@cdph.ca.gov]; Husby, Peter [Husby.Peter@epa.gov]; Li, Corine [Li.Corine@epa.gov]; Ruberu, Shiyamalie@CDPH [Shiyamalie.Ruberu@cdph.ca.gov]; WILLIAMS, CYNTHIA [Williams.Cynthia@epa.gov]; Lichti, Betsy@Waterboards [Betsy.Lichti@waterboards.ca.gov]; James, Duane [james.duane@epa.gov]
Subject: RE: 2019 CDPH DWRL Chemistry Drinking Water Certification

Good morning Sissy,

We are treating this as a new request to add Uranium by 200.8 to your certification since this analyte was not listed in previous certifications dating back to 2014.

We have reviewed all the necessary PT data, the most recent MDL study and SOP available, and have determined that the criteria for certification has been met.

We will be providing you with an updated certificate with the additional analyte once it is signed by our Division Director. Note that the expiration will not change.

You can contact me or Cynthia Williams if you have any additional questions.

Thank you,
Chris

Christopher Cagurangan | cagurangan.christopher@epa.gov | **(510) 412-2376**
US EPA Region 9 Laboratory, 1337 S. 46th Street, Bldg. 201, Richmond, CA 94804-4698

Please consider the environment before printing this e-mail.

From: Petropoulou, Sissy@CDPH <Sissy.Petropoulou@cdph.ca.gov>
Sent: Friday, February 21, 2020 8:44 AM
To: Cagurangan, Christopher <Cagurangan.Christopher@epa.gov>
Cc: Draper, William@CDPH <William.Draper@cdph.ca.gov>; Husby, Peter <Husby.Peter@epa.gov>; Li, Corine <Li.Corine@epa.gov>; Ruberu, Shiyamalie@CDPH <Shiyamalie.Ruberu@cdph.ca.gov>; WILLIAMS, CYNTHIA <Williams.Cynthia@epa.gov>; Lichti, Betsy@Waterboards <Betsy.Lichti@waterboards.ca.gov>
Subject: RE: 2019 CDPH DWRL Chemistry Drinking Water Certification
Importance: High

Good morning Christopher and Cynthia

We just noticed today that from the certified list of analytes Uranium with 200.8 is missing from the list.
Focusing on the 525.2 analytes I missed it on the draft version and as a matter of fact I missed it on the excel file I send to Cynthia and you back on Oct 2019 (also attached here).

I am terrible sorry for this inconvenience but since Uranium is regulated and we do measure it with 200.8 we would appreciate if you can now look into it and amend this certification to include it with US EPA 200.8.

Thank you and again forgive me for the inconvenience.

Sissy

****

Responses after 5 pm on Fridays might not reach the recipients till Monday mornings due to systems' updates in CDPH. Please make sure to submit all requests needed attention by Friday mornings.

Syrago-Styliani (Sissy) Petropoulou, M.Sc., Ph.D.

Research Scientist Supervisor I (Chemistry Unit)

Drinking Water & Radiation Laboratory Branch

California Dept. of Public Health

850 Marina Bay Pkwy, MS G-164

Richmond, California 94804-6403

Phone: 510-620-2942

Email: Sissy.Petropoulou@cdph.ca.gov

From: Cagurangan, Christopher <Cagurangan.Christopher@epa.gov>
Sent: Thursday, February 20, 2020 10:49 AM
To: Petropoulou, Sissy@CDPH <Sissy.Petropoulou@cdph.ca.gov>
Cc: Draper, William@CDPH <William.Draper@cdph.ca.gov>; Husby, Peter <Husby.Peter@epa.gov>; Li, Corine <Li.Corine@epa.gov>; Ruberu, Shiyamalie@CDPH <Shiyamalie.Ruberu@cdph.ca.gov>; WILLIAMS, CYNTHIA <Williams.Cynthia@epa.gov>; Lichti, Betsy@Waterboards <Betsy.Lichti@waterboards.ca.gov>
Subject: 2019 CDPH DWRL Chemistry Drinking Water Certification

Good morning Sissy,

Attached is an electronic copy of the final memo, report, and certificate for the drinking water chemistry audit of your laboratory. The hardcopies are being sent to Dr. William Draper, Branch Chief.

Thank you,
Chris

Christopher Cagurangan | cagurangan.christopher@epa.gov | (510) 412-2376
US EPA Region 9 Laboratory, 1337 S. 46th Street, Bldg. 201, Richmond, CA 94804-4698

Please consider the environment before printing this e-mail.