| Table A.2. Summary of TCVP Occupational/Residential Pet Products | | | |
|---|---|---|---|
| EPA Reg. No. | Use Site | Application Rate | Use Restrictions |
| **Collars** | | | |
| 2596-49 (collar weight: 11.3 g) | Cats | 11.3 gram collar (14.6 % ai)<br><br>Total ai: 0.0036 lb ai or 1,650 mg ai<br>20% removed: 1,320 mg ai | Do not use in kittens under 12 weeks of age.<br>Place the collar around the cat's neck, adjust for proper fit, and buckle in place.<br>Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.<br>Replace the collar every 3 months, every 2 months for severe infestation. |
| 2596-50 (collar weight: 19 g) | Dogs | 19 gram collar (14.6 % ai)<br>Total ai: 0.0061 lb ai or 2,774 mg ai<br>20% removed: 2,219 mg ai | Do not use on puppies less than 6 weeks of age.<br>Place the collar around the dog's neck, adjust for proper fit, and buckle in place.<br>Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.<br>Replace the collar every 3 months, every 2 months for severe infestation. |
| 2596-62 (collar weight: 19 – 32 g) | | 32 gram collar (14.6 % ai)<br>Total ai: 0.0103 lb ai or 4,672 mg ai<br>20% removed: 3,738 mg ai | |
| 2596-63 (collar weight: 15 – 17 g) | Cats | 15 gram collar (14.6% ai)<br>Total ai: 0.0048 lb ai or 2,190 mg ai<br>20% removed: 1,752 mg ai<br><br>17 gram collar (14.6% ai)<br>Total ai: 0.0055 lb ai or 2,482 mg ai<br>20% removed: 1,986 mg ai | Do not use on kittens less than 12 weeks of age.<br>Place the collar around the cat's neck, adjust for proper fit, and buckle in place.<br>Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.<br>Replace the collar every 5 months, every 4 months for severe infestation. |
| 2596-83 (collar weight: 12 – 25 g) | Cats | 12 gram collar (14.6% ai)<br>Total ai: 0.0039 lb ai or 1,752 mg ai<br>20% removed: 1,402<br><br>25 gram collar (14.6% ai)<br>Total ai: 0.0080 lb ai or 3,650 mg ai<br>20% removed: 2,920 mg ai | Do not use on kittens less than 12 weeks of age.<br>Place the collar around the cat's neck, adjust for proper fit, and buckle in place.<br>Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.<br>Replace the collar every 7 months, every 5 months for severe infestation. |
| 2596-139 (collar weight: 5 – 25 g[1]; assumed lower end of range for cats) | Cats | 5 gram collar (14.6% ai)<br>Total ai: 0.0016 lb ai or 730 mg ai<br>20% removed: 584 mg ai | Do not use on puppies under 6 weeks old/ kittens under 12 weeks old.<br>Place the collar around the cat's/dog's neck, adjust for proper fit, and buckle in place.<br>Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.<br>Replace the collar every 7 months, or more frequently for severe infestation. |
| 2596-84 (collar weight: 19 – 32 g) | Dogs | 19 gram collar (14.6% ai)<br>Total ai: 0.0061 lb ai or 2,774 mg ai<br>20% removed: 2,219 mg ai<br><br>32 gram collar (14.6% ai)<br>Total ai: 0.0103 lb ai or 4,672 mg ai<br>20% removed: 3,738 mg ai | Do not use on puppies under 6 weeks of age.<br>Place the collar around the dog's neck, adjust for proper fit, and buckle in place.<br>Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.<br>Replace the collar every 7 months, every 5 months for severe infestation. |
| 2596-139 (collar weight: 5 – 25 g[1]; assumed lower end of range for cats) | Dogs | 25 gram collar (14.6% ai)<br>Total ai: 0.0080 lb ai or 3,650 mg ai<br>20% removed: 2,920 mg ai | Do not use on puppies under 6 weeks old/ kittens under 12 weeks old.<br>Place the collar around the cat's/dog's neck, adjust for proper fit, and buckle in place. |

| Table A.2. Summary of TCVP Occupational/Residential Pet Products | | | |
|---|---|---|---|
| EPA Reg. No. | Use Site | Application Rate | Use Restrictions |
| | | | Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.<br>Replace the collar every 7 months, or more frequently for severe infestation. |
| **Dusts/Powders** | | | |
| 2596-78 | Cats | 0.3 ounce of powder for a small cat or 0.5 ounce for a large cat (3.3% ai)<br><br>Small cat: 8.5 grams product = 0.00062 lb ai or 280.5 mg ai<br><br>Large cat: 14.2 grams product = 0.00103 lb ai or 468.6 mg ai | Not for use on kittens less than 12 weeks of age.<br>Dust entire cat beginning at head and working back.<br>Use approximately 1/3 ounce of powder for a small cat or ½ ounce for a large cat.<br>Repeat at weekly intervals if necessary. |
| 2596-79 | Dogs | 0.5 ounce of powder for a small dog; 1 oz for a medium dog; and 1.25 oz for large dogs (3.3% ai)<br><br>Small: 14.2 grams product = 0.00103 lb ai or 468.6 mg ai<br><br>Medium: 28.4 grams product = 0.00206 lb ai or 937.2 mg ai<br><br>Large: 35.5 grams product = 0.00258 lb ai or 1171.5 mg ai | Not for use on puppies less than 12 weeks of age.<br>Dust entire dog beginning at the head and working back. Make sure powder gets down to the skin.<br>Lightly dust the dog's bedding with approximately the same amount of powder.<br>Repeat treatment of dog and bedding at weekly intervals if necessary.<br>Use ½ ounce of powder for a small dog; 1 oz for a medium dog; and 1 ¼ oz for large dogs. |
| 47000-123 | Cats | 0.3 oz (8.5 grams) of powder per every 10 pounds of body weight (1.0% ai)<br><br>Estimated Range:<br>Small (5 lbs): 4.25 grams product = 0.00009 lb ai or 42.5 mg ai<br>Medium (12 lbs): 10.2 grams product = 0.00022 lb ai or 102 mg ai<br>Large (18 lbs): 15.3 grams product = 0.00034 lb ai or 153 mg ai, large | Do not apply to kittens or puppies under 12 weeks old.<br>Dust powder evenly over the animal and rub thoroughly through the hair coat to skin.<br>Use 1/3 oz (8.5 grams) of powder per every 10 pounds of body weight of your cat or dog.<br>Do not reapply product for 30 days.<br><br>*PPE: Baseline clothing, coveralls, gloves and dust mist respirator. |
| | Dogs | 1/3 oz (8.5 grams) of powder per every 10 pounds of body weight (1.0% ai)<br><br>Estimated Range:<br>Small (20 lbs): 17 grams product = 0.00037 lb ai or 170 mg ai<br>Medium (50 lbs): 42.5 grams product = 0.00094 lb ai or 425 mg ai<br>Large (80 lbs): 68 grams product = 0.0015 lb ai or 680 mg ai | |
| **Pump/Trigger Sprays[2]** | | | |
| 2596-125 | Dogs (Trigger) | 1.1% ai<br><br>Small: 30 strokes = 27.78 grams product = 0.00066 lb ai or 300 mg ai<br><br>Medium: 40 strokes = 37.04 grams product = 0.00088 lb ai or 400 mg ai<br><br>Large: 70 strokes = 64.82 grams product = 0.0015 lb ai or 700 mg ai, large | Do not apply to pets (puppies) less than 6 weeks old.<br>Hold bottle upright about 6 inches from pet. Spray lightly until the tips of the pet's hair are moist. Rub spray into animal's coat.<br>Repeat once per week.<br>Recommended dosage: Spray 25-30 strokes for a small dog. Spray 30-40 strokes for a medium dog. Spray 40-70 strokes for a large dog. More spray may be needed for longhaired dogs.[3] |
| 2596-126 | Cats (Trigger) | 1.1% ai | Do not apply to pets (kittens) less than 6 weeks old. |

| Table A.2. Summary of TCVP Occupational/Residential Pet Products | | | |
|---|---|---|---|
| EPA Reg. No. | Use Site | Application Rate | Use Restrictions |
| | | Small: 25 strokes = 23.15 grams product = 0.00055 lb ai or 250 mg ai<br><br>Large: 35 strokes = 32.41 grams product = 0.00077 lb ai or 350 mg ai | Hold bottle upright about 6 inches from pet. Spray lightly until the tips of the pet's hair are moist. Rub spray into animal's coat.<br>Repeat once per week.<br>Recommended dosage: Spray 15-25 strokes for a small cat. Spray 25-35 strokes for a large cat. More spray may be needed for longhaired cats. [3] |
| 2596-140 | Cats[5] (Pump) | 1.1% ai<br><br>Small: 25 strokes = 4.73 grams product = 0.00011 lb ai or 51 mg ai<br><br>Large: 35 strokes = 6.62 grams product = 0.00016 lb ai or 71 mg ai | Do not use on puppies or kittens less than 12 weeks old.<br>Hold bottle upright about 6 inches from pet. Spray lightly until the tips of the pet's hair are moist. Rub spray into animal's coat.<br>Repeat once per week.<br>Recommended dosage: Spray 15-25 strokes for a small cat. Spray 25-35 strokes for a large cat.[4]<br>Recommended dosage: Spray 25-35 strokes for a small dog. Spray 30-40 strokes for a medium dog. Spray 40-70 strokes for a large dog.[4] |
| | Cats[5] (Trigger) | 1.1% ai<br><br>Small: 25 strokes = 23.15 grams product = 0.00055 lb ai or 250 mg ai<br><br>Large: 35 strokes = 32.41 grams product = 0.00077 lb ai or 350 mg ai | |
| | Dogs (Trigger) | 1.1% ai<br><br>Small: 35 strokes = 32.41 grams product = 0.00077 lb ai or 350 mg ai<br><br>Medium: 40 strokes = 37.04 grams product = 0.00088 lb ai or 400 mg ai<br><br>Large: 70 strokes = 64.82 grams product = 0.0015 lb ai or 700 mg ai | |