# TABLE 4

2/20/2015

## HAZARDOUS MATERIALS

## MARINE DRIVE DISTISTRIBUTION CENTER I

| TENANT | BUILDING | DATE |
|---|---|---|
| **SOLOPOWER, INC.** | **400102** | **1/14/2015** |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 1 | LOCATION | WAREHOUSE | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | ARGON | 10 | 100.00 POUND(S) | Yes | No |
| 2 | ARGON | 1 | 300.00 POUND(S) | Yes | No |
| 3 | NITROGEN | 3 | 100.00 POUND(S) | Yes | No |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 2 | LOCATION | FENCED STORAGE AREA FLAMMABLE-RATED CABINET | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | ISOPROPYL ALCOHOL | 22 | 2.00 GALLON(S) | Yes | No |
| 2 | ACETONE | 2 | 1.00 LITER(S) | Yes | No |
| 3 | PAINT | 3 | 1.00 GALLON(S) | Yes | No |
| 4 | SCREENPRINTING INK | 7 | 1.00 QUART(S) | Yes | No |
| 5 | EASI-SOLV SOLVENT CLEANER | 2 | 5.00 GALLON(S) | Yes | No |
| 6 | SILICONE | 1 | 2.50 GALLON(S) | Yes | No |
| 7 | KE 200F SEALANT | 1 | 18.00 KILOGRAM(S) | Yes | No |
| 8 | MECHANICAL VACUUM FLUID | 2 | 5.00 GALLON(S) | Yes | No |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 3 | LOCATION | EXTERIOR EMERGENCY POWER GENERATOR | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | DIESEL FUEL (AST) | 1 | 275.00 GALLON(S) | Yes | No |

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.
SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.
LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued

2/20/2015

## HAZARDOUS MATERIALS

## MARINE DRIVE DISTISTRIBUTION CENTER I

| TENANT | BUILDING | DATE |
|---|---|---|
| **SOLOPOWER, INC.** | **400102** | **1/14/2015** |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 4 | LOCATION | EXTERIOR | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | LIQUID NITROGEN (AST) | 1 | 6,000.00 GALLON(S) | Yes | No |

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.
SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.
LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued

2/20/2015

## HAZARDOUS MATERIALS

## MARINE DRIVE DISTISTRIBUTION CENTER I

| TENANT | BUILDING | DATE |
|---|---|---|
| **SOLOPOWER, INC.** | **400102** | **1/14/2015** |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 5 | LOCATION | FENCED STORAGE AREA ACID-RATED CABINETS | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | CITRATE | 1 | 500.00 MILLILITER(S) | Yes | No |
| 2 | SULFATE | 1 | 500.00 MILLILITER(S) | Yes | No |
| 3 | CHLORIDE | 1 | 500.00 MILLILITER(S) | Yes | No |
| 4 | TARTRATE | 1 | 1,000.00 MILLILITER(S) | Yes | No |
| 5 | TARTRATE | 1 | 125.00 MILLILITER(S) | Yes | No |
| 6 | CORROSION INHIBITOR | 1 | 1.00 GALLON(S) | Yes | No |
| 7 | PH7 BUFFER | 12 | 500.00 MILLILITER(S) | Yes | No |
| 8 | PH10 BUFFER | 10 | 500.00 MILLILITER(S) | Yes | No |
| 9 | ACID NEUTRALIZER | 1 | 2.00 GALLON(S) | Yes | No |
| 10 | PH4 BUFFER | 8 | 500.00 MILLILITER(S) | Yes | No |
| 11 | NITRIC ACID | 21 | 2.50 LITER(S) | Yes | No |
| 12 | HYDROCHLORIC ACID | 1 | 2.50 LITER(S) | Yes | No |
| 13 | BASE NEUTRALIZER | 1 | 1.00 GALLON(S) | Yes | No |
| 14 | NITRIC ACID | 2 | 500.00 MILLILITER(S) | Yes | No |
| 15 | SULFURIC ACID | 4 | 500.00 MILLILITER(S) | Yes | No |
| 16 | HYDROCHLORIC ACID | 1 | 4.00 LITER(S) | Yes | No |

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.
SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.
LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued

2/20/2015

## HAZARDOUS MATERIALS

## MARINE DRIVE DISTISTRIBUTION CENTER I

| TENANT | BUILDING | DATE |
|---|---|---|
| **SOLOPOWER, INC.** | **400102** | **1/14/2015** |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 6 | LOCATION | PANEL CLEANING ROOM | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | EASI-SOLV SOLVENT CLEANER | 1 | 55.00 GALLON(S) | No | No |
| 2 | ISOPROPYL ALCOHOL | 2 | 2.00 GALLON(S) | No | No |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 7 | LOCATION | PANEL CLEANING ROOM FLAMMABLE-RATED CABINET | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | SPRAY AND WIPE PRESS WASH | 1 | 55.00 GALLON(S) | Yes | No |
| 2 | GLYCOL ETHER | 1 | 55.00 GALLON(S) | Yes | No |
| 3 | POWERPRINT INK | 2 | 1.00 GALLON(S) | Yes | No |
| 4 | ACETONE | 2 | 500.00 MILLILITER(S) | Yes | No |
| 5 | INK | 3 | 1.00 LITER(S) | Yes | No |
| 6 | ISOPROPYL ALCOHOL | 3 | 2.00 GALLON(S) | Yes | No |
| 7 | ISOPROPYL ALCOHOL | 1 | 500.00 MILLILITER(S) | Yes | No |
| 8 | ISOPROPYL ALCOHOL | 2 | 5.00 GALLON(S) | Yes | No |

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.
SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.
LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued

2/20/2015

## HAZARDOUS MATERIALS

## MARINE DRIVE DISTISTRIBUTION CENTER I

| TENANT | BUILDING | DATE |
|---|---|---|
| **SOLOPOWER, INC.** | **400102** | **1/14/2015** |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 8 | LOCATION | PLATING ROOM | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | SODIUM HYDROXIDE | 1 | 5.00 GALLON(S) | Yes | No |
| 2 | SODIUM HYDROXIDE | 1 | 10.00 GALLON(S) | Yes | No |
| 3 | CADMIUM CONCENTRATE | 1 | 10.00 GALLON(S) | Yes | No |
| 4 | SODIUM GALLATE | 3 | 5.00 GALLON(S) | Yes | No |
| 5 | CAUSTIC SODA | 8 | 55.00 GALLON(S) | Yes | No |
| 6 | COPPER SOLUTION NEUTRALIZER | 1 | 250.00 GALLON(S) | Yes | No |
| 7 | RECLAIMED INDIUM PLATING SOLUTION | 3 | 275.00 GALLON(S) | Yes | No |
| 8 | ENVIROSUPPLY CLEANER | 10 | 5.00 GALLON(S) | Yes | No |
| 9 | LIQUID CLEANER | 6 | 5.00 GALLON(S) | Yes | No |
| 10 | RECLAIMED INDIUM SOLUTION | 5 | 55.00 GALLON(S) | Yes | No |
| 11 | RECLAIMED GALLIUM PLATING RINSE WATER | 6 | 55.00 GALLON(S) | Yes | No |

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.
SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.
LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued

2/20/2015

## HAZARDOUS MATERIALS

## MARINE DRIVE DISTISTRIBUTION CENTER I

| TENANT | BUILDING | DATE |
|---|---|---|
| **SOLOPOWER, INC.** | **400102** | **1/14/2015** |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 9 | LOCATION | WASTEWATER NEUTRALIZATION ROOM | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | HEAT TRANSFER OIL | 2 | 55.00 GALLON(S) | Yes | No |
| 2 | COPPER SOLUTION NEUTRAL | 4 | 250.00 GALLON(S) | Yes | No |
| 3 | ISOPROPYL ALCOHOL | 3 | 1.00 GALLON(S) | Yes | No |
| 4 | SULFURIC ACID SOLUTION | 10 | 5.00 GALLON(S) | Yes | No |
| 5 | SELENIUM COMPOUND | 4 | 5.00 GALLON(S) | Yes | No |
| 6 | COPPER SULFATE | 2 | 55.00 GALLON(S) | Yes | No |
| 7 | HYDROCHLORIC ACID | 24 | 5.00 GALLON(S) | Yes | No |
| 8 | HYDRAULIC OIL | 1 | 55.00 GALLON(S) | Yes | No |
| 9 | HYDROCHLORIC ACID | 1 | 55.00 GALLON(S) | Yes | No |
| 10 | LIQUID CAUSTIC SODA | 1 | 55.00 GALLON(S) | Yes | No |
| 11 | HYDROCHLORIC ACID | 7 | 55.00 GALLON(S) | No | No |
| 12 | LIQUID CAUSTIC SODA | 2 | 55.00 GALLON(S) | No | No |
| 13 | SULFURIC ACID (AST) | 1 | 400.00 GALLON(S) | Yes | No |
| 14 | HYDRAULIC OIL | 1 | 5.00 GALLON(S) | Yes | No |

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.
SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.
LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued

## HAZARDOUS MATERIALS

2/20/2015

## MARINE DRIVE DISTISTRIBUTION CENTER I

| TENANT | BUILDING | DATE |
|---|---|---|
| **SOLOPOWER, INC.** | **400102** | **1/14/2015** |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 10 | LOCATION | WASTEWATER NEUTRALIZATION ROOM ACID-RATED CABINET | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | HYDROCHLORIC ACID | 2 | 2.00 GALLON(S) | Yes | No |
| 2 | POTASSIUM CHLORIDE BUFFER | 2 | 1.00 LITER(S) | Yes | No |
| 3 | BUFFER SOLUTIONS | 6 | 500.00 MILLILITER(S) | Yes | No |
| 4 | TESTING CHEMICALS (TOTAL) | 1 | 5.00 GALLON(S) | Yes | No |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 11 | LOCATION | SCRUBBER SYSTEM ROOM | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | SULFURIC ACID | 3 | 55.00 GALLON(S) | Yes | No |
| 2 | AMMONIA SOLUTION 28% | 1 | 250.00 GALLON(S) | Yes | No |
| 3 | HYDROCHLORIC ACID | 1 | 55.00 GALLON(S) | Yes | No |
| 4 | THIOUREA POWDER | 20 | 30.00 GALLON(S) | Yes | No |
| 5 | CADMIUM SULFATE POWDER | 26 | 40.00 GALLON(S) | Yes | No |
| 6 | CAUSTIC SODA | 1 | 55.00 GALLON(S) | Yes | No |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 12 | LOCATION | BOILER ROOM | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | INHIBITOR | 2 | 5.00 GALLON(S) | No | No |

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.
SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.
LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued

2/20/2015

## HAZARDOUS MATERIALS

## MARINE DRIVE DISTISTRIBUTION CENTER I

| TENANT | BUILDING | DATE |
|---|---|---|
| **SOLOPOWER, INC.** | **400102** | **1/14/2015** |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 13 | LOCATION | CHILLER ROOM | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | MH-490 GLUTARALDEHYDE | 3 | 5.00 GALLON(S) | No | No |
| 2 | GRO PRO HYDRONIC WATER TREATMENT | 9 | 5.00 GALLON(S) | No | No |
| 3 | MH-1509 BROMINE SOLUTION | 1 | 55.00 GALLON(S) | Yes | No |
| 4 | STAKOOL BLUE COOLING WATER AGENT | 1 | 55.00 GALLON(S) | Yes | No |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 15 | LOCATION | SCREEN PRINTING ROOM | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | SOLVENT CLEANER | 1 | 55.00 GALLON(S) | No | No |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 16 | LOCATION | CHILLER ROOM FLAMMABLE-RATED CABINET | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | SPRAY PAINT | 5 | 16.00 OUNCE(S) | Yes | No |
| 2 | GREASE | 2 | 4.00 KILOGRAM(S) | Yes | No |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 17 | LOCATION | FIRE PUMP ROOM | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|
| 1 | DIESEL (AST) | 1 | 90.00 GALLON(S) | Yes | No |

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.
SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.
LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 5

2/20/2015

## HAZARDOUS WASTES

## MARINE DRIVE DISTISTRIBUTION CENTER I

| TENANT | BUILDING | DATE |
|---|---|---|
| **SOLOPOWER, INC.** | **400102** | **1/14/2015** |

| ACTIVITY # | ACTIVITY TYPE | DESCRIPTION | PRACTICE |
|---|---|---|---|
| 1 | LOCATION | PLATING ROOM | 1 |

| MATERIAL # | MATERIAL NAME | QUANTITY | CAPACITY | DISPOSAL METHOD | SEC/SPILL CON | LEAK/STAIN |
|---|---|---|---|---|---|---|
| 1 | USED INDIUM PLATING SODA | 2 | 275.00 GALLON(S) | OFF-SITE | Yes | No |

**NOTES:**

PRACTICE refers to the overall condition and hazardous waste management practice for the listed location observed during the tenant inspection.
SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous wastes.
LEAK/STAIN refers to observed leakage from and/or staining by a hazardous waste container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area