Message

From: Bill Winchester [bwinchester@scec.com]
Sent: 1/17/2014 12:49:26 AM
To: Kelly, Shaheerah [Kelly.Shaheerah@epa.gov]
CC: Lapka, Joseph (Separated) [Lapka.Joseph@epa.gov]; Karl Lany [klany@scec.com]
Subject: Questions Regarding SSI Rule Applicability for Pyrolysis Process
Attachments: ATT00001.txt

Importance: High

Shaheerah:

I hope you and your family had a wonderful holiday season! Now that we're back to "the grind" I wanted to run something by you.

In the past you assisted me in answering some questions I had in regards to a staged gasification system, and the federal MSW incinerator rules - i.e., NSPS. There's a different process we're studying now and I'd like to know if the proposed technology (as described below) would be subject to the Sewage Sludge Incinerator (SSI) rules; more specifically 40 CFR Part 60 Subpart LLLL.

The proposed pyrolysis project would be located at a wastewater treatment facility but operated by a third party. The project is intended to demonstrate the feasibility of using pyrolysis technology on a small scale to reduce volume of pre-processed fertilizer pellets (fuel in this case), while enhancing digester gas and on-site digester gas utilization, thereby reducing the plant's dependence on supplementary natural gas for on-site power generation. The fuel is a byproduct of sewage digester sludge, but it is a commodity commonly used as fertilizer in the agricultural or landscaping industry. Furthermore, the process will improve the quality of the fertilizer pellets by removing organic materials, while retaining nitrogen and other nutrients. Essentially, the "char" will be a more stable (in terms of long term storage; odor; combustibility) and practical fertilizer, that maintains viability as a commodity after processing. The demonstration project will process approximately 6 tons per day of fertilizer pellets over a 10 month period (500 lbs/hr; 24 hrs/day; 5 days/week). The pyrolysis gas byproduct generated from the pellets will be reintroduced into the facility digester system and comingled with the plant's other digester gas to be combusted in biogas-fired cogeneration engines. The "char" will be shipped off-site to be used for fertilizer. At the conclusion of the demonstration project, the pyrolysis process will be terminated.

Based on the above description, can you please clarify:

1.) Are the fertilizer pellets actually considered Sewage Sludge?
2.) If not, what would EPA consider this commodity to be?
3.) Is the project subject to 40 CFR Part 60 Subpart LLLL, as an SSI unit?
4.) If so, will the project require a preconstruction siting analysis?
5.) If so, how long will EPA Region IX require to complete the analysis?
6.) If the project is not subject to the SSI rule, is there another applicable incinerator rule?

Unfortunately, we're in a time crunch so your prompt reply is very much appreciated. If you need further clarification or have

Best Regards,

Bill Winchester, CPP
Project Manager
Regulatory Compliance Services

SCEC
Air Quality Specialists

1582 N. Batavia Street, Suite 1
Orange, California 92867

Office: (714) 282-8240 ext. 30
Cell: (714) 493-5323
Fax: (714) 282-8247

www.scec.com

MONTROSE
A Montrose Environmental Group Company

This message contains information which may be confidential, proprietary, privileged, or otherwise protected by law from disclosure or use by a third party. If you have received this message in error, please contact us immediately at 714-282-8240 and take the steps necessary to delete the message completely from your computer system. Thank you.

********** ATTACHMENT NOT DELIVERED **********

This Email message contained an attachment named
  image001.jpg
which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

********** ATTACHMENT NOT DELIVERED **********