Message

**From**: Chesnutt, John [Chesnutt.John@epa.gov]
**Sent**: 8/24/2020 5:59:03 PM
**To**: Praskins, Wayne [Praskins.Wayne@epa.gov]; Herrera, Angeles [Herrera.Angeles@epa.gov]
**CC**: Sanchez, Yolanda [Sanchez.Yolanda@epa.gov]
**Subject**: RE: [Non-DoD Source] HPNS: EPA Review of Navy Draft Evaluation of Radiological Remediation Goals for Onsite Buildings

Yes, I assume the issues we raised about RESRAD through these consultation results would surely impact Concord.

---

**From:** Praskins, Wayne <Praskins.Wayne@epa.gov>
**Sent:** Thursday, August 20, 2020 5:33 PM
**To:** Herrera, Angeles <Herrera.Angeles@epa.gov>
**Cc:** Sanchez, Yolanda <Sanchez.Yolanda@epa.gov>; Chesnutt, John <Chesnutt.John@epa.gov>
**Subject:** RE: [Non-DoD Source] HPNS: EPA Review of Navy Draft Evaluation of Radiological Remediation Goals for Onsite Buildings

Angeles –

This afternoon I also sent to the Navy the BPRG calculations mentioned in our letter that Oak Ridge National Laboratory helped with.

We don't have specific results from the ACOE Radiation Safety Support Team to share. At a later date there may be an ACOE technical report but it is still in development.

John can best answer the question about Concord.

Wayne Praskins | Superfund Project Manager
**U.S. Environmental Protection Agency Region 9**
75 Hawthorne St. (SFD-7-3)
San Francisco, CA 94105
415-972-3181

---

**From:** Herrera, Angeles <Herrera.Angeles@epa.gov>
**Sent:** Thursday, August 20, 2020 5:23 PM
**To:** Praskins, Wayne <Praskins.Wayne@epa.gov>; Sanchez, Yolanda <Sanchez.Yolanda@epa.gov>; Cooke, Maryt <Cooke.Maryt@epa.gov>; Gervais, Gregory <Gervais.Gregory@epa.gov>; Walker, Stuart <Walker.Stuart@epa.gov>
**Subject:** Fwd: [Non-DoD Source] HPNS: EPA Review of Navy Draft Evaluation of Radiological Remediation Goals for Onsite Buildings

Sent from my iPhone

Begin forwarded message:

> **From:** "Lansdale, Lawrence L CIV USN (USA)" <lawrence.lansdale@navy.mil>
> **Date:** August 20, 2020 at 5:10:56 PM PDT
> **To:** "Herrera, Angeles" <Herrera.Angeles@epa.gov>
> **Cc:** "Chesnutt, John" <Chesnutt.John@epa.gov>, "Ostrowski, Kimberly A CIV USN COMNAVFACENGCOM DC (USA)" <kimberly.ostrowski@navy.mil>

**Subject: FW: [Non-DoD Source] HPNS: EPA Review of Navy Draft Evaluation of Radiological Remediation Goals for Onsite Buildings**

Angeles
Thanks for sending the HPS radiological consultation evaluation. Would you be able to share evaluation results from the ACOE Radiation Safety Support Team and Oak Ridge National Laboratory? Also, is this specific for HPS as we also have a pending radiological building evaluation at Concord? Thanks again for sending.
Regards
Lawrence

---

**From:** Praskins, Wayne <Praskins.Wayne@epa.gov>
**Sent:** Thursday, August 20, 2020 3:38 PM
**To:** Robinson, Derek J CIV USN NAVFAC SW SAN CA (USA) <derek.j.robinson1@navy.mil>
**Cc:** juanita.bacey@dtsc.ca.gov; Han, Terry@CDPH <Terry.Han@cdph.ca.gov>; tina.low@waterboards.ca.gov; Brownell, Amy (DPH) <amy.brownell@sfdph.org>; Chesnutt, John <Chesnutt.John@epa.gov>; Sanchez, Yolanda <Sanchez.Yolanda@epa.gov>
**Subject:** [Non-DoD Source] HPNS: EPA Review of Navy Draft Evaluation of Radiological Remediation Goals for Onsite Buildings

Derek –

The attached letter provides the results of EPA's review of the Navy's evaluation of Radiological Building Remediation Goals for the Hunters Point Naval Shipyard Site. Please call or email with any questions.

Wayne Praskins | Superfund Project Manager
**U.S. Environmental Protection Agency Region 9**
75 Hawthorne St. (SFD-7-3)
San Francisco, CA 94105
415-972-3181