Message

From: Shari Ring [Shari.Ring@cadmusgroup.com]
Sent: 1/15/2021 7:56:32 PM
To: Ho, Yenhung [Ho.Yenhung@epa.gov]; Rao, Kate [Rao.kate@epa.gov]
CC: Jim Jolley [james.jolley@cadmusgroup.com]; Kyrien Edwards [kyrien.edwards@cadmusgroup.com]; jameswalker733@outlook.com
Subject: Review of CES responses to T&M questions
Attachments: Evaluation of responses to RAI 4 (T&M).docx

Hi Calvin and Kate

Attached is our evaluation of CES's responses to EPA's technical questions about injection and post injection phase testing and monitoring activities.

Most of the responses are acceptable, and many refer to changes that CES says were made to the Testing and Monitoring Plan and PISC and Site Closure Plans, which they indicate will be submitted at a later date. We will need to make sure that each of the promised changes were implemented in the plans, and we made several notes in the evaluation of responses to indicate that we will do that.

There are a few follow up questions for CES in the attached.

Please let me know if you have any questions.

We are working on the evaluation of the construction and plugging responses and will provide that next week.

Have a nice weekend.

Shari Ring
The Cadmus Group LLC
703.247.6159

CADMUS

Follow us on social media:

This email message and its contents are for the sole use of the intended recipient or recipients and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message.