Message

From: Binford, Marshall [Binford.Marshall@epa.gov]
Sent: 7/30/2021 2:30:39 PM
To: Caplan, Robert W. [Caplan.Robert@epa.gov]; Beard, Phillip [Beard.Phillip@epa.gov]
Subject: RE: Seal Shield - SSURO Partial Termination

No problem.

From: Caplan, Robert W. <Caplan.Robert@epa.gov>
Sent: Friday, July 30, 2021 10:30 AM
To: Beard, Phillip <Beard.Phillip@epa.gov>; Binford, Marshall <Binford.Marshall@epa.gov>
Subject: RE: Seal Shield - SSURO Partial Termination

Give me until 10:40.

Robert Caplan
Senior Attorney
U.S. Environmental Protection Agency
Sam Nunn Federal Building
61 Forsyth Street
Atlanta, Georgia 30303
404-562-9520

From: Beard, Phillip <Beard.Phillip@epa.gov>
Sent: Friday, July 30, 2021 9:59 AM
To: Binford, Marshall <Binford.Marshall@epa.gov>; Caplan, Robert W. <Caplan.Robert@epa.gov>
Subject: RE: Seal Shield - SSURO Partial Termination

Marshall, I'm fine with 10:30.

From: Binford, Marshall <Binford.Marshall@epa.gov>
Sent: Friday, July 30, 2021 9:57 AM
To: Beard, Phillip <Beard.Phillip@epa.gov>; Caplan, Robert W. <Caplan.Robert@epa.gov>
Subject: RE: Seal Shield - SSURO Partial Termination

Can we talk at 10:30?

From: Beard, Phillip <Beard.Phillip@epa.gov>
Sent: Friday, July 30, 2021 9:52 AM
To: Caplan, Robert W. <Caplan.Robert@epa.gov>; Binford, Marshall <Binford.Marshall@epa.gov>
Subject: RE: Seal Shield - SSURO Partial Termination

Good morning Bob. I'm available.

From: Caplan, Robert W. <Caplan.Robert@epa.gov>
Sent: Friday, July 30, 2021 9:50 AM
To: Beard, Phillip <Beard.Phillip@epa.gov>; Binford, Marshall <Binford.Marshall@epa.gov>
Subject: FW: Seal Shield - SSURO Partial Termination

Good morning. Can we jump on a quick call to talk about the partial termination?

bc

Robert Caplan
Senior Attorney
U.S. Environmental Protection Agency
Sam Nunn Federal Building
61 Forsyth Street
Atlanta, Georgia 30303
404-562-9520

From: Ed Schwartz <ess@mseslegal.com>
Sent: Friday, July 30, 2021 9:41 AM
To: Binford, Marshall <Binford.Marshall@epa.gov>
Cc: Caplan, Robert W. <Caplan.Robert@epa.gov>
Subject: Seal Shield - SSURO Partial Termination

Marshall,

During our last discussion on this matter, EPA indicated that the SSURO partial termination with regard to the ElectroClave would be issued this week. Please let me know the status of the partial termination as soon as possible.

Sincerely,

Ed Schwartz

"HONI SOIT QUI MAL Y PENSE"

SWEETNAM & SCHWARTZ LLC

1050 Crown Pointe Parkway, Suite 500
Atlanta, Georgia 30338
470-395-7842 (p)
678-360-3644 (m)

770-234-6779 (facsimile)

SWEETNAM & SCHWARTZ LLC

Confidentiality: This message and any attachments from Sweetnam & Schwartz LLC may contain confidential and legally protected information. If you are not the intended recipient (addressee) please do not read, copy, disseminate or disclose this communication. Please notify Sweetnam & Schwartz LLC by e-mail to ess@mseslegal.com if you have received this e mail in error and then securely delete from your system. No attorney/client relationship is formed with Sweetnam & Schwartz, LLC in the absence of a signed engagement letter. IRS Circular 230 Disclosure: To ensure compliance with requirements imposed by the IRS and other taxing authorities, any tax advice contained in this communication (including any attachments) is not intended or written to be used, and cannot be used, for the purpose of (i) avoiding penalties that may be imposed on any taxpayer, or (ii) promoting, marketing or recommending to another party any transaction or matter addressed herein.