#SYS_SAMPLE_CODE LAB_ANL_METHOD_NAME ANALYSIS_DATE ANALYSIS_TIME TOTAL_OR_DISSOLVED COLUMN_NUMBER TEST_TYPE LAB_MATRIX_CODE ANALYSIS_LOCATION BASIS CONTAINER_ID DILUTION_FACTOR LAB_PREP_METHOD_NAME PREP_DATE PREP_TIME LEACHATE_METHOD LEACHATE_DATE LEACHATE_TIME LAB_NAME_CODE QC_LEVEL LAB_SAMPLE_ID PERCENT_MOISTURE SUBSAMPLE_AMOUNT SUBSAMPLE_AMOUNT_UNIT ANALYST_NAME INSTRUMENT_ID COMMENT PRESERVATIVE FINAL_VOLUME FINAL_VOLUME_UNIT

R4-E211612-01 TMTL:EPA 200.7 04/18/2021 13:32 N Water LB
NA R4-SESD R4E E211612-01

R4-E211612-01 TMTL:EPA 200.8 04/18/2021 13:52 N Water LB
NA R4-SESD R4E E211612-01

R4-E211612-01 TMTL:EPA 200.8 04/18/2021 13:59 N Water LB
NA R4-SESD R4E E211612-01

R4-E211612-02 TMTL:EPA 200.7 04/16/2021 12:52 N Water LB
NA R4-SESD R4E E211612-02

R4-E211612-02 TMTL:EPA 200.8 04/16/2021 20:57 N Water LB
NA R4-SESD R4E E211612-02

R4-E211612-02 TMTL:EPA 200.8 04/17/2021 13:11 N Water LB
NA R4-SESD R4E E211612-02

R4-E211612-03 TMTL:EPA 200.7 04/16/2021 13:03 N Water LB
NA R4-SESD R4E E211612-03

R4-E211612-03 TMTL:EPA 200.8 04/16/2021 21:19 N Water LB
NA R4-SESD R4E E211612-03

R4-E211612-03 TMTL:EPA 200.8 04/17/2021 13:32 N Water LB
NA R4-SESD R4E E211612-03

R4-E211612-04 TMTL:EPA 200.7 04/16/2021 13:07 N Water LB
NA R4-SESD R4E E211612-04

R4-E211612-04 TMTL:EPA 200.8 04/16/2021 21:26 N Water LB
NA R4-SESD R4E E211612-04

R4-E211612-04 TMTL:EPA 200.8 04/17/2021 13:39 N Water LB
NA R4-SESD R4E E211612-04

R4-E211612-05 TMTL:EPA 200.7 04/16/2021 13:11 N Water LB
NA R4-SESD R4E E211612-05

R4-E211612-05 TMTL:EPA 200.8 04/16/2021 21:33 N Water LB
NA R4-SESD R4E E211612-05

R4-E211612-05 TMTL:EPA 200.8 04/17/2021 13:47 N Water LB
NA R4-SESD R4E E211612-05

R4-E211612-06 TMTL:EPA 200.7 04/16/2021 13:18 N Water LB
NA R4-SESD R4E E211612-06

R4-E211612-06 TMTL:EPA 200.8 04/16/2021 21:40 N Water LB
NA R4-SESD R4E E211612-06

R4-E211612-06 TMTL:EPA 200.8 04/17/2021 13:54 N Water LB
NA R4-SESD R4E E211612-06

R4-E211612-07 TMTL:EPA 200.7 04/16/2021 13:22 N Water LB
NA R4-SESD R4E E211612-07

R4-E211612-07 TMTL:EPA 200.8 04/16/2021 21:48 N Water LB
NA R4-SESD R4E E211612-07

R4-E211612-07 TMTL:EPA 200.8 04/17/2021 14:01 N Water LB
NA R4-SESD R4E E211612-07

R4-E211615-01 TMTL:EPA 200.7 04/18/2021 13:35 N Water LB
NA R4-SESD R4E E211615-01

R4-E211615-01	TMTL:EPA 200.8	04/18/2021	14:06	N		Water	LB
NA		R4-SESD	R4E	E211615-01			
R4-E211615-01	TMTL:EPA 200.8	04/18/2021	14:14	N		Water	LB
NA		R4-SESD	R4E	E211615-01			
R4-E211615-02	TMTL:EPA 200.7	04/18/2021	13:39	N		Water	LB
NA		R4-SESD	R4E	E211615-02			
R4-E211615-02	TMTL:EPA 200.8	04/18/2021	14:21	N		Water	LB
NA		R4-SESD	R4E	E211615-02			
R4-E211615-02	TMTL:EPA 200.8	04/18/2021	14:28	N		Water	LB
NA		R4-SESD	R4E	E211615-02			
R4-E211615-03	TMTL:EPA 200.7	04/18/2021	13:43	N		Water	LB
NA		R4-SESD	R4E	E211615-03			
R4-E211615-03	TMTL:EPA 200.8	04/18/2021	14:50	N		Water	LB
NA		R4-SESD	R4E	E211615-03			
R4-E211615-03	TMTL:EPA 200.8	04/18/2021	14:57	N		Water	LB
NA		R4-SESD	R4E	E211615-03			
R4-E211615-04	TMTL:EPA 200.7	04/18/2021	13:54	N		Water	LB
NA		R4-SESD	R4E	E211615-04			
R4-E211615-04	TMTL:EPA 200.8	04/18/2021	15:33	N		Water	LB
NA		R4-SESD	R4E	E211615-04			
R4-E211615-04	TMTL:EPA 200.8	04/18/2021	15:40	N		Water	LB
NA		R4-SESD	R4E	E211615-04			
R4-E211615-05	TMTL:EPA 200.7	04/18/2021	13:57	N		Water	LB
NA		R4-SESD	R4E	E211615-05			
R4-E211615-05	TMTL:EPA 200.8	04/18/2021	15:47	N		Water	LB
NA		R4-SESD	R4E	E211615-05			
R4-E211615-05	TMTL:EPA 200.8	04/18/2021	15:54	N		Water	LB
NA		R4-SESD	R4E	E211615-05			
R4-E211615-06	TMTL:EPA 200.7	04/18/2021	14:01	N		Water	LB
NA		R4-SESD	R4E	E211615-06			
R4-E211615-06	TMTL:EPA 200.8	04/18/2021	17:14	N		Water	LB
NA		R4-SESD	R4E	E211615-06			
R4-E211615-06	TMTL:EPA 200.8	04/18/2021	17:21	N		Water	LB
NA		R4-SESD	R4E	E211615-06			
R4-E211615-06	TMTL:EPA 200.8	04/18/2021	20:17	N		Water	LB
NA		R4-SESD	R4E	E211615-06			
R4-E211615-07	TMTL:EPA 200.7	04/18/2021	14:05	N		Water	LB
NA		R4-SESD	R4E	E211615-07			
R4-E211615-07	TMTL:EPA 200.8	04/18/2021	17:29	N		Water	LB
NA		R4-SESD	R4E	E211615-07			
R4-E211615-07	TMTL:EPA 200.8	04/18/2021	17:36	N		Water	LB
NA		R4-SESD	R4E	E211615-07			
R4-E211615-07	TMTL:EPA 200.8	04/18/2021	20:24	N		Water	LB
NA		R4-SESD	R4E	E211615-07			
R4-E211615-08	TMTL:EPA 200.7	04/18/2021	14:08	N		Water	LB
NA		R4-SESD	R4E	E211615-08			
R4-E211615-08	TMTL:EPA 200.8	04/18/2021	17:43	N		Water	LB
NA		R4-SESD	R4E	E211615-08			
R4-E211615-08	TMTL:EPA 200.8	04/18/2021	17:50	N		Water	LB
NA		R4-SESD	R4E	E211615-08			

R4-E211615-08	TMTL:EPA 200.8	04/18/2021	20:31	N		Water	LB
NA		R4-SESD	R4E	E211615-08			
R4-E211615-09	TMTL:EPA 200.7	04/18/2021	14:12	N		Water	LB
NA		R4-SESD	R4E	E211615-09			
R4-E211615-09	TMTL:EPA 200.8	04/18/2021	17:57	N		Water	LB
NA		R4-SESD	R4E	E211615-09			
R4-E211615-09	TMTL:EPA 200.8	04/18/2021	18:05	N		Water	LB
NA		R4-SESD	R4E	E211615-09			
R4-E211615-09	TMTL:EPA 200.8	04/18/2021	20:38	N		Water	LB
NA		R4-SESD	R4E	E211615-09			