Message

From: Mishkin, Katherine [Mishkin.Katherine@epa.gov]
Sent: 10/26/2020 11:35:47 AM
To: Sklaney, Christopher [sklaney.christopher@epa.gov]
Subject: RE: please update SEMS

Thank you!!

Katie
215-814-3191

From: Sklaney, Christopher <sklaney.christopher@epa.gov>
Sent: Friday, October 23, 2020 1:30 PM
To: Mishkin, Katherine <Mishkin.Katherine@epa.gov>
Subject: RE: please update SEMS

Katie,

I updated SEMS. Let me know if you find errors or any inputs that still need completion. The sitewide statement indicates the remedy is protective in the short term.

Thanks! – Chris

Christopher Sklaney
Remedial Project Manager
Superfund & Emergency Management Division
U.S. Environmental Protection Agency Region 3
1650 Arch Street (Mail Code 3SD21)
Philadelphia, PA 19103
215-814-3198 | office
sklaney.christopher@epa.gov | email

From: Mishkin, Katherine <Mishkin.Katherine@epa.gov>
Sent: Friday, October 23, 2020 9:20 AM
To: Sklaney, Christopher <sklaney.christopher@epa.gov>
Subject: please update SEMS

Hi Chris,

Can you please update SEMS to include the protectiveness determination for Keystone? Also, can you let me know if it is short-term or long-term protective? Thanks!

03	PA	KEYSTONE SANITATION LANDFILL	Statutory	09/14/2020	2020	MISSING	Protectiveness statements and determinations not included in SEMS.

Katie
Katherine Ryan Mishkin, P.G.

Remedial Project Manager
Western Pennsylvania and Maryland Section (3SD22)
Superfund & Emergency Management Division
EPA Region 3
1650 Arch Street | Philadelphia, PA 19103
215-814-3191