Message

From: Clark, Meredith [Clark.Meredith@epa.gov]
Sent: 9/24/2020 11:56:38 AM
To: Famble, Alayna [famble.alayna@epa.gov]
CC: Harrigan, Sandra [Harrigan.Sandra@epa.gov]
Subject: RE: Phase 2 Lake Conestee QAPP-Checklist needs signature

Alayna,
Can you fix this? it will not let me sign.

From: Famble, Alayna <famble.alayna@epa.gov>
Sent: Wednesday, September 23, 2020 10:08 PM
To: Clark, Meredith <Clark.Meredith@epa.gov>
Cc: Harrigan, Sandra <Harrigan.Sandra@epa.gov>
Subject: RE: Phase 2 Lake Conestee QAPP-Checklist needs signature

Okay. Will this version work?

Alayna Famble
RPM | USEPA Region 4
404-562-8444 (office)
470-445-0744 (cell)

From: Clark, Meredith <Clark.Meredith@epa.gov>
Sent: Wednesday, September 23, 2020 7:03 PM
To: Famble, Alayna <famble.alayna@epa.gov>
Cc: Harrigan, Sandra <Harrigan.Sandra@epa.gov>
Subject: RE: Phase 2 Lake Conestee QAPP-Checklist needs signature

This form is not allowing me to sign in pdf

From: Famble, Alayna <famble.alayna@epa.gov>
Sent: Wednesday, September 23, 2020 3:46 PM
To: Clark, Meredith <Clark.Meredith@epa.gov>
Cc: Harrigan, Sandra <Harrigan.Sandra@epa.gov>
Subject: Phase 2 Lake Conestee QAPP-Checklist needs signature

Hey Meredith,

Please see the attached Lake Conestee Phase 2 signed QAPP and QAPP checklist. I need your signature on the checklist and I will send the final version to Nardina.
Sandra and I were able to discuss our comments ad suggestions on the sampling event scoping meeting today and everything has been addressed. Thank you.

Best wishes,
Alayna Famble
Remedial Project Manager | US EPA Region 4
Superfund and Emergency Management Division
Restoration and Site Evaluation Section
61 Forsyth St. SW Atlanta, GA 30303
404-562-8444 (office) | 470-445-0744 (cell)