Date	Meter Reading	Flow	Leonard Park Main Flow	Lake Level
			October-16	*Feet
10/1	46824290	144888	On Line	<3.00
10/2	46843660	164635	On Line	<3.00
10/3	46865670	166804	On Line	<3.00
10/4	46887970	169871	On Line	<3.00
10/5	46910680	188720	On Line	<3.00
10/6	46935910	161493	On Line	<3.00
10/7	46957500	163887	On Line	<3.00
10/8	46979410	144514	On Line	<3.00
10/9	46998730	166355	On Line	<3.00
10/10	47020970	188346	On Line	<3.00
10/11	47046150	177725	On Line	<3.00
10/12	47069910	149151	On Line	<3.00
10/13	47089850	111377	On Line	<3.00
10/14	47104740	120278	On Line	<3.00
10/15	47120820	151919	On Line	<3.00
10/16	47141130	161119	On Line	<3.00
10/17	47162670	184457	On Line	<3.00
10/18	47187330	95520	On Line	<3.00
10/19	47200100	186776	On Line	<3.00
10/20	47225070	71883	On Line	<3.00
10/21	47234680	133967	On Line	<3.00
10/22	47252590	145486	On Line	<3.00
10/23	47272040	143840	On Line	<3.00
10/24	47291270	129479	On Line	<3.00
10/25	47308580	133593	On Line	<3.00
10/26	47326440	138380	On Line	<3.00
10/27	47344940	125140	On Line	<3.00
10/28	47361670	101728	On Line	<3.00
10/29	47375270	148179	On Line	<3.00
10/30	47395080	182437	On Line	<3.00
10/31	47419470	26778	On Line	
11/1	47423050			
		4478725	* Note: These are visual	
		144475	readings from the level	
			gauge located at the	
			spillway.	

Date	Meter Reading	Flow	Leonard Park Main Flow	Lake Level
			November-16	*Feet
11/1	47423050	86992	On Line	<3.00
11/2	47434680	85122	On Line	<3.00
11/3	47446060	79512	On Line	<3.00
11/4	47456690	198220	On Line	<3.00
11/5	47483190	149376	On Line	<3.00
11/6	47503160	151171	On Line	<3.00
11/7	47523370	108984	On Line	<3.00
11/8	47537940	102551	On Line	<3.00
11/9	47551650	124243	On Line	<3.00
11/10	47568260	80335	On Line	<3.00
11/11	47579000	104196	On Line	<3.00
11/12	47592930	151844	On Line	<3.00
11/13	47613230	164710	On Line	<3.00
11/14	47635250	75548	On Line	<3.00
11/15	47645350	148852	On Line	<3.00
11/16	47665250	87067	On Line	<3.00
11/17	47676890	83252	On Line	<3.00
11/18	47688020	87965	On Line	<3.00
11/19	47699780	146384	On Line	<3.00
11/20	47719350	171292	On Line	<3.00
11/21	47742250	184008	On Line	<3.00
11/22	47766850	66048	On Line	<3.00
11/23	47775680	149974	On Line	<3.00
11/24	47795730	131723	On Line	<3.00
11/25	47813340	145187	On Line	<3.00
11/26	47832750	149376	On Line	<3.00
11/27	47852720	162690	On Line	<3.00
11/28	47874470	185504	On Line	<3.00
11/29	47899270	97988	On Line	<3.00
11/30	47912370	135538	On Line	<3.00
12/1	47930490			
		3795651	* Note: These are visual	
		126522	readings from the level	
			gauge located at the	
			spillway.	

Job Number: 420-71165-1

Stephen Schmidt
Village of Mount Kisco WTP
506 Byram Lake Rd.
Mount Kisco, NY 10549

Client Sample ID: **EP Leonard Park PH**
Lab Sample ID: **420-71165-2**

Date Sampled: 10/10/2013 0850
Date Received: 10/10/2013 1600
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
			Date Analyzed:		10/10/2013 2036	
Method: 300.0						
Nitrate as N	0.25	U	mg/L	0.010	0.25	1.0

Stephen Schmidt
Village of Mount Kisco WTP
506 Byram Lake Rd.
Mount Kisco, NY 10549

Job Number: 420-71165-1

Client Sample ID: **EP Leonard Park PH**
Lab Sample ID: **420-71165-2**

Date Sampled: 10/10/2013 0850
Date Received: 10/10/2013 1600
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 200.7 Rev 4.4			Date Analyzed:		10/22/2013 2047	
Prep Method: 200			Date Prepared:		10/11/2013 0930	
Fe	60	U	ug/L	60	60	1.0
Na	17000		ug/L	200	200	1.0
Method: 200.8			Date Analyzed:		10/14/2013 1644	
Prep Method: 200			Date Prepared:		10/11/2013 0930	
As	1.4	U	ug/L	1.4	1.4	1.0
Be	0.30	U	ug/L	0.30	0.30	1.0
Cd	1.0	U	ug/L	1.0	1.0	1.0
Cr	7.0	U	ug/L	7.0	7.0	1.0
Mn	98		ug/L	1.0	1.0	1.0
Ni	1.5		ug/L	0.50	0.50	1.0
Sb	0.40	U	ug/L	0.40	0.40	1.0
Tl	0.30	U	ug/L	0.30	0.30	1.0
Zn	10	U	ug/L	10	10	1.0
Ba	110		ug/L	2.0	2.0	1.0
Se	2.0	U	ug/L	2.0	2.0	1.0
Method: 200.8			Date Analyzed:		10/14/2013 1109	
Prep Method: 200.8			Date Prepared:		10/11/2013 1025	
Ag	1.0	U	ug/L	1.0	1.0	1.0
Method: 245.1			Date Analyzed:		10/11/2013 1623	
Prep Method: 245.1			Date Prepared:		10/11/2013 1105	
Hg	0.20	U	ug/L	0.20	0.20	1.0
Method: 2120B			Date Analyzed:		10/11/2013 1005	
Apparent Color	5.0		Color Units	2.5	2.5	1.0
Method: 300.0			Date Analyzed:		10/10/2013 2036	
Sulfate	26		mg/L	5.0	5.0	1.0
Fluoride	0.50	U	mg/L	0.50	0.50	1.0
Method: 300.0			Date Analyzed:		10/11/2013 1755	
Chloride	59		mg/L	15	15	10
Method: SM 2150B			Date Analyzed:		10/11/2013 1645	
Odor	1.0		T.O.N.	1.0	1.0	1.0
Temp @ Odor Measurement	60		Degrees C	5.0	5.0	1.0
Method: SM 4500 CN E			Date Analyzed:		10/21/2013 1535	
Prep Method: SM 4500 CN C			Date Prepared:		10/15/2013 1000	
Cyanide, Total	0.0050	U	mg/L	0.0050	0.0050	1.0

Job Number: 420-71165-1

Stephen Schmidt
Village of Mount Kisco WTP
506 Byram Lake Rd.
Mount Kisco, NY 10549

Client Sample ID: **EP Leonard Park PH**
Lab Sample ID: **420-71165-2**

Date Sampled: 10/10/2013 0850
Date Received: 10/10/2013 1600
Client Matrix: Drinking Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: SM 4500B			Date Analyzed:		10/11/2013 1630	
Nitrite as N	0.050	U	mg/L	0.050	0.050	5.0

verizon
Verizon Message Center

Monday, Nov 28 at 8:51 AM

From: "Schmidt, Stephen" <Stephen.Schmidt@suez-na.com>

To: "sschmidt716@verizon.net" sschmidt716@verizon.net

Subject: FW: EPA Request for Information and Sampling Access - Mount Kisco Water Department

From: Edward Brancati [mailto:ebrancati@mountkisco.org]
Sent: Wednesday, November 23, 2016 12:29 AM
To: Schmidt, Stephen
Cc: Joe Luppino
Subject: Fwd: EPA Request for Information and Sampling Access - Mount Kisco Water Department

Stephen and Joe,

I will need your assistance in compiling the answers to the questions below posed by the EPA about our water supply and distribution system. Let's talk tomorrow morning at 11am.

Thanks,
Ed

Sent from my iPad

Begin forwarded message:

From: "Gilliland, Gerald" <Gerry.Gilliland@WestonSolutions.com>
Date: November 22, 2016 at 7:06:52 PM EST
To: "Ed Brancati (ebrancati@mountkisco.org)" <ebrancati@mountkisco.org>
Cc: "Andrew Fessler (fessler.andrew@epa.gov)" <fessler.andrew@epa.gov>, "Dan Gaughan (gaughan.daniel@epa.gov)" <gaughan.daniel@epa.gov>, "wsingleton@sdslawny.com" <wsingleton@sdslawny.com>
Subject: EPA Request for Information and Sampling Access - Mount Kisco Water Department

Mr. Brancati,

I am contacting you on behalf of Andrew Fessler of EPA, who has tasked Weston Solutions, Inc. with identifying groundwater uses within 4 miles of the Canadian Radium and Uranium site in Mount Kisco and with evaluating groundwater quality at the nearest water supply wells. I have cc'd Mr. Fessler on this email, as well as Dan Gaughan of EPA and Mount Kisco's attorney Whitney Singleton, who are already coordinating other aspects of EPA's investigation at the Canadian Radium and Uranium site.

Regarding groundwater use, our information from EPA's Safe Drinking Water Information System (SDWIS) indicates that there are several community supply wells located within 4 miles of the Site, including the Leonard Park wells operated by the Mount Kisco Water Department. I spoke with Joe Luppino earlier today, who confirmed that the wells supplement the main MKWD water supply from Byram Lake. Mr. Luppino referred me to you for more information and to request access for sampling if necessary.

The following information regarding the MKWD supply system is requested:

Pace Analytical Services, Inc.
8 East Tower Circle
Ormond Beach, FL 32174
(386)672-5668

ANALYTICAL RESULTS

Project: Village Of Mount Kisco WTP
Pace Project No.: 35162767

Sample: Raw Well 2 **Lab ID: 35162767002** Collected: 11/04/14 11:05 Received: 11/06/14 10:26 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
504.1 GCS EDB and DBCP	Analytical Method: EPA 504.1 Preparation Method: EPA 504.1								
1,2-Dibromo-3-chloropropane	**<0.0050**	ug/L	0.020	0.0050	1	11/07/14 14:00	11/07/14 23:13	96-12-8	
1,2-Dibromoethane (EDB)	**<0.0063**	ug/L	0.010	0.0063	1	11/07/14 14:00	11/07/14 23:13	106-93-4	
508.1 GCS Pesticides	Analytical Method: EPA 508.1 Preparation Method: EPA 508.1								
Alachlor	**<0.032**	ug/L	0.19	0.032	1	11/10/14 10:30	11/12/14 02:50	15972-60-8	
Atrazine	**<0.020**	ug/L	0.095	0.020	1	11/10/14 10:30	11/12/14 02:50	1912-24-9	
gamma-BHC (Lindane)	**<0.0028**	ug/L	0.019	0.0028	1	11/10/14 10:30	11/12/14 02:50	58-89-9	
Butachlor	**<0.014**	ug/L	0.095	0.014	1	11/10/14 10:30	11/12/14 02:50	23184-66-9	
Chlordane (Technical)	**<0.044**	ug/L	0.19	0.044	1	11/10/14 10:30	11/12/14 02:50	57-74-9	
Dieldrin	**<0.013**	ug/L	0.095	0.013	1	11/10/14 10:30	11/12/14 02:50	60-57-1	
Endrin	**<0.0019**	ug/L	0.0095	0.0019	1	11/10/14 10:30	11/12/14 02:50	72-20-8	
Heptachlor	**<0.0057**	ug/L	0.038	0.0057	1	11/10/14 10:30	11/12/14 02:50	76-44-8	
Heptachlor epoxide	**<0.0028**	ug/L	0.019	0.0028	1	11/10/14 10:30	11/12/14 02:50	1024-57-3	
Hexachlorobenzene	**<0.010**	ug/L	0.095	0.010	1	11/10/14 10:30	11/12/14 02:50	118-74-1	
Hexachlorocyclopentadiene	**<0.030**	ug/L	0.095	0.030	1	11/10/14 10:30	11/12/14 02:50	77-47-4	
Methoxychlor	**<0.013**	ug/L	0.095	0.013	1	11/10/14 10:30	11/12/14 02:50	72-43-5	
Metolachlor	**<0.010**	ug/L	0.095	0.010	1	11/10/14 10:30	11/12/14 02:50	51218-45-2	
PCB, Total	**<0.076**	ug/L	0.095	0.076	1	11/10/14 10:30	11/12/14 02:50	1336-36-3	
Propachlor	**<0.0095**	ug/L	0.095	0.0095	1	11/10/14 10:30	11/12/14 02:50	1918-16-7	
Simazine	**<0.042**	ug/L	0.066	0.042	1	11/10/14 10:30	11/12/14 02:50	122-34-9	
Toxaphene	**<0.57**	ug/L	0.95	0.57	1	11/10/14 10:30	11/12/14 02:50	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	104	%	70-130		1	11/10/14 10:30	11/12/14 02:50	2051-24-3	
515.3 Chlorinated Herbicides	Analytical Method: EPA 515.3 Preparation Method: EPA 515.3								
2,4-D	**<0.081**	ug/L	0.10	0.081	1	11/07/14 08:30	11/08/14 09:15	94-75-7	
Dalapon	**<0.89**	ug/L	1.0	0.89	1	11/07/14 08:30	11/08/14 09:15	75-99-0	
Dicamba	**<0.067**	ug/L	0.10	0.067	1	11/07/14 08:30	11/08/14 09:15	1918-00-9	
Dinoseb	**<0.16**	ug/L	0.20	0.16	1	11/07/14 08:30	11/08/14 09:15	88-85-7	
Pentachlorophenol	**<0.030**	ug/L	0.040	0.030	1	11/07/14 08:30	11/08/14 09:15	87-86-5	
Picloram	**<0.094**	ug/L	0.10	0.094	1	11/07/14 08:30	11/08/14 09:15	1918-02-1	
2,4,5-TP (Silvex)	**<0.16**	ug/L	0.20	0.16	1	11/07/14 08:30	11/08/14 09:15	93-72-1	
Surrogates									
2,4-DCAA (S)	106	%	70-130		1	11/07/14 08:30	11/08/14 09:15	19719-28-9	
531.1 HPLC Carbamates	Analytical Method: EPA 531.1								
Aldicarb	**<0.70**	ug/L	2.0	0.70	1		11/11/14 23:14	116-06-3	L3
Aldicarb sulfone	**<0.60**	ug/L	2.0	0.60	1		11/11/14 23:14	1646-88-4	L3
Aldicarb sulfoxide	**<0.67**	ug/L	2.0	0.67	1		11/11/14 23:14	1646-87-3	
Carbofuran	**<0.75**	ug/L	2.0	0.75	1		11/11/14 23:14	1563-66-2	
3-Hydroxycarbofuran	**<0.51**	ug/L	2.0	0.51	1		11/11/14 23:14	16655-82-6	
Methomyl	**<0.57**	ug/L	2.0	0.57	1		11/11/14 23:14	16752-77-5	
Oxamyl	**<0.47**	ug/L	2.0	0.47	1		11/11/14 23:14	23135-22-0	
Carbaryl	**<0.28**	ug/L	2.0	0.28	1		11/11/14 23:14	63-25-2	
Surrogates									
Propoxur (S)	117	%	80-120		1		11/11/14 23:14	114-26-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
8 East Tower Circle
Ormond Beach, FL 32174
(386)672-5668

ANALYTICAL RESULTS

Project: Village Of Mount Kisco WTP
Pace Project No.: 35162767

Sample: Raw Well 2 **Lab ID: 35162767002** Collected: 11/04/14 11:05 Received: 11/06/14 10:26 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
547 HPLC Glyphosate	Analytical Method: EPA 547								
Glyphosate	**<5.4**	ug/L	6.0	5.4	1		11/13/14 13:19		
549.2 HPLC Paraquat Diquat	Analytical Method: EPA 549.2 Preparation Method: EPA 549.2								
Diquat	**<0.15**	ug/L	0.40	0.15	1	11/07/14 18:30	11/10/14 16:37	85-00-7	
525.2 Base Neutral Extractable	Analytical Method: EPA 525.2 Preparation Method: EPA 525.2								
Aldrin	**<0.034**	ug/L	0.095	0.034	1	11/10/14 10:30	11/11/14 17:33	309-00-2	
Benzo(a)pyrene	**<0.018**	ug/L	0.095	0.018	1	11/10/14 10:30	11/11/14 17:33	50-32-8	
bis(2-Ethylhexyl)adipate	**<0.36**	ug/L	1.5	0.36	1	11/10/14 10:30	11/11/14 17:33	103-23-1	
bis(2-Ethylhexyl)phthalate	**<0.47**	ug/L	1.9	0.47	1	11/10/14 10:30	11/11/14 17:33	117-81-7	
Metribuzin	**<0.029**	ug/L	0.28	0.029	1	11/10/14 10:30	11/11/14 17:33	21087-64-9	
Surrogates									
1,3-Dimethyl-2-nitrobenzene(S)	116	%	70-130		1	11/10/14 10:30	11/11/14 17:33	81209	
Perylene-d12 (S)	131	%	70-130		1	11/10/14 10:30	11/11/14 17:33	1520963	S3
Triphenylphosphate (S)	113	%	70-130		1	11/10/14 10:30	11/11/14 17:33	115-86-6	
548.1 GCS Endothall	Analytical Method: EPA 548.1 Preparation Method: EPA 548.1								
Endothall	**<4.1**	ug/L	9.0	4.1	1	11/11/14 10:00	11/14/14 17:50		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
8 East Tower Circle
Ormond Beach, FL 32174
(386)672-5668

ANALYTICAL RESULTS

Project: Village Of Mount Kisco WTP
Pace Project No.: 35162767

Sample: Raw Well 2 **Lab ID: 35162767002** Collected: 11/04/14 11:05 Received: 11/06/14 10:26 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
504.1 GCS EDB and DBCP	Analytical Method: EPA 504.1 Preparation Method: EPA 504.1								
1,2-Dibromo-3-chloropropane	**<0.0050**	ug/L	0.020	0.0050	1	11/07/14 14:00	11/07/14 23:13	96-12-8	
1,2-Dibromoethane (EDB)	**<0.0063**	ug/L	0.010	0.0063	1	11/07/14 14:00	11/07/14 23:13	106-93-4	
508.1 GCS Pesticides	Analytical Method: EPA 508.1 Preparation Method: EPA 508.1								
Alachlor	**<0.032**	ug/L	0.19	0.032	1	11/10/14 10:30	11/12/14 02:50	15972-60-8	
Atrazine	**<0.020**	ug/L	0.095	0.020	1	11/10/14 10:30	11/12/14 02:50	1912-24-9	
gamma-BHC (Lindane)	**<0.0028**	ug/L	0.019	0.0028	1	11/10/14 10:30	11/12/14 02:50	58-89-9	
Butachlor	**<0.014**	ug/L	0.095	0.014	1	11/10/14 10:30	11/12/14 02:50	23184-66-9	
Chlordane (Technical)	**<0.044**	ug/L	0.19	0.044	1	11/10/14 10:30	11/12/14 02:50	57-74-9	
Dieldrin	**<0.013**	ug/L	0.095	0.013	1	11/10/14 10:30	11/12/14 02:50	60-57-1	
Endrin	**<0.0019**	ug/L	0.0095	0.0019	1	11/10/14 10:30	11/12/14 02:50	72-20-8	
Heptachlor	**<0.0057**	ug/L	0.038	0.0057	1	11/10/14 10:30	11/12/14 02:50	76-44-8	
Heptachlor epoxide	**<0.0028**	ug/L	0.019	0.0028	1	11/10/14 10:30	11/12/14 02:50	1024-57-3	
Hexachlorobenzene	**<0.010**	ug/L	0.095	0.010	1	11/10/14 10:30	11/12/14 02:50	118-74-1	
Hexachlorocyclopentadiene	**<0.030**	ug/L	0.095	0.030	1	11/10/14 10:30	11/12/14 02:50	77-47-4	
Methoxychlor	**<0.013**	ug/L	0.095	0.013	1	11/10/14 10:30	11/12/14 02:50	72-43-5	
Metolachlor	**<0.010**	ug/L	0.095	0.010	1	11/10/14 10:30	11/12/14 02:50	51218-45-2	
PCB, Total	**<0.076**	ug/L	0.095	0.076	1	11/10/14 10:30	11/12/14 02:50	1336-36-3	
Propachlor	**<0.0095**	ug/L	0.095	0.0095	1	11/10/14 10:30	11/12/14 02:50	1918-16-7	
Simazine	**<0.042**	ug/L	0.066	0.042	1	11/10/14 10:30	11/12/14 02:50	122-34-9	
Toxaphene	**<0.57**	ug/L	0.95	0.57	1	11/10/14 10:30	11/12/14 02:50	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	104	%	70-130		1	11/10/14 10:30	11/12/14 02:50	2051-24-3	
515.3 Chlorinated Herbicides	Analytical Method: EPA 515.3 Preparation Method: EPA 515.3								
2,4-D	**<0.081**	ug/L	0.10	0.081	1	11/07/14 08:30	11/08/14 09:15	94-75-7	
Dalapon	**<0.89**	ug/L	1.0	0.89	1	11/07/14 08:30	11/08/14 09:15	75-99-0	
Dicamba	**<0.067**	ug/L	0.10	0.067	1	11/07/14 08:30	11/08/14 09:15	1918-00-9	
Dinoseb	**<0.16**	ug/L	0.20	0.16	1	11/07/14 08:30	11/08/14 09:15	88-85-7	
Pentachlorophenol	**<0.030**	ug/L	0.040	0.030	1	11/07/14 08:30	11/08/14 09:15	87-86-5	
Picloram	**<0.094**	ug/L	0.10	0.094	1	11/07/14 08:30	11/08/14 09:15	1918-02-1	
2,4,5-TP (Silvex)	**<0.16**	ug/L	0.20	0.16	1	11/07/14 08:30	11/08/14 09:15	93-72-1	
Surrogates									
2,4-DCAA (S)	106	%	70-130		1	11/07/14 08:30	11/08/14 09:15	19719-28-9	
531.1 HPLC Carbamates	Analytical Method: EPA 531.1								
Aldicarb	**<0.70**	ug/L	2.0	0.70	1		11/11/14 23:14	116-06-3	L3
Aldicarb sulfone	**<0.60**	ug/L	2.0	0.60	1		11/11/14 23:14	1646-88-4	L3
Aldicarb sulfoxide	**<0.67**	ug/L	2.0	0.67	1		11/11/14 23:14	1646-87-3	
Carbofuran	**<0.75**	ug/L	2.0	0.75	1		11/11/14 23:14	1563-66-2	
3-Hydroxycarbofuran	**<0.51**	ug/L	2.0	0.51	1		11/11/14 23:14	16655-82-6	
Methomyl	**<0.57**	ug/L	2.0	0.57	1		11/11/14 23:14	16752-77-5	
Oxamyl	**<0.47**	ug/L	2.0	0.47	1		11/11/14 23:14	23135-22-0	
Carbaryl	**<0.28**	ug/L	2.0	0.28	1		11/11/14 23:14	63-25-2	
Surrogates									
Propoxur (S)	117	%	80-120		1		11/11/14 23:14	114-26-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
8 East Tower Circle
Ormond Beach, FL 32174
(386)672-5668

ANALYTICAL RESULTS

Project: Village Of Mount Kisco WTP
Pace Project No.: 35162767

Sample: Raw Well 2 **Lab ID: 35162767002** Collected: 11/04/14 11:05 Received: 11/06/14 10:26 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
547 HPLC Glyphosate	Analytical Method: EPA 547								
Glyphosate	**<5.4**	ug/L	6.0	5.4	1		11/13/14 13:19		
549.2 HPLC Paraquat Diquat	Analytical Method: EPA 549.2 Preparation Method: EPA 549.2								
Diquat	**<0.15**	ug/L	0.40	0.15	1	11/07/14 18:30	11/10/14 16:37	85-00-7	
525.2 Base Neutral Extractable	Analytical Method: EPA 525.2 Preparation Method: EPA 525.2								
Aldrin	**<0.034**	ug/L	0.095	0.034	1	11/10/14 10:30	11/11/14 17:33	309-00-2	
Benzo(a)pyrene	**<0.018**	ug/L	0.095	0.018	1	11/10/14 10:30	11/11/14 17:33	50-32-8	
bis(2-Ethylhexyl)adipate	**<0.36**	ug/L	1.5	0.36	1	11/10/14 10:30	11/11/14 17:33	103-23-1	
bis(2-Ethylhexyl)phthalate	**<0.47**	ug/L	1.9	0.47	1	11/10/14 10:30	11/11/14 17:33	117-81-7	
Metribuzin	**<0.029**	ug/L	0.28	0.029	1	11/10/14 10:30	11/11/14 17:33	21087-64-9	
Surrogates									
1,3-Dimethyl-2-nitrobenzene(S)	116	%	70-130		1	11/10/14 10:30	11/11/14 17:33	81209	
Perylene-d12 (S)	131	%	70-130		1	11/10/14 10:30	11/11/14 17:33	1520963	S3
Triphenylphosphate (S)	113	%	70-130		1	11/10/14 10:30	11/11/14 17:33	115-86-6	
548.1 GCS Endothall	Analytical Method: EPA 548.1 Preparation Method: EPA 548.1								
Endothall	**<4.1**	ug/L	9.0	4.1	1	11/11/14 10:00	11/14/14 17:50		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
8 East Tower Circle
Ormond Beach, FL 32174
(386)672-5668

ANALYTICAL RESULTS

Project: Village Of Mount Kisco WTP
Pace Project No.: 35162767

Sample: Raw Well 4 **Lab ID: 35162767003** Collected: 11/04/14 11:15 Received: 11/06/14 10:26 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
504.1 GCS EDB and DBCP	Analytical Method: EPA 504.1 Preparation Method: EPA 504.1								
1,2-Dibromo-3-chloropropane	**<0.0050**	ug/L	0.021	0.0050	1	11/07/14 14:00	11/07/14 23:28	96-12-8	
1,2-Dibromoethane (EDB)	**<0.0064**	ug/L	0.010	0.0064	1	11/07/14 14:00	11/07/14 23:28	106-93-4	
508.1 GCS Pesticides	Analytical Method: EPA 508.1 Preparation Method: EPA 508.1								
Alachlor	**<0.032**	ug/L	0.19	0.032	1	11/10/14 10:30	11/12/14 03:16	15972-60-8	
Atrazine	**<0.020**	ug/L	0.094	0.020	1	11/10/14 10:30	11/12/14 03:16	1912-24-9	
gamma-BHC (Lindane)	**<0.0028**	ug/L	0.019	0.0028	1	11/10/14 10:30	11/12/14 03:16	58-89-9	
Butachlor	**<0.014**	ug/L	0.094	0.014	1	11/10/14 10:30	11/12/14 03:16	23184-66-9	
Chlordane (Technical)	**<0.044**	ug/L	0.19	0.044	1	11/10/14 10:30	11/12/14 03:16	57-74-9	
Dieldrin	**<0.013**	ug/L	0.094	0.013	1	11/10/14 10:30	11/12/14 03:16	60-57-1	
Endrin	**<0.0019**	ug/L	0.0094	0.0019	1	11/10/14 10:30	11/12/14 03:16	72-20-8	
Heptachlor	**<0.0056**	ug/L	0.038	0.0056	1	11/10/14 10:30	11/12/14 03:16	76-44-8	
Heptachlor epoxide	**<0.0028**	ug/L	0.019	0.0028	1	11/10/14 10:30	11/12/14 03:16	1024-57-3	
Hexachlorobenzene	**<0.010**	ug/L	0.094	0.010	1	11/10/14 10:30	11/12/14 03:16	118-74-1	
Hexachlorocyclopentadiene	**<0.030**	ug/L	0.094	0.030	1	11/10/14 10:30	11/12/14 03:16	77-47-4	
Methoxychlor	**<0.013**	ug/L	0.094	0.013	1	11/10/14 10:30	11/12/14 03:16	72-43-5	
Metolachlor	**<0.010**	ug/L	0.094	0.010	1	11/10/14 10:30	11/12/14 03:16	51218-45-2	
PCB, Total	**<0.075**	ug/L	0.094	0.075	1	11/10/14 10:30	11/12/14 03:16	1336-36-3	
Propachlor	**<0.0094**	ug/L	0.094	0.0094	1	11/10/14 10:30	11/12/14 03:16	1918-16-7	
Simazine	**<0.041**	ug/L	0.066	0.041	1	11/10/14 10:30	11/12/14 03:16	122-34-9	
Toxaphene	**<0.57**	ug/L	0.94	0.57	1	11/10/14 10:30	11/12/14 03:16	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	115	%	70-130		1	11/10/14 10:30	11/12/14 03:16	2051-24-3	
515.3 Chlorinated Herbicides	Analytical Method: EPA 515.3 Preparation Method: EPA 515.3								
2,4-D	**<0.081**	ug/L	0.10	0.081	1	11/07/14 08:30	11/08/14 09:46	94-75-7	
Dalapon	**<0.89**	ug/L	1.0	0.89	1	11/07/14 08:30	11/08/14 09:46	75-99-0	
Dicamba	**<0.067**	ug/L	0.10	0.067	1	11/07/14 08:30	11/08/14 09:46	1918-00-9	
Dinoseb	**<0.16**	ug/L	0.20	0.16	1	11/07/14 08:30	11/08/14 09:46	88-85-7	
Pentachlorophenol	**<0.030**	ug/L	0.040	0.030	1	11/07/14 08:30	11/08/14 09:46	87-86-5	
Picloram	**<0.094**	ug/L	0.10	0.094	1	11/07/14 08:30	11/08/14 09:46	1918-02-1	
2,4,5-TP (Silvex)	**<0.16**	ug/L	0.20	0.16	1	11/07/14 08:30	11/08/14 09:46	93-72-1	
Surrogates									
2,4-DCAA (S)	102	%	70-130		1	11/07/14 08:30	11/08/14 09:46	19719-28-9	
531.1 HPLC Carbamates	Analytical Method: EPA 531.1								
Aldicarb	**<0.70**	ug/L	2.0	0.70	1		11/12/14 00:42	116-06-3	L3
Aldicarb sulfone	**<0.60**	ug/L	2.0	0.60	1		11/12/14 00:42	1646-88-4	L3
Aldicarb sulfoxide	**<0.67**	ug/L	2.0	0.67	1		11/12/14 00:42	1646-87-3	
Carbofuran	**<0.75**	ug/L	2.0	0.75	1		11/12/14 00:42	1563-66-2	
3-Hydroxycarbofuran	**<0.51**	ug/L	2.0	0.51	1		11/12/14 00:42	16655-82-6	
Methomyl	**<0.57**	ug/L	2.0	0.57	1		11/12/14 00:42	16752-77-5	
Oxamyl	**<0.47**	ug/L	2.0	0.47	1		11/12/14 00:42	23135-22-0	
Carbaryl	**<0.28**	ug/L	2.0	0.28	1		11/12/14 00:42	63-25-2	
Surrogates									
Propoxur (S)	111	%	80-120		1		11/12/14 00:42	114-26-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..