CLIENT	PROJECT	PROJECTNUM
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02
NPDES Permits Section	Southern California Oil Platforms Spring 2017	R17N02

SAMPDATA

LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE
EPA Region 9 Laboratory	Edith	1705007-01	Water	Water	05/02/2017 12:00:00
EPA Region 9 Laboratory	Edith	1705007-01	Water	Water	05/02/2017 12:00:00
EPA Region 9 Laboratory	Edith	1705007-01	Water	Water	05/02/2017 12:00:00
EPA Region 9 Laboratory	Edith	1705007-01	Water	Water	05/02/2017 12:00:00
EPA Region 9 Laboratory	Gilda	1705007-02	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02RE1	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02RE1	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02RE1	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02RE1	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02RE1	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02RE1	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gilda	1705007-02RE1	Water	Water	05/02/2017 08:30:00
EPA Region 9 Laboratory	Gina	1705007-03	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03RE1	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03RE1	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03RE1	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03RE1	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03RE1	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03RE1	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03RE1	Water	Water	05/02/2017 09:45:00
EPA Region 9 Laboratory	Gina	1705007-03RE1	Water	Water	05/02/2017 09:45:00

SAMPDATA

PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME
05/17/2017 10:29:00	05/18/2017 18:04:21	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/17/2017 10:29:00	05/18/2017 18:04:21	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/17/2017 10:29:00	05/18/2017 18:04:21	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/03/2017 11:00:00	05/03/2017 11:00:00	B17F019	Toxicity, Abalone	TOX_SOP1004	- General Biology
05/17/2017 10:29:00	05/18/2017 18:14:16	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/17/2017 10:29:00	05/18/2017 18:14:16	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/17/2017 10:29:00	05/18/2017 18:14:16	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/08/2017 08:02:00	05/08/2017 12:14:59	B17E060	Sulfide	SM4500 S2-	Sulfide Prep
05/03/2017 11:00:00	05/03/2017 11:00:00	B17F019	Toxicity, Abalone	TOX_SOP1004	- General Biology
05/15/2017 11:00:00	06/01/2017 04:35:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 04:35:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 04:35:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 04:35:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 04:35:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 04:35:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 04:35:00	B17E096	SVOCs	8270D	3520C CLLE
05/17/2017 10:29:00	05/18/2017 18:44:50	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/17/2017 10:29:00	05/18/2017 18:44:50	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/17/2017 10:29:00	05/18/2017 18:44:50	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/03/2017 11:00:00	05/03/2017 11:00:00	B17F019	Toxicity, Abalone	TOX_SOP1004	- General Biology
05/22/2017 07:53:00	05/24/2017 15:15:19	B17E158	Nitrogen, Ammonia	350.1	- General Inorganic
05/15/2017 11:00:00	06/01/2017 02:54:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 02:54:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 02:54:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 02:54:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 02:54:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 02:54:00	B17E096	SVOCs	8270D	3520C CLLE
05/15/2017 11:00:00	06/01/2017 02:54:00	B17E096	SVOCs	8270D	3520C CLLE

ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPToMDL	BASIS
Chromium	7440-47-3	FALSE	FALSE	ND	50	100	ug/L	TRUE	NA
Copper	7440-50-8	FALSE	FALSE	ND	50	100	ug/L	TRUE	NA
Zinc	7440-66-6	FALSE	FALSE	ND	50	100	ug/L	TRUE	NA
Test of Significant Toxicity	NA	FALSE	FALSE	Pass			%	TRUE	NA
Chromium	7440-47-3	FALSE	FALSE	ND	50	100	ug/L	TRUE	NA
Copper	7440-50-8	FALSE	FALSE	ND	50	100	ug/L	TRUE	NA
Zinc	7440-66-6	FALSE	FALSE	ND	50	100	ug/L	TRUE	NA
Sulfide	184-96-258	FALSE	FALSE	230	0.50	0.99	mg/L	TRUE	NA
Test of Significant Toxicity	NA	FALSE	FALSE	Pass			%	TRUE	NA
Benzo(a)anthracene	56-55-3	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Chrysene	218-01-9	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Benzo(a)pyrene	50-32-8	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Terphenyl-d14	1718-51-0	TRUE	FALSE	356			ug/L	TRUE	NA
Chromium	7440-47-3	FALSE	FALSE	ND	50	100	ug/L	TRUE	NA
Copper	7440-50-8	FALSE	FALSE	ND	50	100	ug/L	TRUE	NA
Zinc	7440-66-6	FALSE	FALSE	830	50	100	ug/L	TRUE	NA
Test of Significant Toxicity	NA	FALSE	FALSE	Pass			%	TRUE	NA
Ammonia as N	7664-41-7	FALSE	FALSE	38	0.12	0.25	mg/L	TRUE	NA
Benzo(a)anthracene	56-55-3	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Chrysene	218-01-9	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Benzo(a)pyrene	50-32-8	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	ND	25	50	ug/L	TRUE	NA
Terphenyl-d14	1718-51-0	TRUE	FALSE	489			ug/L	TRUE	NA

DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE
10					SC			U
10					SC			U
10					SC			U
1					AW			
10					SC			U
10					SC			U
10					SC			U
1					SUL			
1					AW			
5					RH			A3, J, U
5					RH			A3, J, U
5					RH			A3, J, U
5					RH			A3, J, U
5					RH			A3, J, U
5					RH			A3, J, U
5	495	72	130	47	RH			
10					SC			U
10					SC			U
10					SC			
1					AW			
5					ER			
5					RH			A3, U, J
5					RH			A3, J, U
5					RH			A3, J, U
5					RH			A3, U, J
5					RH			A3, U, J
5					RH			A3, U, J
5	501	98	130	47	RH			

LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7

ED_006450_00000489-00006

SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
			100
			120
			290
			4
			100
			120
			290
			1
			4
			550
			570
			600
			610
			620
			640
			890
			100
			120
			290
			4
			2
			550
			570
			600
			610
			620
			640
			890

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE
EPA Region 9 Laboratory	B17E060-BLK1	Blank	Water	05/08/2017 08:02:00
EPA Region 9 Laboratory	B17E060-BS1	LCS	Water	05/08/2017 08:02:00
EPA Region 9 Laboratory	B17E060-MRL1	MRL Check	Water	05/08/2017 08:02:00
EPA Region 9 Laboratory	B17E096-BLK1	Blank	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BLK1	Blank	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BLK1	Blank	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BLK1	Blank	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BLK1	Blank	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BLK1	Blank	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BLK1	Blank	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00

ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME
05/08/2017 12:14:59	B17E060	Sulfide	SM4500 S2-	Sulfide Prep
05/08/2017 12:14:59	B17E060	Sulfide	SM4500 S2-	Sulfide Prep
05/08/2017 12:14:59	B17E060	Sulfide	SM4500 S2-	Sulfide Prep
05/31/2017 21:49:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 21:49:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 21:49:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 21:49:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 21:49:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 21:49:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 21:49:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE

ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS
Sulfide	184-96-258	FALSE	FALSE	ND	0.50	1.0	mg/L
Sulfide	184-96-258	FALSE	FALSE	10.1			mg/L
Sulfide	184-96-258	FALSE	FALSE	1.38			mg/L
Benzo(a)anthracene	56-55-3	FALSE	FALSE	ND	0.5	1.0	ug/L
Chrysene	218-01-9	FALSE	FALSE	ND	0.5	1.0	ug/L
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	ND	0.5	1.0	ug/L
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	ND	0.5	1.0	ug/L
Benzo(a)pyrene	50-32-8	FALSE	FALSE	ND	0.5	1.0	ug/L
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	ND	0.5	1.0	ug/L
Terphenyl-d14	1718-51-0	TRUE	FALSE	50.5			ug/L
Phenol	108-95-2	FALSE	FALSE	41.1	2.5	5.0	ug/L
3&4-Methylphenol	106-44-5	FALSE	FALSE	44.7	2.5	5.0	ug/L
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	8.19	0.5	1.0	ug/L
Hexachloroethane	67-72-1	FALSE	FALSE	4.49	0.5	1.0	ug/L
Nitrobenzene	98-95-3	FALSE	FALSE	8.49	0.5	1.0	ug/L
Isophorone	78-59-1	FALSE	FALSE	8.47	0.5	1.0	ug/L
2-Nitrophenol	88-75-5	FALSE	FALSE	41.3	2.5	5.0	ug/L
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	41.4	2.5	5.0	ug/L
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	8.09	0.5	1.0	ug/L
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	42.7	2.5	5.0	ug/L
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	5.58	0.5	1.0	ug/L
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	7.72	0.5	1.0	ug/L
Naphthalene	91-20-3	FALSE	FALSE	7.12	0.5	1.0	ug/L
4-Chloroaniline	106-47-8	FALSE	FALSE	42.2	2.5	5.0	ug/L
Hexachlorobutadiene	87-68-3	FALSE	FALSE	4.66	0.5	1.0	ug/L
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	44.2	2.5	5.0	ug/L
2-Methylnaphthalene	91-57-6	FALSE	FALSE	6.87	0.5	1.0	ug/L
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	20.9	2.5	5.0	ug/L
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	39.5	2.5	5.0	ug/L
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	39.3	2.5	5.0	ug/L
2-Chloronaphthalene	91-58-7	FALSE	FALSE	6.92	0.5	1.0	ug/L
2-Nitroaniline	88-74-4	FALSE	FALSE	48.7	2.5	5.0	ug/L
2-Chlorophenol	95-57-8	FALSE	FALSE	37.9	2.5	5.0	ug/L
Dimethyl phthalate	131-11-3	FALSE	FALSE	8.75	0.5	1.0	ug/L
Acenaphthylene	208-96-8	FALSE	FALSE	7.11	0.5	1.0	ug/L
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	7.98	0.5	1.0	ug/L
3-Nitroaniline	99-09-2	FALSE	FALSE	46.4	2.5	5.0	ug/L
Acenaphthene	83-32-9	FALSE	FALSE	10.9	0.5	1.0	ug/L
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	35.3	10	20	ug/L
4-Nitrophenol	100-02-7	FALSE	FALSE	54.0	2.5	5.0	ug/L
Dibenzofuran	132-64-9	FALSE	FALSE	7.21	0.5	1.0	ug/L
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	8.27	0.5	1.0	ug/L
Diethyl phthalate	84-66-2	FALSE	FALSE	8.39	0.5	1.0	ug/L
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	4.94	0.5	1.0	ug/L
Fluorene	86-73-7	FALSE	FALSE	7.48	0.5	1.0	ug/L
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	6.59	0.5	1.0	ug/L
4-Nitroaniline	100-01-6	FALSE	FALSE	40.2	2.5	5.0	ug/L
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	42.0	2.5	5.0	ug/L
Diphenyl amine	122-39-4	FALSE	FALSE	6.55	0.5	1.0	ug/L
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	6.75	0.5	1.0	ug/L
Hexachlorobenzene	118-74-1	FALSE	FALSE	6.83	0.5	1.0	ug/L

RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL
TRUE	NA	1						
TRUE	NA	1			9.98	102		120
TRUE	NA	1			0.998	138		140
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1			50.0	101		130
TRUE	NA	1			50.0	82		110
TRUE	NA	1			50.0	89		110
TRUE	NA	1			10.0	82		110
TRUE	NA	1			10.0	45		110
TRUE	NA	1			10.0	85		114
TRUE	NA	1			10.0	85		113
TRUE	NA	1			50.0	83		110
TRUE	NA	1			50.0	83		110
TRUE	NA	1			10.0	81		112
TRUE	NA	1			50.0	85		110
TRUE	NA	1			10.0	56		110
TRUE	NA	1			10.0	77		113
TRUE	NA	1			10.0	71		110
TRUE	NA	1			50.0	84		110
TRUE	NA	1			10.0	47		110
TRUE	NA	1			50.0	88		113
TRUE	NA	1			10.0	69		110
TRUE	NA	1			50.0	42		110
TRUE	NA	1			50.0	79		110
TRUE	NA	1			50.0	79		110
TRUE	NA	1			10.0	69		110
TRUE	NA	1			50.0	97		116
TRUE	NA	1			50.0	76		110
TRUE	NA	1			10.0	88		121
TRUE	NA	1			10.0	71		110
TRUE	NA	1			10.0	80		118
TRUE	NA	1			50.0	93		110
TRUE	NA	1			10.0	109		135
TRUE	NA	1			50.0	71		112
TRUE	NA	1			50.0	108		125
TRUE	NA	1			10.0	72		110
TRUE	NA	1			10.0	83		120
TRUE	NA	1			10.0	84		121
TRUE	NA	1			10.0	49		110
TRUE	NA	1			10.0	75		110
TRUE	NA	1			10.0	66		110
TRUE	NA	1			50.0	80		110
TRUE	NA	1			50.0	84		128
TRUE	NA	1			10.0	66		110
TRUE	NA	1			10.0	68		111
TRUE	NA	1			10.0	68		112

LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
		SUL			U	1
80		SUL				1
60		SUL				1
		RH			U	550
		RH			U	570
		RH			U	600
		RH			U	610
		RH			U	620
		RH			U	640
47		RH				890
48		RH				10
68		RH				100
48		RH				110
22		RH				120
54		RH				130
53		RH				140
49		RH				150
45		RH				160
52		RH				170
65		RH				180
33		RH				190
53		RH				20
52		RH				200
43		RH				210
22		RH				220
53		RH				230
49		RH				240
20		RH				250
63		RH				260
67		RH				270
43		RH				280
56		RH				290
64		RH				30
61		RH				300
46		RH				310
58		RH				320
47		RH				330
84		RH				340
52		RH				350
65		RH				360
60		RH				370
60		RH				380
61		RH				390
28		RH				40
60		RH				400
50		RH				410
39		RH				420
68		RH				430
29		RH				440
51		RH				450
52		RH				460

EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-BS1	LCS	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00

05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
05/31/2017 22:23:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE

Pentachlorophenol	87-86-5	FALSE	FALSE	38.2	2.5	20	ug/L
Phenanthrene	85-01-8	FALSE	FALSE	7.79	0.5	1.0	ug/L
Anthracene	120-12-7	FALSE	FALSE	7.66	0.5	1.0	ug/L
1,4-Dioxane	123-91-1	FALSE	FALSE	9.53	0.5	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	5.03	0.5	1.0	ug/L
Carbazole	86-74-8	FALSE	FALSE	8.30	0.5	1.0	ug/L
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	8.48	0.5	1.0	ug/L
Fluoranthene	206-44-0	FALSE	FALSE	8.11	0.5	1.0	ug/L
Pyrene	129-00-0	FALSE	FALSE	8.22	0.5	1.0	ug/L
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	8.78	0.5	1.0	ug/L
Benzo(a)anthracene	56-55-3	FALSE	FALSE	7.71	0.5	1.0	ug/L
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	37.6	0.5	1.0	ug/L
Chrysene	218-01-9	FALSE	FALSE	7.67	0.5	1.0	ug/L
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	9.70	0.5	1.0	ug/L
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	8.20	0.5	1.0	ug/L
Benzyl alcohol	100-51-6	FALSE	FALSE	41.6	2.5	5.0	ug/L
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	7.46	0.5	1.0	ug/L
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	7.35	0.5	1.0	ug/L
Benzo(a)pyrene	50-32-8	FALSE	FALSE	6.42	0.5	1.0	ug/L
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	6.94	0.5	1.0	ug/L
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	7.14	0.5	1.0	ug/L
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	7.40	0.5	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	5.45	0.5	1.0	ug/L
2-Methylphenol	95-48-7	FALSE	FALSE	40.5	2.5	5.0	ug/L
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	3.13			ug/L
2-Fluorophenol	367-12-4	TRUE	FALSE	38.5			ug/L
Phenol-d5	4165-62-2	TRUE	FALSE	42.5			ug/L
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	39.4			ug/L
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	27.7			ug/L
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	37.5			ug/L
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	37.2			ug/L
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	43.8			ug/L
Terphenyl-d14	1718-51-0	TRUE	FALSE	48.4			ug/L
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	8.38	0.5	1.0	ug/L
Phenol	108-95-2	FALSE	FALSE	446	120	250	ug/L
3&4-Methylphenol	106-44-5	FALSE	FALSE	550	120	250	ug/L
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	102	25	50	ug/L
Hexachloroethane	67-72-1	FALSE	FALSE	55.7	25	50	ug/L
Nitrobenzene	98-95-3	FALSE	FALSE	98.5	25	50	ug/L
Isophorone	78-59-1	FALSE	FALSE	103	25	50	ug/L
2-Nitrophenol	88-75-5	FALSE	FALSE	406	120	250	ug/L
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	487	120	250	ug/L
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	95.5	25	50	ug/L
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	467	120	250	ug/L
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	64.2	25	50	ug/L
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	92.5	25	50	ug/L
Naphthalene	91-20-3	FALSE	FALSE	161	25	50	ug/L
4-Chloroaniline	106-47-8	FALSE	FALSE	425	120	250	ug/L
Hexachlorobutadiene	87-68-3	FALSE	FALSE	53.7	25	50	ug/L
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	489	120	250	ug/L
2-Methylnaphthalene	91-57-6	FALSE	FALSE	101	25	50	ug/L
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	171	120	250	ug/L

TRUE	NA	1			50.0	76		112
TRUE	NA	1			10.0	78		110
TRUE	NA	1			10.0	77		117
TRUE	NA	1			10.0	95		126
TRUE	NA	1			10.0	50		110
TRUE	NA	1			10.0	83		132
TRUE	NA	1			10.0	85		128
TRUE	NA	1			10.0	81		119
TRUE	NA	1			10.0	82		120
TRUE	NA	1			10.0	88		122
TRUE	NA	1			10.0	77		110
TRUE	NA	1			50.0	75		110
TRUE	NA	1			10.0	77		111
TRUE	NA	1			10.0	97		131
TRUE	NA	1			10.0	82		122
TRUE	NA	1			50.0	83		110
TRUE	NA	1			10.0	75		110
TRUE	NA	1			10.0	74		117
TRUE	NA	1			10.0	64		110
TRUE	NA	1			10.0	69		110
TRUE	NA	1			10.0	71		119
TRUE	NA	1			10.0	74		110
TRUE	NA	1			10.0	54		110
TRUE	NA	1			50.0	81		110
TRUE	NA	1			5.00	63		110
TRUE	NA	1			50.0	77		110
TRUE	NA	1			50.0	85		110
TRUE	NA	1			50.0	79		110
TRUE	NA	1			50.0	55		110
TRUE	NA	1			50.0	75		134
TRUE	NA	1			50.0	74		110
TRUE	NA	1			50.0	88		136
TRUE	NA	1			50.0	97		130
TRUE	NA	1			10.0	84		111
TRUE	NA	5	1705007-03RE1	ND	497	90		130
TRUE	NA	5	1705007-03RE1	ND	497	110		112
TRUE	NA	5	1705007-03RE1	ND	99.5	102		130
TRUE	NA	5	1705007-03RE1	ND	99.5	56		130
TRUE	NA	5	1705007-03RE1	ND	99.5	99		130
TRUE	NA	5	1705007-03RE1	ND	99.5	104		130
TRUE	NA	5	1705007-03RE1	ND	497	82		130
TRUE	NA	5	1705007-03RE1	ND	497	98		130
TRUE	NA	5	1705007-03RE1	ND	99.5	96		130
TRUE	NA	5	1705007-03RE1	ND	497	94		120
TRUE	NA	5	1705007-03RE1	ND	99.5	64		130
TRUE	NA	5	1705007-03RE1	ND	99.5	93		130
TRUE	NA	5	1705007-03RE1	76.7	99.5	85		130
TRUE	NA	5	1705007-03RE1	ND	497	85		130
TRUE	NA	5	1705007-03RE1	ND	99.5	54		130
TRUE	NA	5	1705007-03RE1	ND	497	98		130
TRUE	NA	5	1705007-03RE1	ND	99.5	102		130
TRUE	NA	5	1705007-03RE1	ND	497	34		130

63		RH				470
63		RH				480
57		RH				490
66		RH				5
29		RH				50
20		RH				500
68		RH				510
68		RH				520
65		RH				530
62		RH				540
67		RH				550
20		RH				560
67		RH				570
71		RH				580
62		RH				590
49		RH				60
60		RH				600
65		RH				610
56		RH				620
62		RH				630
59		RH				640
64		RH				650
32		RH				70
47		RH				80
46		RH				810
54		RH				820
54		RH				830
60		RH				840
38		RH				850
26		RH				860
57		RH				870
46		RH				880
47		RH				890
51		RH				90
70		RH				10
52		RH				100
70		RH				110
70		RH				120
70		RH				130
70		RH				140
70		RH				150
70		RH				160
70		RH				170
60		RH				180
70		RH				190
70		RH				20
70		RH				200
70		RH				210
70		RH				220
70		RH				230
70		RH				240
70		RH			C1, J	250

EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00

06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE

2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	385	120	250	ug/L
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	496	120	250	ug/L
2-Chloronaphthalene	91-58-7	FALSE	FALSE	80.6	25	50	ug/L
2-Nitroaniline	88-74-4	FALSE	FALSE	542	120	250	ug/L
2-Chlorophenol	95-57-8	FALSE	FALSE	411	120	250	ug/L
Dimethyl phthalate	131-11-3	FALSE	FALSE	101	25	50	ug/L
Acenaphthylene	208-96-8	FALSE	FALSE	80.6	25	50	ug/L
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	92.0	25	50	ug/L
3-Nitroaniline	99-09-2	FALSE	FALSE	464	120	250	ug/L
Acenaphthene	83-32-9	FALSE	FALSE	118	25	50	ug/L
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	ND	500	990	ug/L
4-Nitrophenol	100-02-7	FALSE	FALSE	552	120	250	ug/L
Dibenzofuran	132-64-9	FALSE	FALSE	86.6	25	50	ug/L
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	97.5	25	50	ug/L
Diethyl phthalate	84-66-2	FALSE	FALSE	97.5	25	50	ug/L
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	58.2	25	50	ug/L
Fluorene	86-73-7	FALSE	FALSE	83.6	25	50	ug/L
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	76.6	25	50	ug/L
4-Nitroaniline	100-01-6	FALSE	FALSE	379	120	250	ug/L
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	428	120	250	ug/L
Diphenyl amine	122-39-4	FALSE	FALSE	90.5	25	50	ug/L
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	83.1	25	50	ug/L
Hexachlorobenzene	118-74-1	FALSE	FALSE	81.6	25	50	ug/L
Pentachlorophenol	87-86-5	FALSE	FALSE	423	120	990	ug/L
Phenanthrene	85-01-8	FALSE	FALSE	92.5	25	50	ug/L
Anthracene	120-12-7	FALSE	FALSE	88.5	25	50	ug/L
1,4-Dioxane	123-91-1	FALSE	FALSE	477	25	50	ug/L
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	59.7	25	50	ug/L
Carbazole	86-74-8	FALSE	FALSE	103	25	50	ug/L
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	104	25	50	ug/L
Fluoranthene	206-44-0	FALSE	FALSE	91.5	25	50	ug/L
Pyrene	129-00-0	FALSE	FALSE	102	25	50	ug/L
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	106	25	50	ug/L
Benzo(a)anthracene	56-55-3	FALSE	FALSE	96.0	25	50	ug/L
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	334	25	50	ug/L
Chrysene	218-01-9	FALSE	FALSE	89.0	25	50	ug/L
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	104	25	50	ug/L
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	88.1	25	50	ug/L
Benzyl alcohol	100-51-6	FALSE	FALSE	327	120	250	ug/L
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	85.1	25	50	ug/L
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	81.6	25	50	ug/L
Benzo(a)pyrene	50-32-8	FALSE	FALSE	75.1	25	50	ug/L
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	77.1	25	50	ug/L
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	78.1	25	50	ug/L
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	85.6	25	50	ug/L
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	63.2	25	50	ug/L
2-Methylphenol	95-48-7	FALSE	FALSE	531	120	250	ug/L
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	35.3			ug/L
2-Fluorophenol	367-12-4	TRUE	FALSE	421			ug/L
Phenol-d5	4165-62-2	TRUE	FALSE	456			ug/L
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	428			ug/L
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	302			ug/L

TRUE	NA	5	1705007-03RE1	ND	497	77		118
TRUE	NA	5	1705007-03RE1	ND	497	100		124
TRUE	NA	5	1705007-03RE1	ND	99.5	81		130
TRUE	NA	5	1705007-03RE1	ND	497	109		130
TRUE	NA	5	1705007-03RE1	ND	497	83		110
TRUE	NA	5	1705007-03RE1	ND	99.5	102		130
TRUE	NA	5	1705007-03RE1	ND	99.5	81		130
TRUE	NA	5	1705007-03RE1	ND	99.5	92		130
TRUE	NA	5	1705007-03RE1	ND	497	93		130
TRUE	NA	5	1705007-03RE1	ND	99.5	118		130
TRUE	NA	5	1705007-03RE1	ND	497			130
TRUE	NA	5	1705007-03RE1	ND	497	111		130
TRUE	NA	5	1705007-03RE1	ND	99.5	87		130
TRUE	NA	5	1705007-03RE1	ND	99.5	98		130
TRUE	NA	5	1705007-03RE1	ND	99.5	98		130
TRUE	NA	5	1705007-03RE1	ND	99.5	58		130
TRUE	NA	5	1705007-03RE1	ND	99.5	84		130
TRUE	NA	5	1705007-03RE1	ND	99.5	77		130
TRUE	NA	5	1705007-03RE1	ND	497	76		130
TRUE	NA	5	1705007-03RE1	ND	497	86		130
TRUE	NA	5	1705007-03RE1	ND	99.5	91		130
TRUE	NA	5	1705007-03RE1	ND	99.5	83		130
TRUE	NA	5	1705007-03RE1	ND	99.5	82		130
TRUE	NA	5	1705007-03RE1	ND	497	85		128
TRUE	NA	5	1705007-03RE1	ND	99.5	93		125
TRUE	NA	5	1705007-03RE1	ND	99.5	89		130
TRUE	NA	5	1705007-03RE1	ND	99.5	480		130
TRUE	NA	5	1705007-03RE1	ND	99.5	60		130
TRUE	NA	5	1705007-03RE1	ND	99.5	104		130
TRUE	NA	5	1705007-03RE1	ND	99.5	105		130
TRUE	NA	5	1705007-03RE1	ND	99.5	92		126
TRUE	NA	5	1705007-03RE1	ND	99.5	102		125
TRUE	NA	5	1705007-03RE1	ND	99.5	107		130
TRUE	NA	5	1705007-03RE1	ND	99.5	96		120
TRUE	NA	5	1705007-03RE1	ND	497	67		130
TRUE	NA	5	1705007-03RE1	ND	99.5	89		120
TRUE	NA	5	1705007-03RE1	ND	99.5	104		130
TRUE	NA	5	1705007-03RE1	ND	99.5	88		130
TRUE	NA	5	1705007-03RE1	ND	497	66		130
TRUE	NA	5	1705007-03RE1	ND	99.5	86		119
TRUE	NA	5	1705007-03RE1	ND	99.5	82		119
TRUE	NA	5	1705007-03RE1	ND	99.5	75		110
TRUE	NA	5	1705007-03RE1	ND	99.5	77		113
TRUE	NA	5	1705007-03RE1	ND	99.5	78		120
TRUE	NA	5	1705007-03RE1	ND	99.5	86		115
TRUE	NA	5	1705007-03RE1	ND	99.5	64		130
TRUE	NA	5	1705007-03RE1	ND	497	107		130
TRUE	NA	5	1705007-03RE1		49.7	71		110
TRUE	NA	5	1705007-03RE1		497	85		110
TRUE	NA	5	1705007-03RE1		497	92		110
TRUE	NA	5	1705007-03RE1		497	86		110
TRUE	NA	5	1705007-03RE1		497	61		110

58		RH				260
64		RH				270
70		RH				280
70		RH				290
50		RH				30
70		RH				300
70		RH				310
70		RH				320
70		RH				330
70		RH				340
70		RH			U	350
70		RH				360
70		RH				370
70		RH				380
70		RH				390
70		RH				40
70		RH				400
70		RH				410
70		RH				420
70		RH				430
70		RH				440
70		RH				450
70		RH				460
68		RH			C1, J	470
65		RH				480
70		RH				490
70		RH				5
70		RH				50
70		RH				500
70		RH				510
66		RH				520
65		RH				530
70		RH				540
60		RH				550
70		RH				560
60		RH				570
70		RH				580
70		RH				590
70		RH				60
59		RH				600
59		RH				610
46		RH				620
53		RH				630
60		RH				640
55		RH				650
70		RH				70
70		RH				80
46		RH				810
54		RH				820
54		RH				830
60		RH				840
38		RH				850

EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MS1	Matrix Spike	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00

06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 03:27:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE

Nitrobenzene-d5	4165-60-0	TRUE	FALSE	401			ug/L
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	385			ug/L
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	458			ug/L
Terphenyl-d14	1718-51-0	TRUE	FALSE	460			ug/L
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	104	25	50	ug/L
Phenol	108-95-2	FALSE	FALSE	464	120	250	ug/L
3&4-Methylphenol	106-44-5	FALSE	FALSE	568	120	250	ug/L
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	108	25	49	ug/L
Hexachloroethane	67-72-1	FALSE	FALSE	61.6	25	49	ug/L
Nitrobenzene	98-95-3	FALSE	FALSE	100	25	49	ug/L
Isophorone	78-59-1	FALSE	FALSE	104	25	49	ug/L
2-Nitrophenol	88-75-5	FALSE	FALSE	416	120	250	ug/L
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	489	120	250	ug/L
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	98.6	25	49	ug/L
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	476	120	250	ug/L
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	68.5	25	49	ug/L
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	94.2	25	49	ug/L
Naphthalene	91-20-3	FALSE	FALSE	166	25	49	ug/L
4-Chloroaniline	106-47-8	FALSE	FALSE	435	120	250	ug/L
Hexachlorobutadiene	87-68-3	FALSE	FALSE	58.2	25	49	ug/L
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	511	120	250	ug/L
2-Methylnaphthalene	91-57-6	FALSE	FALSE	107	25	49	ug/L
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	162	120	250	ug/L
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	405	120	250	ug/L
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	510	120	250	ug/L
2-Chloronaphthalene	91-58-7	FALSE	FALSE	82.3	25	49	ug/L
2-Nitroaniline	88-74-4	FALSE	FALSE	560	120	250	ug/L
2-Chlorophenol	95-57-8	FALSE	FALSE	423	120	250	ug/L
Dimethyl phthalate	131-11-3	FALSE	FALSE	106	25	49	ug/L
Acenaphthylene	208-96-8	FALSE	FALSE	81.4	25	49	ug/L
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	94.2	25	49	ug/L
3-Nitroaniline	99-09-2	FALSE	FALSE	464	120	250	ug/L
Acenaphthene	83-32-9	FALSE	FALSE	126	25	49	ug/L
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	ND	490	990	ug/L
4-Nitrophenol	100-02-7	FALSE	FALSE	612	120	250	ug/L
Dibenzofuran	132-64-9	FALSE	FALSE	91.2	25	49	ug/L
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	101	25	49	ug/L
Diethyl phthalate	84-66-2	FALSE	FALSE	103	25	49	ug/L
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	63.1	25	49	ug/L
Fluorene	86-73-7	FALSE	FALSE	87.3	25	49	ug/L
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	79.4	25	49	ug/L
4-Nitroaniline	100-01-6	FALSE	FALSE	397	120	250	ug/L
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	434	120	250	ug/L
Diphenyl amine	122-39-4	FALSE	FALSE	90.2	25	49	ug/L
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	81.9	25	49	ug/L
Hexachlorobenzene	118-74-1	FALSE	FALSE	81.9	25	49	ug/L
Pentachlorophenol	87-86-5	FALSE	FALSE	434	120	990	ug/L
Phenanthrene	85-01-8	FALSE	FALSE	94.7	25	49	ug/L
Anthracene	120-12-7	FALSE	FALSE	91.2	25	49	ug/L
1,4-Dioxane	123-91-1	FALSE	FALSE	489	25	49	ug/L
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	65.6	25	49	ug/L
Carbazole	86-74-8	FALSE	FALSE	107	25	49	ug/L

TRUE	NA	5	1705007-03RE1		497	81		134
TRUE	NA	5	1705007-03RE1		497	77		110
TRUE	NA	5	1705007-03RE1		497	92		136
TRUE	NA	5	1705007-03RE1		497	92		130
TRUE	NA	5	1705007-03RE1	ND	99.5	104		130
TRUE	NA	5	1705007-03RE1	ND	493	94	4	130
TRUE	NA	5	1705007-03RE1	ND	493	115	3	112
TRUE	NA	5	1705007-03RE1	ND	98.6	110	6	130
TRUE	NA	5	1705007-03RE1	ND	98.6	62	10	130
TRUE	NA	5	1705007-03RE1	ND	98.6	102	2	130
TRUE	NA	5	1705007-03RE1	ND	98.6	106	1	130
TRUE	NA	5	1705007-03RE1	ND	493	84	2	130
TRUE	NA	5	1705007-03RE1	ND	493	99	0.4	130
TRUE	NA	5	1705007-03RE1	ND	98.6	100	3	130
TRUE	NA	5	1705007-03RE1	ND	493	96	2	120
TRUE	NA	5	1705007-03RE1	ND	98.6	69	7	130
TRUE	NA	5	1705007-03RE1	ND	98.6	96	2	130
TRUE	NA	5	1705007-03RE1	76.7	98.6	90	3	130
TRUE	NA	5	1705007-03RE1	ND	493	88	2	130
TRUE	NA	5	1705007-03RE1	ND	98.6	59	8	130
TRUE	NA	5	1705007-03RE1	ND	493	104	4	130
TRUE	NA	5	1705007-03RE1	ND	98.6	108	5	130
TRUE	NA	5	1705007-03RE1	ND	493	33	5	130
TRUE	NA	5	1705007-03RE1	ND	493	82	5	118
TRUE	NA	5	1705007-03RE1	ND	493	103	3	124
TRUE	NA	5	1705007-03RE1	ND	98.6	84	2	130
TRUE	NA	5	1705007-03RE1	ND	493	114	3	130
TRUE	NA	5	1705007-03RE1	ND	493	86	3	110
TRUE	NA	5	1705007-03RE1	ND	98.6	108	4	130
TRUE	NA	5	1705007-03RE1	ND	98.6	82	1	130
TRUE	NA	5	1705007-03RE1	ND	98.6	96	2	130
TRUE	NA	5	1705007-03RE1	ND	493	94	0.1	130
TRUE	NA	5	1705007-03RE1	ND	98.6	128	6	130
TRUE	NA	5	1705007-03RE1	ND	493			130
TRUE	NA	5	1705007-03RE1	ND	493	124	10	130
TRUE	NA	5	1705007-03RE1	ND	98.6	92	5	130
TRUE	NA	5	1705007-03RE1	ND	98.6	102	4	130
TRUE	NA	5	1705007-03RE1	ND	98.6	104	6	130
TRUE	NA	5	1705007-03RE1	ND	98.6	64	8	130
TRUE	NA	5	1705007-03RE1	ND	98.6	88	4	130
TRUE	NA	5	1705007-03RE1	ND	98.6	80	4	130
TRUE	NA	5	1705007-03RE1	ND	493	81	5	130
TRUE	NA	5	1705007-03RE1	ND	493	88	2	130
TRUE	NA	5	1705007-03RE1	ND	98.6	92	0.3	130
TRUE	NA	5	1705007-03RE1	ND	98.6	83	1	130
TRUE	NA	5	1705007-03RE1	ND	98.6	83	0.3	130
TRUE	NA	5	1705007-03RE1	ND	493	88	2	128
TRUE	NA	5	1705007-03RE1	ND	98.6	96	2	125
TRUE	NA	5	1705007-03RE1	ND	98.6	92	3	130
TRUE	NA	5	1705007-03RE1	ND	98.6	496	3	130
TRUE	NA	5	1705007-03RE1	ND	98.6	67	9	130
TRUE	NA	5	1705007-03RE1	ND	98.6	108	3	130

26		RH				860
57		RH				870
46		RH				880
47		RH				890
70		RH				90
70	20	RH				10
52	20	RH				100
70	20	RH				110
70	20	RH				120
70	20	RH				130
70	20	RH				140
70	20	RH				150
70	20	RH				160
70	20	RH				170
60	20	RH				180
70	20	RH				190
70	20	RH				20
70	20	RH				200
70	20	RH				210
70	20	RH				220
70	20	RH				230
70	20	RH				240
70	20	RH			C1, J	250
58	20	RH				260
64	20	RH				270
70	20	RH				280
70	20	RH				290
50	20	RH				30
70	20	RH				300
70	20	RH				310
70	20	RH				320
70	20	RH				330
70	20	RH				340
70	20	RH			U	350
70	20	RH				360
70	20	RH				370
70	20	RH				380
70	20	RH				390
70	20	RH				40
70	20	RH				400
70	20	RH				410
70	20	RH				420
70	20	RH				430
70	20	RH				440
70	20	RH				450
70	20	RH				460
68	20	RH			C1, J	470
65	20	RH				480
70	20	RH				490
70	20	RH				5
70	20	RH				50
70	20	RH				500

EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E096-MSD1	Matrix Spike Dup	Water	05/15/2017 11:00:00
EPA Region 9 Laboratory	B17E113-BLK1	Blank	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BLK1	Blank	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BLK1	Blank	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-BS1	LCS	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-MS2	Matrix Spike	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-MS2	Matrix Spike	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-MS2	Matrix Spike	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-MSD2	Matrix Spike Dup	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-MSD2	Matrix Spike Dup	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E113-MSD2	Matrix Spike Dup	Water	05/17/2017 10:29:00
EPA Region 9 Laboratory	B17E141-BLK1	Blank	Water	05/22/2017 07:53:00
EPA Region 9 Laboratory	B17E141-BS1	LCS	Water	05/22/2017 07:53:00

06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
06/01/2017 04:01:00	B17E096	SVOCs	8270D	3520C CLLE
05/18/2017 15:27:31	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:27:31	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:27:31	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 15:34:57	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 18:24:11	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 18:24:11	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 18:24:11	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 18:34:31	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 18:34:31	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/18/2017 18:34:31	B17E113	Metals by 200.7,Total	200.7	200 Series Digest
05/23/2017 18:33:44	B17E141	Nitrogen, Ammonia	350.1	- General Inorganic
05/23/2017 18:35:21	B17E141	Nitrogen, Ammonia	350.1	- General Inorganic

Di-n-butyl phthalate	84-74-2	FALSE	FALSE	107	25	49	ug/L
Fluoranthene	206-44-0	FALSE	FALSE	96.2	25	49	ug/L
Pyrene	129-00-0	FALSE	FALSE	98.1	25	49	ug/L
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	104	25	49	ug/L
Benzo(a)anthracene	56-55-3	FALSE	FALSE	92.7	25	49	ug/L
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	357	25	49	ug/L
Chrysene	218-01-9	FALSE	FALSE	91.2	25	49	ug/L
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	102	25	49	ug/L
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	84.3	25	49	ug/L
Benzyl alcohol	100-51-6	FALSE	FALSE	357	120	250	ug/L
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	84.3	25	49	ug/L
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	82.8	25	49	ug/L
Benzo(a)pyrene	50-32-8	FALSE	FALSE	75.9	25	49	ug/L
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	80.4	25	49	ug/L
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	83.3	25	49	ug/L
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	89.7	25	49	ug/L
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	67.6	25	49	ug/L
2-Methylphenol	95-48-7	FALSE	FALSE	548	120	250	ug/L
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	36.5			ug/L
2-Fluorophenol	367-12-4	TRUE	FALSE	426			ug/L
Phenol-d5	4165-62-2	TRUE	FALSE	472			ug/L
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	433			ug/L
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	311			ug/L
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	404			ug/L
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	390			ug/L
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	467			ug/L
Terphenyl-d14	1718-51-0	TRUE	FALSE	442			ug/L
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	105	25	49	ug/L
Chromium	7440-47-3	FALSE	FALSE	ND	5.0	10	ug/L
Copper	7440-50-8	FALSE	FALSE	ND	5.0	10	ug/L
Zinc	7440-66-6	FALSE	FALSE	ND	5.0	10	ug/L
Aluminum	7429-90-5	FALSE	FALSE	2040	10	20	ug/L
Chromium	7440-47-3	FALSE	FALSE	389	5.0	10	ug/L
Copper	7440-50-8	FALSE	FALSE	297	5.0	10	ug/L
Iron	7439-89-6	FALSE	FALSE	3010	50	100	ug/L
Magnesium	7439-95-4	FALSE	FALSE	1990	250	500	ug/L
Manganese	7439-96-5	FALSE	FALSE	207	2.5	5.0	ug/L
Potassium	7440-09-7	FALSE	FALSE	10600	1000	2000	ug/L
Sodium	7440-23-5	FALSE	FALSE	3120	250	500	ug/L
Vanadium	7440-62-2	FALSE	FALSE	297	2.0	4.0	ug/L
Zinc	7440-66-6	FALSE	FALSE	200	5.0	10	ug/L
Beryllium	7440-41-7	FALSE	FALSE	199	0.25	0.50	ug/L
Boron	7440-42-8	FALSE	FALSE	303	50	100	ug/L
Calcium	7440-70-2	FALSE	FALSE	1030	50	100	ug/L
Chromium	7440-47-3	FALSE	FALSE	346	50	100	ug/L
Copper	7440-50-8	FALSE	FALSE	262	50	100	ug/L
Zinc	7440-66-6	FALSE	FALSE	190	50	100	ug/L
Chromium	7440-47-3	FALSE	FALSE	363	50	100	ug/L
Copper	7440-50-8	FALSE	FALSE	289	50	100	ug/L
Zinc	7440-66-6	FALSE	FALSE	208	50	100	ug/L
Ammonia as N	7664-41-7	FALSE	FALSE	ND	0.025	0.050	mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	4.74			mg/L

TRUE	NA	5	1705007-03RE1	ND	98.6	108	2	130
TRUE	NA	5	1705007-03RE1	ND	98.6	98	5	126
TRUE	NA	5	1705007-03RE1	ND	98.6	99	4	125
TRUE	NA	5	1705007-03RE1	ND	98.6	105	3	130
TRUE	NA	5	1705007-03RE1	ND	98.6	94	4	120
TRUE	NA	5	1705007-03RE1	ND	493	72	7	130
TRUE	NA	5	1705007-03RE1	ND	98.6	92	2	120
TRUE	NA	5	1705007-03RE1	ND	98.6	104	2	130
TRUE	NA	5	1705007-03RE1	ND	98.6	86	4	130
TRUE	NA	5	1705007-03RE1	ND	493	72	9	130
TRUE	NA	5	1705007-03RE1	ND	98.6	86	0.9	119
TRUE	NA	5	1705007-03RE1	ND	98.6	84	2	119
TRUE	NA	5	1705007-03RE1	ND	98.6	77	1	110
TRUE	NA	5	1705007-03RE1	ND	98.6	81	4	113
TRUE	NA	5	1705007-03RE1	ND	98.6	84	6	120
TRUE	NA	5	1705007-03RE1	ND	98.6	91	5	115
TRUE	NA	5	1705007-03RE1	ND	98.6	68	7	130
TRUE	NA	5	1705007-03RE1	ND	493	111	3	130
TRUE	NA	5	1705007-03RE1		49.3	74		110
TRUE	NA	5	1705007-03RE1		493	86		110
TRUE	NA	5	1705007-03RE1		493	96		110
TRUE	NA	5	1705007-03RE1		493	88		110
TRUE	NA	5	1705007-03RE1		493	63		110
TRUE	NA	5	1705007-03RE1		493	82		134
TRUE	NA	5	1705007-03RE1		493	79		110
TRUE	NA	5	1705007-03RE1		493	95		136
TRUE	NA	5	1705007-03RE1		493	90		130
TRUE	NA	5	1705007-03RE1	ND	98.6	106	1	130
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1			2000	102		115
TRUE	NA	1			400	97		115
TRUE	NA	1			300	99		115
TRUE	NA	1			3000	100		115
TRUE	NA	1			2000	100		115
TRUE	NA	1			200	104		115
TRUE	NA	1			10000	106		115
TRUE	NA	1			3000	104		115
TRUE	NA	1			300	99		115
TRUE	NA	1			200	100		115
TRUE	NA	1			200	99		115
TRUE	NA	1			300	101		115
TRUE	NA	1			1000	103		115
TRUE	NA	10	1705007-02	ND	400	86		130
TRUE	NA	10	1705007-02	ND	300	87		130
TRUE	NA	10	1705007-02	ND	200	95		130
TRUE	NA	10	1705007-02	ND	400	91	5	130
TRUE	NA	10	1705007-02	ND	300	96	10	130
TRUE	NA	10	1705007-02	ND	200	104	9	130
TRUE	NA	1						
TRUE	NA	1			5.00	95		110

70	20	RH				510
66	20	RH				520
65	20	RH				530
70	20	RH				540
60	20	RH				550
70	20	RH				560
60	20	RH				570
70	20	RH				580
70	20	RH				590
70	20	RH				60
59	20	RH				600
59	20	RH				610
46	20	RH				620
53	20	RH				630
60	20	RH				640
55	20	RH				650
70	20	RH				70
70	20	RH				80
46		RH				810
54		RH				820
54		RH				830
60		RH				840
38		RH				850
26		RH				860
57		RH				870
46		RH				880
47		RH				890
70	20	RH				90
		SC			U	100
		SC			U	120
		SC			U	290
85		SC				10
85		SC				100
85		SC				120
85		SC				130
85		SC				150
85		SC				160
85		SC				190
85		SC				230
85		SC				280
85		SC				290
85		SC				50
85		SC				60
85		SC				80
70		SC				100
70		SC				120
70		SC				290
70	20	SC				100
70	20	SC				120
70	20	SC				290
		ER			U	2
90		ER				2

EPA Region 9 Laboratory	B17E158-BLK1	Blank	Water	05/24/2017 11:40:00
EPA Region 9 Laboratory	B17E158-BS1	LCS	Water	05/24/2017 11:40:00
EPA Region 9 Laboratory	B17E158-MS1	Matrix Spike	Water	05/24/2017 11:40:00
EPA Region 9 Laboratory	B17E158-MSD1	Matrix Spike Dup	Water	05/24/2017 11:40:00
EPA Region 9 Laboratory	B17F019-SRM1	Reference	Water	05/03/2017 10:00:00
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45

05/24/2017 15:12:07	B17E158	Nitrogen, Ammonia	350.1	- General Inorganic
05/24/2017 15:13:43	B17E158	Nitrogen, Ammonia	350.1	- General Inorganic
05/24/2017 15:16:54	B17E158	Nitrogen, Ammonia	350.1	- General Inorganic
05/24/2017 15:18:29	B17E158	Nitrogen, Ammonia	350.1	- General Inorganic
05/03/2017 10:00:00	B17F019	Toxicity, Abalone	TOX_SOP1004	- General Biology
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167

Ammonia as N	7664-41-7	FALSE	FALSE	ND	0.025	0.050	mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.07			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	44.6	0.12	0.25	mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	44.0	0.12	0.25	mg/L
EC 50	NA	FALSE	FALSE	30.5			%
Phenol	108-95-2	FALSE	FALSE	90.5			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	93.1			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	99.8			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	96.3			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	96.8			ug/mL
Isophorone	78-59-1	FALSE	FALSE	104			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	95.5			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	94.7			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	96.4			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	96.5			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	94.7			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	86.2			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	90.1			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	94.6			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	99.3			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	99.9			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	94.9			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	111			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	104			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	98.7			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	92.2			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	100			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	89.3			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	97.4			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	92.9			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	92.9			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	97.5			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	94.8			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	109			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	110			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	93.2			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	101			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	89.3			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	91.6			ug/mL
Fluorene	86-73-7	FALSE	FALSE	94.1			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	98.8			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	90.2			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	114			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	90.0			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	102			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	111			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	108			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	96.4			ug/mL
Anthracene	120-12-7	FALSE	FALSE	95.4			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	90.3			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	90.7			ug/mL
Carbazole	86-74-8	FALSE	FALSE	85.4			ug/mL

TRUE	NA	1						
TRUE	NA	1			5.00	101		110
TRUE	NA	5	1705007-03RE1	38.5	5.00	122		110
TRUE	NA	5	1705007-03RE1	38.5	5.00	110	1	110
TRUE	NA	1			51.7	59		155.8
TRUE	NA	1			100	90		
TRUE	NA	1			100	93		
TRUE	NA	1			100	100		
TRUE	NA	1			100	96		
TRUE	NA	1			100	97		
TRUE	NA	1			100	104		
TRUE	NA	1			100	96		
TRUE	NA	1			100	95		
TRUE	NA	1			100	96		
TRUE	NA	1			100	96		
TRUE	NA	1			100	95		
TRUE	NA	1			100	86		
TRUE	NA	1			100	90		
TRUE	NA	1			100	95		
TRUE	NA	1			100	99		
TRUE	NA	1			100	100		
TRUE	NA	1			100	95		
TRUE	NA	1			100	111		
TRUE	NA	1			100	104		
TRUE	NA	1			100	99		
TRUE	NA	1			100	92		
TRUE	NA	1			100	100		
TRUE	NA	1			100	89		
TRUE	NA	1			100	97		
TRUE	NA	1			100	93		
TRUE	NA	1			100	93		
TRUE	NA	1			100	97		
TRUE	NA	1			100	95		
TRUE	NA	1			100	109		
TRUE	NA	1			100	110		
TRUE	NA	1			100	93		
TRUE	NA	1			100	101		
TRUE	NA	1			100	89		
TRUE	NA	1			100	92		
TRUE	NA	1			100	94		
TRUE	NA	1			100	99		
TRUE	NA	1			100	90		
TRUE	NA	1			100	114		
TRUE	NA	1			100	90		
TRUE	NA	1			100	102		
TRUE	NA	1			100	111		
TRUE	NA	1			100	108		
TRUE	NA	1			100	96		
TRUE	NA	1			100	95		
TRUE	NA	1			100	90		
TRUE	NA	1			100	91		
TRUE	NA	1			100	85		

		ER			U	2
90		ER				2
90		ER			Q10	2
90	10	ER			Q10	2
44.2		AW				1
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500

EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL1	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45

05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:53:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167

Di-n-butyl phthalate	84-74-2	FALSE	FALSE	94.4			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	96.0			ug/mL
Pyrene	129-00-0	FALSE	FALSE	94.2			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	103			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	94.5			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	101			ug/mL
Chrysene	218-01-9	FALSE	FALSE	93.3			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	99.6			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	108			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	96.2			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	103			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	101			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	105			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	105			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	104			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	100			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	88.2			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	91.9			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	98.5			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	94.5			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	91.3			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	88.5			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	96.4			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	89.1			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	111			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	97.9			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	89.1			ug/mL
Phenol	108-95-2	FALSE	FALSE	74.5			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	77.5			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	82.3			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	79.0			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	78.4			ug/mL
Isophorone	78-59-1	FALSE	FALSE	82.7			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	78.2			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	76.6			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	77.6			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	78.6			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	76.9			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	74.4			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	73.5			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	76.6			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	80.5			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	80.2			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	76.2			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	94.8			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	85.4			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	83.0			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	75.1			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	81.8			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	73.5			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	79.4			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	76.4			ug/mL

TRUE	NA	1			100	94		
TRUE	NA	1			100	96		
TRUE	NA	1			100	94		
TRUE	NA	1			100	103		
TRUE	NA	1			100	95		
TRUE	NA	1			100	101		
TRUE	NA	1			100	93		
TRUE	NA	1			100	100		
TRUE	NA	1			100	108		
TRUE	NA	1			100	96		
TRUE	NA	1			100	103		
TRUE	NA	1			100	101		
TRUE	NA	1			100	105		
TRUE	NA	1			100	105		
TRUE	NA	1			100	104		
TRUE	NA	1			100	100		
TRUE	NA	1			100	88		
TRUE	NA	1			100	92		
TRUE	NA	1			100	98		
TRUE	NA	1			100	94		
TRUE	NA	1			100	91		
TRUE	NA	1			100	89		
TRUE	NA	1			100	96		
TRUE	NA	1			100	89		
TRUE	NA	1			100	111		
TRUE	NA	1			100	98		
TRUE	NA	1			100	89		
TRUE	NA	1			80.0	93		
TRUE	NA	1			80.0	97		
TRUE	NA	1			80.0	103		
TRUE	NA	1			80.0	99		
TRUE	NA	1			80.0	98		
TRUE	NA	1			80.0	103		
TRUE	NA	1			80.0	98		
TRUE	NA	1			80.0	96		
TRUE	NA	1			80.0	97		
TRUE	NA	1			80.0	98		
TRUE	NA	1			80.0	96		
TRUE	NA	1			80.0	93		
TRUE	NA	1			80.0	92		
TRUE	NA	1			80.0	96		
TRUE	NA	1			80.0	101		
TRUE	NA	1			80.0	100		
TRUE	NA	1			80.0	95		
TRUE	NA	1			80.0	119		
TRUE	NA	1			80.0	107		
TRUE	NA	1			80.0	104		
TRUE	NA	1			80.0	94		
TRUE	NA	1			80.0	102		
TRUE	NA	1			80.0	92		
TRUE	NA	1			80.0	99		
TRUE	NA	1			80.0	95		

		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310

EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL2	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45

05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:26:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167

2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	81.1			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	79.9			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	77.5			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	93.5			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	92.1			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	75.8			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	83.8			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	74.1			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	74.8			ug/mL
Fluorene	86-73-7	FALSE	FALSE	76.5			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	79.7			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	75.1			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	92.6			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	76.2			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	85.1			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	83.6			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	88.5			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	74.2			ug/mL
Anthracene	120-12-7	FALSE	FALSE	73.4			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	78.7			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	73.8			ug/mL
Carbazole	86-74-8	FALSE	FALSE	66.0			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	71.8			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	72.7			ug/mL
Pyrene	129-00-0	FALSE	FALSE	73.8			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	80.5			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	77.0			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	87.4			ug/mL
Chrysene	218-01-9	FALSE	FALSE	76.0			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	75.9			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	79.2			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	80.8			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	82.9			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	79.5			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	85.2			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	86.8			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	86.4			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	82.5			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	72.6			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	76.2			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	77.9			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	77.3			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	74.9			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	72.9			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	77.8			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	73.2			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	89.7			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	76.6			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	73.4			ug/mL
Phenol	108-95-2	FALSE	FALSE	56.4			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	57.0			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	60.7			ug/mL

TRUE	NA	1			80.0	101		
TRUE	NA	1			80.0	100		
TRUE	NA	1			80.0	97		
TRUE	NA	1			80.0	117		
TRUE	NA	1			80.0	115		
TRUE	NA	1			80.0	95		
TRUE	NA	1			80.0	105		
TRUE	NA	1			80.0	93		
TRUE	NA	1			80.0	94		
TRUE	NA	1			80.0	96		
TRUE	NA	1			80.0	100		
TRUE	NA	1			80.0	94		
TRUE	NA	1			80.0	116		
TRUE	NA	1			80.0	95		
TRUE	NA	1			80.0	106		
TRUE	NA	1			80.0	105		
TRUE	NA	1			80.0	111		
TRUE	NA	1			80.0	93		
TRUE	NA	1			80.0	92		
TRUE	NA	1			80.0	98		
TRUE	NA	1			80.0	92		
TRUE	NA	1			80.0	82		
TRUE	NA	1			80.0	90		
TRUE	NA	1			80.0	91		
TRUE	NA	1			80.0	92		
TRUE	NA	1			80.0	101		
TRUE	NA	1			80.0	96		
TRUE	NA	1			80.0	109		
TRUE	NA	1			80.0	95		
TRUE	NA	1			80.0	95		
TRUE	NA	1			80.0	99		
TRUE	NA	1			80.0	101		
TRUE	NA	1			80.0	104		
TRUE	NA	1			80.0	99		
TRUE	NA	1			80.0	106		
TRUE	NA	1			80.0	108		
TRUE	NA	1			80.0	108		
TRUE	NA	1			80.0	103		
TRUE	NA	1			80.0	91		
TRUE	NA	1			80.0	95		
TRUE	NA	1			80.0	97		
TRUE	NA	1			80.0	97		
TRUE	NA	1			80.0	94		
TRUE	NA	1			80.0	91		
TRUE	NA	1			80.0	97		
TRUE	NA	1			80.0	92		
TRUE	NA	1			80.0	112		
TRUE	NA	1			80.0	96		
TRUE	NA	1			80.0	92		
TRUE	NA	1			60.0	94		
TRUE	NA	1			60.0	95		
TRUE	NA	1			60.0	101		

		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110

EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45

05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167

Hexachloroethane	67-72-1	FALSE	FALSE	59.7			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	59.4			ug/mL
Isophorone	78-59-1	FALSE	FALSE	61.2			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	59.2			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	58.2			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	58.9			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	58.6			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	58.1			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	56.4			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	56.3			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	57.8			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	60.1			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	59.5			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	57.8			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	66.5			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	62.4			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	60.8			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	56.8			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	60.6			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	56.2			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	58.8			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	57.5			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	61.8			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	58.8			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	57.7			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	63.1			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	66.3			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	57.0			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	63.2			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	56.2			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	57.1			ug/mL
Fluorene	86-73-7	FALSE	FALSE	56.8			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	59.6			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	54.7			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	67.9			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	58.4			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	63.3			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	62.5			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	63.1			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	57.9			ug/mL
Anthracene	120-12-7	FALSE	FALSE	58.8			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	59.6			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	56.3			ug/mL
Carbazole	86-74-8	FALSE	FALSE	55.9			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	58.9			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	59.4			ug/mL
Pyrene	129-00-0	FALSE	FALSE	55.6			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	58.7			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	57.2			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	58.5			ug/mL
Chrysene	218-01-9	FALSE	FALSE	56.2			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	56.6			ug/mL

TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	102		
TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	97		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	97		
TRUE	NA	1			60.0	94		
TRUE	NA	1			60.0	94		
TRUE	NA	1			60.0	96		
TRUE	NA	1			60.0	100		
TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	96		
TRUE	NA	1			60.0	111		
TRUE	NA	1			60.0	104		
TRUE	NA	1			60.0	101		
TRUE	NA	1			60.0	95		
TRUE	NA	1			60.0	101		
TRUE	NA	1			60.0	94		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	96		
TRUE	NA	1			60.0	103		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	96		
TRUE	NA	1			60.0	105		
TRUE	NA	1			60.0	110		
TRUE	NA	1			60.0	95		
TRUE	NA	1			60.0	105		
TRUE	NA	1			60.0	94		
TRUE	NA	1			60.0	95		
TRUE	NA	1			60.0	95		
TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	91		
TRUE	NA	1			60.0	113		
TRUE	NA	1			60.0	97		
TRUE	NA	1			60.0	105		
TRUE	NA	1			60.0	104		
TRUE	NA	1			60.0	105		
TRUE	NA	1			60.0	97		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	94		
TRUE	NA	1			60.0	93		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	93		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	95		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	94		
TRUE	NA	1			60.0	94		

		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580

EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL3	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45

05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 11:59:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167

Di-n-octyl phthalate	117-84-0	FALSE	FALSE	58.8			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	59.2			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	61.1			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	58.6			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	61.1			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	62.8			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	62.4			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	60.7			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	55.2			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	56.1			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	58.9			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	57.7			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	57.0			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	55.6			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	58.0			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	55.3			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	64.7			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	56.1			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	55.7			ug/mL
Phenol	108-95-2	FALSE	FALSE	39.6			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	39.2			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	41.7			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	41.4			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	41.1			ug/mL
Isophorone	78-59-1	FALSE	FALSE	41.7			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	41.2			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	39.9			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	40.4			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	40.4			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	40.1			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	40.1			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	39.0			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	40.1			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	41.4			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	40.1			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	39.8			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	44.8			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	42.6			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	42.6			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	39.9			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	41.6			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	39.4			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	40.6			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	39.9			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	43.2			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	40.4			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	39.8			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	39.0			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	44.8			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	39.4			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	45.2			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	41.2			ug/mL

TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	102		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	102		
TRUE	NA	1			60.0	105		
TRUE	NA	1			60.0	104		
TRUE	NA	1			60.0	101		
TRUE	NA	1			60.0	92		
TRUE	NA	1			60.0	93		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	96		
TRUE	NA	1			60.0	95		
TRUE	NA	1			60.0	93		
TRUE	NA	1			60.0	97		
TRUE	NA	1			60.0	92		
TRUE	NA	1			60.0	108		
TRUE	NA	1			60.0	94		
TRUE	NA	1			60.0	93		
TRUE	NA	1			40.0	99		
TRUE	NA	1			40.0	98		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	103		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	103		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	97		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	103		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	99		
TRUE	NA	1			40.0	112		
TRUE	NA	1			40.0	106		
TRUE	NA	1			40.0	106		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	99		
TRUE	NA	1			40.0	102		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	108		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	97		
TRUE	NA	1			40.0	112		
TRUE	NA	1			40.0	98		
TRUE	NA	1			40.0	113		
TRUE	NA	1			40.0	103		

		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390

EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL4	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45

05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 12:32:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167

1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	39.6			ug/mL
Fluorene	86-73-7	FALSE	FALSE	39.0			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	40.4			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	39.9			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	45.9			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	40.3			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	42.2			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	41.8			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	39.3			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	39.7			ug/mL
Anthracene	120-12-7	FALSE	FALSE	40.2			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	39.8			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	39.4			ug/mL
Carbazole	86-74-8	FALSE	FALSE	40.8			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	40.3			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	39.2			ug/mL
Pyrene	129-00-0	FALSE	FALSE	40.4			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	42.8			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	39.2			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	36.6			ug/mL
Chrysene	218-01-9	FALSE	FALSE	38.4			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	40.9			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	42.8			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	40.4			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	40.1			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	39.8			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	40.7			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	41.6			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	41.8			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	40.6			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	38.9			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	39.9			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	40.0			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	40.0			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	39.6			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	38.8			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	40.4			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	39.4			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	42.5			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	39.6			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	39.5			ug/mL
Phenol	108-95-2	FALSE	FALSE	21.0			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	20.6			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	21.0			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	21.5			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	21.3			ug/mL
Isophorone	78-59-1	FALSE	FALSE	21.7			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	21.0			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	20.4			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	21.0			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	20.6			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	21.2			ug/mL

TRUE	NA	1			40.0	99		
TRUE	NA	1			40.0	97		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	115		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	105		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	98		
TRUE	NA	1			40.0	99		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	99		
TRUE	NA	1			40.0	98		
TRUE	NA	1			40.0	102		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	98		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	107		
TRUE	NA	1			40.0	98		
TRUE	NA	1			40.0	92		
TRUE	NA	1			40.0	96		
TRUE	NA	1			40.0	102		
TRUE	NA	1			40.0	107		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	102		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	102		
TRUE	NA	1			40.0	97		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	99		
TRUE	NA	1			40.0	97		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	98		
TRUE	NA	1			40.0	106		
TRUE	NA	1			40.0	99		
TRUE	NA	1			40.0	99		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	108		
TRUE	NA	1			20.0	107		
TRUE	NA	1			20.0	108		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	106		

		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190

EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45

05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167

Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	20.9			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	21.2			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	20.8			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	21.0			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	21.1			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	21.6			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	19.5			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	20.2			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	20.6			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	21.1			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	20.8			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	21.0			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	21.4			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	21.5			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	22.3			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	21.1			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	21.4			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	14.6			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	21.2			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	21.2			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	23.4			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	22.4			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	21.2			ug/mL
Fluorene	86-73-7	FALSE	FALSE	21.7			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	21.3			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	22.4			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	20.7			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	21.2			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	20.5			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	20.7			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	15.9			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	21.2			ug/mL
Anthracene	120-12-7	FALSE	FALSE	21.9			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	20.3			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	21.2			ug/mL
Carbazole	86-74-8	FALSE	FALSE	21.8			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	22.6			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	22.0			ug/mL
Pyrene	129-00-0	FALSE	FALSE	21.8			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	22.9			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	20.7			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	19.6			ug/mL
Chrysene	218-01-9	FALSE	FALSE	20.8			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	23.4			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	24.1			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	20.2			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	21.0			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	20.5			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	20.7			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	20.2			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	20.1			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	19.9			ug/mL

TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	108		
TRUE	NA	1			20.0	97		
TRUE	NA	1			20.0	101		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	107		
TRUE	NA	1			20.0	107		
TRUE	NA	1			20.0	111		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	107		
TRUE	NA	1			20.0	73		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	117		
TRUE	NA	1			20.0	112		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	108		
TRUE	NA	1			20.0	107		
TRUE	NA	1			20.0	112		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	79		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	109		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	109		
TRUE	NA	1			20.0	113		
TRUE	NA	1			20.0	110		
TRUE	NA	1			20.0	109		
TRUE	NA	1			20.0	115		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	98		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	117		
TRUE	NA	1			20.0	121		
TRUE	NA	1			20.0	101		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	101		
TRUE	NA	1			20.0	101		
TRUE	NA	1			20.0	100		

		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650

EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL5	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45

05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:05:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167

1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	21.4			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	20.6			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	20.9			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	20.6			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	20.7			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	21.1			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	20.6			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	20.5			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	19.9			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	21.0			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	20.9			ug/mL
Phenol	108-95-2	FALSE	FALSE	10.6			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	10.5			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	10.6			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	10.7			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	10.8			ug/mL
Isophorone	78-59-1	FALSE	FALSE	10.5			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	10.1			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	10.2			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	10.8			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	10.2			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	10.7			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	11.0			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	10.8			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	10.4			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	10.5			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	10.0			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	10.6			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	8.79			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	9.65			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	9.91			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	10.9			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	9.96			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	10.6			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	10.8			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	11.0			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	11.1			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	10.3			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	10.7			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	5.42			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	9.21			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	10.8			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	11.4			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	11.2			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	10.8			ug/mL
Fluorene	86-73-7	FALSE	FALSE	10.8			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	10.5			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	10.8			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	8.82			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	10.9			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	10.4			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	10.2			ug/mL

TRUE	NA	1			20.0	107		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	100		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	105		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	105		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	107		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	105		
TRUE	NA	1			10.0	101		
TRUE	NA	1			10.0	102		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	102		
TRUE	NA	1			10.0	107		
TRUE	NA	1			10.0	110		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	104		
TRUE	NA	1			10.0	105		
TRUE	NA	1			10.0	100		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	88		
TRUE	NA	1			10.0	96		
TRUE	NA	1			10.0	99		
TRUE	NA	1			10.0	109		
TRUE	NA	1			10.0	100		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	110		
TRUE	NA	1			10.0	111		
TRUE	NA	1			10.0	103		
TRUE	NA	1			10.0	107		
TRUE	NA	1			10.0	54		
TRUE	NA	1			10.0	92		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	114		
TRUE	NA	1			10.0	112		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	105		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	88		
TRUE	NA	1			10.0	109		
TRUE	NA	1			10.0	104		
TRUE	NA	1			10.0	102		

		TD				70
		TD				80
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460

EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL6	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45

05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 13:38:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167

Pentachlorophenol	87-86-5	FALSE	FALSE	5.67			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	10.9			ug/mL
Anthracene	120-12-7	FALSE	FALSE	11.1			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	11.1			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	10.8			ug/mL
Carbazole	86-74-8	FALSE	FALSE	11.5			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	11.6			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	11.1			ug/mL
Pyrene	129-00-0	FALSE	FALSE	10.6			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	10.9			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	10.4			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	10.3			ug/mL
Chrysene	218-01-9	FALSE	FALSE	10.6			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	11.2			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	10.6			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	10.2			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	9.99			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	10.4			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	10.3			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	10.7			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	10.7			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	10.6			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	10.9			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	10.4			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	10.2			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	10.3			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	10.5			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	10.7			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	10.3			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	10.7			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	9.28			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	10.3			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	10.9			ug/mL
Phenol	108-95-2	FALSE	FALSE	5.17			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	5.10			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	5.26			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	5.21			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	5.33			ug/mL
Isophorone	78-59-1	FALSE	FALSE	5.22			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	4.71			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	5.16			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	5.39			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	4.87			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	5.30			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	5.35			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	5.49			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	5.01			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	5.12			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	4.74			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	5.37			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	3.67			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	4.26			ug/mL

TRUE	NA	1			10.0	57		
TRUE	NA	1			10.0	109		
TRUE	NA	1			10.0	111		
TRUE	NA	1			10.0	111		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	115		
TRUE	NA	1			10.0	116		
TRUE	NA	1			10.0	111		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	109		
TRUE	NA	1			10.0	104		
TRUE	NA	1			10.0	103		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	112		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	102		
TRUE	NA	1			10.0	100		
TRUE	NA	1			10.0	104		
TRUE	NA	1			10.0	103		
TRUE	NA	1			10.0	107		
TRUE	NA	1			10.0	107		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	109		
TRUE	NA	1			10.0	104		
TRUE	NA	1			10.0	102		
TRUE	NA	1			10.0	103		
TRUE	NA	1			10.0	105		
TRUE	NA	1			10.0	107		
TRUE	NA	1			10.0	103		
TRUE	NA	1			10.0	107		
TRUE	NA	1			10.0	93		
TRUE	NA	1			10.0	103		
TRUE	NA	1			10.0	109		
TRUE	NA	1			5.00	103		
TRUE	NA	1			5.00	102		
TRUE	NA	1			5.00	105		
TRUE	NA	1			5.00	104		
TRUE	NA	1			5.00	107		
TRUE	NA	1			5.00	104		
TRUE	NA	1			5.00	94		
TRUE	NA	1			5.00	103		
TRUE	NA	1			5.00	108		
TRUE	NA	1			5.00	97		
TRUE	NA	1			5.00	106		
TRUE	NA	1			5.00	107		
TRUE	NA	1			5.00	110		
TRUE	NA	1			5.00	100		
TRUE	NA	1			5.00	102		
TRUE	NA	1			5.00	95		
TRUE	NA	1			5.00	107		
TRUE	NA	1			5.00	73		
TRUE	NA	1			5.00	85		

		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260

EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45

05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167

2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	4.31			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	5.44			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	4.47			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	5.25			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	5.25			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	5.45			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	5.18			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	4.63			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	5.29			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	1.25			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	3.22			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	5.39			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	5.10			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	5.43			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	5.35			ug/mL
Fluorene	86-73-7	FALSE	FALSE	5.42			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	5.21			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	4.76			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	3.23			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	5.40			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	4.99			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	5.03			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	1.90			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	5.27			ug/mL
Anthracene	120-12-7	FALSE	FALSE	5.38			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	5.39			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	5.39			ug/mL
Carbazole	86-74-8	FALSE	FALSE	5.53			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	5.60			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	5.34			ug/mL
Pyrene	129-00-0	FALSE	FALSE	5.47			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	5.35			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	5.20			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	5.02			ug/mL
Chrysene	218-01-9	FALSE	FALSE	5.11			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	5.60			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	5.42			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	4.80			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	5.03			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	5.00			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	4.91			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	4.84			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	4.85			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	4.98			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	5.47			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	5.22			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	4.90			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	5.05			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	5.20			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	5.32			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	4.96			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	5.43			ug/mL

TRUE	NA	1			5.00	86		
TRUE	NA	1			5.00	109		
TRUE	NA	1			5.00	89		
TRUE	NA	1			5.00	105		
TRUE	NA	1			5.00	105		
TRUE	NA	1			5.00	109		
TRUE	NA	1			5.00	104		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	106		
TRUE	NA	1			5.00	25		
TRUE	NA	1			5.00	64		
TRUE	NA	1			5.00	108		
TRUE	NA	1			5.00	102		
TRUE	NA	1			5.00	109		
TRUE	NA	1			5.00	107		
TRUE	NA	1			5.00	108		
TRUE	NA	1			5.00	104		
TRUE	NA	1			5.00	95		
TRUE	NA	1			5.00	65		
TRUE	NA	1			5.00	108		
TRUE	NA	1			5.00	100		
TRUE	NA	1			5.00	101		
TRUE	NA	1			5.00	38		
TRUE	NA	1			5.00	105		
TRUE	NA	1			5.00	108		
TRUE	NA	1			5.00	108		
TRUE	NA	1			5.00	108		
TRUE	NA	1			5.00	111		
TRUE	NA	1			5.00	112		
TRUE	NA	1			5.00	107		
TRUE	NA	1			5.00	109		
TRUE	NA	1			5.00	107		
TRUE	NA	1			5.00	104		
TRUE	NA	1			5.00	100		
TRUE	NA	1			5.00	102		
TRUE	NA	1			5.00	112		
TRUE	NA	1			5.00	108		
TRUE	NA	1			5.00	96		
TRUE	NA	1			5.00	101		
TRUE	NA	1			5.00	100		
TRUE	NA	1			5.00	98		
TRUE	NA	1			5.00	97		
TRUE	NA	1			5.00	97		
TRUE	NA	1			5.00	100		
TRUE	NA	1			5.00	109		
TRUE	NA	1			5.00	104		
TRUE	NA	1			5.00	98		
TRUE	NA	1			5.00	101		
TRUE	NA	1			5.00	104		
TRUE	NA	1			5.00	106		
TRUE	NA	1			5.00	99		
TRUE	NA	1			5.00	109		

		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870

EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL7	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45

05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:11:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167

2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	4.06			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	5.20			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	5.50			ug/mL
Phenol	108-95-2	FALSE	FALSE	0.800			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	0.770			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	0.750			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	0.790			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	0.790			ug/mL
Isophorone	78-59-1	FALSE	FALSE	0.720			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	0.550			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	0.750			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	0.830			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	0.660			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	0.880			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	0.920			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	0.930			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	0.740			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	0.830			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	0.600			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	0.870			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	0.240			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	0.380			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	0.450			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	0.880			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	0.390			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	0.820			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	0.810			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	0.830			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	0.620			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	0.410			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	0.880			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	0.00			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	0.270			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	0.900			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	0.440			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	0.780			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	0.910			ug/mL
Fluorene	86-73-7	FALSE	FALSE	0.870			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	0.840			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	0.340			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	0.090			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	0.830			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	0.770			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	0.810			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	0.00			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	0.910			ug/mL
Anthracene	120-12-7	FALSE	FALSE	0.820			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	0.910			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	0.930			ug/mL
Carbazole	86-74-8	FALSE	FALSE	0.880			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	0.710			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	0.840			ug/mL

TRUE	NA	1			5.00	81		
TRUE	NA	1			5.00	104		
TRUE	NA	1			5.00	110		
TRUE	NA	1			1.00	80		
TRUE	NA	1			1.00	77		
TRUE	NA	1			1.00	75		
TRUE	NA	1			1.00	79		
TRUE	NA	1			1.00	79		
TRUE	NA	1			1.00	72		
TRUE	NA	1			1.00	55		
TRUE	NA	1			1.00	75		
TRUE	NA	1			1.00	83		
TRUE	NA	1			1.00	66		
TRUE	NA	1			1.00	88		
TRUE	NA	1			1.00	92		
TRUE	NA	1			1.00	93		
TRUE	NA	1			1.00	74		
TRUE	NA	1			1.00	83		
TRUE	NA	1			1.00	60		
TRUE	NA	1			1.00	87		
TRUE	NA	1			1.00	24		
TRUE	NA	1			1.00	38		
TRUE	NA	1			1.00	45		
TRUE	NA	1			1.00	88		
TRUE	NA	1			1.00	39		
TRUE	NA	1			1.00	82		
TRUE	NA	1			1.00	81		
TRUE	NA	1			1.00	83		
TRUE	NA	1			1.00	62		
TRUE	NA	1			1.00	41		
TRUE	NA	1			1.00	88		
TRUE	NA	1			1.00			
TRUE	NA	1			1.00	27		
TRUE	NA	1			1.00	90		
TRUE	NA	1			1.00	44		
TRUE	NA	1			1.00	78		
TRUE	NA	1			1.00	91		
TRUE	NA	1			1.00	87		
TRUE	NA	1			1.00	84		
TRUE	NA	1			1.00	34		
TRUE	NA	1			1.00	9		
TRUE	NA	1			1.00	83		
TRUE	NA	1			1.00	77		
TRUE	NA	1			1.00	81		
TRUE	NA	1			1.00			
TRUE	NA	1			1.00	91		
TRUE	NA	1			1.00	82		
TRUE	NA	1			1.00	91		
TRUE	NA	1			1.00	93		
TRUE	NA	1			1.00	88		
TRUE	NA	1			1.00	71		
TRUE	NA	1			1.00	84		

		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD			U	350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD			U	470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520

EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-CAL8	Cal Standard	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45

05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 14:44:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167

Pyrene	129-00-0	FALSE	FALSE	0.890			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	0.640			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	0.990			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	0.680			ug/mL
Chrysene	218-01-9	FALSE	FALSE	1.03			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	0.680			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	0.610			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	0.570			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	0.890			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	0.970			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	0.850			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	0.780			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	0.790			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	0.890			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	0.940			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	0.810			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	0.780			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	0.760			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	0.790			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	0.920			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	0.690			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	0.890			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	0.360			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	0.840			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	0.930			ug/mL
Phenol	108-95-2	FALSE	FALSE	17.0			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	18.8			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	18.2			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	18.8			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	19.6			ug/mL
Isophorone	78-59-1	FALSE	FALSE	19.0			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	17.1			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	16.7			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	18.4			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	17.4			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	18.2			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	19.1			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	18.8			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	18.0			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	18.8			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	17.0			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	18.1			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	13.5			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	17.4			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	18.0			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	18.2			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	18.2			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	17.2			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	19.3			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	16.6			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	19.9			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	17.1			ug/mL

TRUE	NA	1			1.00	89		
TRUE	NA	1			1.00	64		
TRUE	NA	1			1.00	99		
TRUE	NA	1			1.00	68		
TRUE	NA	1			1.00	103		
TRUE	NA	1			1.00	68		
TRUE	NA	1			1.00	61		
TRUE	NA	1			1.00	57		
TRUE	NA	1			1.00	89		
TRUE	NA	1			1.00	97		
TRUE	NA	1			1.00	85		
TRUE	NA	1			1.00	78		
TRUE	NA	1			1.00	79		
TRUE	NA	1			1.00	89		
TRUE	NA	1			1.00	94		
TRUE	NA	1			1.00	81		
TRUE	NA	1			1.00	78		
TRUE	NA	1			1.00	76		
TRUE	NA	1			1.00	79		
TRUE	NA	1			1.00	92		
TRUE	NA	1			1.00	69		
TRUE	NA	1			1.00	89		
TRUE	NA	1			1.00	36		
TRUE	NA	1			1.00	84		
TRUE	NA	1			1.00	93		
TRUE	NA	1			20.0	85		130
TRUE	NA	1			20.0	94		130
TRUE	NA	1			20.0	91		130
TRUE	NA	1			20.0	94		130
TRUE	NA	1			20.0	98		130
TRUE	NA	1			20.0	95		130
TRUE	NA	1			20.0	86		130
TRUE	NA	1			20.0	83		130
TRUE	NA	1			20.0	92		130
TRUE	NA	1			20.0	87		130
TRUE	NA	1			20.0	91		130
TRUE	NA	1			20.0	95		130
TRUE	NA	1			20.0	94		130
TRUE	NA	1			20.0	90		130
TRUE	NA	1			20.0	94		130
TRUE	NA	1			20.0	85		130
TRUE	NA	1			20.0	90		130
TRUE	NA	1			20.0	67		130
TRUE	NA	1			20.0	87		130
TRUE	NA	1			20.0	90		130
TRUE	NA	1			20.0	91		130
TRUE	NA	1			20.0	91		130
TRUE	NA	1			20.0	86		130
TRUE	NA	1			20.0	96		130
TRUE	NA	1			20.0	83		130
TRUE	NA	1			20.0	100		130
TRUE	NA	1			20.0	86		130

		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
70		TD				10
70		TD				100
70		TD				110
70		TD				120
70		TD				130
70		TD				140
70		TD				150
70		TD				160
70		TD				170
70		TD				180
70		TD				190
70		TD				20
70		TD				200
70		TD				210
70		TD				220
70		TD				230
70		TD				240
70		TD				250
70		TD				260
70		TD				270
70		TD				280
70		TD				290
70		TD				30
70		TD				300
70		TD				310
70		TD				320
70		TD				330

EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-SCV1	Secondary Cal Check	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45

05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 15:17:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167

Acenaphthene	83-32-9	FALSE	FALSE	18.3			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	14.1			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	17.7			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	17.9			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	20.1			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	19.5			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	18.8			ug/mL
Fluorene	86-73-7	FALSE	FALSE	18.5			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	17.9			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	17.2			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	16.5			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	14.8			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	18.5			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	17.9			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	15.4			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	17.9			ug/mL
Anthracene	120-12-7	FALSE	FALSE	18.0			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	21.0			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	19.1			ug/mL
Carbazole	86-74-8	FALSE	FALSE	18.2			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	20.0			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	18.2			ug/mL
Pyrene	129-00-0	FALSE	FALSE	18.2			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	18.5			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	17.0			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	11.5			ug/mL
Chrysene	218-01-9	FALSE	FALSE	18.1			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	19.5			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	18.5			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	16.0			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	18.0			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	17.7			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	17.1			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	18.7			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	18.3			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	17.1			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	18.7			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	16.4			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	19.6			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	19.6			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	21.4			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	19.0			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	18.5			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	18.8			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	19.6			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	17.8			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	14.2			ug/mL
Mass 51		FALSE	FALSE	32700			ug/mL
Mass 441		FALSE	FALSE	15300			ug/mL
Mass 442		FALSE	FALSE	80300			ug/mL
Mass 443		FALSE	FALSE	20100			ug/mL
Mass 68		FALSE	FALSE	1600			ug/mL

TRUE	NA	1			20.0	92		130
TRUE	NA	1			20.0	71		130
TRUE	NA	1			20.0	88		130
TRUE	NA	1			20.0	90		130
TRUE	NA	1			20.0	100		130
TRUE	NA	1			20.0	98		130
TRUE	NA	1			20.0	94		130
TRUE	NA	1			20.0	93		130
TRUE	NA	1			20.0	89		130
TRUE	NA	1			20.0	86		130
TRUE	NA	1			20.0	83		130
TRUE	NA	1			20.0	74		130
TRUE	NA	1			20.0	92		130
TRUE	NA	1			20.0	90		130
TRUE	NA	1			20.0	77		130
TRUE	NA	1			20.0	90		130
TRUE	NA	1			20.0	90		130
TRUE	NA	1			20.0	105		130
TRUE	NA	1			20.0	96		130
TRUE	NA	1			20.0	91		130
TRUE	NA	1			20.0	100		130
TRUE	NA	1			20.0	91		130
TRUE	NA	1			20.0	91		130
TRUE	NA	1			20.0	92		130
TRUE	NA	1			20.0	85		130
TRUE	NA	1			20.0	57		130
TRUE	NA	1			20.0	91		130
TRUE	NA	1			20.0	97		130
TRUE	NA	1			20.0	93		130
TRUE	NA	1			20.0	80		130
TRUE	NA	1			20.0	90		130
TRUE	NA	1			20.0	88		130
TRUE	NA	1			20.0	85		130
TRUE	NA	1			20.0	93		130
TRUE	NA	1			20.0	92		130
TRUE	NA	1			20.0	86		130
TRUE	NA	1			20.0	94		130
TRUE	NA	1			20.0	82		130
TRUE	NA	1			20.0	98		200
TRUE	NA	1			20.0	98		200
TRUE	NA	1			20.0	107		200
TRUE	NA	1			20.0	95		200
TRUE	NA	1			20.0	93		200
TRUE	NA	1			20.0	94		200
TRUE	NA	1			20.0	98		200
TRUE	NA	1			20.0	89		200
TRUE	NA	1			20.0	71		130
TRUE	NA	1				40.7		80
TRUE	NA	1				15.3		24
TRUE	NA	1				100		150
TRUE	NA	1				20.1		24
TRUE	NA	1						2

70		TD				340
70		TD				350
70		TD				360
70		TD				370
70		TD				380
70		TD				390
70		TD				40
70		TD				400
70		TD				410
70		TD				420
70		TD				430
70		TD				440
70		TD				450
70		TD				460
70		TD				470
70		TD				480
70		TD				490
70		TD				5
70		TD				50
70		TD				500
70		TD				510
70		TD				520
70		TD				530
70		TD				540
70		TD				550
70		TD				560
70		TD				570
70		TD				580
70		TD				590
70		TD				60
70		TD				600
70		TD				610
70		TD				620
70		TD				630
70		TD				640
70		TD				650
70		TD				70
70		TD				80
0		TD				820
0		TD				830
0		TD				840
0		TD				850
0		TD				860
0		TD				870
0		TD				880
0		TD				890
70		TD				90
10		TD				1
0.01		TD				10
50		TD				11
15		TD				12
		TD				2

EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E014-TUN1	MS Tune	Water	05/05/2017 09:08:45
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32

05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/05/2017 10:20:00	S17E014	SVOCs	8270D	B17D167
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052

Mass 70		FALSE	FALSE	500			ug/mL
Mass 127		FALSE	FALSE	38200			ug/mL
Mass 197		FALSE	FALSE	0			ug/mL
Mass 198		FALSE	FALSE	100000			ug/mL
Mass 199		FALSE	FALSE	6700			ug/mL
Mass 275		FALSE	FALSE	25700			ug/mL
Mass 365		FALSE	FALSE	3600			ug/mL
Phenol	108-95-2	FALSE	FALSE	20.9			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	20.5			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	21.0			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	21.7			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	21.7			ug/mL
Isophorone	78-59-1	FALSE	FALSE	21.4			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	21.2			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	20.3			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	21.1			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	21.0			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	21.6			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	21.0			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	21.2			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	20.1			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	22.3			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	20.7			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	21.4			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	21.9			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	20.1			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	20.3			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	21.4			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	20.1			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	20.8			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	21.0			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	21.6			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	21.7			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	19.7			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	21.1			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	13.5			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	19.1			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	21.1			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	22.4			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	21.7			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	21.5			ug/mL
Fluorene	86-73-7	FALSE	FALSE	21.1			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	21.2			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	19.7			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	21.2			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	20.9			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	21.3			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	21.4			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	14.5			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	20.8			ug/mL
Anthracene	120-12-7	FALSE	FALSE	21.4			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	20.4			ug/mL

TRUE	NA	1						2
TRUE	NA	1				38.2		80
TRUE	NA	1				0		2
TRUE	NA	1				125		150
TRUE	NA	1				6.73		9
TRUE	NA	1				25.7		60
TRUE	NA	1				3.63		100
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	103		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	109		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	112		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	110		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	109		120
TRUE	NA	1			20.0	99		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	68		120
TRUE	NA	1			20.0	95		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	112		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	98		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	73		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	102		120

		TD				3
10		TD				4
		TD				5
50		TD				6
5		TD				7
10		TD				8
1		TD				9
80		TD				10
80		TD				100
80		TD				110
80		TD				120
80		TD				130
80		TD				140
80		TD				150
80		TD				160
80		TD				170
80		TD				180
80		TD				190
80		TD				20
80		TD				200
80		TD				210
80		TD				220
80		TD				230
80		TD				240
80		TD				250
80		TD				260
80		TD				270
80		TD				280
80		TD				290
80		TD				30
80		TD				300
80		TD				310
80		TD				320
80		TD				330
80		TD				340
80		TD				350
80		TD				360
80		TD				370
80		TD				380
80		TD				390
80		TD				40
80		TD				400
80		TD				410
80		TD				420
80		TD				430
80		TD				440
80		TD				450
80		TD				460
80		TD				470
80		TD				480
80		TD				490
80		TD				5

EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV1	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32

05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 10:26:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052

1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	21.6			ug/mL
Carbazole	86-74-8	FALSE	FALSE	21.3			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	22.3			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	21.5			ug/mL
Pyrene	129-00-0	FALSE	FALSE	21.7			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	21.8			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	19.9			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	18.7			ug/mL
Chrysene	218-01-9	FALSE	FALSE	19.6			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	22.3			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	21.6			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	20.0			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	20.3			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	19.5			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	19.8			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	20.6			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	20.4			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	20.7			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	21.6			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	20.8			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	5.30			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	20.6			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	20.4			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	20.8			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	21.0			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	20.7			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	21.3			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	20.8			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	20.8			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	20.8			ug/mL
Phenol	108-95-2	FALSE	FALSE	20.8			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	20.7			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	21.2			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	21.9			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	21.6			ug/mL
Isophorone	78-59-1	FALSE	FALSE	21.4			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	21.5			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	20.3			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	21.1			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	21.0			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	21.5			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	21.0			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	21.3			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	20.3			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	22.1			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	20.4			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	21.2			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	22.6			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	20.4			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	20.7			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	21.6			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	20.4			ug/mL

TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	111		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	109		120
TRUE	NA	1			20.0	109		120
TRUE	NA	1			20.0	99		120
TRUE	NA	1			20.0	94		120
TRUE	NA	1			20.0	98		120
TRUE	NA	1			20.0	111		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	102		120
TRUE	NA	1			20.0	97		120
TRUE	NA	1			20.0	99		120
TRUE	NA	1			20.0	103		120
TRUE	NA	1			20.0	102		120
TRUE	NA	1			20.0	103		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			5.00	106		200
TRUE	NA	1			20.0	103		200
TRUE	NA	1			20.0	102		200
TRUE	NA	1			20.0	104		200
TRUE	NA	1			20.0	105		200
TRUE	NA	1			20.0	104		200
TRUE	NA	1			20.0	107		200
TRUE	NA	1			20.0	104		200
TRUE	NA	1			20.0	104		200
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	103		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	109		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	102		120
TRUE	NA	1			20.0	111		120
TRUE	NA	1			20.0	102		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	113		120
TRUE	NA	1			20.0	102		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	102		120

80		TD				50
80		TD				500
80		TD				510
80		TD				520
80		TD				530
80		TD				540
80		TD				550
80		TD				560
80		TD				570
80		TD				580
80		TD				590
80		TD				60
80		TD				600
80		TD				610
80		TD				620
80		TD				630
80		TD				640
80		TD				650
80		TD				70
80		TD				80
0		TD				810
0		TD				820
0		TD				830
0		TD				840
0		TD				850
0		TD				860
0		TD				870
0		TD				880
0		TD				890
80		TD				90
80		TD				10
80		TD				100
80		TD				110
80		TD				120
80		TD				130
80		TD				140
80		TD				150
80		TD				160
80		TD				170
80		TD				180
80		TD				190
80		TD				20
80		TD				200
80		TD				210
80		TD				220
80		TD				230
80		TD				240
80		TD				250
80		TD				260
80		TD				270
80		TD				280
80		TD				290

EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32

05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052

2-Chlorophenol	95-57-8	FALSE	FALSE	20.7			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	21.1			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	21.7			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	21.5			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	20.0			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	21.3			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	15.1			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	19.3			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	21.2			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	22.5			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	21.5			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	21.6			ug/mL
Fluorene	86-73-7	FALSE	FALSE	21.0			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	21.3			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	20.0			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	21.6			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	21.0			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	21.3			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	21.5			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	14.9			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	20.8			ug/mL
Anthracene	120-12-7	FALSE	FALSE	21.6			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	20.7			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	21.5			ug/mL
Carbazole	86-74-8	FALSE	FALSE	21.2			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	21.8			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	21.2			ug/mL
Pyrene	129-00-0	FALSE	FALSE	21.6			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	21.8			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	20.0			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	19.3			ug/mL
Chrysene	218-01-9	FALSE	FALSE	20.0			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	21.9			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	21.1			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	20.2			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	20.2			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	19.6			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	19.8			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	20.2			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	20.0			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	20.0			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	21.6			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	20.8			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	5.15			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	20.6			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	20.4			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	20.8			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	20.9			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	20.8			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	21.4			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	20.6			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	20.9			ug/mL

TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	75		120
TRUE	NA	1			20.0	97		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	113		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	74		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	109		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	109		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	96		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	109		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	98		120
TRUE	NA	1			20.0	99		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			5.00	103		200
TRUE	NA	1			20.0	103		200
TRUE	NA	1			20.0	102		200
TRUE	NA	1			20.0	104		200
TRUE	NA	1			20.0	104		200
TRUE	NA	1			20.0	104		200
TRUE	NA	1			20.0	107		200
TRUE	NA	1			20.0	103		200
TRUE	NA	1			20.0	104		200

80		TD				30
80		TD				300
80		TD				310
80		TD				320
80		TD				330
80		TD				340
80		TD				350
80		TD				360
80		TD				370
80		TD				380
80		TD				390
80		TD				40
80		TD				400
80		TD				410
80		TD				420
80		TD				430
80		TD				440
80		TD				450
80		TD				460
80		TD				470
80		TD				480
80		TD				490
80		TD				5
80		TD				50
80		TD				500
80		TD				510
80		TD				520
80		TD				530
80		TD				540
80		TD				550
80		TD				560
80		TD				570
80		TD				580
80		TD				590
80		TD				60
80		TD				600
80		TD				610
80		TD				620
80		TD				630
80		TD				640
80		TD				650
80		TD				70
80		TD				80
0		TD				810
0		TD				820
0		TD				830
0		TD				840
0		TD				850
0		TD				860
0		TD				870
0		TD				880
0		TD				890

EPA Region 9 Laboratory	S17E068-CCV2	Calibration Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32

05/11/2017 11:07:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052

Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	20.6			ug/mL
Phenol	108-95-2	FALSE	FALSE	5.09			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	5.16			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	5.24			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	5.33			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	5.31			ug/mL
Isophorone	78-59-1	FALSE	FALSE	5.09			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	4.91			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	5.05			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	5.23			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	4.89			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	5.34			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	5.33			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	5.43			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	4.84			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	5.40			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	4.74			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	5.44			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	4.11			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	3.98			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	4.26			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	5.26			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	4.37			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	5.18			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	5.04			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	5.26			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	5.04			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	4.35			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	5.12			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	1.43			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	2.85			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	5.26			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	5.03			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	5.24			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	5.45			ug/mL
Fluorene	86-73-7	FALSE	FALSE	5.32			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	5.18			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	4.37			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	3.94			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	5.19			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	5.10			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	5.09			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	1.76			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	5.28			ug/mL
Anthracene	120-12-7	FALSE	FALSE	5.44			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	5.41			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	5.47			ug/mL
Carbazole	86-74-8	FALSE	FALSE	5.30			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	5.43			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	5.50			ug/mL
Pyrene	129-00-0	FALSE	FALSE	5.31			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	4.88			ug/mL

TRUE	NA	1			20.0	103		120
TRUE	NA	1			5.00	102		140
TRUE	NA	1			5.00	103		140
TRUE	NA	1			5.00	105		140
TRUE	NA	1			5.00	107		140
TRUE	NA	1			5.00	106		140
TRUE	NA	1			5.00	102		140
TRUE	NA	1			5.00	98		140
TRUE	NA	1			5.00	101		140
TRUE	NA	1			5.00	105		140
TRUE	NA	1			5.00	98		140
TRUE	NA	1			5.00	107		140
TRUE	NA	1			5.00	107		140
TRUE	NA	1			5.00	109		140
TRUE	NA	1			5.00	97		140
TRUE	NA	1			5.00	108		140
TRUE	NA	1			5.00	95		140
TRUE	NA	1			5.00	109		140
TRUE	NA	1			5.00	82		140
TRUE	NA	1			5.00	80		140
TRUE	NA	1			5.00	85		140
TRUE	NA	1			5.00	105		140
TRUE	NA	1			5.00	87		140
TRUE	NA	1			5.00	104		140
TRUE	NA	1			5.00	101		140
TRUE	NA	1			5.00	105		140
TRUE	NA	1			5.00	101		140
TRUE	NA	1			5.00	87		140
TRUE	NA	1			5.00	102		140
TRUE	NA	1			5.00	29		140
TRUE	NA	1			5.00	57		140
TRUE	NA	1			5.00	105		140
TRUE	NA	1			5.00	101		140
TRUE	NA	1			5.00	105		140
TRUE	NA	1			5.00	109		140
TRUE	NA	1			5.00	106		140
TRUE	NA	1			5.00	104		140
TRUE	NA	1			5.00	87		140
TRUE	NA	1			5.00	79		140
TRUE	NA	1			5.00	104		140
TRUE	NA	1			5.00	102		140
TRUE	NA	1			5.00	102		140
TRUE	NA	1			5.00	35		140
TRUE	NA	1			5.00	106		140
TRUE	NA	1			5.00	109		140
TRUE	NA	1			5.00	108		140
TRUE	NA	1			5.00	109		140
TRUE	NA	1			5.00	106		140
TRUE	NA	1			5.00	109		140
TRUE	NA	1			5.00	110		140
TRUE	NA	1			5.00	106		140
TRUE	NA	1			5.00	98		140

80		TD				90
60		TD				10
60		TD				100
60		TD				110
60		TD				120
60		TD				130
60		TD				140
60		TD				150
60		TD				160
60		TD				170
60		TD				180
60		TD				190
60		TD				20
60		TD				200
60		TD				210
60		TD				220
60		TD				230
60		TD				240
60		TD				250
60		TD				260
60		TD				270
60		TD				280
60		TD				290
60		TD				30
60		TD				300
60		TD				310
60		TD				320
60		TD				330
60		TD				340
60		TD				350
60		TD				360
60		TD				370
60		TD				380
60		TD				390
60		TD				40
60		TD				400
60		TD				410
60		TD				420
60		TD				430
60		TD				440
60		TD				450
60		TD				460
60		TD				470
60		TD				480
60		TD				490
60		TD				5
60		TD				50
60		TD				500
60		TD				510
60		TD				520
60		TD				530
60		TD				540

EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL1	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32

05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 11:41:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052

Benzo(a)anthracene	56-55-3	FALSE	FALSE	4.91			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	4.76			ug/mL
Chrysene	218-01-9	FALSE	FALSE	4.88			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	5.15			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	5.05			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	4.47			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	4.79			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	4.79			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	4.67			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	4.51			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	4.40			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	4.68			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	5.59			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	5.16			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	4.56			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	4.80			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	4.96			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	5.13			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	5.35			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	4.91			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	5.37			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	4.30			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	5.05			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	5.32			ug/mL
Phenol	108-95-2	FALSE	FALSE	0.790			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	0.760			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	0.730			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	0.810			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	0.800			ug/mL
Isophorone	78-59-1	FALSE	FALSE	0.700			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	0.570			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	0.710			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	0.830			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	0.630			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	0.890			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	0.910			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	0.930			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	0.730			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	0.870			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	0.620			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	0.890			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	0.00			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	0.00			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	0.00			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	0.870			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	0.00			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	0.820			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	0.800			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	0.830			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	0.660			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	0.410			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	0.880			ug/mL

TRUE	NA	1			5.00	98		140
TRUE	NA	1			5.00	95		140
TRUE	NA	1			5.00	98		140
TRUE	NA	1			5.00	103		140
TRUE	NA	1			5.00	101		140
TRUE	NA	1			5.00	89		140
TRUE	NA	1			5.00	96		140
TRUE	NA	1			5.00	96		140
TRUE	NA	1			5.00	93		140
TRUE	NA	1			5.00	90		140
TRUE	NA	1			5.00	88		140
TRUE	NA	1			5.00	94		140
TRUE	NA	1			5.00	112		140
TRUE	NA	1			5.00	103		140
TRUE	NA	1			5.00	91		200
TRUE	NA	1			5.00	96		200
TRUE	NA	1			5.00	99		200
TRUE	NA	1			5.00	103		200
TRUE	NA	1			5.00	107		200
TRUE	NA	1			5.00	98		200
TRUE	NA	1			5.00	107		200
TRUE	NA	1			5.00	86		200
TRUE	NA	1			5.00	101		200
TRUE	NA	1			5.00	106		140
TRUE	NA	1			1.00	79		140
TRUE	NA	1			1.00	76		140
TRUE	NA	1			1.00	73		140
TRUE	NA	1			1.00	81		140
TRUE	NA	1			1.00	80		140
TRUE	NA	1			1.00	70		140
TRUE	NA	1			1.00	57		140
TRUE	NA	1			1.00	71		140
TRUE	NA	1			1.00	83		140
TRUE	NA	1			1.00	63		140
TRUE	NA	1			1.00	89		140
TRUE	NA	1			1.00	91		140
TRUE	NA	1			1.00	93		140
TRUE	NA	1			1.00	73		140
TRUE	NA	1			1.00	87		140
TRUE	NA	1			1.00	62		140
TRUE	NA	1			1.00	89		140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00	87		140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00	82		140
TRUE	NA	1			1.00	80		140
TRUE	NA	1			1.00	83		140
TRUE	NA	1			1.00	66		140
TRUE	NA	1			1.00	41		140
TRUE	NA	1			1.00	88		140

60		TD				550
60		TD				560
60		TD				570
60		TD				580
60		TD				590
60		TD				60
60		TD				600
60		TD				610
60		TD				620
60		TD				630
60		TD				640
60		TD				650
60		TD				70
60		TD				80
0		TD				810
0		TD				820
0		TD				830
0		TD				840
0		TD				850
0		TD				860
0		TD				870
0		TD				880
0		TD				890
60		TD				90
60		TD				10
60		TD				100
60		TD				110
60		TD				120
60		TD				130
60		TD				140
60		TD				150
60		TD				160
60		TD				170
60		TD				180
60		TD				190
60		TD				20
60		TD				200
60		TD				210
60		TD				220
60		TD				230
60		TD				240
60		TD			U	250
60		TD			U	260
60		TD			U	270
60		TD				280
60		TD			U	290
60		TD				30
60		TD				300
60		TD				310
60		TD				320
60		TD				330
60		TD				340

EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-CRL2	Instrument RL Check	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32

05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 12:14:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052

2,4-Dinitrophenol	51-28-5	FALSE	FALSE	0.00			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	0.00			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	0.890			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	0.470			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	0.760			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	0.920			ug/mL
Fluorene	86-73-7	FALSE	FALSE	0.890			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	0.840			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	0.00			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	0.00			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	0.790			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	0.780			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	0.810			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	0.00			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	0.900			ug/mL
Anthracene	120-12-7	FALSE	FALSE	0.810			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	0.900			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	0.930			ug/mL
Carbazole	86-74-8	FALSE	FALSE	0.790			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	0.650			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	0.830			ug/mL
Pyrene	129-00-0	FALSE	FALSE	0.900			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	0.500			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	0.820			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	0.570			ug/mL
Chrysene	218-01-9	FALSE	FALSE	0.830			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	0.510			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	0.480			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	0.570			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	0.760			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	0.720			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	0.690			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	0.690			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	0.650			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	0.760			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	0.950			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	0.840			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	5.34			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	0.740			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	0.760			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	0.800			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	0.940			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	0.680			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	0.900			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	0.380			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	0.830			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	0.920			ug/mL
Phenol	108-95-2	FALSE	FALSE	ND	2.5	5.0	ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	ND	2.5	5.0	ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	ND	0.5	1.0	ug/mL

TRUE	NA	1			1.00			140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00	89		140
TRUE	NA	1			1.00	47		140
TRUE	NA	1			1.00	76		140
TRUE	NA	1			1.00	92		140
TRUE	NA	1			1.00	89		140
TRUE	NA	1			1.00	84		140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00	79		140
TRUE	NA	1			1.00	78		140
TRUE	NA	1			1.00	81		140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00	90		140
TRUE	NA	1			1.00	81		140
TRUE	NA	1			1.00	90		140
TRUE	NA	1			1.00	93		140
TRUE	NA	1			1.00	79		140
TRUE	NA	1			1.00	65		140
TRUE	NA	1			1.00	83		140
TRUE	NA	1			1.00	90		140
TRUE	NA	1			1.00	50		140
TRUE	NA	1			1.00	82		140
TRUE	NA	1			1.00	57		140
TRUE	NA	1			1.00	83		140
TRUE	NA	1			1.00	51		140
TRUE	NA	1			1.00	48		140
TRUE	NA	1			1.00	57		140
TRUE	NA	1			1.00	76		140
TRUE	NA	1			1.00	72		140
TRUE	NA	1			1.00	69		140
TRUE	NA	1			1.00	69		140
TRUE	NA	1			1.00	65		140
TRUE	NA	1			1.00	76		140
TRUE	NA	1			1.00	95		140
TRUE	NA	1			1.00	84		140
TRUE	NA	1			5.00	107		200
TRUE	NA	1			1.00	74		200
TRUE	NA	1			1.00	76		200
TRUE	NA	1			1.00	80		200
TRUE	NA	1			1.00	94		200
TRUE	NA	1			1.00	68		200
TRUE	NA	1			1.00	90		200
TRUE	NA	1			1.00	38		200
TRUE	NA	1			1.00	83		200
TRUE	NA	1			1.00	92		140
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						

60		TD			U	350
60		TD			U	360
60		TD				370
60		TD				380
60		TD				390
60		TD				40
60		TD				400
60		TD				410
60		TD			U	420
60		TD			U	430
60		TD				440
60		TD				450
60		TD				460
60		TD			U	470
60		TD				480
60		TD				490
60		TD				5
60		TD				50
60		TD				500
60		TD				510
60		TD				520
60		TD				530
60		TD				540
60		TD				550
60		TD				560
60		TD				570
60		TD				580
60		TD				590
60		TD				60
60		TD				600
60		TD				610
60		TD				620
60		TD				630
60		TD				640
60		TD				650
60		TD				70
60		TD				80
0		TD				810
0		TD				820
0		TD				830
0		TD				840
0		TD				850
0		TD				860
0		TD				870
0		TD				880
0		TD				890
60		TD				90
		TD			U	10
		TD			U	100
		TD			U	110
		TD			U	120
		TD			U	130

EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32

05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052

Isophorone	78-59-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	ND	2.5	5.0	ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	ND	2.5	5.0	ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	ND	2.5	5.0	ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	ND	0.5	1.0	ug/mL
Naphthalene	91-20-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	ND	2.5	5.0	ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	ND	2.5	5.0	ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	ND	0.5	1.0	ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	ND	2.5	5.0	ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	ND	2.5	5.0	ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	ND	2.5	5.0	ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	ND	2.5	5.0	ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	ND	2.5	5.0	ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	ND	0.5	1.0	ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	ND	2.5	5.0	ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	ND	0.5	1.0	ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	ND	10	20	ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	ND	2.5	5.0	ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	ND	0.5	1.0	ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Fluorene	86-73-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	ND	2.5	5.0	ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	ND	2.5	5.0	ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	ND	0.5	1.0	ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	ND	2.5	20	ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	ND	0.5	1.0	ug/mL
Anthracene	120-12-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
Carbazole	86-74-8	FALSE	FALSE	ND	0.5	1.0	ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	ND	0.5	1.0	ug/mL
Pyrene	129-00-0	FALSE	FALSE	ND	0.5	1.0	ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Chrysene	218-01-9	FALSE	FALSE	ND	0.5	1.0	ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	ND	0.5	1.0	ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	ND	2.5	5.0	ug/mL

TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						

		TD			U	140
		TD			U	150
		TD			U	160
		TD			U	170
		TD			U	180
		TD			U	190
		TD			U	20
		TD			U	200
		TD			U	210
		TD			U	220
		TD			U	230
		TD			U	240
		TD			U	250
		TD			U	260
		TD			U	270
		TD			U	280
		TD			U	290
		TD			U	30
		TD			U	300
		TD			U	310
		TD			U	320
		TD			U	330
		TD			U	340
		TD			U	350
		TD			U	360
		TD			U	370
		TD			U	380
		TD			U	390
		TD			U	40
		TD			U	400
		TD			U	410
		TD			U	420
		TD			U	430
		TD			U	440
		TD			U	450
		TD			U	460
		TD			U	470
		TD			U	480
		TD			U	490
		TD			U	5
		TD			U	50
		TD			U	500
		TD			U	510
		TD			U	520
		TD			U	530
		TD			U	540
		TD			U	550
		TD			U	560
		TD			U	570
		TD			U	580
		TD			U	590
		TD			U	60

EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-IBL1	Instrument Blank	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E068-TUN1	MS Tune	Water	05/11/2017 06:17:32
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01

05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 08:44:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/11/2017 09:51:00	S17E068	SVOCs	8270D	B17E052
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096

Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	ND	0.5	1.0	ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	ND	0.5	1.0	ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	ND	0.5	1.0	ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	ND	2.5	5.0	ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	0.00			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	0.00			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	0.00			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	0.00			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	20.0			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	0.00			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	0.00			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	0.00			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	0.00			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Mass 51		FALSE	FALSE	32800			ug/mL
Mass 441		FALSE	FALSE	14700			ug/mL
Mass 442		FALSE	FALSE	87700			ug/mL
Mass 443		FALSE	FALSE	19400			ug/mL
Mass 68		FALSE	FALSE	1500			ug/mL
Mass 70		FALSE	FALSE	600			ug/mL
Mass 127		FALSE	FALSE	37900			ug/mL
Mass 197		FALSE	FALSE	0			ug/mL
Mass 198		FALSE	FALSE	100000			ug/mL
Mass 199		FALSE	FALSE	6800			ug/mL
Mass 275		FALSE	FALSE	25900			ug/mL
Mass 365		FALSE	FALSE	3900			ug/mL
Phenol	108-95-2	FALSE	FALSE	105			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	103			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	27.6			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	112			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	105			ug/mL
Isophorone	78-59-1	FALSE	FALSE	83.2			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	113			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	113			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	106			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	117			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	117			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	94.2			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	106			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	103			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	124			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	110			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	111			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	132			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	116			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	112			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	112			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	107			ug/mL

TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						110
TRUE	NA	1						110
TRUE	NA	1						110
TRUE	NA	1						110
TRUE	NA	1						110
TRUE	NA	1						134
TRUE	NA	1						110
TRUE	NA	1						136
TRUE	NA	1						130
TRUE	NA	1						
TRUE	NA	1				37.5		80
TRUE	NA	1				14.7		24
TRUE	NA	1				100		150
TRUE	NA	1				19.4		24
TRUE	NA	1						2
TRUE	NA	1						2
TRUE	NA	1				37.9		80
TRUE	NA	1				0		2
TRUE	NA	1				114		150
TRUE	NA	1				6.84		9
TRUE	NA	1				25.9		60
TRUE	NA	1				3.87		100
TRUE	NA	1			100	105		
TRUE	NA	1			100	103		
TRUE	NA	1			100	28		
TRUE	NA	1			100	112		
TRUE	NA	1			100	105		
TRUE	NA	1			100	83		
TRUE	NA	1			100	113		
TRUE	NA	1			100	113		
TRUE	NA	1			100	106		
TRUE	NA	1			100	117		
TRUE	NA	1			100	117		
TRUE	NA	1			100	94		
TRUE	NA	1			100	106		
TRUE	NA	1			100	103		
TRUE	NA	1			100	124		
TRUE	NA	1			100	110		
TRUE	NA	1			100	111		
TRUE	NA	1			100	132		
TRUE	NA	1			100	116		
TRUE	NA	1			100	112		
TRUE	NA	1			100	112		
TRUE	NA	1			100	107		

		TD			U	600
		TD			U	610
		TD			U	620
		TD			U	630
		TD			U	640
		TD			U	650
		TD			U	70
		TD			U	80
46		TD			U	810
54		TD			U	820
54		TD			U	830
60		TD			U	840
38		TD				850
26		TD			U	860
57		TD			U	870
46		TD			U	880
47		TD			U	890
		TD			U	90
10		TD				1
0.01		TD				10
50		TD				11
15		TD				12
		TD				2
		TD				3
10		TD				4
		TD				5
50		TD				6
5		TD				7
10		TD				8
1		TD				9
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290

EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096

2-Chlorophenol	95-57-8	FALSE	FALSE	106			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	93.2			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	109			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	98.8			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	105			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	112			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	115			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	119			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	113			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	121			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	110			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	112			ug/mL
Fluorene	86-73-7	FALSE	FALSE	112			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	114			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	108			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	22.7			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	121			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	129			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	132			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	120			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	119			ug/mL
Anthracene	120-12-7	FALSE	FALSE	118			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	102			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	110			ug/mL
Carbazole	86-74-8	FALSE	FALSE	114			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	119			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	124			ug/mL
Pyrene	129-00-0	FALSE	FALSE	102			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	114			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	104			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	116			ug/mL
Chrysene	218-01-9	FALSE	FALSE	100			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	96.7			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	130			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	107			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	137			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	145			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	128			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	128			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	130			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	122			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	113			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	102			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	5.12			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	108			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	106			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	105			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	107			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	103			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	108			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	114			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	101			ug/mL

TRUE	NA	1			100	106		
TRUE	NA	1			100	93		
TRUE	NA	1			100	109		
TRUE	NA	1			100	99		
TRUE	NA	1			100	105		
TRUE	NA	1			100	112		
TRUE	NA	1			100	115		
TRUE	NA	1			100	119		
TRUE	NA	1			100	113		
TRUE	NA	1			100	121		
TRUE	NA	1			100	110		
TRUE	NA	1			100	112		
TRUE	NA	1			100	112		
TRUE	NA	1			100	114		
TRUE	NA	1			100	108		
TRUE	NA	1			100	23		
TRUE	NA	1			100	121		
TRUE	NA	1			100	129		
TRUE	NA	1			100	132		
TRUE	NA	1			100	120		
TRUE	NA	1			100	119		
TRUE	NA	1			100	118		
TRUE	NA	1			100	102		
TRUE	NA	1			100	110		
TRUE	NA	1			100	114		
TRUE	NA	1			100	119		
TRUE	NA	1			100	124		
TRUE	NA	1			100	102		
TRUE	NA	1			100	114		
TRUE	NA	1			100	104		
TRUE	NA	1			100	116		
TRUE	NA	1			100	100		
TRUE	NA	1			100	97		
TRUE	NA	1			100	130		
TRUE	NA	1			100	107		
TRUE	NA	1			100	137		
TRUE	NA	1			100	145		
TRUE	NA	1			100	128		
TRUE	NA	1			100	128		
TRUE	NA	1			100	130		
TRUE	NA	1			100	122		
TRUE	NA	1			100	113		
TRUE	NA	1			100	102		
TRUE	NA	1			5.00	102		
TRUE	NA	1			100	108		
TRUE	NA	1			100	106		
TRUE	NA	1			100	105		
TRUE	NA	1			100	107		
TRUE	NA	1			100	103		
TRUE	NA	1			100	108		
TRUE	NA	1			100	114		
TRUE	NA	1			100	101		

		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				810
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890

EPA Region 9 Laboratory	S17E104-CAL1	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 10:54:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096

Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	98.3			ug/mL
Phenol	108-95-2	FALSE	FALSE	80.8			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	82.0			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	81.6			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	85.3			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	84.5			ug/mL
Isophorone	78-59-1	FALSE	FALSE	68.4			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	88.5			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	87.5			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	84.1			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	87.4			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	89.9			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	77.4			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	85.1			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	83.6			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	95.4			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	86.1			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	87.5			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	92.1			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	93.7			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	94.8			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	92.9			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	84.0			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	82.5			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	75.1			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	89.5			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	89.4			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	82.7			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	89.6			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	85.4			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	97.2			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	87.0			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	95.2			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	86.0			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	87.9			ug/mL
Fluorene	86-73-7	FALSE	FALSE	90.5			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	92.5			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	88.2			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	91.1			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	80.1			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	83.1			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	82.9			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	80.8			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	88.0			ug/mL
Anthracene	120-12-7	FALSE	FALSE	86.0			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	84.3			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	85.6			ug/mL
Carbazole	86-74-8	FALSE	FALSE	83.1			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	85.3			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	89.5			ug/mL
Pyrene	129-00-0	FALSE	FALSE	86.7			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	90.9			ug/mL

TRUE	NA	1			100	98		
TRUE	NA	1			80.0	101		
TRUE	NA	1			80.0	103		
TRUE	NA	1			80.0	102		
TRUE	NA	1			80.0	107		
TRUE	NA	1			80.0	106		
TRUE	NA	1			80.0	86		
TRUE	NA	1			80.0	111		
TRUE	NA	1			80.0	109		
TRUE	NA	1			80.0	105		
TRUE	NA	1			80.0	109		
TRUE	NA	1			80.0	112		
TRUE	NA	1			80.0	97		
TRUE	NA	1			80.0	106		
TRUE	NA	1			80.0	104		
TRUE	NA	1			80.0	119		
TRUE	NA	1			80.0	108		
TRUE	NA	1			80.0	109		
TRUE	NA	1			80.0	115		
TRUE	NA	1			80.0	117		
TRUE	NA	1			80.0	118		
TRUE	NA	1			80.0	116		
TRUE	NA	1			80.0	105		
TRUE	NA	1			80.0	103		
TRUE	NA	1			80.0	94		
TRUE	NA	1			80.0	112		
TRUE	NA	1			80.0	112		
TRUE	NA	1			80.0	103		
TRUE	NA	1			80.0	112		
TRUE	NA	1			80.0	107		
TRUE	NA	1			80.0	122		
TRUE	NA	1			80.0	109		
TRUE	NA	1			80.0	119		
TRUE	NA	1			80.0	108		
TRUE	NA	1			80.0	110		
TRUE	NA	1			80.0	113		
TRUE	NA	1			80.0	116		
TRUE	NA	1			80.0	110		
TRUE	NA	1			80.0	114		
TRUE	NA	1			80.0	100		
TRUE	NA	1			80.0	104		
TRUE	NA	1			80.0	104		
TRUE	NA	1			80.0	101		
TRUE	NA	1			80.0	110		
TRUE	NA	1			80.0	107		
TRUE	NA	1			80.0	105		
TRUE	NA	1			80.0	107		
TRUE	NA	1			80.0	104		
TRUE	NA	1			80.0	107		
TRUE	NA	1			80.0	112		
TRUE	NA	1			80.0	108		
TRUE	NA	1			80.0	114		

		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540

EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL2	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 11:28:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096

Benzo(a)anthracene	56-55-3	FALSE	FALSE	83.4			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	92.1			ug/mL
Chrysene	218-01-9	FALSE	FALSE	81.7			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	82.0			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	86.2			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	84.8			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	96.0			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	87.8			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	91.2			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	82.7			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	84.0			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	80.1			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	86.6			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	79.8			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	4.84			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	82.2			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	81.9			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	82.6			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	83.3			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	82.8			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	89.7			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	84.5			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	86.0			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	77.0			ug/mL
Phenol	108-95-2	FALSE	FALSE	63.4			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	63.6			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	65.2			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	65.2			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	60.4			ug/mL
Isophorone	78-59-1	FALSE	FALSE	64.3			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	61.7			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	61.2			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	61.2			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	60.4			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	63.3			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	62.7			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	60.8			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	57.5			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	65.8			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	62.3			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	62.0			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	60.7			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	57.5			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	56.8			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	63.6			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	56.5			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	63.9			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	58.9			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	63.2			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	67.9			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	61.7			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	63.5			ug/mL

TRUE	NA	1			80.0	104		
TRUE	NA	1			80.0	115		
TRUE	NA	1			80.0	102		
TRUE	NA	1			80.0	103		
TRUE	NA	1			80.0	108		
TRUE	NA	1			80.0	106		
TRUE	NA	1			80.0	120		
TRUE	NA	1			80.0	110		
TRUE	NA	1			80.0	114		
TRUE	NA	1			80.0	103		
TRUE	NA	1			80.0	105		
TRUE	NA	1			80.0	100		
TRUE	NA	1			80.0	108		
TRUE	NA	1			80.0	100		
TRUE	NA	1			5.00	97		
TRUE	NA	1			80.0	103		
TRUE	NA	1			80.0	102		
TRUE	NA	1			80.0	103		
TRUE	NA	1			80.0	104		
TRUE	NA	1			80.0	104		
TRUE	NA	1			80.0	112		
TRUE	NA	1			80.0	106		
TRUE	NA	1			80.0	108		
TRUE	NA	1			80.0	96		
TRUE	NA	1			60.0	106		
TRUE	NA	1			60.0	106		
TRUE	NA	1			60.0	109		
TRUE	NA	1			60.0	109		
TRUE	NA	1			60.0	101		
TRUE	NA	1			60.0	107		
TRUE	NA	1			60.0	103		
TRUE	NA	1			60.0	102		
TRUE	NA	1			60.0	102		
TRUE	NA	1			60.0	101		
TRUE	NA	1			60.0	105		
TRUE	NA	1			60.0	105		
TRUE	NA	1			60.0	101		
TRUE	NA	1			60.0	96		
TRUE	NA	1			60.0	110		
TRUE	NA	1			60.0	104		
TRUE	NA	1			60.0	103		
TRUE	NA	1			60.0	101		
TRUE	NA	1			60.0	96		
TRUE	NA	1			60.0	95		
TRUE	NA	1			60.0	106		
TRUE	NA	1			60.0	94		
TRUE	NA	1			60.0	107		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	105		
TRUE	NA	1			60.0	113		
TRUE	NA	1			60.0	103		
TRUE	NA	1			60.0	106		

		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				810
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340

EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL3	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:02:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096

2,4-Dinitrophenol	51-28-5	FALSE	FALSE	63.4			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	59.3			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	64.5			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	67.9			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	62.7			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	64.4			ug/mL
Fluorene	86-73-7	FALSE	FALSE	64.3			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	65.9			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	60.7			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	67.6			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	63.8			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	70.1			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	69.0			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	61.1			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	63.4			ug/mL
Anthracene	120-12-7	FALSE	FALSE	64.0			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	60.1			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	64.5			ug/mL
Carbazole	86-74-8	FALSE	FALSE	59.6			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	60.4			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	62.2			ug/mL
Pyrene	129-00-0	FALSE	FALSE	65.2			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	70.9			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	60.8			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	70.5			ug/mL
Chrysene	218-01-9	FALSE	FALSE	62.0			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	70.0			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	73.6			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	65.8			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	71.2			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	69.4			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	70.3			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	63.7			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	66.4			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	57.7			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	65.3			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	62.0			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	5.16			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	62.5			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	65.2			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	63.4			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	64.5			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	59.4			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	59.0			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	68.2			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	65.5			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	58.1			ug/mL
Phenol	108-95-2	FALSE	FALSE	41.5			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	40.8			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	44.0			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	43.6			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	44.7			ug/mL

TRUE	NA	1			60.0	106		
TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	108		
TRUE	NA	1			60.0	113		
TRUE	NA	1			60.0	104		
TRUE	NA	1			60.0	107		
TRUE	NA	1			60.0	107		
TRUE	NA	1			60.0	110		
TRUE	NA	1			60.0	101		
TRUE	NA	1			60.0	113		
TRUE	NA	1			60.0	106		
TRUE	NA	1			60.0	117		
TRUE	NA	1			60.0	115		
TRUE	NA	1			60.0	102		
TRUE	NA	1			60.0	106		
TRUE	NA	1			60.0	107		
TRUE	NA	1			60.0	100		
TRUE	NA	1			60.0	107		
TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	101		
TRUE	NA	1			60.0	104		
TRUE	NA	1			60.0	109		
TRUE	NA	1			60.0	118		
TRUE	NA	1			60.0	101		
TRUE	NA	1			60.0	117		
TRUE	NA	1			60.0	103		
TRUE	NA	1			60.0	117		
TRUE	NA	1			60.0	123		
TRUE	NA	1			60.0	110		
TRUE	NA	1			60.0	119		
TRUE	NA	1			60.0	116		
TRUE	NA	1			60.0	117		
TRUE	NA	1			60.0	106		
TRUE	NA	1			60.0	111		
TRUE	NA	1			60.0	96		
TRUE	NA	1			60.0	109		
TRUE	NA	1			60.0	103		
TRUE	NA	1			5.00	103		
TRUE	NA	1			60.0	104		
TRUE	NA	1			60.0	109		
TRUE	NA	1			60.0	106		
TRUE	NA	1			60.0	108		
TRUE	NA	1			60.0	99		
TRUE	NA	1			60.0	98		
TRUE	NA	1			60.0	114		
TRUE	NA	1			60.0	109		
TRUE	NA	1			60.0	97		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	102		
TRUE	NA	1			40.0	110		
TRUE	NA	1			40.0	109		
TRUE	NA	1			40.0	112		

		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				810
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130

EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096

Isophorone	78-59-1	FALSE	FALSE	46.2			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	41.7			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	41.6			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	42.9			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	41.6			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	42.2			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	42.8			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	42.3			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	40.3			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	43.2			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	42.2			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	43.0			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	42.5			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	40.8			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	40.5			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	44.3			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	46.3			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	40.1			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	45.4			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	43.0			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	42.9			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	42.0			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	44.6			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	37.0			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	47.6			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	41.8			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	42.4			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	42.8			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	41.9			ug/mL
Fluorene	86-73-7	FALSE	FALSE	43.5			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	41.8			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	42.7			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	39.8			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	43.6			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	42.2			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	42.2			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	35.4			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	43.2			ug/mL
Anthracene	120-12-7	FALSE	FALSE	44.8			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	41.0			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	40.9			ug/mL
Carbazole	86-74-8	FALSE	FALSE	43.2			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	47.4			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	45.3			ug/mL
Pyrene	129-00-0	FALSE	FALSE	36.9			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	41.1			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	41.2			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	39.4			ug/mL
Chrysene	218-01-9	FALSE	FALSE	40.8			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	42.8			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	42.0			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	41.0			ug/mL

TRUE	NA	1			40.0	116		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	107		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	105		
TRUE	NA	1			40.0	107		
TRUE	NA	1			40.0	106		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	108		
TRUE	NA	1			40.0	106		
TRUE	NA	1			40.0	107		
TRUE	NA	1			40.0	106		
TRUE	NA	1			40.0	102		
TRUE	NA	1			40.0	101		
TRUE	NA	1			40.0	111		
TRUE	NA	1			40.0	116		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	114		
TRUE	NA	1			40.0	107		
TRUE	NA	1			40.0	107		
TRUE	NA	1			40.0	105		
TRUE	NA	1			40.0	111		
TRUE	NA	1			40.0	92		
TRUE	NA	1			40.0	119		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	106		
TRUE	NA	1			40.0	107		
TRUE	NA	1			40.0	105		
TRUE	NA	1			40.0	109		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	107		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	109		
TRUE	NA	1			40.0	105		
TRUE	NA	1			40.0	106		
TRUE	NA	1			40.0	89		
TRUE	NA	1			40.0	108		
TRUE	NA	1			40.0	112		
TRUE	NA	1			40.0	103		
TRUE	NA	1			40.0	102		
TRUE	NA	1			40.0	108		
TRUE	NA	1			40.0	118		
TRUE	NA	1			40.0	113		
TRUE	NA	1			40.0	92		
TRUE	NA	1			40.0	103		
TRUE	NA	1			40.0	103		
TRUE	NA	1			40.0	98		
TRUE	NA	1			40.0	102		
TRUE	NA	1			40.0	107		
TRUE	NA	1			40.0	105		
TRUE	NA	1			40.0	102		

		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60

EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL4	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 12:36:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096

Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	41.8			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	42.2			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	41.8			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	38.9			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	39.0			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	38.5			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	41.4			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	40.6			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	5.20			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	42.1			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	41.7			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	40.0			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	40.0			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	43.2			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	42.4			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	39.1			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	35.7			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	44.2			ug/mL
Phenol	108-95-2	FALSE	FALSE	19.5			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	19.2			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	20.5			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	20.2			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	20.8			ug/mL
Isophorone	78-59-1	FALSE	FALSE	22.0			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	19.3			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	18.9			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	20.6			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	20.1			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	20.5			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	21.0			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	21.3			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	20.9			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	22.0			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	20.3			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	21.6			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	20.9			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	20.6			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	21.0			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	21.2			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	18.5			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	20.3			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	22.8			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	21.0			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	22.4			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	21.1			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	20.9			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	16.0			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	19.4			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	21.0			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	22.6			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	21.0			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	19.5			ug/mL

TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	106		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	97		
TRUE	NA	1			40.0	98		
TRUE	NA	1			40.0	96		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	101		
TRUE	NA	1			5.00	104		
TRUE	NA	1			40.0	105		
TRUE	NA	1			40.0	104		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	100		
TRUE	NA	1			40.0	108		
TRUE	NA	1			40.0	106		
TRUE	NA	1			40.0	98		
TRUE	NA	1			40.0	89		
TRUE	NA	1			40.0	110		
TRUE	NA	1			20.0	98		
TRUE	NA	1			20.0	96		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	101		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	110		
TRUE	NA	1			20.0	97		
TRUE	NA	1			20.0	95		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	100		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	110		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	108		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	93		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	114		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	112		
TRUE	NA	1			20.0	106		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	80		
TRUE	NA	1			20.0	97		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	113		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	97		

		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				810
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40

EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL5	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:10:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096

Fluorene	86-73-7	FALSE	FALSE	20.6			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	20.6			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	20.3			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	21.8			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	22.3			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	22.5			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	22.1			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	17.7			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	21.1			ug/mL
Anthracene	120-12-7	FALSE	FALSE	20.0			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	20.4			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	20.7			ug/mL
Carbazole	86-74-8	FALSE	FALSE	22.2			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	22.5			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	20.7			ug/mL
Pyrene	129-00-0	FALSE	FALSE	20.6			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	22.7			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	20.6			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	17.9			ug/mL
Chrysene	218-01-9	FALSE	FALSE	20.6			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	23.2			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	22.5			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	19.9			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	20.2			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	20.3			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	20.8			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	20.5			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	20.4			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	20.5			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	20.7			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	20.3			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	4.89			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	21.0			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	19.2			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	20.4			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	20.0			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	20.2			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	20.8			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	19.7			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	19.4			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	19.6			ug/mL
Phenol	108-95-2	FALSE	FALSE	9.84			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	10.0			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	10.6			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	10.4			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	10.1			ug/mL
Isophorone	78-59-1	FALSE	FALSE	10.5			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	9.61			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	9.65			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	10.3			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	9.75			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	10.2			ug/mL

TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	109		
TRUE	NA	1			20.0	112		
TRUE	NA	1			20.0	112		
TRUE	NA	1			20.0	111		
TRUE	NA	1			20.0	88		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	100		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	111		
TRUE	NA	1			20.0	112		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	114		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	89		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	116		
TRUE	NA	1			20.0	112		
TRUE	NA	1			20.0	100		
TRUE	NA	1			20.0	101		
TRUE	NA	1			20.0	101		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	103		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	101		
TRUE	NA	1			5.00	98		
TRUE	NA	1			20.0	105		
TRUE	NA	1			20.0	96		
TRUE	NA	1			20.0	102		
TRUE	NA	1			20.0	100		
TRUE	NA	1			20.0	101		
TRUE	NA	1			20.0	104		
TRUE	NA	1			20.0	98		
TRUE	NA	1			20.0	97		
TRUE	NA	1			20.0	98		
TRUE	NA	1			10.0	98		
TRUE	NA	1			10.0	100		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	104		
TRUE	NA	1			10.0	101		
TRUE	NA	1			10.0	105		
TRUE	NA	1			10.0	96		
TRUE	NA	1			10.0	96		
TRUE	NA	1			10.0	103		
TRUE	NA	1			10.0	98		
TRUE	NA	1			10.0	102		

		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				810
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190

EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096

Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	10.4			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	9.75			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	10.0			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	9.03			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	9.39			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	10.2			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	7.71			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	8.59			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	9.43			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	8.86			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	9.55			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	9.55			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	10.5			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	10.1			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	10.2			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	9.57			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	10.1			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	5.76			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	8.45			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	10.3			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	10.8			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	10.2			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	10.0			ug/mL
Fluorene	86-73-7	FALSE	FALSE	9.73			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	9.77			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	9.12			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	9.08			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	10.3			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	10.0			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	10.0			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	7.30			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	9.92			ug/mL
Anthracene	120-12-7	FALSE	FALSE	10.4			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	10.7			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	9.94			ug/mL
Carbazole	86-74-8	FALSE	FALSE	10.6			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	10.5			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	10.4			ug/mL
Pyrene	129-00-0	FALSE	FALSE	10.8			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	10.5			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	10.3			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	9.08			ug/mL
Chrysene	218-01-9	FALSE	FALSE	10.4			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	10.6			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	12.1			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	9.53			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	9.91			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	10.2			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	10.2			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	11.6			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	11.3			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	12.2			ug/mL

TRUE	NA	1			10.0	104		
TRUE	NA	1			10.0	98		
TRUE	NA	1			10.0	100		
TRUE	NA	1			10.0	90		
TRUE	NA	1			10.0	94		
TRUE	NA	1			10.0	102		
TRUE	NA	1			10.0	77		
TRUE	NA	1			10.0	86		
TRUE	NA	1			10.0	94		
TRUE	NA	1			10.0	89		
TRUE	NA	1			10.0	96		
TRUE	NA	1			10.0	96		
TRUE	NA	1			10.0	105		
TRUE	NA	1			10.0	101		
TRUE	NA	1			10.0	102		
TRUE	NA	1			10.0	96		
TRUE	NA	1			10.0	101		
TRUE	NA	1			10.0	58		
TRUE	NA	1			10.0	84		
TRUE	NA	1			10.0	103		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	102		
TRUE	NA	1			10.0	100		
TRUE	NA	1			10.0	97		
TRUE	NA	1			10.0	98		
TRUE	NA	1			10.0	91		
TRUE	NA	1			10.0	91		
TRUE	NA	1			10.0	103		
TRUE	NA	1			10.0	100		
TRUE	NA	1			10.0	100		
TRUE	NA	1			10.0	73		
TRUE	NA	1			10.0	99		
TRUE	NA	1			10.0	104		
TRUE	NA	1			10.0	107		
TRUE	NA	1			10.0	99		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	105		
TRUE	NA	1			10.0	104		
TRUE	NA	1			10.0	108		
TRUE	NA	1			10.0	105		
TRUE	NA	1			10.0	103		
TRUE	NA	1			10.0	91		
TRUE	NA	1			10.0	104		
TRUE	NA	1			10.0	106		
TRUE	NA	1			10.0	121		
TRUE	NA	1			10.0	95		
TRUE	NA	1			10.0	99		
TRUE	NA	1			10.0	102		
TRUE	NA	1			10.0	102		
TRUE	NA	1			10.0	116		
TRUE	NA	1			10.0	113		
TRUE	NA	1			10.0	122		

		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450
		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650

EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL6	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 13:43:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096

1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	9.91			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	9.84			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	4.84			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	9.80			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	9.78			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	9.57			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	9.53			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	9.64			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	8.56			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	9.26			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	10.2			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	10.7			ug/mL
Phenol	108-95-2	FALSE	FALSE	4.68			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	4.67			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	4.78			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	4.73			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	4.83			ug/mL
Isophorone	78-59-1	FALSE	FALSE	5.07			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	4.49			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	4.66			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	4.93			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	4.41			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	4.76			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	4.96			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	5.01			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	4.69			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	4.30			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	4.37			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	4.67			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	4.79			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	4.81			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	4.31			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	4.79			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	4.85			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	4.66			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	4.94			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	4.82			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	4.63			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	4.38			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	4.65			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	1.79			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	3.95			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	4.76			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	4.52			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	5.24			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	4.96			ug/mL
Fluorene	86-73-7	FALSE	FALSE	5.12			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	5.23			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	4.45			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	3.70			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	4.98			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	4.86			ug/mL

TRUE	NA	1			10.0	99		
TRUE	NA	1			10.0	98		
TRUE	NA	1			5.00	97		
TRUE	NA	1			10.0	98		
TRUE	NA	1			10.0	98		
TRUE	NA	1			10.0	96		
TRUE	NA	1			10.0	95		
TRUE	NA	1			10.0	96		
TRUE	NA	1			10.0	86		
TRUE	NA	1			10.0	93		
TRUE	NA	1			10.0	102		
TRUE	NA	1			10.0	107		
TRUE	NA	1			5.00	94		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	96		
TRUE	NA	1			5.00	95		
TRUE	NA	1			5.00	97		
TRUE	NA	1			5.00	101		
TRUE	NA	1			5.00	90		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	99		
TRUE	NA	1			5.00	88		
TRUE	NA	1			5.00	95		
TRUE	NA	1			5.00	99		
TRUE	NA	1			5.00	100		
TRUE	NA	1			5.00	94		
TRUE	NA	1			5.00	86		
TRUE	NA	1			5.00	87		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	96		
TRUE	NA	1			5.00	96		
TRUE	NA	1			5.00	86		
TRUE	NA	1			5.00	96		
TRUE	NA	1			5.00	97		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	99		
TRUE	NA	1			5.00	96		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	88		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	36		
TRUE	NA	1			5.00	79		
TRUE	NA	1			5.00	95		
TRUE	NA	1			5.00	90		
TRUE	NA	1			5.00	105		
TRUE	NA	1			5.00	99		
TRUE	NA	1			5.00	102		
TRUE	NA	1			5.00	105		
TRUE	NA	1			5.00	89		
TRUE	NA	1			5.00	74		
TRUE	NA	1			5.00	100		
TRUE	NA	1			5.00	97		

		TD				70
		TD				80
		TD				810
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD				160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240
		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD				350
		TD				360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD				420
		TD				430
		TD				440
		TD				450

EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL7	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:17:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096

Hexachlorobenzene	118-74-1	FALSE	FALSE	4.80			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	3.00			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	4.78			ug/mL
Anthracene	120-12-7	FALSE	FALSE	4.94			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	4.94			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	4.92			ug/mL
Carbazole	86-74-8	FALSE	FALSE	5.00			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	4.85			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	4.84			ug/mL
Pyrene	129-00-0	FALSE	FALSE	5.06			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	4.66			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	4.96			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	4.44			ug/mL
Chrysene	218-01-9	FALSE	FALSE	5.05			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	4.80			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	4.21			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	4.35			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	4.33			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	4.64			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	4.52			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	4.43			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	4.31			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	4.19			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	4.88			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	4.78			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	4.67			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	4.23			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	4.54			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	4.67			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	4.66			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	4.60			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	4.70			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	4.60			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	4.74			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	4.83			ug/mL
Phenol	108-95-2	FALSE	FALSE	0.740			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	0.670			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	0.760			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	0.760			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	0.800			ug/mL
Isophorone	78-59-1	FALSE	FALSE	0.750			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	0.530			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	0.00			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	0.810			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	0.650			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	0.770			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	0.840			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	0.820			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	0.690			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	0.770			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	0.530			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	0.760			ug/mL

TRUE	NA	1			5.00	96		
TRUE	NA	1			5.00	60		
TRUE	NA	1			5.00	96		
TRUE	NA	1			5.00	99		
TRUE	NA	1			5.00	99		
TRUE	NA	1			5.00	98		
TRUE	NA	1			5.00	100		
TRUE	NA	1			5.00	97		
TRUE	NA	1			5.00	97		
TRUE	NA	1			5.00	101		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	99		
TRUE	NA	1			5.00	89		
TRUE	NA	1			5.00	101		
TRUE	NA	1			5.00	96		
TRUE	NA	1			5.00	84		
TRUE	NA	1			5.00	87		
TRUE	NA	1			5.00	87		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	90		
TRUE	NA	1			5.00	89		
TRUE	NA	1			5.00	86		
TRUE	NA	1			5.00	84		
TRUE	NA	1			5.00	98		
TRUE	NA	1			5.00	96		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	85		
TRUE	NA	1			5.00	91		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	93		
TRUE	NA	1			5.00	92		
TRUE	NA	1			5.00	94		
TRUE	NA	1			5.00	92		
TRUE	NA	1			5.00	95		
TRUE	NA	1			5.00	97		
TRUE	NA	1			1.00	74		
TRUE	NA	1			1.00	67		
TRUE	NA	1			1.00	76		
TRUE	NA	1			1.00	76		
TRUE	NA	1			1.00	80		
TRUE	NA	1			1.00	75		
TRUE	NA	1			1.00	53		
TRUE	NA	1			1.00			
TRUE	NA	1			1.00	81		
TRUE	NA	1			1.00	65		
TRUE	NA	1			1.00	77		
TRUE	NA	1			1.00	84		
TRUE	NA	1			1.00	82		
TRUE	NA	1			1.00	69		
TRUE	NA	1			1.00	77		
TRUE	NA	1			1.00	53		
TRUE	NA	1			1.00	76		

		TD				460
		TD				470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				810
		TD				820
		TD				830
		TD				840
		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
		TD				10
		TD				100
		TD				110
		TD				120
		TD				130
		TD				140
		TD				150
		TD			U	160
		TD				170
		TD				180
		TD				190
		TD				20
		TD				200
		TD				210
		TD				220
		TD				230
		TD				240

EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01

05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096

Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	0.490			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	0.500			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	0.520			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	0.770			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	0.480			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	0.710			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	0.760			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	0.730			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	0.620			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	0.470			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	0.720			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	0.00			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	0.00			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	0.760			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	0.500			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	0.690			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	0.810			ug/mL
Fluorene	86-73-7	FALSE	FALSE	0.680			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	0.650			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	0.00			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	0.00			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	0.710			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	0.640			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	0.690			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	0.00			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	0.760			ug/mL
Anthracene	120-12-7	FALSE	FALSE	0.710			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	0.830			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	0.820			ug/mL
Carbazole	86-74-8	FALSE	FALSE	0.720			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	0.600			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	0.670			ug/mL
Pyrene	129-00-0	FALSE	FALSE	0.780			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	0.540			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	0.860			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	0.490			ug/mL
Chrysene	218-01-9	FALSE	FALSE	0.850			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	0.560			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	0.470			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	0.520			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	0.700			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	0.730			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	0.680			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	0.870			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	0.850			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	0.990			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	0.790			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	0.670			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	5.39			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	0.710			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	0.730			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	0.680			ug/mL

TRUE	NA	1			1.00	49		
TRUE	NA	1			1.00	50		
TRUE	NA	1			1.00	52		
TRUE	NA	1			1.00	77		
TRUE	NA	1			1.00	48		
TRUE	NA	1			1.00	71		
TRUE	NA	1			1.00	76		
TRUE	NA	1			1.00	73		
TRUE	NA	1			1.00	62		
TRUE	NA	1			1.00	47		
TRUE	NA	1			1.00	72		
TRUE	NA	1			1.00			
TRUE	NA	1			1.00			
TRUE	NA	1			1.00	76		
TRUE	NA	1			1.00	50		
TRUE	NA	1			1.00	69		
TRUE	NA	1			1.00	81		
TRUE	NA	1			1.00	68		
TRUE	NA	1			1.00	65		
TRUE	NA	1			1.00			
TRUE	NA	1			1.00			
TRUE	NA	1			1.00	71		
TRUE	NA	1			1.00	64		
TRUE	NA	1			1.00	69		
TRUE	NA	1			1.00			
TRUE	NA	1			1.00	76		
TRUE	NA	1			1.00	71		
TRUE	NA	1			1.00	83		
TRUE	NA	1			1.00	82		
TRUE	NA	1			1.00	72		
TRUE	NA	1			1.00	60		
TRUE	NA	1			1.00	67		
TRUE	NA	1			1.00	78		
TRUE	NA	1			1.00	54		
TRUE	NA	1			1.00	86		
TRUE	NA	1			1.00	49		
TRUE	NA	1			1.00	85		
TRUE	NA	1			1.00	56		
TRUE	NA	1			1.00	47		
TRUE	NA	1			1.00	52		
TRUE	NA	1			1.00	70		
TRUE	NA	1			1.00	73		
TRUE	NA	1			1.00	68		
TRUE	NA	1			1.00	87		
TRUE	NA	1			1.00	85		
TRUE	NA	1			1.00	99		
TRUE	NA	1			1.00	79		
TRUE	NA	1			1.00	67		
TRUE	NA	1			5.00	108		
TRUE	NA	1			1.00	71		
TRUE	NA	1			1.00	73		
TRUE	NA	1			1.00	68		

		TD				250
		TD				260
		TD				270
		TD				280
		TD				290
		TD				30
		TD				300
		TD				310
		TD				320
		TD				330
		TD				340
		TD			U	350
		TD			U	360
		TD				370
		TD				380
		TD				390
		TD				40
		TD				400
		TD				410
		TD			U	420
		TD			U	430
		TD				440
		TD				450
		TD				460
		TD			U	470
		TD				480
		TD				490
		TD				5
		TD				50
		TD				500
		TD				510
		TD				520
		TD				530
		TD				540
		TD				550
		TD				560
		TD				570
		TD				580
		TD				590
		TD				60
		TD				600
		TD				610
		TD				620
		TD				630
		TD				640
		TD				650
		TD				70
		TD				80
		TD				810
		TD				820
		TD				830
		TD				840

EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-CAL8	Cal Standard	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01

05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 14:51:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096

1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	0.760			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	0.720			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	0.770			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	0.410			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	0.720			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	0.950			ug/mL
Phenol	108-95-2	FALSE	FALSE	20.8			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	23.3			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	19.0			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	20.8			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	19.1			ug/mL
Isophorone	78-59-1	FALSE	FALSE	20.0			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	19.8			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	20.5			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	19.0			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	20.8			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	19.6			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	20.3			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	19.4			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	20.3			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	19.9			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	19.4			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	20.1			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	14.7			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	18.9			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	20.7			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	19.5			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	19.5			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	19.6			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	21.2			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	17.3			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	19.0			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	20.1			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	19.8			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	17.0			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	20.6			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	20.3			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	20.4			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	19.9			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	20.8			ug/mL
Fluorene	86-73-7	FALSE	FALSE	19.6			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	19.2			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	19.8			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	22.7			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	18.3			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	18.3			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	18.4			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	16.7			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	19.1			ug/mL
Anthracene	120-12-7	FALSE	FALSE	20.2			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	20.3			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	19.8			ug/mL

TRUE	NA	1			1.00	76		
TRUE	NA	1			1.00	72		
TRUE	NA	1			1.00	77		
TRUE	NA	1			1.00	41		
TRUE	NA	1			1.00	72		
TRUE	NA	1			1.00	95		
TRUE	NA	1			20.0	104		130
TRUE	NA	1			20.0	117		130
TRUE	NA	1			20.0	95		130
TRUE	NA	1			20.0	104		130
TRUE	NA	1			20.0	96		130
TRUE	NA	1			20.0	100		130
TRUE	NA	1			20.0	99		130
TRUE	NA	1			20.0	103		130
TRUE	NA	1			20.0	95		130
TRUE	NA	1			20.0	104		130
TRUE	NA	1			20.0	98		130
TRUE	NA	1			20.0	101		130
TRUE	NA	1			20.0	97		130
TRUE	NA	1			20.0	102		130
TRUE	NA	1			20.0	100		130
TRUE	NA	1			20.0	97		130
TRUE	NA	1			20.0	100		130
TRUE	NA	1			20.0	73		130
TRUE	NA	1			20.0	95		130
TRUE	NA	1			20.0	104		130
TRUE	NA	1			20.0	98		130
TRUE	NA	1			20.0	97		130
TRUE	NA	1			20.0	98		130
TRUE	NA	1			20.0	106		130
TRUE	NA	1			20.0	86		130
TRUE	NA	1			20.0	95		130
TRUE	NA	1			20.0	101		130
TRUE	NA	1			20.0	99		130
TRUE	NA	1			20.0	85		130
TRUE	NA	1			20.0	103		130
TRUE	NA	1			20.0	101		130
TRUE	NA	1			20.0	102		130
TRUE	NA	1			20.0	100		130
TRUE	NA	1			20.0	104		130
TRUE	NA	1			20.0	98		130
TRUE	NA	1			20.0	96		130
TRUE	NA	1			20.0	99		130
TRUE	NA	1			20.0	113		130
TRUE	NA	1			20.0	91		130
TRUE	NA	1			20.0	91		130
TRUE	NA	1			20.0	92		130
TRUE	NA	1			20.0	83		130
TRUE	NA	1			20.0	96		130
TRUE	NA	1			20.0	101		130
TRUE	NA	1			20.0	102		130
TRUE	NA	1			20.0	99		130

		TD				850
		TD				860
		TD				870
		TD				880
		TD				890
		TD				90
70		TD				10
70		TD				100
70		TD				110
70		TD				120
70		TD				130
70		TD				140
70		TD				150
70		TD				160
70		TD				170
70		TD				180
70		TD				190
70		TD				20
70		TD				200
70		TD				210
70		TD				220
70		TD				230
70		TD				240
70		TD				250
70		TD				260
70		TD				270
70		TD				280
70		TD				290
70		TD				30
70		TD				300
70		TD				310
70		TD				320
70		TD				330
70		TD				340
70		TD				350
70		TD				360
70		TD				370
70		TD				380
70		TD				390
70		TD				40
70		TD				400
70		TD				410
70		TD				420
70		TD				430
70		TD				440
70		TD				450
70		TD				460
70		TD				470
70		TD				480
70		TD				490
70		TD				5
70		TD				50

EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-SCV1	Secondary Cal Check	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E104-TUN1	MS Tune	Water	05/31/2017 06:48:01
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59

05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 15:25:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/31/2017 10:20:00	S17E104	SVOCs	8270D	B17E096
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113

Carbazole	86-74-8	FALSE	FALSE	25.0			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	22.1			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	23.6			ug/mL
Pyrene	129-00-0	FALSE	FALSE	19.7			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	19.7			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	19.6			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	11.5			ug/mL
Chrysene	218-01-9	FALSE	FALSE	20.8			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	20.0			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	20.2			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	20.1			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	19.6			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	19.7			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	18.6			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	18.5			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	17.8			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	18.3			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	19.1			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	19.3			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	4.93			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	22.6			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	22.9			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	23.3			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	20.7			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	19.4			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	20.6			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	20.7			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	20.9			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	14.7			ug/mL
Mass 51		FALSE	FALSE	73700			ug/mL
Mass 441		FALSE	FALSE	15200			ug/mL
Mass 442		FALSE	FALSE	100000			ug/mL
Mass 443		FALSE	FALSE	19300			ug/mL
Mass 68		FALSE	FALSE	1500			ug/mL
Mass 70		FALSE	FALSE	500			ug/mL
Mass 127		FALSE	FALSE	62600			ug/mL
Mass 197		FALSE	FALSE	0			ug/mL
Mass 198		FALSE	FALSE	98100			ug/mL
Mass 199		FALSE	FALSE	6800			ug/mL
Mass 275		FALSE	FALSE	26400			ug/mL
Mass 365		FALSE	FALSE	4700			ug/mL
Aluminum	7429-90-5	FALSE	FALSE	0.00			ug/L
Chromium	7440-47-3	FALSE	FALSE	0.00			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.00			ug/L
Copper	7440-50-8	FALSE	FALSE	0.00			ug/L
Iron	7439-89-6	FALSE	FALSE	0.00			ug/L
Lead	7439-92-1	FALSE	FALSE	0.00			ug/L
Magnesium	7439-95-4	FALSE	FALSE	0.00			ug/L
Manganese	7439-96-5	FALSE	FALSE	0.00			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	0.00			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.00			ug/L
Potassium	7440-09-7	FALSE	FALSE	0.00			ug/L

TRUE	NA	1			20.0	125		130
TRUE	NA	1			20.0	110		130
TRUE	NA	1			20.0	118		130
TRUE	NA	1			20.0	99		130
TRUE	NA	1			20.0	98		130
TRUE	NA	1			20.0	98		130
TRUE	NA	1			20.0	57		130
TRUE	NA	1			20.0	104		130
TRUE	NA	1			20.0	100		130
TRUE	NA	1			20.0	101		130
TRUE	NA	1			20.0	100		130
TRUE	NA	1			20.0	98		130
TRUE	NA	1			20.0	98		130
TRUE	NA	1			20.0	93		130
TRUE	NA	1			20.0	93		130
TRUE	NA	1			20.0	89		130
TRUE	NA	1			20.0	92		130
TRUE	NA	1			20.0	96		130
TRUE	NA	1			20.0	97		130
TRUE	NA	1			5.00	99		200
TRUE	NA	1			20.0	113		200
TRUE	NA	1			20.0	114		200
TRUE	NA	1			20.0	116		200
TRUE	NA	1			20.0	103		200
TRUE	NA	1			20.0	97		200
TRUE	NA	1			20.0	103		200
TRUE	NA	1			20.0	104		200
TRUE	NA	1			20.0	105		200
TRUE	NA	1			20.0	74		130
TRUE	NA	1				73.7		80
TRUE	NA	1				15.2		24
TRUE	NA	1				100		150
TRUE	NA	1				19.3		24
TRUE	NA	1						2
TRUE	NA	1						2
TRUE	NA	1				63.8		80
TRUE	NA	1				0		2
TRUE	NA	1				98.1		150
TRUE	NA	1				6.82		9
TRUE	NA	1				26.9		60
TRUE	NA	1				4.71		100
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			

70		TD				500
70		TD				510
70		TD				520
70		TD				530
70		TD				540
70		TD				550
70		TD				560
70		TD				570
70		TD				580
70		TD				590
70		TD				60
70		TD				600
70		TD				610
70		TD				620
70		TD				630
70		TD				640
70		TD				650
70		TD				70
70		TD				80
0		TD				810
0		TD				820
0		TD				830
0		TD				840
0		TD				850
0		TD				860
0		TD				870
0		TD				880
0		TD				890
70		TD				90
10		TD				1
0.01		TD				10
50		TD				11
15		TD				12
		TD				2
		TD				3
10		TD				4
		TD				5
50		TD				6
5		TD				7
10		TD				8
1		TD				9
		SC			U	10
		SC			U	100
		SC			U	110
		SC			U	120
		SC			U	130
		SC			U	140
		SC			U	150
		SC			U	160
		SC			U	170
		SC			U	180
		SC			U	190

EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL1	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL2	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL2	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL2	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL2	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL2	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL2	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL3	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL3	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL3	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL3	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL3	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL4	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL4	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL4	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL5	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL5	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL5	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL5	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL5	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL5	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL5	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL5	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL5	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL6	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL6	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL6	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL6	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL7	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL8	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL8	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CAL8	Cal Standard	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59

05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:00:32	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:08:00	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:08:00	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:08:00	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:08:00	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:08:00	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:08:00	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:12:05	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:12:05	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:12:05	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:12:05	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:12:05	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:16:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:16:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:16:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:19:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:19:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:19:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:19:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:19:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:19:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:19:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:19:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:19:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:19:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:26:28	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:26:28	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:26:28	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:26:28	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:30:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:33:01	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:33:01	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:33:01	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113

Antimony	7440-36-0	FALSE	FALSE	0.00			ug/L
Selenium	7782-49-2	FALSE	FALSE	0.00			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	0.00			ug/L
Silver	7440-22-4	FALSE	FALSE	0.00			ug/L
Sodium	7440-23-5	FALSE	FALSE	0.00			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.00			ug/L
Thallium	7440-28-0	FALSE	FALSE	0.00			ug/L
Tin	7440-31-5	FALSE	FALSE	0.00			ug/L
Titanium	7440-32-6	FALSE	FALSE	0.00			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.00			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.00			ug/L
Arsenic	7440-38-2	FALSE	FALSE	0.00			ug/L
Barium	7440-39-3	FALSE	FALSE	0.00			ug/L
Beryllium	7440-41-7	FALSE	FALSE	0.00			ug/L
Boron	7440-42-8	FALSE	FALSE	0.00			ug/L
Cadmium	7440-43-9	FALSE	FALSE	0.00			ug/L
Calcium	7440-70-2	FALSE	FALSE	0.00			ug/L
Cerium	7440-45-1	FALSE	FALSE	0.00			ug/L
Iron	7439-89-6	FALSE	FALSE	0.00			ug/L
Lead	7439-92-1	FALSE	FALSE	0.00			ug/L
Magnesium	7439-95-4	FALSE	FALSE	0.00			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.00			ug/L
Thallium	7440-28-0	FALSE	FALSE	0.00			ug/L
Beryllium	7440-41-7	FALSE	FALSE	0.00			ug/L
Aluminum	7429-90-5	FALSE	FALSE	0.00			ug/L
Chromium	7440-47-3	FALSE	FALSE	0.00			ug/L
Tin	7440-31-5	FALSE	FALSE	0.00			ug/L
Titanium	7440-32-6	FALSE	FALSE	0.00			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.00			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.00			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.00			ug/L
Cerium	7440-45-1	FALSE	FALSE	0.00			ug/L
Copper	7440-50-8	FALSE	FALSE	0.00			ug/L
Manganese	7439-96-5	FALSE	FALSE	0.00			ug/L
Antimony	7440-36-0	FALSE	FALSE	0.00			ug/L
Selenium	7782-49-2	FALSE	FALSE	0.00			ug/L
Silver	7440-22-4	FALSE	FALSE	0.00			ug/L
Arsenic	7440-38-2	FALSE	FALSE	0.00			ug/L
Barium	7440-39-3	FALSE	FALSE	0.00			ug/L
Boron	7440-42-8	FALSE	FALSE	0.00			ug/L
Cadmium	7440-43-9	FALSE	FALSE	0.00			ug/L
Calcium	7440-70-2	FALSE	FALSE	0.00			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	0.00			ug/L
Potassium	7440-09-7	FALSE	FALSE	0.00			ug/L
Sodium	7440-23-5	FALSE	FALSE	0.00			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.00			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	0.00			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.00			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.00			ug/L
Cerium	7440-45-1	FALSE	FALSE	0.00			ug/L
Aluminum	7429-90-5	FALSE	FALSE	-0.80			ug/L
Chromium	7440-47-3	FALSE	FALSE	0.26			ug/L

TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			10000			
TRUE	NA	1			10000			
TRUE	NA	1			10000			
TRUE	NA	1			2000			
TRUE	NA	1			5000			
TRUE	NA	1			1000			
TRUE	NA	1			10000			
TRUE	NA	1			5000			
TRUE	NA	1			4000			
TRUE	NA	1			10000			
TRUE	NA	1			5000			
TRUE	NA	1			2000			
TRUE	NA	1			2000			
TRUE	NA	1			2000			
TRUE	NA	1			200			
TRUE	NA	1			2000			
TRUE	NA	1			5000			
TRUE	NA	1			5000			
TRUE	NA	1			500			
TRUE	NA	1			10000			
TRUE	NA	1			1000			
TRUE	NA	1			2000			
TRUE	NA	1			2000			
TRUE	NA	1			10000			
TRUE	NA	1			10000			
TRUE	NA	1			20000			
TRUE	NA	1			10000			
TRUE	NA	1			1000			
TRUE	NA	1			10000			
TRUE	NA	1			2000			
TRUE	NA	1			2000			
TRUE	NA	1			2000			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			

		SC			U	20
		SC			U	200
		SC			U	210
		SC			U	220
		SC			U	230
		SC			U	240
		SC			U	250
		SC			U	260
		SC			U	270
		SC			U	280
		SC			U	290
		SC			U	30
		SC			U	40
		SC			U	50
		SC			U	60
		SC			U	70
		SC			U	80
		SC			U	90
		SC			U	130
		SC			U	140
		SC			U	150
		SC			U	180
		SC			U	250
		SC			U	50
		SC			U	10
		SC			U	100
		SC			U	260
		SC			U	270
		SC			U	290
		SC			U	110
		SC			U	280
		SC			U	90
		SC			U	120
		SC			U	160
		SC			U	20
		SC			U	200
		SC			U	220
		SC			U	30
		SC			U	40
		SC			U	60
		SC			U	70
		SC			U	80
		SC			U	170
		SC			U	190
		SC			U	230
		SC			U	240
		SC			U	210
		SC			U	110
		SC			U	280
		SC			U	90
		SC			U	10
		SC				100

EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB1	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59

05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:13:53	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113

Cobalt	7440-48-4	FALSE	FALSE	0.60			ug/L
Copper	7440-50-8	FALSE	FALSE	0.43			ug/L
Iron	7439-89-6	FALSE	FALSE	2.3			ug/L
Lead	7439-92-1	FALSE	FALSE	0.26			ug/L
Magnesium	7439-95-4	FALSE	FALSE	-2.6			ug/L
Manganese	7439-96-5	FALSE	FALSE	0.27			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	1.1			ug/L
Nickel	7440-02-0	FALSE	FALSE	1.4			ug/L
Potassium	7440-09-7	FALSE	FALSE	5.3			ug/L
Antimony	7440-36-0	FALSE	FALSE	-1.4			ug/L
Selenium	7782-49-2	FALSE	FALSE	4.2			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	15			ug/L
Silver	7440-22-4	FALSE	FALSE	-0.03			ug/L
Sodium	7440-23-5	FALSE	FALSE	0.52			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.04			ug/L
Thallium	7440-28-0	FALSE	FALSE	-1.1			ug/L
Tin	7440-31-5	FALSE	FALSE	-0.30			ug/L
Titanium	7440-32-6	FALSE	FALSE	0.09			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.15			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.03			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-0.96			ug/L
Barium	7440-39-3	FALSE	FALSE	0.20			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.04			ug/L
Boron	7440-42-8	FALSE	FALSE	9.0			ug/L
Cadmium	7440-43-9	FALSE	FALSE	0.01			ug/L
Calcium	7440-70-2	FALSE	FALSE	-1.1			ug/L
Cerium	7440-45-1	FALSE	FALSE	-2.6			ug/L
Aluminum	7429-90-5	FALSE	FALSE	-1.1			ug/L
Chromium	7440-47-3	FALSE	FALSE	-0.19			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.30			ug/L
Copper	7440-50-8	FALSE	FALSE	0.61			ug/L
Iron	7439-89-6	FALSE	FALSE	1.7			ug/L
Lead	7439-92-1	FALSE	FALSE	-0.13			ug/L
Magnesium	7439-95-4	FALSE	FALSE	-0.86			ug/L
Manganese	7439-96-5	FALSE	FALSE	0.29			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	1.7			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.68			ug/L
Potassium	7440-09-7	FALSE	FALSE	31			ug/L
Antimony	7440-36-0	FALSE	FALSE	0.04			ug/L
Selenium	7782-49-2	FALSE	FALSE	3.1			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	15			ug/L
Silver	7440-22-4	FALSE	FALSE	0.02			ug/L
Sodium	7440-23-5	FALSE	FALSE	0.78			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.04			ug/L
Thallium	7440-28-0	FALSE	FALSE	-0.77			ug/L
Tin	7440-31-5	FALSE	FALSE	-0.29			ug/L
Titanium	7440-32-6	FALSE	FALSE	0.28			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.18			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.59			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-0.31			ug/L
Barium	7440-39-3	FALSE	FALSE	0.34			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.02			ug/L

TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			

		SC				110
		SC				120
		SC				130
		SC				140
		SC			U	150
		SC				160
		SC				170
		SC				180
		SC				190
		SC			U	20
		SC				200
		SC				210
		SC			U	220
		SC				230
		SC				240
		SC			U	250
		SC			U	260
		SC				270
		SC				280
		SC				290
		SC			U	30
		SC				40
		SC			U	50
		SC				60
		SC				70
		SC			U	80
		SC			U	90
		SC			U	10
		SC			U	100
		SC				110
		SC				120
		SC				130
		SC			U	140
		SC			U	150
		SC				160
		SC				170
		SC				180
		SC				190
		SC				20
		SC				200
		SC				210
		SC				220
		SC				230
		SC				240
		SC			U	250
		SC			U	260
		SC				270
		SC				280
		SC				290
		SC			U	30
		SC				40
		SC			U	50

EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB2	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB3	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59

05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:20:06	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:04:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113

Boron	7440-42-8	FALSE	FALSE	9.4			ug/L
Cadmium	7440-43-9	FALSE	FALSE	0.07			ug/L
Calcium	7440-70-2	FALSE	FALSE	1.5			ug/L
Cerium	7440-45-1	FALSE	FALSE	-0.08			ug/L
Aluminum	7429-90-5	FALSE	FALSE	0.15			ug/L
Chromium	7440-47-3	FALSE	FALSE	-0.28			ug/L
Cobalt	7440-48-4	FALSE	FALSE	-0.03			ug/L
Copper	7440-50-8	FALSE	FALSE	0.87			ug/L
Iron	7439-89-6	FALSE	FALSE	-0.50			ug/L
Lead	7439-92-1	FALSE	FALSE	0.12			ug/L
Magnesium	7439-95-4	FALSE	FALSE	-0.14			ug/L
Manganese	7439-96-5	FALSE	FALSE	-0.23			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	0.72			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.18			ug/L
Potassium	7440-09-7	FALSE	FALSE	64			ug/L
Antimony	7440-36-0	FALSE	FALSE	-1.0			ug/L
Selenium	7782-49-2	FALSE	FALSE	1.3			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	12			ug/L
Silver	7440-22-4	FALSE	FALSE	0.08			ug/L
Sodium	7440-23-5	FALSE	FALSE	8.2			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.14			ug/L
Thallium	7440-28-0	FALSE	FALSE	-1.8			ug/L
Tin	7440-31-5	FALSE	FALSE	0.35			ug/L
Titanium	7440-32-6	FALSE	FALSE	-0.33			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.10			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.73			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-1.2			ug/L
Barium	7440-39-3	FALSE	FALSE	0.003			ug/L
Beryllium	7440-41-7	FALSE	FALSE	0.05			ug/L
Boron	7440-42-8	FALSE	FALSE	9.3			ug/L
Cadmium	7440-43-9	FALSE	FALSE	0.04			ug/L
Calcium	7440-70-2	FALSE	FALSE	0.24			ug/L
Cerium	7440-45-1	FALSE	FALSE	-0.52			ug/L
Aluminum	7429-90-5	FALSE	FALSE	0.23			ug/L
Chromium	7440-47-3	FALSE	FALSE	-0.52			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.27			ug/L
Copper	7440-50-8	FALSE	FALSE	0.88			ug/L
Iron	7439-89-6	FALSE	FALSE	0.60			ug/L
Lead	7439-92-1	FALSE	FALSE	0.31			ug/L
Magnesium	7439-95-4	FALSE	FALSE	2.9			ug/L
Manganese	7439-96-5	FALSE	FALSE	-0.13			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	0.76			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.18			ug/L
Potassium	7440-09-7	FALSE	FALSE	38			ug/L
Antimony	7440-36-0	FALSE	FALSE	-0.37			ug/L
Selenium	7782-49-2	FALSE	FALSE	2.2			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	18			ug/L
Silver	7440-22-4	FALSE	FALSE	0.21			ug/L
Sodium	7440-23-5	FALSE	FALSE	4.6			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.009			ug/L
Thallium	7440-28-0	FALSE	FALSE	-1.2			ug/L
Tin	7440-31-5	FALSE	FALSE	-0.43			ug/L

TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			

		SC				60
		SC				70
		SC				80
		SC			U	90
		SC				10
		SC			U	100
		SC			U	110
		SC				120
		SC			U	130
		SC				140
		SC			U	150
		SC			U	160
		SC				170
		SC				180
		SC				190
		SC			U	20
		SC				200
		SC				210
		SC				220
		SC				230
		SC				240
		SC			U	250
		SC				260
		SC			U	270
		SC				280
		SC				290
		SC			U	30
		SC				40
		SC				50
		SC				60
		SC				70
		SC				80
		SC			U	90
		SC				10
		SC			U	100
		SC				110
		SC				120
		SC				130
		SC				140
		SC				150
		SC			U	160
		SC				170
		SC				180
		SC				190
		SC			U	20
		SC				200
		SC				210
		SC				220
		SC				230
		SC				240
		SC			U	250
		SC			U	260

EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB4	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCB5	Calibration Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59

05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:56:55	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 19:03:23	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113

Titanium	7440-32-6	FALSE	FALSE	-0.06			ug/L
Vanadium	7440-62-2	FALSE	FALSE	-0.30			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.37			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-0.09			ug/L
Barium	7440-39-3	FALSE	FALSE	0.29			ug/L
Beryllium	7440-41-7	FALSE	FALSE	0.03			ug/L
Boron	7440-42-8	FALSE	FALSE	12			ug/L
Cadmium	7440-43-9	FALSE	FALSE	-0.03			ug/L
Calcium	7440-70-2	FALSE	FALSE	1.5			ug/L
Cerium	7440-45-1	FALSE	FALSE	1.1			ug/L
Aluminum	7429-90-5	FALSE	FALSE	-0.08			ug/L
Chromium	7440-47-3	FALSE	FALSE	-0.53			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.07			ug/L
Copper	7440-50-8	FALSE	FALSE	0.79			ug/L
Iron	7439-89-6	FALSE	FALSE	2.2			ug/L
Lead	7439-92-1	FALSE	FALSE	-0.45			ug/L
Magnesium	7439-95-4	FALSE	FALSE	1.9			ug/L
Manganese	7439-96-5	FALSE	FALSE	-0.23			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	0.59			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.06			ug/L
Potassium	7440-09-7	FALSE	FALSE	59			ug/L
Antimony	7440-36-0	FALSE	FALSE	-0.65			ug/L
Selenium	7782-49-2	FALSE	FALSE	5.4			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	13			ug/L
Silver	7440-22-4	FALSE	FALSE	0.09			ug/L
Sodium	7440-23-5	FALSE	FALSE	320			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.02			ug/L
Thallium	7440-28-0	FALSE	FALSE	-1.8			ug/L
Tin	7440-31-5	FALSE	FALSE	0.0002			ug/L
Titanium	7440-32-6	FALSE	FALSE	-0.39			ug/L
Vanadium	7440-62-2	FALSE	FALSE	-0.11			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.24			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-0.45			ug/L
Barium	7440-39-3	FALSE	FALSE	-0.10			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.004			ug/L
Boron	7440-42-8	FALSE	FALSE	45			ug/L
Cadmium	7440-43-9	FALSE	FALSE	-0.14			ug/L
Calcium	7440-70-2	FALSE	FALSE	0.79			ug/L
Cerium	7440-45-1	FALSE	FALSE	-2.2			ug/L
Aluminum	7429-90-5	FALSE	FALSE	2100			ug/L
Chromium	7440-47-3	FALSE	FALSE	1970			ug/L
Cobalt	7440-48-4	FALSE	FALSE	2020			ug/L
Copper	7440-50-8	FALSE	FALSE	2010			ug/L
Iron	7439-89-6	FALSE	FALSE	2040			ug/L
Lead	7439-92-1	FALSE	FALSE	1990			ug/L
Magnesium	7439-95-4	FALSE	FALSE	2040			ug/L
Manganese	7439-96-5	FALSE	FALSE	2100			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	1960			ug/L
Nickel	7440-02-0	FALSE	FALSE	2060			ug/L
Potassium	7440-09-7	FALSE	FALSE	10900			ug/L
Antimony	7440-36-0	FALSE	FALSE	2080			ug/L
Selenium	7782-49-2	FALSE	FALSE	2010			ug/L

TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			2000	105		110
TRUE	NA	1			2000	98		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	105		110
TRUE	NA	1			2000	98		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			10000	109		110
TRUE	NA	1			2000	104		110
TRUE	NA	1			2000	101		110

		SC			U	270
		SC			U	280
		SC				290
		SC			U	30
		SC				40
		SC				50
		SC				60
		SC			U	70
		SC				80
		SC				90
		SC			U	10
		SC			U	100
		SC				110
		SC				120
		SC				130
		SC			U	140
		SC				150
		SC			U	160
		SC				170
		SC				180
		SC				190
		SC			U	20
		SC				200
		SC				210
		SC				220
		SC				230
		SC				240
		SC			U	250
		SC				260
		SC			U	270
		SC			U	280
		SC				290
		SC			U	30
		SC			U	40
		SC			U	50
		SC				60
		SC			U	70
		SC				80
		SC			U	90
90		SC				10
90		SC				100
90		SC				110
90		SC				120
90		SC				130
90		SC				140
90		SC				150
90		SC				160
90		SC				170
90		SC				180
90		SC				190
90		SC				20
90		SC				200

EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV1	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV2	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59

05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:05:21	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 15:11:36	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113

Silica (SiO2)	763-18-69	FALSE	FALSE	10500			ug/L
Silver	7440-22-4	FALSE	FALSE	502			ug/L
Sodium	7440-23-5	FALSE	FALSE	2120			ug/L
Strontium	7440-24-6	FALSE	FALSE	2040			ug/L
Thallium	7440-28-0	FALSE	FALSE	2050			ug/L
Tin	7440-31-5	FALSE	FALSE	2040			ug/L
Titanium	7440-32-6	FALSE	FALSE	1990			ug/L
Vanadium	7440-62-2	FALSE	FALSE	2050			ug/L
Zinc	7440-66-6	FALSE	FALSE	1980			ug/L
Arsenic	7440-38-2	FALSE	FALSE	2140			ug/L
Barium	7440-39-3	FALSE	FALSE	2040			ug/L
Beryllium	7440-41-7	FALSE	FALSE	2020			ug/L
Boron	7440-42-8	FALSE	FALSE	2050			ug/L
Cadmium	7440-43-9	FALSE	FALSE	2010			ug/L
Calcium	7440-70-2	FALSE	FALSE	2100			ug/L
Cerium	7440-45-1	FALSE	FALSE	2010			ug/L
Aluminum	7429-90-5	FALSE	FALSE	2130			ug/L
Chromium	7440-47-3	FALSE	FALSE	2000			ug/L
Cobalt	7440-48-4	FALSE	FALSE	2060			ug/L
Copper	7440-50-8	FALSE	FALSE	2030			ug/L
Iron	7439-89-6	FALSE	FALSE	2070			ug/L
Lead	7439-92-1	FALSE	FALSE	2020			ug/L
Magnesium	7439-95-4	FALSE	FALSE	2050			ug/L
Manganese	7439-96-5	FALSE	FALSE	2120			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	1990			ug/L
Nickel	7440-02-0	FALSE	FALSE	2100			ug/L
Potassium	7440-09-7	FALSE	FALSE	10800			ug/L
Antimony	7440-36-0	FALSE	FALSE	2120			ug/L
Selenium	7782-49-2	FALSE	FALSE	2050			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	10800			ug/L
Silver	7440-22-4	FALSE	FALSE	508			ug/L
Sodium	7440-23-5	FALSE	FALSE	2130			ug/L
Strontium	7440-24-6	FALSE	FALSE	2060			ug/L
Thallium	7440-28-0	FALSE	FALSE	2080			ug/L
Tin	7440-31-5	FALSE	FALSE	2090			ug/L
Titanium	7440-32-6	FALSE	FALSE	2030			ug/L
Vanadium	7440-62-2	FALSE	FALSE	2070			ug/L
Zinc	7440-66-6	FALSE	FALSE	1990			ug/L
Arsenic	7440-38-2	FALSE	FALSE	2170			ug/L
Barium	7440-39-3	FALSE	FALSE	2070			ug/L
Beryllium	7440-41-7	FALSE	FALSE	2040			ug/L
Boron	7440-42-8	FALSE	FALSE	2060			ug/L
Cadmium	7440-43-9	FALSE	FALSE	2040			ug/L
Calcium	7440-70-2	FALSE	FALSE	2120			ug/L
Cerium	7440-45-1	FALSE	FALSE	2020			ug/L
Aluminum	7429-90-5	FALSE	FALSE	2090			ug/L
Chromium	7440-47-3	FALSE	FALSE	1970			ug/L
Cobalt	7440-48-4	FALSE	FALSE	2010			ug/L
Copper	7440-50-8	FALSE	FALSE	1980			ug/L
Iron	7439-89-6	FALSE	FALSE	2020			ug/L
Lead	7439-92-1	FALSE	FALSE	1980			ug/L
Magnesium	7439-95-4	FALSE	FALSE	2000			ug/L

TRUE	NA	1			10000	105		110
TRUE	NA	1			500	100		110
TRUE	NA	1			2000	106		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	107		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	105		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	107		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	106		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	105		110
TRUE	NA	1			10000	108		110
TRUE	NA	1			2000	106		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			10000	108		110
TRUE	NA	1			500	102		110
TRUE	NA	1			2000	107		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	104		110
TRUE	NA	1			2000	104		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	104		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	109		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	106		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	105		110
TRUE	NA	1			2000	98		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	100		110

90		SC				210
90		SC				220
90		SC				230
90		SC				240
90		SC				250
90		SC				260
90		SC				270
90		SC				280
90		SC				290
90		SC				30
90		SC				40
90		SC				50
90		SC				60
90		SC				70
90		SC				80
90		SC				90
90		SC				10
90		SC				100
90		SC				110
90		SC				120
90		SC				130
90		SC				140
90		SC				150
90		SC				160
90		SC				170
90		SC				180
90		SC				190
90		SC				20
90		SC				200
90		SC				210
90		SC				220
90		SC				230
90		SC				240
90		SC				250
90		SC				260
90		SC				270
90		SC				280
90		SC				290
90		SC				30
90		SC				40
90		SC				50
90		SC				60
90		SC				70
90		SC				80
90		SC				90
90		SC				10
90		SC				100
90		SC				110
90		SC				120
90		SC				130
90		SC				140
90		SC				150

EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV3	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV4	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59

05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 16:55:59	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 17:47:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113

Manganese	7439-96-5	FALSE	FALSE	2060			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	1960			ug/L
Nickel	7440-02-0	FALSE	FALSE	2050			ug/L
Potassium	7440-09-7	FALSE	FALSE	10800			ug/L
Antimony	7440-36-0	FALSE	FALSE	2080			ug/L
Selenium	7782-49-2	FALSE	FALSE	2010			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	10400			ug/L
Silver	7440-22-4	FALSE	FALSE	499			ug/L
Sodium	7440-23-5	FALSE	FALSE	2140			ug/L
Strontium	7440-24-6	FALSE	FALSE	2040			ug/L
Thallium	7440-28-0	FALSE	FALSE	2040			ug/L
Tin	7440-31-5	FALSE	FALSE	2030			ug/L
Titanium	7440-32-6	FALSE	FALSE	2000			ug/L
Vanadium	7440-62-2	FALSE	FALSE	2030			ug/L
Zinc	7440-66-6	FALSE	FALSE	1950			ug/L
Arsenic	7440-38-2	FALSE	FALSE	2130			ug/L
Barium	7440-39-3	FALSE	FALSE	2030			ug/L
Beryllium	7440-41-7	FALSE	FALSE	1980			ug/L
Boron	7440-42-8	FALSE	FALSE	2000			ug/L
Cadmium	7440-43-9	FALSE	FALSE	1980			ug/L
Calcium	7440-70-2	FALSE	FALSE	2100			ug/L
Cerium	7440-45-1	FALSE	FALSE	1990			ug/L
Aluminum	7429-90-5	FALSE	FALSE	2120			ug/L
Chromium	7440-47-3	FALSE	FALSE	2000			ug/L
Cobalt	7440-48-4	FALSE	FALSE	2040			ug/L
Copper	7440-50-8	FALSE	FALSE	1990			ug/L
Iron	7439-89-6	FALSE	FALSE	2030			ug/L
Lead	7439-92-1	FALSE	FALSE	2010			ug/L
Magnesium	7439-95-4	FALSE	FALSE	2020			ug/L
Manganese	7439-96-5	FALSE	FALSE	2080			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	1990			ug/L
Nickel	7440-02-0	FALSE	FALSE	2070			ug/L
Potassium	7440-09-7	FALSE	FALSE	10900			ug/L
Antimony	7440-36-0	FALSE	FALSE	2110			ug/L
Selenium	7782-49-2	FALSE	FALSE	2050			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	10600			ug/L
Silver	7440-22-4	FALSE	FALSE	504			ug/L
Sodium	7440-23-5	FALSE	FALSE	2080			ug/L
Strontium	7440-24-6	FALSE	FALSE	2030			ug/L
Thallium	7440-28-0	FALSE	FALSE	2070			ug/L
Tin	7440-31-5	FALSE	FALSE	2060			ug/L
Titanium	7440-32-6	FALSE	FALSE	2010			ug/L
Vanadium	7440-62-2	FALSE	FALSE	2050			ug/L
Zinc	7440-66-6	FALSE	FALSE	1960			ug/L
Arsenic	7440-38-2	FALSE	FALSE	2160			ug/L
Barium	7440-39-3	FALSE	FALSE	2030			ug/L
Beryllium	7440-41-7	FALSE	FALSE	2010			ug/L
Boron	7440-42-8	FALSE	FALSE	2030			ug/L
Cadmium	7440-43-9	FALSE	FALSE	2010			ug/L
Calcium	7440-70-2	FALSE	FALSE	2100			ug/L
Cerium	7440-45-1	FALSE	FALSE	1980			ug/L
Aluminum	7429-90-5	FALSE	FALSE	2110			ug/L

TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	98		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			10000	108		110
TRUE	NA	1			2000	104		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			10000	104		110
TRUE	NA	1			500	100		110
TRUE	NA	1			2000	107		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	97		110
TRUE	NA	1			2000	107		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	105		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	106		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	104		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	104		110
TRUE	NA	1			10000	109		110
TRUE	NA	1			2000	106		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			10000	106		110
TRUE	NA	1			500	101		110
TRUE	NA	1			2000	104		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	104		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	98		110
TRUE	NA	1			2000	108		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	105		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	106		110

90		SC				160
90		SC				170
90		SC				180
90		SC				190
90		SC				20
90		SC				200
90		SC				210
90		SC				220
90		SC				230
90		SC				240
90		SC				250
90		SC				260
90		SC				270
90		SC				280
90		SC				290
90		SC				30
90		SC				40
90		SC				50
90		SC				60
90		SC				70
90		SC				80
90		SC				90
90		SC				10
90		SC				100
90		SC				110
90		SC				120
90		SC				130
90		SC				140
90		SC				150
90		SC				160
90		SC				170
90		SC				180
90		SC				190
90		SC				20
90		SC				200
90		SC				210
90		SC				220
90		SC				230
90		SC				240
90		SC				250
90		SC				260
90		SC				270
90		SC				280
90		SC				290
90		SC				30
90		SC				40
90		SC				50
90		SC				60
90		SC				70
90		SC				80
90		SC				90
90		SC				10

EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CCV5	Calibration Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59

05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 18:54:52	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113

Chromium	7440-47-3	FALSE	FALSE	1970			ug/L
Cobalt	7440-48-4	FALSE	FALSE	2030			ug/L
Copper	7440-50-8	FALSE	FALSE	1990			ug/L
Iron	7439-89-6	FALSE	FALSE	2000			ug/L
Lead	7439-92-1	FALSE	FALSE	1990			ug/L
Magnesium	7439-95-4	FALSE	FALSE	2010			ug/L
Manganese	7439-96-5	FALSE	FALSE	2050			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	1980			ug/L
Nickel	7440-02-0	FALSE	FALSE	2060			ug/L
Potassium	7440-09-7	FALSE	FALSE	10900			ug/L
Antimony	7440-36-0	FALSE	FALSE	2100			ug/L
Selenium	7782-49-2	FALSE	FALSE	2030			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	10500			ug/L
Silver	7440-22-4	FALSE	FALSE	502			ug/L
Sodium	7440-23-5	FALSE	FALSE	2990			ug/L
Strontium	7440-24-6	FALSE	FALSE	2050			ug/L
Thallium	7440-28-0	FALSE	FALSE	2050			ug/L
Tin	7440-31-5	FALSE	FALSE	2050			ug/L
Titanium	7440-32-6	FALSE	FALSE	2020			ug/L
Vanadium	7440-62-2	FALSE	FALSE	2040			ug/L
Zinc	7440-66-6	FALSE	FALSE	1950			ug/L
Arsenic	7440-38-2	FALSE	FALSE	2150			ug/L
Barium	7440-39-3	FALSE	FALSE	2020			ug/L
Beryllium	7440-41-7	FALSE	FALSE	2000			ug/L
Boron	7440-42-8	FALSE	FALSE	2070			ug/L
Cadmium	7440-43-9	FALSE	FALSE	2000			ug/L
Calcium	7440-70-2	FALSE	FALSE	2110			ug/L
Cerium	7440-45-1	FALSE	FALSE	2020			ug/L
Aluminum	7429-90-5	FALSE	FALSE	18.7			ug/L
Chromium	7440-47-3	FALSE	FALSE	9.33			ug/L
Cobalt	7440-48-4	FALSE	FALSE	4.72			ug/L
Copper	7440-50-8	FALSE	FALSE	9.88			ug/L
Iron	7439-89-6	FALSE	FALSE	97.1			ug/L
Lead	7439-92-1	FALSE	FALSE	18.5			ug/L
Magnesium	7439-95-4	FALSE	FALSE	489			ug/L
Manganese	7439-96-5	FALSE	FALSE	4.81			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	20.0			ug/L
Nickel	7440-02-0	FALSE	FALSE	9.79			ug/L
Potassium	7440-09-7	FALSE	FALSE	2090			ug/L
Antimony	7440-36-0	FALSE	FALSE	19.0			ug/L
Selenium	7782-49-2	FALSE	FALSE	21.2			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	546			ug/L
Silver	7440-22-4	FALSE	FALSE	4.67			ug/L
Sodium	7440-23-5	FALSE	FALSE	515			ug/L
Strontium	7440-24-6	FALSE	FALSE	1.98			ug/L
Thallium	7440-28-0	FALSE	FALSE	18.5			ug/L
Tin	7440-31-5	FALSE	FALSE	100			ug/L
Titanium	7440-32-6	FALSE	FALSE	9.30			ug/L
Vanadium	7440-62-2	FALSE	FALSE	4.24			ug/L
Zinc	7440-66-6	FALSE	FALSE	9.84			ug/L
Arsenic	7440-38-2	FALSE	FALSE	20.8			ug/L
Barium	7440-39-3	FALSE	FALSE	9.67			ug/L

TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	99		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			10000	109		110
TRUE	NA	1			2000	105		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			10000	105		110
TRUE	NA	1			500	100		110
TRUE	NA	1			2000	150		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	102		110
TRUE	NA	1			2000	97		110
TRUE	NA	1			2000	107		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	103		110
TRUE	NA	1			2000	100		110
TRUE	NA	1			2000	105		110
TRUE	NA	1			2000	101		110
TRUE	NA	1			20.0	94		140
TRUE	NA	1			10.0	93		140
TRUE	NA	1			5.00	94		140
TRUE	NA	1			10.0	99		140
TRUE	NA	1			100	97		140
TRUE	NA	1			20.0	92		140
TRUE	NA	1			500	98		140
TRUE	NA	1			5.00	96		140
TRUE	NA	1			20.0	100		140
TRUE	NA	1			10.0	98		140
TRUE	NA	1			2000	104		140
TRUE	NA	1			20.0	95		140
TRUE	NA	1			20.0	106		140
TRUE	NA	1			500	109		140
TRUE	NA	1			5.00	93		140
TRUE	NA	1			500	103		140
TRUE	NA	1			2.00	99		140
TRUE	NA	1			20.0	92		140
TRUE	NA	1			100	100		140
TRUE	NA	1			10.0	93		140
TRUE	NA	1			4.00	106		140
TRUE	NA	1			10.0	98		140
TRUE	NA	1			20.0	104		140
TRUE	NA	1			10.0	97		140

90		SC				100
90		SC				110
90		SC				120
90		SC				130
90		SC				140
90		SC				150
90		SC				160
90		SC				170
90		SC				180
90		SC				190
90		SC				20
90		SC				200
90		SC				210
90		SC				220
90		SC				230
90		SC				240
90		SC				250
90		SC				260
90		SC				270
90		SC				280
90		SC				290
90		SC				30
90		SC				40
90		SC				50
90		SC				60
90		SC				70
90		SC				80
90		SC				90
60		SC				10
60		SC				100
60		SC				110
60		SC				120
60		SC				130
60		SC				140
60		SC				150
60		SC				160
60		SC				170
60		SC				180
60		SC				190
60		SC				20
60		SC				200
60		SC				210
60		SC				220
60		SC				230
60		SC				240
60		SC				250
60		SC				260
60		SC				270
60		SC				280
60		SC				290
60		SC				30
60		SC				40

EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-CRL1	Instrument RL Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICB1	Initial Cal Blank	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59

05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:52:09	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:44:43	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113

Beryllium	7440-41-7	FALSE	FALSE	0.477			ug/L
Boron	7440-42-8	FALSE	FALSE	105			ug/L
Cadmium	7440-43-9	FALSE	FALSE	4.90			ug/L
Calcium	7440-70-2	FALSE	FALSE	98.2			ug/L
Cerium	7440-45-1	FALSE	FALSE	487			ug/L
Aluminum	7429-90-5	FALSE	FALSE	-1.64			ug/L
Chromium	7440-47-3	FALSE	FALSE	-0.499			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.271			ug/L
Copper	7440-50-8	FALSE	FALSE	0.402			ug/L
Iron	7439-89-6	FALSE	FALSE	1.51			ug/L
Lead	7439-92-1	FALSE	FALSE	-0.124			ug/L
Magnesium	7439-95-4	FALSE	FALSE	3.01			ug/L
Manganese	7439-96-5	FALSE	FALSE	0.145			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	1.58			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.699			ug/L
Potassium	7440-09-7	FALSE	FALSE	32.7			ug/L
Antimony	7440-36-0	FALSE	FALSE	-0.430			ug/L
Selenium	7782-49-2	FALSE	FALSE	3.97			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	9.90			ug/L
Silver	7440-22-4	FALSE	FALSE	0.201			ug/L
Sodium	7440-23-5	FALSE	FALSE	1.51			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.018			ug/L
Thallium	7440-28-0	FALSE	FALSE	-0.652			ug/L
Tin	7440-31-5	FALSE	FALSE	-0.638			ug/L
Titanium	7440-32-6	FALSE	FALSE	0.305			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.744			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.182			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-0.217			ug/L
Barium	7440-39-3	FALSE	FALSE	0.067			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.012			ug/L
Boron	7440-42-8	FALSE	FALSE	10.5			ug/L
Cadmium	7440-43-9	FALSE	FALSE	0.084			ug/L
Calcium	7440-70-2	FALSE	FALSE	-0.405			ug/L
Cerium	7440-45-1	FALSE	FALSE	-2.58			ug/L
Aluminum	7429-90-5	FALSE	FALSE	2110			ug/L
Chromium	7440-47-3	FALSE	FALSE	1990			ug/L
Cobalt	7440-48-4	FALSE	FALSE	2030			ug/L
Copper	7440-50-8	FALSE	FALSE	1990			ug/L
Iron	7439-89-6	FALSE	FALSE	2030			ug/L
Lead	7439-92-1	FALSE	FALSE	1990			ug/L
Magnesium	7439-95-4	FALSE	FALSE	2010			ug/L
Manganese	7439-96-5	FALSE	FALSE	2070			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	1970			ug/L
Nickel	7440-02-0	FALSE	FALSE	2070			ug/L
Potassium	7440-09-7	FALSE	FALSE	10600			ug/L
Antimony	7440-36-0	FALSE	FALSE	2090			ug/L
Selenium	7782-49-2	FALSE	FALSE	2020			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	10400			ug/L
Silver	7440-22-4	FALSE	FALSE	505			ug/L
Sodium	7440-23-5	FALSE	FALSE	2090			ug/L
Strontium	7440-24-6	FALSE	FALSE	2050			ug/L
Thallium	7440-28-0	FALSE	FALSE	2050			ug/L

TRUE	NA	1			0.500	95		140
TRUE	NA	1			100	105		140
TRUE	NA	1			5.00	98		140
TRUE	NA	1			100	98		140
TRUE	NA	1			500	97		140
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			2000	106		105
TRUE	NA	1			2000	99		105
TRUE	NA	1			2000	102		105
TRUE	NA	1			2000	100		105
TRUE	NA	1			2000	102		105
TRUE	NA	1			2000	99		105
TRUE	NA	1			2000	100		105
TRUE	NA	1			2000	104		105
TRUE	NA	1			2000	98		105
TRUE	NA	1			2000	104		105
TRUE	NA	1			10000	106		105
TRUE	NA	1			2000	104		105
TRUE	NA	1			2000	101		105
TRUE	NA	1			10000	104		105
TRUE	NA	1			500	101		105
TRUE	NA	1			2000	105		105
TRUE	NA	1			2000	103		105
TRUE	NA	1			2000	103		105

60		SC				50
60		SC				60
60		SC				70
60		SC				80
60		SC				90
		SC			U	10
		SC			U	100
		SC				110
		SC				120
		SC				130
		SC			U	140
		SC				150
		SC				160
		SC				170
		SC				180
		SC				190
		SC			U	20
		SC				200
		SC				210
		SC				220
		SC				230
		SC				240
		SC			U	250
		SC			U	260
		SC				270
		SC				280
		SC				290
		SC			U	30
		SC				40
		SC			U	50
		SC				60
		SC				70
		SC			U	80
		SC			U	90
95		SC				10
95		SC				100
95		SC				110
95		SC				120
95		SC				130
95		SC				140
95		SC				150
95		SC				160
95		SC				170
95		SC				180
95		SC				190
95		SC				20
95		SC				200
95		SC				210
95		SC				220
95		SC				230
95		SC				240
95		SC				250

EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-ICV1	Initial Cal Check	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA1	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59

05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:36:11	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 12:59:35	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113

Tin	7440-31-5	FALSE	FALSE	2050			ug/L
Titanium	7440-32-6	FALSE	FALSE	1990			ug/L
Vanadium	7440-62-2	FALSE	FALSE	2050			ug/L
Zinc	7440-66-6	FALSE	FALSE	1960			ug/L
Arsenic	7440-38-2	FALSE	FALSE	2140			ug/L
Barium	7440-39-3	FALSE	FALSE	2030			ug/L
Beryllium	7440-41-7	FALSE	FALSE	1980			ug/L
Boron	7440-42-8	FALSE	FALSE	2020			ug/L
Cadmium	7440-43-9	FALSE	FALSE	2010			ug/L
Calcium	7440-70-2	FALSE	FALSE	2090			ug/L
Cerium	7440-45-1	FALSE	FALSE	2020			ug/L
Aluminum	7429-90-5	FALSE	FALSE	210000			ug/L
Chromium	7440-47-3	FALSE	FALSE	2.56			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.674			ug/L
Copper	7440-50-8	FALSE	FALSE	0.250			ug/L
Iron	7439-89-6	FALSE	FALSE	7.72			ug/L
Lead	7439-92-1	FALSE	FALSE	0.001			ug/L
Magnesium	7439-95-4	FALSE	FALSE	-1.55			ug/L
Manganese	7439-96-5	FALSE	FALSE	0.446			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	2.39			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.360			ug/L
Potassium	7440-09-7	FALSE	FALSE	18.4			ug/L
Antimony	7440-36-0	FALSE	FALSE	-7.25			ug/L
Selenium	7782-49-2	FALSE	FALSE	0.0005			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	18.8			ug/L
Silver	7440-22-4	FALSE	FALSE	0.003			ug/L
Sodium	7440-23-5	FALSE	FALSE	15.3			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.065			ug/L
Thallium	7440-28-0	FALSE	FALSE	-0.002			ug/L
Tin	7440-31-5	FALSE	FALSE	0.389			ug/L
Titanium	7440-32-6	FALSE	FALSE	0.322			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.182			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.850			ug/L
Arsenic	7440-38-2	FALSE	FALSE	4.87			ug/L
Barium	7440-39-3	FALSE	FALSE	0.117			ug/L
Beryllium	7440-41-7	FALSE	FALSE	0.011			ug/L
Boron	7440-42-8	FALSE	FALSE	2.91			ug/L
Cadmium	7440-43-9	FALSE	FALSE	-0.452			ug/L
Calcium	7440-70-2	FALSE	FALSE	4.08			ug/L
Cerium	7440-45-1	FALSE	FALSE	0.915			ug/L
Aluminum	7429-90-5	FALSE	FALSE	-0.107			ug/L
Chromium	7440-47-3	FALSE	FALSE	46800			ug/L
Cobalt	7440-48-4	FALSE	FALSE	-0.011			ug/L
Copper	7440-50-8	FALSE	FALSE	0.299			ug/L
Iron	7439-89-6	FALSE	FALSE	25.2			ug/L
Lead	7439-92-1	FALSE	FALSE	-7.49			ug/L
Magnesium	7439-95-4	FALSE	FALSE	-10.8			ug/L
Manganese	7439-96-5	FALSE	FALSE	0.0007			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	3.93			ug/L
Nickel	7440-02-0	FALSE	FALSE	1.72			ug/L
Potassium	7440-09-7	FALSE	FALSE	17.8			ug/L
Antimony	7440-36-0	FALSE	FALSE	0.024			ug/L

TRUE	NA	1			2000	102		105
TRUE	NA	1			2000	100		105
TRUE	NA	1			2000	103		105
TRUE	NA	1			2000	98		105
TRUE	NA	1			2000	107		105
TRUE	NA	1			2000	102		105
TRUE	NA	1			2000	99		105
TRUE	NA	1			2000	101		105
TRUE	NA	1			2000	101		105
TRUE	NA	1			2000	104		105
TRUE	NA	1			2000	101		105
TRUE	NA	1			200000	105		200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1			50000	94		200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200

95		SC				260
95		SC				270
95		SC				280
95		SC				290
95		SC				30
95		SC				40
95		SC				50
95		SC				60
95		SC				70
95		SC				80
95		SC				90
0		SC				10
0		SC				100
0		SC				110
0		SC				120
0		SC				130
0		SC				140
0		SC			U	150
0		SC				160
0		SC				170
0		SC				180
0		SC				190
0		SC			U	20
0		SC				200
0		SC				210
0		SC				220
0		SC				230
0		SC				240
0		SC			U	250
0		SC				260
0		SC				270
0		SC				280
0		SC				290
0		SC				30
0		SC				40
0		SC				50
0		SC				60
0		SC			U	70
0		SC				80
0		SC				90
0		SC			U	10
0		SC				100
0		SC			U	110
0		SC				120
0		SC				130
0		SC			U	140
0		SC			U	150
0		SC				160
0		SC				170
0		SC				180
0		SC				190
0		SC				20

EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA2	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA3	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59

05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:07:25	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:15:12	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113

Selenium	7782-49-2	FALSE	FALSE	1.25			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	6.50			ug/L
Silver	7440-22-4	FALSE	FALSE	0.600			ug/L
Sodium	7440-23-5	FALSE	FALSE	5.27			ug/L
Strontium	7440-24-6	FALSE	FALSE	-0.099			ug/L
Thallium	7440-28-0	FALSE	FALSE	-0.021			ug/L
Tin	7440-31-5	FALSE	FALSE	-2.12			ug/L
Titanium	7440-32-6	FALSE	FALSE	0.00			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.058			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.244			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-0.010			ug/L
Barium	7440-39-3	FALSE	FALSE	0.071			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.0001			ug/L
Boron	7440-42-8	FALSE	FALSE	-28.7			ug/L
Cadmium	7440-43-9	FALSE	FALSE	-0.049			ug/L
Calcium	7440-70-2	FALSE	FALSE	-48.7			ug/L
Cerium	7440-45-1	FALSE	FALSE	-3.29			ug/L
Aluminum	7429-90-5	FALSE	FALSE	-0.020			ug/L
Chromium	7440-47-3	FALSE	FALSE	0.009			ug/L
Cobalt	7440-48-4	FALSE	FALSE	48900			ug/L
Copper	7440-50-8	FALSE	FALSE	0.856			ug/L
Iron	7439-89-6	FALSE	FALSE	21.5			ug/L
Lead	7439-92-1	FALSE	FALSE	3.30			ug/L
Magnesium	7439-95-4	FALSE	FALSE	-26.8			ug/L
Manganese	7439-96-5	FALSE	FALSE	0.002			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	0.865			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.002			ug/L
Potassium	7440-09-7	FALSE	FALSE	44.0			ug/L
Antimony	7440-36-0	FALSE	FALSE	-2.23			ug/L
Selenium	7782-49-2	FALSE	FALSE	-0.047			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	7.12			ug/L
Silver	7440-22-4	FALSE	FALSE	0.056			ug/L
Sodium	7440-23-5	FALSE	FALSE	4.15			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.028			ug/L
Thallium	7440-28-0	FALSE	FALSE	0.128			ug/L
Tin	7440-31-5	FALSE	FALSE	0.359			ug/L
Titanium	7440-32-6	FALSE	FALSE	0.749			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.070			ug/L
Zinc	7440-66-6	FALSE	FALSE	-0.653			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-1.78			ug/L
Barium	7440-39-3	FALSE	FALSE	0.103			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.011			ug/L
Boron	7440-42-8	FALSE	FALSE	2.E-14			ug/L
Cadmium	7440-43-9	FALSE	FALSE	1.09			ug/L
Calcium	7440-70-2	FALSE	FALSE	6.73			ug/L
Cerium	7440-45-1	FALSE	FALSE	-1.37			ug/L
Aluminum	7429-90-5	FALSE	FALSE	1.17			ug/L
Chromium	7440-47-3	FALSE	FALSE	0.004			ug/L
Cobalt	7440-48-4	FALSE	FALSE	1.51			ug/L
Copper	7440-50-8	FALSE	FALSE	0.009			ug/L
Iron	7439-89-6	FALSE	FALSE	297000			ug/L
Lead	7439-92-1	FALSE	FALSE	-0.005			ug/L

TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1			50000	98		200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1			300000	99		200
TRUE	NA	1						200

0		SC				200
0		SC				210
0		SC				220
0		SC				230
0		SC			U	240
0		SC			U	250
0		SC			U	260
0		SC			U	270
0		SC				280
0		SC				290
0		SC			U	30
0		SC				40
0		SC			U	50
0		SC			U	60
0		SC			U	70
0		SC			U	80
0		SC			U	90
0		SC			U	10
0		SC				100
0		SC				110
0		SC				120
0		SC				130
0		SC				140
0		SC			U	150
0		SC				160
0		SC				170
0		SC				180
0		SC				190
0		SC			U	20
0		SC			U	200
0		SC				210
0		SC				220
0		SC				230
0		SC				240
0		SC				250
0		SC				260
0		SC				270
0		SC				280
0		SC			U	290
0		SC			U	30
0		SC				40
0		SC			U	50
0		SC				60
0		SC				70
0		SC				80
0		SC			U	90
0		SC				10
0		SC				100
0		SC				110
0		SC				120
0		SC				130
0		SC			U	140

EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA4	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA5	Interference Check A	Water	05/18/2017 10:58:59

05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:23:02	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:29:30	S17E115	Metals by 200.7,Total	200.7	B17E113

Magnesium	7439-95-4	FALSE	FALSE	-21.9			ug/L
Manganese	7439-96-5	FALSE	FALSE	-0.0004			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	-8.36			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.312			ug/L
Potassium	7440-09-7	FALSE	FALSE	-7.53			ug/L
Antimony	7440-36-0	FALSE	FALSE	0.227			ug/L
Selenium	7782-49-2	FALSE	FALSE	0.010			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	-36.0			ug/L
Silver	7440-22-4	FALSE	FALSE	0.008			ug/L
Sodium	7440-23-5	FALSE	FALSE	-9.54			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.157			ug/L
Thallium	7440-28-0	FALSE	FALSE	-6.07			ug/L
Tin	7440-31-5	FALSE	FALSE	-1.93			ug/L
Titanium	7440-32-6	FALSE	FALSE	-0.501			ug/L
Vanadium	7440-62-2	FALSE	FALSE	-0.134			ug/L
Zinc	7440-66-6	FALSE	FALSE	-0.002			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-0.025			ug/L
Barium	7440-39-3	FALSE	FALSE	3.62			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.198			ug/L
Boron	7440-42-8	FALSE	FALSE	-38.3			ug/L
Cadmium	7440-43-9	FALSE	FALSE	0.0003			ug/L
Calcium	7440-70-2	FALSE	FALSE	1.80			ug/L
Cerium	7440-45-1	FALSE	FALSE	-1.28			ug/L
Aluminum	7429-90-5	FALSE	FALSE	0.067			ug/L
Chromium	7440-47-3	FALSE	FALSE	0.882			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.879			ug/L
Copper	7440-50-8	FALSE	FALSE	-1.32			ug/L
Iron	7439-89-6	FALSE	FALSE	19.1			ug/L
Lead	7439-92-1	FALSE	FALSE	5.61			ug/L
Magnesium	7439-95-4	FALSE	FALSE	-197			ug/L
Manganese	7439-96-5	FALSE	FALSE	52400			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	-2.96			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.029			ug/L
Potassium	7440-09-7	FALSE	FALSE	111			ug/L
Antimony	7440-36-0	FALSE	FALSE	-4.80			ug/L
Selenium	7782-49-2	FALSE	FALSE	0.003			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	33.6			ug/L
Silver	7440-22-4	FALSE	FALSE	0.007			ug/L
Sodium	7440-23-5	FALSE	FALSE	19.9			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.002			ug/L
Thallium	7440-28-0	FALSE	FALSE	0.0005			ug/L
Tin	7440-31-5	FALSE	FALSE	-1.33			ug/L
Titanium	7440-32-6	FALSE	FALSE	-0.034			ug/L
Vanadium	7440-62-2	FALSE	FALSE	-0.048			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.207			ug/L
Arsenic	7440-38-2	FALSE	FALSE	0.879			ug/L
Barium	7440-39-3	FALSE	FALSE	-0.338			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.009			ug/L
Boron	7440-42-8	FALSE	FALSE	-3.58			ug/L
Cadmium	7440-43-9	FALSE	FALSE	0.021			ug/L
Calcium	7440-70-2	FALSE	FALSE	1.00			ug/L
Cerium	7440-45-1	FALSE	FALSE	11.7			ug/L

TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1			50000	105		200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200

0		SC			U	150
0		SC			U	160
0		SC			U	170
0		SC				180
0		SC			U	190
0		SC				20
0		SC				200
0		SC			U	210
0		SC				220
0		SC			U	230
0		SC				240
0		SC			U	250
0		SC			U	260
0		SC			U	270
0		SC			U	280
0		SC			U	290
0		SC			U	30
0		SC				40
0		SC			U	50
0		SC			U	60
0		SC				70
0		SC				80
0		SC			U	90
0		SC				10
0		SC				100
0		SC				110
0		SC			U	120
0		SC				130
0		SC				140
0		SC			U	150
0		SC				160
0		SC			U	170
0		SC				180
0		SC				190
0		SC			U	20
0		SC				200
0		SC				210
0		SC				220
0		SC				230
0		SC				240
0		SC				250
0		SC			U	260
0		SC			U	270
0		SC			U	280
0		SC				290
0		SC				30
0		SC			U	40
0		SC			U	50
0		SC			U	60
0		SC				70
0		SC				80
0		SC				90

EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA6	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59

05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:36:20	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113

Aluminum	7429-90-5	FALSE	FALSE	0.879			ug/L
Chromium	7440-47-3	FALSE	FALSE	0.866			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.882			ug/L
Copper	7440-50-8	FALSE	FALSE	-0.079			ug/L
Iron	7439-89-6	FALSE	FALSE	-0.522			ug/L
Lead	7439-92-1	FALSE	FALSE	0.284			ug/L
Magnesium	7439-95-4	FALSE	FALSE	0.918			ug/L
Manganese	7439-96-5	FALSE	FALSE	2.85			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	4910			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.190			ug/L
Potassium	7440-09-7	FALSE	FALSE	25.9			ug/L
Antimony	7440-36-0	FALSE	FALSE	-2.18			ug/L
Selenium	7782-49-2	FALSE	FALSE	3.44			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	2.44			ug/L
Silver	7440-22-4	FALSE	FALSE	-0.114			ug/L
Sodium	7440-23-5	FALSE	FALSE	14.5			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.016			ug/L
Thallium	7440-28-0	FALSE	FALSE	-1.85			ug/L
Tin	7440-31-5	FALSE	FALSE	-0.027			ug/L
Titanium	7440-32-6	FALSE	FALSE	-0.172			ug/L
Vanadium	7440-62-2	FALSE	FALSE	2.95			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.268			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-0.498			ug/L
Barium	7440-39-3	FALSE	FALSE	-0.006			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.059			ug/L
Boron	7440-42-8	FALSE	FALSE	-2.80			ug/L
Cadmium	7440-43-9	FALSE	FALSE	0.183			ug/L
Calcium	7440-70-2	FALSE	FALSE	1.48			ug/L
Cerium	7440-45-1	FALSE	FALSE	-1.93			ug/L
Aluminum	7429-90-5	FALSE	FALSE	6.64			ug/L
Chromium	7440-47-3	FALSE	FALSE	-0.002			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.002			ug/L
Copper	7440-50-8	FALSE	FALSE	-0.027			ug/L
Iron	7439-89-6	FALSE	FALSE	2.33			ug/L
Lead	7439-92-1	FALSE	FALSE	2.58			ug/L
Magnesium	7439-95-4	FALSE	FALSE	-1.08			ug/L
Manganese	7439-96-5	FALSE	FALSE	-0.131			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	2.66			ug/L
Nickel	7440-02-0	FALSE	FALSE	50200			ug/L
Potassium	7440-09-7	FALSE	FALSE	32.8			ug/L
Antimony	7440-36-0	FALSE	FALSE	-5.06			ug/L
Selenium	7782-49-2	FALSE	FALSE	0.916			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	5.91			ug/L
Silver	7440-22-4	FALSE	FALSE	-0.071			ug/L
Sodium	7440-23-5	FALSE	FALSE	4.13			ug/L
Strontium	7440-24-6	FALSE	FALSE	-0.009			ug/L
Thallium	7440-28-0	FALSE	FALSE	0.550			ug/L
Tin	7440-31-5	FALSE	FALSE	-1.37			ug/L
Titanium	7440-32-6	FALSE	FALSE	-0.102			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.184			ug/L
Zinc	7440-66-6	FALSE	FALSE	-0.0001			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-1.37			ug/L

TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1			50000	10		200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1			50000	100		200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200

0		SC				10
0		SC				100
0		SC				110
0		SC			U	120
0		SC			U	130
0		SC				140
0		SC				150
0		SC				160
0		SC				170
0		SC				180
0		SC				190
0		SC			U	20
0		SC				200
0		SC				210
0		SC			U	220
0		SC				230
0		SC				240
0		SC			U	250
0		SC			U	260
0		SC			U	270
0		SC				280
0		SC				290
0		SC			U	30
0		SC			U	40
0		SC			U	50
0		SC			U	60
0		SC				70
0		SC				80
0		SC			U	90
0		SC				10
0		SC			U	100
0		SC				110
0		SC			U	120
0		SC				130
0		SC				140
0		SC			U	150
0		SC			U	160
0		SC				170
0		SC				180
0		SC				190
0		SC			U	20
0		SC				200
0		SC				210
0		SC			U	220
0		SC				230
0		SC			U	240
0		SC				250
0		SC			U	260
0		SC			U	270
0		SC				280
0		SC			U	290
0		SC			U	30

EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA7	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA8	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59

05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:43:47	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:51:38	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113

Barium	7440-39-3	FALSE	FALSE	1.20			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.075			ug/L
Boron	7440-42-8	FALSE	FALSE	-1.97			ug/L
Cadmium	7440-43-9	FALSE	FALSE	0.0001			ug/L
Calcium	7440-70-2	FALSE	FALSE	0.269			ug/L
Cerium	7440-45-1	FALSE	FALSE	-7.38			ug/L
Aluminum	7429-90-5	FALSE	FALSE	-0.537			ug/L
Chromium	7440-47-3	FALSE	FALSE	2.62			ug/L
Cobalt	7440-48-4	FALSE	FALSE	-0.0008			ug/L
Copper	7440-50-8	FALSE	FALSE	0.020			ug/L
Iron	7439-89-6	FALSE	FALSE	-1.63			ug/L
Lead	7439-92-1	FALSE	FALSE	-9.49			ug/L
Magnesium	7439-95-4	FALSE	FALSE	1.95			ug/L
Manganese	7439-96-5	FALSE	FALSE	0.464			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	0.903			ug/L
Nickel	7440-02-0	FALSE	FALSE	2.65			ug/L
Potassium	7440-09-7	FALSE	FALSE	134			ug/L
Antimony	7440-36-0	FALSE	FALSE	0.170			ug/L
Selenium	7782-49-2	FALSE	FALSE	0.014			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	833			ug/L
Silver	7440-22-4	FALSE	FALSE	0.004			ug/L
Sodium	7440-23-5	FALSE	FALSE	45.5			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.034			ug/L
Thallium	7440-28-0	FALSE	FALSE	-0.728			ug/L
Tin	7440-31-5	FALSE	FALSE	-13.3			ug/L
Titanium	7440-32-6	FALSE	FALSE	49600			ug/L
Vanadium	7440-62-2	FALSE	FALSE	0.014			ug/L
Zinc	7440-66-6	FALSE	FALSE	1.03			ug/L
Arsenic	7440-38-2	FALSE	FALSE	-3.92			ug/L
Barium	7440-39-3	FALSE	FALSE	0.022			ug/L
Beryllium	7440-41-7	FALSE	FALSE	0.00006			ug/L
Boron	7440-42-8	FALSE	FALSE	24.6			ug/L
Cadmium	7440-43-9	FALSE	FALSE	2.40			ug/L
Calcium	7440-70-2	FALSE	FALSE	2.06			ug/L
Cerium	7440-45-1	FALSE	FALSE	22.3			ug/L
Aluminum	7429-90-5	FALSE	FALSE	0.147			ug/L
Chromium	7440-47-3	FALSE	FALSE	1.41			ug/L
Cobalt	7440-48-4	FALSE	FALSE	0.628			ug/L
Copper	7440-50-8	FALSE	FALSE	0.004			ug/L
Iron	7439-89-6	FALSE	FALSE	34.0			ug/L
Lead	7439-92-1	FALSE	FALSE	-3.00			ug/L
Magnesium	7439-95-4	FALSE	FALSE	6.99			ug/L
Manganese	7439-96-5	FALSE	FALSE	1.97			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	0.00			ug/L
Nickel	7440-02-0	FALSE	FALSE	0.816			ug/L
Potassium	7440-09-7	FALSE	FALSE	18.5			ug/L
Antimony	7440-36-0	FALSE	FALSE	-0.038			ug/L
Selenium	7782-49-2	FALSE	FALSE	2.94			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	5530			ug/L
Silver	7440-22-4	FALSE	FALSE	0.015			ug/L
Sodium	7440-23-5	FALSE	FALSE	212			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.043			ug/L

TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1			50000	99		200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200

0		SC				40
0		SC			U	50
0		SC			U	60
0		SC				70
0		SC				80
0		SC			U	90
0		SC			U	10
0		SC				100
0		SC			U	110
0		SC				120
0		SC			U	130
0		SC			U	140
0		SC				150
0		SC				160
0		SC				170
0		SC				180
0		SC				190
0		SC				20
0		SC				200
0		SC				210
0		SC				220
0		SC				230
0		SC				240
0		SC			U	250
0		SC			U	260
0		SC				270
0		SC				280
0		SC				290
0		SC			U	30
0		SC				40
0		SC				50
0		SC				60
0		SC				70
0		SC				80
0		SC				90
0		SC				10
0		SC				100
0		SC				110
0		SC				120
0		SC				130
0		SC			U	140
0		SC				150
0		SC				160
0		SC			U	170
0		SC				180
0		SC				190
0		SC			U	20
0		SC				200
0		SC				210
0		SC				220
0		SC				230
0		SC				240

EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFA9	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E115-IFAA	Interference Check A	Water	05/18/2017 10:58:59
EPA Region 9 Laboratory	S17E138-CAL1	Cal Standard	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CAL2	Cal Standard	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CAL3	Cal Standard	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CAL4	Cal Standard	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CAL5	Cal Standard	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CAL6	Cal Standard	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCB1	Calibration Blank	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCB2	Calibration Blank	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCB3	Calibration Blank	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCB4	Calibration Blank	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCB5	Calibration Blank	Water	05/23/2017 07:36:45

05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 13:58:29	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/18/2017 14:21:19	S17E115	Metals by 200.7,Total	200.7	B17E113
05/23/2017 17:02:36	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:04:11	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:05:47	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:07:23	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:08:58	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:10:34	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:13:45	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:31:17	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:48:51	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 18:06:28	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 18:24:05	S17E138	Nitrogen, Ammonia	350.1	B17E139

Thallium	7440-28-0	FALSE	FALSE	-0.052			ug/L
Tin	7440-31-5	FALSE	FALSE	0.444			ug/L
Titanium	7440-32-6	FALSE	FALSE	4.95			ug/L
Vanadium	7440-62-2	FALSE	FALSE	52100			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.868			ug/L
Arsenic	7440-38-2	FALSE	FALSE	4.60			ug/L
Barium	7440-39-3	FALSE	FALSE	0.00			ug/L
Beryllium	7440-41-7	FALSE	FALSE	0.00008			ug/L
Boron	7440-42-8	FALSE	FALSE	236			ug/L
Cadmium	7440-43-9	FALSE	FALSE	-0.061			ug/L
Calcium	7440-70-2	FALSE	FALSE	-16.7			ug/L
Cerium	7440-45-1	FALSE	FALSE	12.0			ug/L
Aluminum	7429-90-5	FALSE	FALSE	11.6			ug/L
Chromium	7440-47-3	FALSE	FALSE	-0.025			ug/L
Cobalt	7440-48-4	FALSE	FALSE	1.22			ug/L
Copper	7440-50-8	FALSE	FALSE	-0.408			ug/L
Iron	7439-89-6	FALSE	FALSE	-25.3			ug/L
Lead	7439-92-1	FALSE	FALSE	0.088			ug/L
Magnesium	7439-95-4	FALSE	FALSE	-5.63			ug/L
Manganese	7439-96-5	FALSE	FALSE	1.25			ug/L
Molybdenum	7439-98-7	FALSE	FALSE	46900			ug/L
Nickel	7440-02-0	FALSE	FALSE	-0.0008			ug/L
Potassium	7440-09-7	FALSE	FALSE	9.36			ug/L
Antimony	7440-36-0	FALSE	FALSE	-5.27			ug/L
Selenium	7782-49-2	FALSE	FALSE	8.13			ug/L
Silica (SiO2)	763-18-69	FALSE	FALSE	-1.E-13			ug/L
Silver	7440-22-4	FALSE	FALSE	-0.102			ug/L
Sodium	7440-23-5	FALSE	FALSE	123			ug/L
Strontium	7440-24-6	FALSE	FALSE	0.049			ug/L
Thallium	7440-28-0	FALSE	FALSE	2.59			ug/L
Tin	7440-31-5	FALSE	FALSE	0.363			ug/L
Titanium	7440-32-6	FALSE	FALSE	0.874			ug/L
Vanadium	7440-62-2	FALSE	FALSE	-0.001			ug/L
Zinc	7440-66-6	FALSE	FALSE	0.197			ug/L
Arsenic	7440-38-2	FALSE	FALSE	0.191			ug/L
Barium	7440-39-3	FALSE	FALSE	-0.537			ug/L
Beryllium	7440-41-7	FALSE	FALSE	-0.159			ug/L
Boron	7440-42-8	FALSE	FALSE	-22.3			ug/L
Cadmium	7440-43-9	FALSE	FALSE	1.80			ug/L
Calcium	7440-70-2	FALSE	FALSE	0.00			ug/L
Cerium	7440-45-1	FALSE	FALSE	-12.9			ug/L
Ammonia as N	7664-41-7	FALSE	FALSE	20.0			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.00			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	1.00			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.500			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.050			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.00			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	-0.006			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.0003			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.006			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	-0.011			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	-0.005			mg/L

TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1			50000	104		200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1			50000	94		200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1						200
TRUE	NA	1			20.0	100		
TRUE	NA	1			5.00	100		
TRUE	NA	1			1.00	100		
TRUE	NA	1			0.500	100		
TRUE	NA	1			0.0500	100		
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			

0		SC			U	250
0		SC				260
0		SC				270
0		SC				280
0		SC				290
0		SC				30
0		SC			U	40
0		SC				50
0		SC				60
0		SC			U	70
0		SC			U	80
0		SC				90
0		SC				10
0		SC			U	100
0		SC				110
0		SC			U	120
0		SC			U	130
0		SC				140
0		SC			U	150
0		SC				160
0		SC				170
0		SC			U	180
0		SC				190
0		SC			U	20
0		SC				200
0		SC			U	210
0		SC			U	220
0		SC				230
0		SC				240
0		SC				250
0		SC				260
0		SC				270
0		SC			U	280
0		SC				290
0		SC				30
0		SC			U	40
0		SC			U	50
0		SC			U	60
0		SC				70
0		SC			U	80
0		SC			U	90
		ER				2
		ER				2
		ER				2
		ER				2
		ER				2
		ER			U	2
		ER			U	2
		ER				2
		ER				2
		ER			U	2
		ER			U	2

EPA Region 9 Laboratory	S17E138-CCB6	Calibration Blank	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCB7	Calibration Blank	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCB8	Calibration Blank	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCV1	Calibration Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCV2	Calibration Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCV3	Calibration Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCV4	Calibration Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCV5	Calibration Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCV6	Calibration Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCV7	Calibration Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CCV8	Calibration Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CRL1	Instrument RL Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-CRL2	Instrument RL Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E138-SCV1	Secondary Cal Check	Water	05/23/2017 07:36:45
EPA Region 9 Laboratory	S17E152-CAL1	Cal Standard	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-CAL2	Cal Standard	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-CAL3	Cal Standard	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-CAL4	Cal Standard	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-CAL5	Cal Standard	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-CAL6	Cal Standard	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-CCB1	Calibration Blank	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-CCB2	Calibration Blank	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-CCV1	Calibration Check	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-CCV2	Calibration Check	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-CRL1	Instrument RL Check	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E152-SCV1	Secondary Cal Check	Water	05/24/2017 11:42:20
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15

05/23/2017 18:43:23	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 19:01:08	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 19:14:01	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:12:09	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:29:42	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:47:15	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 18:04:52	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 18:22:29	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 18:41:48	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 18:59:32	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 19:12:26	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:16:57	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 18:08:03	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/23/2017 17:15:21	S17E138	Nitrogen, Ammonia	350.1	B17E139
05/24/2017 14:56:11	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 14:57:47	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 14:59:22	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 15:00:58	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 15:02:33	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 15:04:09	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 15:07:20	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 15:21:41	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 15:05:44	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 15:20:05	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 15:10:31	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/24/2017 15:08:56	S17E152	Nitrogen, Ammonia	350.1	B17E158
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096

Ammonia as N	7664-41-7	FALSE	FALSE	0.003			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.015			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.0002			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.17			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.18			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.04			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.00			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.02			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.07			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.05			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.09			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.044			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.045			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.00			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	20.0			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.00			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	1.00			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.500			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.050			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.00			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	-0.020			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	-0.0002			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.23			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	5.06			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	0.049			mg/L
Ammonia as N	7664-41-7	FALSE	FALSE	4.89			mg/L
Phenol	108-95-2	FALSE	FALSE	21.2			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	21.0			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	23.2			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	22.5			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	22.7			ug/mL
Isophorone	78-59-1	FALSE	FALSE	23.6			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	20.0			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	20.1			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	21.8			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	20.1			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	20.1			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	22.1			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	21.2			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	20.5			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	20.7			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	21.2			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	21.4			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	19.7			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	19.0			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	19.6			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	21.2			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	22.5			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	20.1			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	21.9			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	21.2			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	20.7			ug/mL

TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			5.00	103		110
TRUE	NA	1			5.00	104		110
TRUE	NA	1			5.00	101		110
TRUE	NA	1			5.00	100		110
TRUE	NA	1			5.00	100		110
TRUE	NA	1			5.00	101		110
TRUE	NA	1			5.00	101		110
TRUE	NA	1			5.00	102		110
TRUE	NA	1			0.0500	88		140
TRUE	NA	1			0.0500	89		140
TRUE	NA	1			5.00	100		110
TRUE	NA	1			20.0	100		
TRUE	NA	1			5.00	100		
TRUE	NA	1			1.00	100		
TRUE	NA	1			0.500	100		
TRUE	NA	1			0.0500	100		
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			0.00			
TRUE	NA	1			5.00	105		110
TRUE	NA	1			5.00	101		110
TRUE	NA	1			0.0500	98		140
TRUE	NA	1			5.00	98		110
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	116		120
TRUE	NA	1			20.0	113		120
TRUE	NA	1			20.0	114		120
TRUE	NA	1			20.0	118		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	109		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	111		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	102		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	98		120
TRUE	NA	1			20.0	95		120
TRUE	NA	1			20.0	98		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	113		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	110		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	104		120

		ER				2
		ER				2
		ER				2
90		ER				2
90		ER				2
90		ER				2
90		ER				2
90		ER				2
90		ER				2
90		ER				2
90		ER				2
60		ER				2
60		ER				2
90		ER				2
		ER				2
		ER				2
		ER				2
		ER				2
		ER				2
		ER			U	2
		ER			U	2
		ER			U	2
90		ER				2
90		ER				2
60		ER				2
90		ER				2
80		RH				10
80		RH				100
80		RH				110
80		RH				120
80		RH				130
80		RH				140
80		RH				150
80		RH				160
80		RH				170
80		RH				180
80		RH				190
80		RH				20
80		RH				200
80		RH				210
80		RH				220
80		RH				230
80		RH				240
80		RH				250
80		RH				260
80		RH				270
80		RH				280
80		RH				290
80		RH				30
80		RH				300
80		RH				310
80		RH				320

EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CCV1	Calibration Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15

05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:53:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096

3-Nitroaniline	99-09-2	FALSE	FALSE	20.9			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	21.6			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	14.8			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	23.8			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	20.6			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	20.8			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	21.4			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	21.3			ug/mL
Fluorene	86-73-7	FALSE	FALSE	20.8			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	19.4			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	21.9			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	18.3			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	20.6			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	18.9			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	19.8			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	16.1			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	21.1			ug/mL
Anthracene	120-12-7	FALSE	FALSE	21.6			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	20.2			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	20.9			ug/mL
Carbazole	86-74-8	FALSE	FALSE	21.5			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	23.7			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	22.0			ug/mL
Pyrene	129-00-0	FALSE	FALSE	21.1			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	23.0			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	20.7			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	19.1			ug/mL
Chrysene	218-01-9	FALSE	FALSE	19.9			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	24.3			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	24.0			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	20.6			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	20.2			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	20.4			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	20.2			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	19.7			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	19.4			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	19.8			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	20.7			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	20.7			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	5.61			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	21.2			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	21.0			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	19.9			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	19.8			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	21.9			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	20.5			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	18.4			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	19.8			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	23.9			ug/mL
Phenol	108-95-2	FALSE	FALSE	4.78			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	4.82			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	5.14			ug/mL

TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	74		120
TRUE	NA	1			20.0	119		120
TRUE	NA	1			20.0	103		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	107		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	97		120
TRUE	NA	1			20.0	109		120
TRUE	NA	1			20.0	92		120
TRUE	NA	1			20.0	103		120
TRUE	NA	1			20.0	94		120
TRUE	NA	1			20.0	99		120
TRUE	NA	1			20.0	80		120
TRUE	NA	1			20.0	106		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	108		120
TRUE	NA	1			20.0	118		120
TRUE	NA	1			20.0	110		120
TRUE	NA	1			20.0	105		120
TRUE	NA	1			20.0	115		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	96		120
TRUE	NA	1			20.0	100		120
TRUE	NA	1			20.0	121		120
TRUE	NA	1			20.0	120		120
TRUE	NA	1			20.0	103		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	102		120
TRUE	NA	1			20.0	101		120
TRUE	NA	1			20.0	98		120
TRUE	NA	1			20.0	97		120
TRUE	NA	1			20.0	99		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			20.0	104		120
TRUE	NA	1			5.00	112		200
TRUE	NA	1			20.0	106		200
TRUE	NA	1			20.0	105		200
TRUE	NA	1			20.0	99		200
TRUE	NA	1			20.0	99		200
TRUE	NA	1			20.0	110		200
TRUE	NA	1			20.0	102		200
TRUE	NA	1			20.0	92		200
TRUE	NA	1			20.0	99		200
TRUE	NA	1			20.0	119		120
TRUE	NA	1			5.00	96		140
TRUE	NA	1			5.00	96		140
TRUE	NA	1			5.00	103		140

80		RH				330
80		RH				340
80		RH				350
80		RH				360
80		RH				370
80		RH				380
80		RH				390
80		RH				40
80		RH				400
80		RH				410
80		RH				420
80		RH				430
80		RH				440
80		RH				450
80		RH				460
80		RH				470
80		RH				480
80		RH				490
80		RH				5
80		RH				50
80		RH				500
80		RH				510
80		RH				520
80		RH				530
80		RH				540
80		RH				550
80		RH				560
80		RH				570
80		RH				580
80		RH				590
80		RH				60
80		RH				600
80		RH				610
80		RH				620
80		RH				630
80		RH				640
80		RH				650
80		RH				70
80		RH				80
0		RH				810
0		RH				820
0		RH				830
0		RH				840
0		RH				850
0		RH				860
0		RH				870
0		RH				880
0		RH				890
80		RH				90
60		RH				10
60		RH				100
60		RH				110

EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15

05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096

Hexachloroethane	67-72-1	FALSE	FALSE	4.87			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	5.18			ug/mL
Isophorone	78-59-1	FALSE	FALSE	5.16			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	4.15			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	4.49			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	4.95			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	4.54			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	4.54			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	5.10			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	4.88			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	4.54			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	4.62			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	4.30			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	4.57			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	3.77			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	4.00			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	4.26			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	4.75			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	4.68			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	4.56			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	4.90			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	4.75			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	4.57			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	4.26			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	4.54			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	1.67			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	4.02			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	4.58			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	4.35			ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	4.61			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	4.92			ug/mL
Fluorene	86-73-7	FALSE	FALSE	4.24			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	4.12			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	3.68			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	3.13			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	4.72			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	4.36			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	4.41			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	2.72			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	4.63			ug/mL
Anthracene	120-12-7	FALSE	FALSE	4.67			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	4.96			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	4.85			ug/mL
Carbazole	86-74-8	FALSE	FALSE	4.81			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	4.72			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	4.41			ug/mL
Pyrene	129-00-0	FALSE	FALSE	5.07			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	4.59			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	4.71			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	3.96			ug/mL
Chrysene	218-01-9	FALSE	FALSE	4.71			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	4.83			ug/mL

TRUE	NA	1			5.00	97		140
TRUE	NA	1			5.00	104		140
TRUE	NA	1			5.00	103		140
TRUE	NA	1			5.00	83		140
TRUE	NA	1			5.00	90		140
TRUE	NA	1			5.00	99		140
TRUE	NA	1			5.00	91		140
TRUE	NA	1			5.00	91		140
TRUE	NA	1			5.00	102		140
TRUE	NA	1			5.00	98		140
TRUE	NA	1			5.00	91		140
TRUE	NA	1			5.00	92		140
TRUE	NA	1			5.00	86		140
TRUE	NA	1			5.00	91		140
TRUE	NA	1			5.00	75		140
TRUE	NA	1			5.00	80		140
TRUE	NA	1			5.00	85		140
TRUE	NA	1			5.00	95		140
TRUE	NA	1			5.00	94		140
TRUE	NA	1			5.00	91		140
TRUE	NA	1			5.00	98		140
TRUE	NA	1			5.00	95		140
TRUE	NA	1			5.00	91		140
TRUE	NA	1			5.00	85		140
TRUE	NA	1			5.00	91		140
TRUE	NA	1			5.00	33		140
TRUE	NA	1			5.00	80		140
TRUE	NA	1			5.00	92		140
TRUE	NA	1			5.00	87		140
TRUE	NA	1			5.00	92		140
TRUE	NA	1			5.00	98		140
TRUE	NA	1			5.00	85		140
TRUE	NA	1			5.00	82		140
TRUE	NA	1			5.00	74		140
TRUE	NA	1			5.00	63		140
TRUE	NA	1			5.00	94		140
TRUE	NA	1			5.00	87		140
TRUE	NA	1			5.00	88		140
TRUE	NA	1			5.00	54		140
TRUE	NA	1			5.00	93		140
TRUE	NA	1			5.00	93		140
TRUE	NA	1			5.00	99		140
TRUE	NA	1			5.00	97		140
TRUE	NA	1			5.00	96		140
TRUE	NA	1			5.00	94		140
TRUE	NA	1			5.00	88		140
TRUE	NA	1			5.00	101		140
TRUE	NA	1			5.00	92		140
TRUE	NA	1			5.00	94		140
TRUE	NA	1			5.00	79		140
TRUE	NA	1			5.00	94		140
TRUE	NA	1			5.00	97		140

60		RH				120
60		RH				130
60		RH				140
60		RH				150
60		RH				160
60		RH				170
60		RH				180
60		RH				190
60		RH				20
60		RH				200
60		RH				210
60		RH				220
60		RH				230
60		RH				240
60		RH				250
60		RH				260
60		RH				270
60		RH				280
60		RH				290
60		RH				30
60		RH				300
60		RH				310
60		RH				320
60		RH				330
60		RH				340
60		RH				350
60		RH				360
60		RH				370
60		RH				380
60		RH				390
60		RH				40
60		RH				400
60		RH				410
60		RH				420
60		RH				430
60		RH				440
60		RH				450
60		RH				460
60		RH				470
60		RH				480
60		RH				490
60		RH				5
60		RH				50
60		RH				500
60		RH				510
60		RH				520
60		RH				530
60		RH				540
60		RH				550
60		RH				560
60		RH				570
60		RH				580

EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL1	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15

05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 18:26:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096

Di-n-octyl phthalate	117-84-0	FALSE	FALSE	4.12			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	4.39			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	4.12			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	4.38			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	4.27			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	4.22			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	4.01			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	4.50			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	4.74			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	4.71			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	5.06			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	4.73			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	4.68			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	4.53			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	4.56			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	4.82			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	4.72			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	3.75			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	4.50			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	5.50			ug/mL
Phenol	108-95-2	FALSE	FALSE	0.740			ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	0.660			ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	0.730			ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	0.750			ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	0.790			ug/mL
Isophorone	78-59-1	FALSE	FALSE	0.710			ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	0.500			ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	0.00			ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	0.790			ug/mL
2,4-Dichlorophenol	120-83-2	FALSE	FALSE	0.630			ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	0.730			ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	0.840			ug/mL
Naphthalene	91-20-3	FALSE	FALSE	0.810			ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	0.680			ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	0.750			ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	0.520			ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	0.730			ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	0.450			ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	0.470			ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	0.530			ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	0.770			ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	0.450			ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	0.710			ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	0.760			ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	0.720			ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	0.590			ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	0.440			ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	0.720			ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	0.00			ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	0.00			ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	0.770			ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	0.460			ug/mL

TRUE	NA	1			5.00	82		140
TRUE	NA	1			5.00	88		140
TRUE	NA	1			5.00	82		140
TRUE	NA	1			5.00	88		140
TRUE	NA	1			5.00	85		140
TRUE	NA	1			5.00	84		140
TRUE	NA	1			5.00	80		140
TRUE	NA	1			5.00	90		140
TRUE	NA	1			5.00	95		140
TRUE	NA	1			5.00	94		140
TRUE	NA	1			5.00	101		200
TRUE	NA	1			5.00	95		200
TRUE	NA	1			5.00	94		200
TRUE	NA	1			5.00	91		200
TRUE	NA	1			5.00	91		200
TRUE	NA	1			5.00	96		200
TRUE	NA	1			5.00	94		200
TRUE	NA	1			5.00	75		200
TRUE	NA	1			5.00	90		200
TRUE	NA	1			5.00	110		140
TRUE	NA	1			1.00	74		140
TRUE	NA	1			1.00	66		140
TRUE	NA	1			1.00	73		140
TRUE	NA	1			1.00	75		140
TRUE	NA	1			1.00	79		140
TRUE	NA	1			1.00	71		140
TRUE	NA	1			1.00	50		140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00	79		140
TRUE	NA	1			1.00	63		140
TRUE	NA	1			1.00	73		140
TRUE	NA	1			1.00	84		140
TRUE	NA	1			1.00	81		140
TRUE	NA	1			1.00	68		140
TRUE	NA	1			1.00	75		140
TRUE	NA	1			1.00	52		140
TRUE	NA	1			1.00	73		140
TRUE	NA	1			1.00	45		140
TRUE	NA	1			1.00	47		140
TRUE	NA	1			1.00	53		140
TRUE	NA	1			1.00	77		140
TRUE	NA	1			1.00	45		140
TRUE	NA	1			1.00	71		140
TRUE	NA	1			1.00	76		140
TRUE	NA	1			1.00	72		140
TRUE	NA	1			1.00	59		140
TRUE	NA	1			1.00	44		140
TRUE	NA	1			1.00	72		140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00	77		140
TRUE	NA	1			1.00	46		140

60		RH				590
60		RH				60
60		RH				600
60		RH				610
60		RH				620
60		RH				630
60		RH				640
60		RH				650
60		RH				70
60		RH				80
0		RH				810
0		RH				820
0		RH				830
0		RH				840
0		RH				850
0		RH				860
0		RH				870
0		RH				880
0		RH				890
60		RH				90
60		RH				10
60		RH				100
60		RH				110
60		RH				120
60		RH				130
60		RH				140
60		RH				150
60		RH			U	160
60		RH				170
60		RH				180
60		RH				190
60		RH				20
60		RH				200
60		RH				210
60		RH				220
60		RH				230
60		RH				240
60		RH				250
60		RH				260
60		RH				270
60		RH				280
60		RH				290
60		RH				30
60		RH				300
60		RH				310
60		RH				320
60		RH				330
60		RH				340
60		RH			U	350
60		RH			U	360
60		RH				370
60		RH				380

EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-CRL2	Instrument RL Check	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15

05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 19:00:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096

Diethyl phthalate	84-66-2	FALSE	FALSE	0.660			ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	0.820			ug/mL
Fluorene	86-73-7	FALSE	FALSE	0.680			ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	0.670			ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	0.00			ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	0.00			ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	0.710			ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	0.640			ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	0.690			ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	0.00			ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	0.770			ug/mL
Anthracene	120-12-7	FALSE	FALSE	0.690			ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	0.810			ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	0.810			ug/mL
Carbazole	86-74-8	FALSE	FALSE	0.690			ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	0.550			ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	0.640			ug/mL
Pyrene	129-00-0	FALSE	FALSE	0.770			ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	0.450			ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	0.800			ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	0.450			ug/mL
Chrysene	218-01-9	FALSE	FALSE	0.790			ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	0.440			ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	0.00			ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	0.580			ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	0.650			ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	0.690			ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	0.620			ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	0.630			ug/mL
Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	0.610			ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	0.720			ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	0.810			ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	0.670			ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	5.43			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	0.730			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	0.720			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	0.700			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	0.750			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	0.710			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	0.760			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	0.390			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	0.710			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	0.950			ug/mL
Phenol	108-95-2	FALSE	FALSE	ND	2.5	5.0	ug/mL
3&4-Methylphenol	106-44-5	FALSE	FALSE	ND	2.5	5.0	ug/mL
N-Nitrosodipropylamine	621-64-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
Hexachloroethane	67-72-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Nitrobenzene	98-95-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
Isophorone	78-59-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
2-Nitrophenol	88-75-5	FALSE	FALSE	ND	2.5	5.0	ug/mL
2,4-Dimethylphenol	105-67-9	FALSE	FALSE	ND	2.5	5.0	ug/mL
Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	ND	0.5	1.0	ug/mL

TRUE	NA	1			1.00	66		140
TRUE	NA	1			1.00	82		140
TRUE	NA	1			1.00	68		140
TRUE	NA	1			1.00	67		140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00	71		140
TRUE	NA	1			1.00	64		140
TRUE	NA	1			1.00	69		140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00	77		140
TRUE	NA	1			1.00	69		140
TRUE	NA	1			1.00	81		140
TRUE	NA	1			1.00	81		140
TRUE	NA	1			1.00	69		140
TRUE	NA	1			1.00	55		140
TRUE	NA	1			1.00	64		140
TRUE	NA	1			1.00	77		140
TRUE	NA	1			1.00	45		140
TRUE	NA	1			1.00	80		140
TRUE	NA	1			1.00	45		140
TRUE	NA	1			1.00	79		140
TRUE	NA	1			1.00	44		140
TRUE	NA	1			1.00			140
TRUE	NA	1			1.00	58		140
TRUE	NA	1			1.00	65		140
TRUE	NA	1			1.00	69		140
TRUE	NA	1			1.00	62		140
TRUE	NA	1			1.00	63		140
TRUE	NA	1			1.00	61		140
TRUE	NA	1			1.00	72		140
TRUE	NA	1			1.00	81		140
TRUE	NA	1			1.00	67		140
TRUE	NA	1			5.00	109		200
TRUE	NA	1			1.00	73		200
TRUE	NA	1			1.00	72		200
TRUE	NA	1			1.00	70		200
TRUE	NA	1			1.00	75		200
TRUE	NA	1			1.00	71		200
TRUE	NA	1			1.00	76		200
TRUE	NA	1			1.00	39		200
TRUE	NA	1			1.00	71		200
TRUE	NA	1			1.00	95		140
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						

60		RH				390
60		RH				40
60		RH				400
60		RH				410
60		RH			U	420
60		RH			U	430
60		RH				440
60		RH				450
60		RH				460
60		RH			U	470
60		RH				480
60		RH				490
60		RH				5
60		RH				50
60		RH				500
60		RH				510
60		RH				520
60		RH				530
60		RH				540
60		RH				550
60		RH				560
60		RH				570
60		RH				580
60		RH			U	590
60		RH				60
60		RH				600
60		RH				610
60		RH				620
60		RH				630
60		RH				640
60		RH				650
60		RH				70
60		RH				80
0		RH				810
0		RH				820
0		RH				830
0		RH				840
0		RH				850
0		RH				860
0		RH				870
0		RH				880
0		RH				890
60		RH				90
		RH			U	10
		RH			U	100
		RH			U	110
		RH			U	120
		RH			U	130
		RH			U	140
		RH			U	150
		RH			U	160
		RH			U	170

EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15

05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096

2,4-Dichlorophenol	120-83-2	FALSE	FALSE	ND	2.5	5.0	ug/mL
1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	ND	0.5	1.0	ug/mL
Naphthalene	91-20-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
4-Chloroaniline	106-47-8	FALSE	FALSE	ND	2.5	5.0	ug/mL
Hexachlorobutadiene	87-68-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	ND	2.5	5.0	ug/mL
2-Methylnaphthalene	91-57-6	FALSE	FALSE	ND	0.5	1.0	ug/mL
Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	ND	2.5	5.0	ug/mL
2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	ND	2.5	5.0	ug/mL
2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	ND	2.5	5.0	ug/mL
2-Chloronaphthalene	91-58-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
2-Nitroaniline	88-74-4	FALSE	FALSE	ND	2.5	5.0	ug/mL
2-Chlorophenol	95-57-8	FALSE	FALSE	ND	2.5	5.0	ug/mL
Dimethyl phthalate	131-11-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
Acenaphthylene	208-96-8	FALSE	FALSE	ND	0.5	1.0	ug/mL
2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
3-Nitroaniline	99-09-2	FALSE	FALSE	ND	2.5	5.0	ug/mL
Acenaphthene	83-32-9	FALSE	FALSE	ND	0.5	1.0	ug/mL
2,4-Dinitrophenol	51-28-5	FALSE	FALSE	ND	10	20	ug/mL
4-Nitrophenol	100-02-7	FALSE	FALSE	ND	2.5	5.0	ug/mL
Dibenzofuran	132-64-9	FALSE	FALSE	ND	0.5	1.0	ug/mL
2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
Diethyl phthalate	84-66-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Fluorene	86-73-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
4-Nitroaniline	100-01-6	FALSE	FALSE	ND	2.5	5.0	ug/mL
4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	ND	2.5	5.0	ug/mL
Diphenyl amine	122-39-4	FALSE	FALSE	ND	0.5	1.0	ug/mL
4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
Hexachlorobenzene	118-74-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Pentachlorophenol	87-86-5	FALSE	FALSE	ND	2.5	20	ug/mL
Phenanthrene	85-01-8	FALSE	FALSE	ND	0.5	1.0	ug/mL
Anthracene	120-12-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
1,4-Dioxane	123-91-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
Carbazole	86-74-8	FALSE	FALSE	ND	0.5	1.0	ug/mL
Di-n-butyl phthalate	84-74-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
Fluoranthene	206-44-0	FALSE	FALSE	ND	0.5	1.0	ug/mL
Pyrene	129-00-0	FALSE	FALSE	ND	0.5	1.0	ug/mL
Butyl benzyl phthalate	85-68-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
Benzo(a)anthracene	56-55-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Chrysene	218-01-9	FALSE	FALSE	ND	0.5	1.0	ug/mL
Bis(2-ethylhexyl) phthalate	117-81-7	FALSE	FALSE	ND	0.5	1.0	ug/mL
Di-n-octyl phthalate	117-84-0	FALSE	FALSE	ND	0.5	1.0	ug/mL
Benzyl alcohol	100-51-6	FALSE	FALSE	ND	2.5	5.0	ug/mL
Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	ND	0.5	1.0	ug/mL
Benzo(a)pyrene	50-32-8	FALSE	FALSE	ND	0.5	1.0	ug/mL
Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	ND	0.5	1.0	ug/mL

TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						

		RH			U	180
		RH			U	190
		RH			U	20
		RH			U	200
		RH			U	210
		RH			U	220
		RH			U	230
		RH			U	240
		RH			U	250
		RH			U	260
		RH			U	270
		RH			U	280
		RH			U	290
		RH			U	30
		RH			U	300
		RH			U	310
		RH			U	320
		RH			U	330
		RH			U	340
		RH			U	350
		RH			U	360
		RH			U	370
		RH			U	380
		RH			U	390
		RH			U	40
		RH			U	400
		RH			U	410
		RH			U	420
		RH			U	430
		RH			U	440
		RH			U	450
		RH			U	460
		RH			U	470
		RH			U	480
		RH			U	490
		RH			U	5
		RH			U	50
		RH			U	500
		RH			U	510
		RH			U	520
		RH			U	530
		RH			U	540
		RH			U	550
		RH			U	560
		RH			U	570
		RH			U	580
		RH			U	590
		RH			U	60
		RH			U	600
		RH			U	610
		RH			U	620
		RH			U	630

EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-IBL1	Instrument Blank	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15
EPA Region 9 Laboratory	S17E180-TUN1	MS Tune	Water	05/31/2017 16:03:15

05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 16:45:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096
05/31/2017 17:19:00	S17E180	SVOCs	8270D	B17E096

Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	ND	0.5	1.0	ug/mL
Benzo(g,h,i)perylene	191-24-2	FALSE	FALSE	ND	0.5	1.0	ug/mL
1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
2-Methylphenol	95-48-7	FALSE	FALSE	ND	2.5	5.0	ug/mL
1,4-Dioxane-d8	17647-74-4	TRUE	FALSE	0.00			ug/mL
2-Fluorophenol	367-12-4	TRUE	FALSE	0.00			ug/mL
Phenol-d5	4165-62-2	TRUE	FALSE	0.00			ug/mL
2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	0.00			ug/mL
1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	0.00			ug/mL
Nitrobenzene-d5	4165-60-0	TRUE	FALSE	0.00			ug/mL
2-Fluorobiphenyl	321-60-8	TRUE	FALSE	0.00			ug/mL
2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	0.00			ug/mL
Terphenyl-d14	1718-51-0	TRUE	FALSE	0.00			ug/mL
Bis(2-chloro-1-methylethyl) ether	108-60-1	FALSE	FALSE	ND	0.5	1.0	ug/mL
Mass 51		FALSE	FALSE	42500			ug/mL
Mass 441		FALSE	FALSE	15200			ug/mL
Mass 442		FALSE	FALSE	100000			ug/mL
Mass 443		FALSE	FALSE	19200			ug/mL
Mass 68		FALSE	FALSE	1500			ug/mL
Mass 70		FALSE	FALSE	500			ug/mL
Mass 127		FALSE	FALSE	48300			ug/mL
Mass 197		FALSE	FALSE	0			ug/mL
Mass 198		FALSE	FALSE	88700			ug/mL
Mass 199		FALSE	FALSE	6900			ug/mL
Mass 275		FALSE	FALSE	24700			ug/mL
Mass 365		FALSE	FALSE	4000			ug/mL

TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						
TRUE	NA	1						110
TRUE	NA	1						110
TRUE	NA	1						110
TRUE	NA	1						110
TRUE	NA	1						110
TRUE	NA	1						134
TRUE	NA	1						110
TRUE	NA	1						136
TRUE	NA	1						130
TRUE	NA	1						
TRUE	NA	1				42.5		80
TRUE	NA	1				15.2		24
TRUE	NA	1				100		150
TRUE	NA	1				19.2		24
TRUE	NA	1						2
TRUE	NA	1						2
TRUE	NA	1				54.5		80
TRUE	NA	1				0		2
TRUE	NA	1				88.7		150
TRUE	NA	1				6.9		9
TRUE	NA	1				27.9		60
TRUE	NA	1				4.04		100

		RH			U	640
		RH			U	650
		RH			U	70
		RH			U	80
46		RH			U	810
54		RH			U	820
54		RH			U	830
60		RH			U	840
38		RH			U	850
26		RH			U	860
57		RH			U	870
46		RH			U	880
47		RH			U	890
		RH			U	90
10		RH				1
0.01		RH				10
50		RH				11
15		RH				12
		RH				2
		RH				3
10		RH				4
		RH				5
50		RH				6
5		RH				7
10		RH				8
1		RH				9

QUALIFIER
A3
C1
J
Pass
Q10
U

LNOTE

DESCRIPTION
The sample was prepped/analyzed past the recommended holding time.
The reported concentration for this analyte is below the quantitation limit.
The reported result for this analyte should be considered an estimated value.
Pass
The analyte concentration in the unfortified sample is significantly greater than the concentration spiked into the matrix sp
This analyte was not detected.