"Perm Feature ID","Limit Set Designator","Parameter Code","Parameter Desc","Limit Value Consolidation","Limit Unit Code","Limit Unit Short Desc","Limit Value Type Code","Monitoring Location Code","Monitoring Location Desc","DMR Value","Monitoring Period End Date","Limit Value","Facility Name","NPDES ID","Statistical Base Short Desc","NODI Code","Statistical Base Code","Statistical Base Type Code","Expiration Date","Effective Date","Issue Date","Statistical Base Type Desc","Limit Start Date","Limit End Date","Limit Season ID","Limit Value Qualifier Code","Violation Desc","Violation Code","DMR Value Qualifier Code","DMR Value Type Code"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO

TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82607","Sanitary waste, solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"005A","A","82607","Sanitary waste, solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"005A","A","82607","Sanitary waste, solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"005A","A","82607","Sanitary waste, solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"005A","A","82607","Sanitary waste, solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2019/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/12/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82607","Sanitary waste, solids","Req.

Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2018/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO

TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent

Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO

TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent

Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO

AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"014A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"014A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent

Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO

AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","82600","Produced water, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/05/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/02/29 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/07/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/01/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/10/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/01/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/09/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2019/04/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/07/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01

00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2019/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2017/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2016/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"005A","A","82607","Sanitary waste, solids","Req.

Mon.","4K","#/mo","Q2","RW","Receiving Water","0","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2016/03/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C2"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2016/04/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2017/10/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2017/02/28 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2016/09/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2016/12/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/08/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/04/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/12/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2019/07/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2019/06/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent
Gross","","2017/12/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO

AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent
Gross","","2016/06/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent
Gross","","2018/05/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent
Gross","","2017/04/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent
Gross","","2017/01/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent
Gross","","2016/08/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent
Gross","","2016/10/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" ","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent

Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q1","1","Effluent
Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/04/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","",""," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/03/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/07/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/09/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2019/04/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/05/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","",""," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/08/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/01/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28

00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2019/08/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2019/03/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/07/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2019/06/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/12/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/02/29 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2019/07/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/12/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/01/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/02/28 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/05/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/01/31 00:00:00","3","PLATFORM

EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/04/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2019/05/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/09/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/02/28 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/10/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/10/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/12/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/09/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/06/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/03/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/05/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/07/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/10/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/03/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/11/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/08/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/04/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/08/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/06/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2016/11/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2019/02/28 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2019/01/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2018/06/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28

00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","1","Effluent Gross","","2017/11/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/09/30
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/05/31
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/02/29
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/01/31
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2019/03/31
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/04/30
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/02/28
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/08/31
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/11/30
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/11/30
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/12/31

00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2019/05/31
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2019/04/30
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/01/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","",""," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/05/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","",""," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/02/28 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2019/06/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/04/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","",""," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/09/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/06/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/07/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","",""," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/10/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/10/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/06/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/11/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/05/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/11/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/03/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2019/08/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2019/07/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/06/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2019/02/28 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/09/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/03/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28

00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/08/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/12/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/08/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/04/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2017/12/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/03/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2019/05/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2019/01/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/08/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2016/12/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/04/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid.
Bahia","3","23","%","C1","EG","Effluent Gross","","2018/02/28 00:00:00","3","PLATFORM

EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","EG","Effluent Gross","","2019/03/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","EG","Effluent Gross","","2018/11/30 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO

AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"019A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2018/11/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","0.0014","2016/07/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2019/08/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2016/06/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","0.0003","2016/04/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","<","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2016/03/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2017/09/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2019/02/28 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","0.0007","2018/01/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2017/12/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2016/08/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01

00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2016/12/31

00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2019/01/31
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","51707","Oil based fluids, non-aqueous based drilling fluids and
cuttings","Req. Mon.","9P","N=0;Y=1","Q1","1","Effluent Gross","","2018/04/30
00:00:00","","PLATFORM EUREKA","CAF001149","VALUE","C","VA","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"016A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","82604","Well fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"016A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/10/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/12/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/01/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2019/06/30 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/04/30 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/02/28 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/04/30 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/09/30 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"013A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO

AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","C3"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","1","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","1","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","DMR, Monitor Only - Overdue","D80","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01

00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"011A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","" =","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","3","2019/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2018/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2017/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","1","2017/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","DMR, Monitor Only - Overdue","D80","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","2","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","" =","Q2"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","," =","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","1","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","TOTAL","","TB","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent Gross","","2016/05/31 00:00:00","","PLATFORM

EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","2","2018/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2016/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","," =","Q2"

"003A","A","51484","Number of Events","Req. Mon.","5J","#","Q2","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","TOTAL","C","TB","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/05/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/12/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2019/03/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","7.7","2017/07/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/08/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/09/30 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/10/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/07/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2019/04/30 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/05/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2019/07/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/09/30 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/11/30 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/03/31 00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01

00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/06/30
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","1","2016/06/30
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/04/30
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2019/02/28
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2019/08/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/11/30
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/02/29
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/10/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/05/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2019/01/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2019/05/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/03/31

00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/03/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/01/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/08/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/06/30
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/02/28
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2016/11/30
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","2.2","2018/07/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/12/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2017/01/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82605","Sanitary waste, residual
chlorine","10","19","mg/L","C3","1","Effluent Gross","","2018/08/31
00:00:00","10","PLATFORM EUREKA","CAF001149","MAXIMUM","A","MB","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent

Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO

AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","","2018/08/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","","2018/06/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","0.0012","2019/04/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","","2016/02/29 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2016/09/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2016/11/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","0.0009","2018/07/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2019/07/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","0.0006","2017/04/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2018/02/28 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2019/06/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2017/03/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2019/05/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2018/03/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2018/12/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2017/08/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","","2017/06/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent Gross","0.0014","2016/10/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO

AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","","2016/12/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","0.0012","2017/01/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","","2019/03/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","0.002","2016/01/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","","2017/02/28 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","","2018/09/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","0.0007","2018/05/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","","2017/11/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","0.0003","2017/10/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","<","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","0.0008","2019/01/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","0.0003","2017/07/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","<","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","0.0006","2018/04/30 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","","2017/05/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO

AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","0.0008","2018/10/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"009A","A","50060","Chlorine, total residual",".00585","19","mg/L","C2","1","Effluent
Gross","","2016/05/31 00:00:00","0.00585","PLATFORM EUREKA","CAF001149","MO
AVG","9","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2019/06/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/05/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2019/03/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/11/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/05/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/09/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2019/01/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/08/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2019/05/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/03/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/02/28 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/09/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD

TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/11/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/01/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/03/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/05/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/12/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/09/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/01/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/10/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/04/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/10/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/12/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/08/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/07/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2019/02/28 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2019/07/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/10/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/12/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/11/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2019/08/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/01/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2019/04/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/06/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/08/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/07/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/04/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/02/28 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/02/29 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/07/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2018/06/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/06/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2017/04/30 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q1"

"019A","A","74076","Flow","1200","BY","bbl/yr","Q1","EG","Effluent
Gross","","2016/03/31 00:00:00","1200","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent

Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"022A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2016/10/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2016/12/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2016/11/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2016/08/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2019/01/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2016/03/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2018/05/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2016/04/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","",""," =","Q2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2017/06/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2019/01/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2017/09/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2019/08/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2019/02/28 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/06/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2017/07/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/02/28 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/01/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2019/03/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2017/08/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2016/01/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2016/05/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2019/04/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2016/07/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/09/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2017/03/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2017/11/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/07/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2016/02/29 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2019/05/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/10/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2016/11/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2017/05/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/11/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"003A","A","04379","Well fluids, oil & grease","29","19","mg/L","C2","1","Effluent Gross","","2018/03/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"018A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM

EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2019/01/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2019/05/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/06/30 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/02/28 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/08/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/08/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/11/30 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","," =","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/11/30 00:00:00","","PLATFORM

EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2016/11/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2018/01/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2016/03/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2018/09/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2016/02/29 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2016/08/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2017/02/28 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2016/10/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2016/06/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2018/05/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2019/05/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2018/04/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2018/08/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2018/01/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2017/09/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2016/05/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2017/01/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2018/11/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2017/05/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2017/02/28 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2017/07/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2016/09/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2017/03/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2018/03/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2017/11/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent Gross","","2017/06/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent

Gross","","2017/12/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2019/03/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2019/04/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2018/12/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2019/02/28 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2016/02/29 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2018/02/28 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2018/09/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2019/07/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2018/06/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2018/07/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2016/06/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2017/04/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2016/01/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2017/08/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD

TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2019/06/30 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2019/08/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2016/07/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2018/10/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","13350","1N","bbl","Q2","EG","Effluent
Gross","","2017/10/31 00:00:00","13350","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"010A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2016/04/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2018/06/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2019/04/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2018/02/28 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2017/11/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2017/02/28 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2016/09/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","=","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2016/02/29 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","=","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2017/03/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2018/08/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2018/07/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2018/10/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2016/05/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","=","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2018/12/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2017/08/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2017/12/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2019/07/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2019/06/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2018/03/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2018/05/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2016/06/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2017/01/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2018/09/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2016/07/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2016/10/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2019/03/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2019/02/28 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2019/08/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2016/01/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2017/06/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2017/04/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2017/09/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2017/07/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent Gross","","2018/11/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY

MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent
Gross","","2016/03/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent
Gross","","2016/12/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent
Gross","","2017/05/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent
Gross","","2018/01/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent
Gross","","2016/08/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent
Gross","","2018/04/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent
Gross","","2019/05/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent
Gross","","2016/11/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent
Gross","","2017/10/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"003A","A","04379","Well fluids, oil & grease","42","19","mg/L","C3","1","Effluent
Gross","","2019/01/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/12/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/09/30 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/05/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/11/30 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/07/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/10/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/12/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/03/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28

00:00:00","0",">=","",""," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2019/08/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/05/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2019/04/30 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/04/30 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","",""," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2019/02/28 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/02/28 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/01/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","",""," =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/03/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/10/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2019/03/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2019/05/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2019/08/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2016/09/30
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2017/01/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2018/07/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2017/03/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2019/06/30
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2016/01/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2017/09/30
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2017/07/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2019/02/28
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2016/05/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2018/10/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2019/01/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01

00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2018/03/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82596","Drilling cuttings, volume","Req.
Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"007A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2017/06/30
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2019/04/30
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2017/05/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2019/07/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/06/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/01/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2019/03/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2019/06/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/01/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/03/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/07/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/06/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/10/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2019/08/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2019/01/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/02/28
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/10/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/08/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01

00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/05/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2019/04/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2019/07/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/02/29
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/07/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/08/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/09/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/12/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2019/05/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/07/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/03/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/01/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/04/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/06/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/12/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2019/02/28
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/04/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/12/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/05/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/11/30 00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/09/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/05/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/11/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/10/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/08/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/04/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/02/28
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2017/09/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2018/11/30
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78244","Cadmium [Cd], in barite, dry
weight","3","69","mg/kg","C3","1","Effluent Gross","","2016/03/31
00:00:00","3","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"008A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO

TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82589","Drilling fluids, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"002A","A","00552","Oil and grease, hexane extr method","42","19","mg/L","C3","1","Effluent Gross","","2016/01/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C3"

"002A","A","00552","Oil and grease, hexane extr method","42","19","mg/L","C3","1","Effluent Gross","","2016/04/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C3"

"002A","A","00552","Oil and grease, hexane extr method","42","19","mg/L","C3","1","Effluent Gross","","2019/04/30 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr method","42","19","mg/L","C3","1","Effluent Gross","","2017/03/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","A","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr method","42","19","mg/L","C3","1","Effluent Gross","","2016/05/31 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C3"

"002A","A","00552","Oil and grease, hexane extr method","42","19","mg/L","C3","1","Effluent Gross","","2018/02/28 00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/11/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/04/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/04/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2016/08/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/12/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2016/11/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2019/05/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/08/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2019/07/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2016/07/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/05/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/10/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01

00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/06/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2016/07/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2018/08/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2016/12/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2017/11/30
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2017/10/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2019/03/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2018/04/30
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr
method","29","19","mg/L","C2","1","Effluent Gross","","2017/08/31
00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See
Comments","","2017/03/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See
Comments","","2019/07/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28
00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See
Comments","","2018/10/31 00:00:00","3","PLATFORM

EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/05/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/04/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/01/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/09/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/12/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/07/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/08/31 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2017/09/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/11/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/06/30 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2016/02/29 00:00:00","3","PLATFORM
EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","" =","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2019/06/30 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/04/30 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/06/30 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/07/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"001A","A","TAB3E","LC50 Static 96Hr Acute Mysid. Bahia","3","23","%","C1","O","See Comments","","2018/01/31 00:00:00","3","PLATFORM EUREKA","CAF001149","MINIMUM","C","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C1"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2017/12/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2018/06/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2016/04/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2018/11/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2018/12/31 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2017/04/30 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"002A","A","00552","Oil and grease, hexane extr method","29","19","mg/L","C2","1","Effluent Gross","","2018/02/28 00:00:00","29","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01

00:00:00","2019/02/28 00:00:00","0","<=","","","","C2"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req.
Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"005A","A","82608","Domestic waste, foam and floating solids","Req. Mon.","4K","#/mo","Q2","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","A","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent

Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO

AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"012A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO

TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"022A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"017A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent

Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO

AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"005A","A","51667","Flow rate, domestic ","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","A","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"004A","A","51666","Flow rate, deck drainage","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"004A","A","51666","Flow rate, deck drainage","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"004A","A","51666","Flow rate, deck drainage","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM

EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q1"

"004A","A","51666","Flow rate, deck drainage","Req.
Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q1"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.0014","2016/07/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","=","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2019/08/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2018/09/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2016/03/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2017/11/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2019/02/28 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2018/06/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.0003","2017/07/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","<","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.0008","2018/10/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","=","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2017/05/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.002","2016/01/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","=","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2016/02/29 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2016/09/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.0008","2019/01/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","0.0007","2018/05/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","","2019/07/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","0.0006","2017/04/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","","2019/06/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","","2017/03/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","","2016/12/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","","2019/05/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","0.0014","2016/10/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","","2018/03/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","","2016/06/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","","2018/08/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","","2017/12/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","","2017/08/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.0003","2016/04/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","<","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2018/11/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.0012","2019/04/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2016/05/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.0006","2018/04/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2018/12/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.0012","2017/01/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","
=","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.0007","2018/01/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2016/11/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2018/02/28 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2017/02/28 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2017/06/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2016/08/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","0.0009","2018/07/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent Gross","","2017/09/30 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent

Gross","","2019/03/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","9","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","50060","Chlorine, total residual",".0102","19","mg/L","C3","1","Effluent
Gross","0.0003","2017/10/31 00:00:00","0.0102","PLATFORM EUREKA","CAF001149","DAILY
MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","<","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2019/01/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/03/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/10/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","A","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2019/02/28
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/09/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/07/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2016/12/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2019/06/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2019/03/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/08/31

00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/01/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/07/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","A","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2016/09/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2019/08/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/05/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/12/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2016/06/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2016/10/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/02/28
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2017/11/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2016/02/29
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/06/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/09/30
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2016/03/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"002A","A","00552","Oil and grease, hexane extr
method","42","19","mg/L","C3","1","Effluent Gross","","2018/01/31
00:00:00","42","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO

AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","68571","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","68571","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","68571","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","68571","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","68571","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","68571","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"009A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","29","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","20","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","16.9","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","22","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","26","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","24.9","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","17","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","16.6","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/03/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/01/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/10/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2019/06/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01

00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/02/28
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/04/30
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","2.2","2018/07/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","," =","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/12/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","7.7","2017/07/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","," =","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/08/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/01/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/07/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/10/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","30","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","19","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","18.2","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","13","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","16.7","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01

00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","22.8","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","22","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","28","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","16.3","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY

MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","Req. Mon.","1N","bbl","Q2","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY
MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q2"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"013A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent

Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO

AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"021A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","21","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","20","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","16.4","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","23","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","22.2","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","18","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","25","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","31","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","19","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","20","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","24","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","18.8","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","22.9","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","17.3","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","19.9","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","20.1","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","42","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","16","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","33","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","34","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","22","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","18","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","24.4","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/08/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/09/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2019/07/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2019/04/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/11/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/06/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/01/31

00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2019/01/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2019/02/28
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2019/05/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2019/08/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/11/30
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/02/29
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/10/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/05/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/11/30
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual
chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/12/31
00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01
00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent

Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO

AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"011A","A","74076","Flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","C","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","Q1"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2017/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2019/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2019/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","," =","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","," =","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2016/09/30 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2017/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"009A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO

TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/10/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82595","Drill cuttings, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"019A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"021A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","16","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"005A","A","82606","Sanitary waste, flow","Req. Mon.","1T","bbl/d","Q1","1","Effluent
Gross","19","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
AVG","","MK","AVG","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Average","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","Q1"

"006A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"006A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/03/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/09/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/05/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/06/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/02/28 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/05/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","1","2016/06/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","" =","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/12/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/09/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/04/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2016/08/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2017/04/30 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2019/03/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"005A","A","82605","Sanitary waste, residual chlorine","1","19","mg/L","C2","1","Effluent Gross","","2018/03/31 00:00:00","1","PLATFORM EUREKA","CAF001149","MINIMUM","A","ME","MIN","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Minimum","2014/03/01 00:00:00","2019/02/28 00:00:00","0",">=","","","","C2"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"004A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"020A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01

00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"011A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"020A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2017/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2018/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2017/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2016/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req.
Mon.","28","ug/L","C3","1","Effluent Gross","","2018/04/30 00:00:00","","PLATFORM

EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","50060","Chlorine, total residual","Req. Mon.","28","ug/L","C3","1","Effluent Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2016/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"003A","A","82603","Well fluids, free oil","Req.
Mon.","93","occur/mo","Q2","1","Effluent Gross","","2018/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2017/02/28 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2016/04/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2018/12/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2017/06/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2017/01/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2016/05/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2019/05/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2019/06/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2019/03/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2018/02/28 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2019/08/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2016/10/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2018/06/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2018/09/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2018/07/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2018/08/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2016/02/29 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2016/12/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2018/05/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO

TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2019/07/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2016/01/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2017/10/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2019/01/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2018/04/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2017/11/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2017/07/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2017/09/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2019/04/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2016/09/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","" =","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2017/12/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2018/11/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2016/03/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","",""," =","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2018/01/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2016/07/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","",""," =","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2016/08/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","",""," =","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2017/08/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2017/05/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01

00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2018/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2017/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.

Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2016/11/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2018/03/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2017/03/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent Gross","","2017/04/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving

Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2016/06/30 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","=","Q2"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2019/02/28 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","=","C3"

"021A","A","51689","Free Oil Visual Sheen","Req. Mon.","5A","d","C3","RW","Receiving
Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82594","Drilling fluids, volume","36650","1N","bbl","Q2","EG","Effluent
Gross","","2018/10/31 00:00:00","36650","PLATFORM EUREKA","CAF001149","YTD
TOT","C","YA","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","Q2"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2018/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","=","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2018/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","=","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","=","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2019/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","=","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2019/04/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","=","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2017/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","=","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/02/29 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","=","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2016/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2019/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2018/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2019/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2018/11/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/09/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","" =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2017/07/31 00:00:00","","PLATFORM

EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2017/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2019/02/28 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/06/30 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2017/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2017/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2018/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/04/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/09/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/02/28
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/12/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","","C3"

"017A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/03/31 00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2019/01/31 00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/01/31 00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/08/31 00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2019/08/31 00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/03/31 00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/01/31 00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/12/31 00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/07/31 00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/05/31 00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01 00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry weight","1","69","mg/kg","C3","1","Effluent Gross","","2019/03/31

00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2019/04/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/07/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2018/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2019/01/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2018/07/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/05/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","","2019/08/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","","","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/03/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2016/12/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req.
Mon.","5A","d","C3","RW","Receiving Water","0","2017/10/31 00:00:00","","PLATFORM
EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01
00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28
00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"015A","A","51705","Floating solids or visible foam-visual/days","Req. Mon.","5A","d","C3","RW","Receiving Water","0","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28

00:00:00","0","","","","," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/01/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/10/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/11/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/06/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/09/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/08/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/06/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/09/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/10/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2019/07/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2019/06/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/12/31

00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/10/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/03/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/08/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/02/28
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/04/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/04/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/02/29
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2019/05/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/05/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/05/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/06/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2017/11/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2019/02/28
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2016/07/31
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","",""," =","C3"

"001A","A","78245","Mercury [Hg], in barite, dry
weight","1","69","mg/kg","C3","1","Effluent Gross","","2018/11/30
00:00:00","1","PLATFORM EUREKA","CAF001149","DAILY MX","C","DD","MAX","2019/02/28
00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Maximum","2014/03/01
00:00:00","2019/02/28 00:00:00","0","<=","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2017/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2017/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","",""," =","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2019/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2017/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO

TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2019/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2019/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2017/10/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2019/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2019/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","" =","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2018/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20
00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent
Gross","","2016/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO
TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20

00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/02/29 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2019/02/28 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/05/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/03/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/04/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/11/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/12/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2019/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2019/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/07/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/06/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2018/01/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2016/08/31 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","," =","C3"

"001A","A","82595","Drill cuttings, free oil","Req. Mon.","5A","d","C3","1","Effluent Gross","","2017/09/30 00:00:00","","PLATFORM EUREKA","CAF001149","MO TOTAL","C","MP","TTL","2019/02/28 00:00:00","2014/03/01 00:00:00","2013/12/20 00:00:00","Total","2014/03/01 00:00:00","2019/02/28 00:00:00","0","","","","","C3"