Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

CTR No.	Pollutant	Analytical Method	Sample Date	Units	Qualifier	Result (ug/L)
1	Antimony, Total		12/14/2009	ug/L	<	ND
1	Antimony, Total	EPA 200.8	12/31/2010	ug/L	<	ND
1	Antimony, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L	<	ND
1	Antimony, Total	Inductively Coupled Plasma-Mass Spectrometry	12/11/2012	ug/L	<	ND
1	Antimony, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L	<	ND
2	Arsenic, Total		12/14/2009	ug/L	<	ND
2	Arsenic, Total	EPA 200.8	12/31/2010	ug/L	<	ND
2	Arsenic, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L	<	ND
2	Arsenic, Total	Inductively Coupled Plasma-Mass Spectrometry	12/11/2012	ug/L	<	ND
2	Arsenic, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L	<	ND
3	Beryllium, Total		12/14/2009	ug/L	<	ND
3	Beryllium, Total	EPA 200.8	12/31/2010	ug/L	<	ND
3	Beryllium, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L	<	ND
3	Beryllium, Total	Inductively Coupled Plasma-Mass Spectrometry	12/11/2012	ug/L	<	ND
3	Beryllium, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L	<	ND
4	Cadmium, Total		12/14/2009	ug/L	<	ND
4	Cadmium, Total	EPA 200.8	12/31/2010	ug/L	<	ND
4	Cadmium, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L	<	ND
4	Cadmium, Total	Inductively Coupled Plasma-Mass Spectrometry	12/11/2012	ug/L	<	ND
4	Cadmium, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L	<	ND
6	Copper, Total		3/3/2010	lb/day		6.65532
6	Copper, Total		3/4/2010	lb/day		0
6	Copper, Total	BLENDING EVENT	4/2/2010	lb/day		34.31
6	Copper, Total		4/6/2010	lb/day		2.00768
6	Copper, Total		5/2/2010	lb/day		0
6	Copper, Total	BLENDING EVENT	5/11/2010	lb/day		1.3016655
6	Copper, Total	BLENDING EVENT	6/4/2010	lb/day		0
6	Copper, Total		6/8/2010	lb/day		1.07
6	Copper, Total		7/2/2010	lb/day		0.96
6	Copper, Total		8/11/2010	lb/day		1.01
6	Copper, Total		9/2/2010	lb/day		0.79
6	Copper, Total		10/7/2010	lb/day		1.07
6	Copper, Total	BLENDING EVENT	10/24/2010	lb/day		18.9
6	Copper, Total		11/17/2010	lb/day		0.96
6	Copper, Total	max	12/31/2010	lb/day		1.4
6	Copper, Total		12/31/2010	lb/day		1.3
6	Copper, Total		1/5/2011	lb/day		1
6	Copper, Total		2/2/2011	lb/day		0.99
6	Copper, Total		3/2/2011	lb/day		1.2
6	Copper, Total		4/5/2011	lb/day		1.3
6	Copper, Total		5/10/2011	lb/day		1.1
6	Copper, Total		6/2/2011	lb/day		0.976
6	Copper, Total		7/14/2011	lb/day		0.914
6	Copper, Total		8/2/2011	lb/day		0.861
6	Copper, Total		9/13/2011	lb/day		0.715
6	Copper, Total		10/6/2011	lb/day		0.92
6	Copper, Total		11/3/2011	lb/day		1.01
6	Copper, Total		12/13/2011	lb/day		0.446
6	Copper, Total		1/10/2012	lb/day		0.991
6	Copper, Total		2/10/2012	lb/day		1.23
6	Copper, Total		3/8/2012	lb/day		1.03

MDL (ug/L)	RL (ug/L)	Comments
5	5	
5		
5		
1		
1	5	
5	5	
5		
5		
1		
1	5	
1	1	
1		
1		
1		
0.2	1	
5	5	
5		
5		
1		
1	5	

BLENDING EVENT

6	Copper, Total		4/5/2012	lb/day	1.38
6	Copper, Total		5/8/2012	lb/day	1.02
6	Copper, Total		6/6/2012	lb/day	1.25
6	Copper, Total		7/12/2012	lb/day	0.884
6	Copper, Total		8/2/2012	lb/day	1
6	Copper, Total		9/12/2012	lb/day	0.97
6	Copper, Total		10/4/2012	lb/day	0.702
6	Copper, Total		11/15/2012	lb/day	0.929
6	Copper, Total		12/11/2012	lb/day	1.44
6	Copper, Total		1/8/2013	lb/day	1.2
6	Copper, Total		2/7/2013	lb/day	2.05
6	Copper, Total		3/6/2013	lb/day	2.2
6	Copper, Total		4/9/2013	lb/day	1.2
6	Copper, Total		5/14/2013	lb/day	1.23
6	Copper, Total		6/12/2013	lb/day	0.771
6	Copper, Total		7/24/2013	lb/day	0.809
6	Copper, Total		8/13/2013	lb/day	0.901
6	Copper, Total		9/10/2013	lb/day	1.14
6	Copper, Total		10/8/2013	lb/day	1.09
6	Copper, Total		11/12/2013	lb/day	1
6	Copper, Total		12/10/2013	lb/day	1.37
6	Copper, Total		1/14/2014	lb/day	1.13
6	Copper, Total		2/11/2014	lb/day	1.03
6	Copper, Total		3/11/2014	lb/day	1.6
6	Copper, Total		4/8/2014	lb/day	0.877
6	Copper, Total		5/13/2014	lb/day	0.943
6	Copper, Total		6/10/2014	lb/day	0.629
6	Copper, Total		7/8/2014	lb/day	1.6
6	Copper, Total		8/12/2014	lb/day	1.26
6	Copper, Total		9/9/2014	lb/day	1.21
6	Copper, Total		10/14/2014	lb/day	1.23
6	Copper, Total		8/10/2009	ug/L	39
6	Copper, Total	BLENDING EVENT	8/20/2009	ug/L	34
6	Copper, Total		9/7/2009	ug/L	29
6	Copper, Total		10/15/2009	ug/L	25
6	Copper, Total		11/2/2009	ug/L	29
6	Copper, Total		12/3/2009	ug/L	29
6	Copper, Total		12/3/2009	ug/L	29
6	Copper, Total	BLENDING EVENT	1/1/2010	ug/L	28
6	Copper, Total		1/5/2010	ug/L	23
6	Copper, Total		2/9/2010	ug/L	24
6	Copper, Total	BLENDING EVENT	3/3/2010	ug/L	21
6	Copper, Total		3/4/2010	ug/L	23
6	Copper, Total	BLENDING EVENT	4/2/2010	ug/L	34
6	Copper, Total		4/6/2010	ug/L	29
6	Copper, Total	BLENDING EVENT	5/2/2010	ug/L	18
6	Copper, Total		5/11/2010	ug/L	25
6	Copper, Total	BLENDING EVENT	6/4/2010	ug/L	24
6	Copper, Total		6/8/2010	ug/L	20
6	Copper, Total		7/2/2010	ug/L	27
6	Copper, Total		8/11/2010	ug/L	29
6	Copper, Total		9/2/2010	ug/L	23

0.105

0.093
0.105
0.105
0.105
5

0.105
0.105
5
5
5
20
5
5
5
5
5
5
5

6	Copper, Total		10/7/2010	ug/L	32
6	Copper, Total	BLENDING EVENT	10/24/2010	ug/L	24
6	Copper, Total		11/17/2010	ug/L	27
6	Copper, Total	max	12/31/2010	ug/L	19
6	Copper, Total	EPA 200.8	12/31/2010	ug/L	27
6	Copper, Total	Inductively Coupled Plasma/Mass Spectroscopy	1/1/2011	ug/L	14
6	Copper, Total		1/5/2011	ug/L	18
6	Copper, Total		2/2/2011	ug/L	25
6	Copper, Total		3/2/2011	ug/L	24
6	Copper, Total		4/5/2011	ug/L	24
6	Copper, Total		5/10/2011	ug/L	30.0
6	Copper, Total	Inductively Coupled Plasma/Mass Spectroscopy	6/2/2011	ug/L	29
6	Copper, Total	Inductively Coupled Plasma/Mass Spectroscopy	7/14/2011	ug/L	30
6	Copper, Total	Inductively Coupled Plasma/Mass Spectroscopy	8/2/2011	ug/L	29
6	Copper, Total	Inductively Coupled Plasma/Mass Spectroscopy	9/13/2011	ug/L	26
6	Copper, Total	Inductively Coupled Plasma/Mass Spectroscopy	10/6/2011	ug/L	27
6	Copper, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/3/2011	ug/L	34
6	Copper, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/13/2011	ug/L	15
6	Copper, Total	Inductively Coupled Plasma Emission	1/10/2012	ug/L	33
6	Copper, Total	Inductively Coupled Plasma Emission	2/10/2012	ug/L	29
6	Copper, Total	Inductively Coupled Plasma Emission	3/8/2012	ug/L	27
6	Copper, Total	Inductively Coupled Plasma Emission	4/5/2012	ug/L	17
6	Copper, Total	Inductively Coupled Plasma Emission	5/8/2012	ug/L	26
6	Copper, Total	Inductively Coupled Plasma Emission	6/6/2012	ug/L	35
6	Copper, Total	Inductively Coupled Plasma Emission	7/12/2012	ug/L	31
6	Copper, Total	Inductively Coupled Plasma Emission	8/2/2012	ug/L	35
6	Copper, Total	Inductively Coupled Plasma Emission	9/12/2012	ug/L	35
6	Copper, Total	Inductively Coupled Plasma Emission	10/4/2012	ug/L	27
6	Copper, Total	Inductively Coupled Plasma Emission	11/15/2012	ug/L	36
6	Copper, Total	Inductively Coupled Plasma Emission	12/11/2012	ug/L	26
6	Copper, Total	Inductively Coupled Plasma Emission	1/8/2013	ug/L	28
6	Copper, Total	Inductively Coupled Plasma Emission	2/7/2013	ug/L	48
6	Copper, Total	Inductively Coupled Plasma Emission	3/6/2013	ug/L	35
6	Copper, Total	Inductively Coupled Plasma Emission	4/9/2013	ug/L	29
6	Copper, Total	Inductively Coupled Plasma Emission	5/14/2013	ug/L	38
6	Copper, Total	Inductively Coupled Plasma Emission	6/12/2013	ug/L	27
6	Copper, Total	Inductively Coupled Plasma Emission	7/24/2013	ug/L	29
6	Copper, Total	Inductively Coupled Plasma Emission	8/13/2013	ug/L	33
6	Copper, Total	Inductively Coupled Plasma Emission	9/10/2013	ug/L	42
6	Copper, Total	Inductively Coupled Plasma Emission	10/8/2013	ug/L	36
6	Copper, Total	Inductively Coupled Plasma Emission	11/12/2013	ug/L	38
6	Copper, Total	Inductively Coupled Plasma Emission	12/10/2013	ug/L	55
6	Copper, Total	Inductively Coupled Plasma Emission	1/14/2014	ug/L	45
6	Copper, Total	Inductively Coupled Plasma Emission	2/11/2014	ug/L	36
6	Copper, Total	Inductively Coupled Plasma Emission	3/11/2014	ug/L	33
6	Copper, Total	Inductively Coupled Plasma Emission	4/8/2014	ug/L	27
6	Copper, Total	Inductively Coupled Plasma Emission	5/13/2014	ug/L	33
6	Copper, Total	Inductively Coupled Plasma Emission	6/10/2014	ug/L	29
6	Copper, Total	Inductively Coupled Plasma Emission	7/8/2014	ug/L	48
6	Copper, Total	Inductively Coupled Plasma Emission	8/12/2014	ug/L	40
6	Copper, Total	Inductively Coupled Plasma Emission	9/9/2014	ug/L	38
6	Copper, Total	Inductively Coupled Plasma Emission	10/14/2014	ug/L	34

5
5
5
BLENDING EVENT
5

Daily Max

7	Lead, Total		12/14/2009	ug/L	<	ND
7	Lead, Total	EPA 200.8	12/31/2010	ug/L	<	ND
7	Lead, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L	<	ND
7	Lead, Total	Inductively Coupled Plasma-Mass Spectrometry	12/11/2012	ug/L	<	ND
7	Lead, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L	<	ND
8	Mercury, Total		12/14/2009	ug/L	<	ND
8	Mercury, Total	EPA 245.1	12/31/2010	ug/L	<	ND
8	Mercury, Total	Mercury (Cold Vapor, Manual)	11/16/2011	ug/L	<	ND
8	Mercury, Total	Mercury in Liquid Waste (Manual Cold-Vapor Technique)	12/11/2012	ug/L	<	ND
8	Mercury, Total	Mercury (Cold Vapor, Manual)	12/10/2013	ug/L	<	ND
9	Nickel, Total		12/14/2009	ug/L	<	ND
9	Nickel, Total	EPA 200.8	12/31/2010	ug/L	<	ND
9	Nickel, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L		6.2
9	Nickel, Total	Inductively Coupled Plasma-Mass Spectrometry	12/11/2012	ug/L		2.8
9	Nickel, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L	<	ND
10	Selenium, Total		12/14/2009	ug/L	<	ND
10	Selenium, Total	EPA 200.8	12/31/2010	ug/L	<	ND
10	Selenium, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L	<	ND
10	Selenium, Total	Inductively Coupled Plasma-Mass Spectrometry	12/11/2012	ug/L	<	ND
10	Selenium, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L	<	ND
11	Silver, Total		12/14/2009	ug/L	<	ND
11	Silver, Total	EPA 200.8	12/31/2010	ug/L	<	ND
11	Silver, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L	<	ND
11	Silver, Total	Inductively Coupled Plasma-Mass Spectrometry	12/11/2012	ug/L	<	ND
11	Silver, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L	<	ND
12	Thallium, Total		12/14/2009	ug/L	<	ND
12	Thallium, Total	EPA 200.8	12/31/2010	ug/L	<	ND
12	Thallium, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L	<	ND
12	Thallium, Total	Inductively Coupled Plasma-Mass Spectrometry	12/11/2012	ug/L	<	ND
12	Thallium, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L	<	ND
13	Zinc, Total		12/14/2009	ug/L		52
13	Zinc, Total	EPA 200.8	12/31/2010	ug/L		31
13	Zinc, Total	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L		38
13	Zinc, Total	Inductively Coupled Plasma-Mass Spectrometry	12/11/2012	ug/L		70
13	Zinc, Total	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L		63
14	Cyanide, Total (as CN)	BLENDING EVENT	3/3/2010	lb/day		0
14	Cyanide, Total (as CN)		3/4/2010	lb/day		1.46
14	Cyanide, Total (as CN)		4/6/2010	lb/day		0
14	Cyanide, Total (as CN)		12/31/2010	lb/day	<	ND
14	Cyanide, Total (as CN)		1/5/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		2/2/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		3/2/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		4/5/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		5/10/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		6/2/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		7/14/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		8/2/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		9/13/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		10/6/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		11/3/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		12/13/2011	lb/day	<	ND
14	Cyanide, Total (as CN)		1/10/2012	lb/day	<	ND

5	5
5	
1	
1	
1	5
1	1
1	
1	
0.5	
0.02	1
5	5
5	
5	
1	5
10	10
10	
10	
1	
2	10
5	5
5	
5	
1	
1	5
5	5
5	
5	
1	
1	5
10	10
10	
10	
2	10
0.25	
0.25	
0.25	
0.25	
0.25	
0.25	
0.25	
0.25	
0.25	
0.25	
0.25	
0.25	
0.25	

14	Cyanide, Total (as CN)		2/10/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		3/8/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		4/5/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		5/8/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		6/6/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		7/12/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		8/2/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		9/12/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		10/4/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		11/15/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		12/11/2012	lb/day	<	ND
14	Cyanide, Total (as CN)		1/8/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		2/7/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		3/6/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		4/9/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		5/14/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		6/12/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		7/24/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		8/13/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		9/10/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		10/8/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		11/12/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		12/10/2013	lb/day	<	ND
14	Cyanide, Total (as CN)		1/14/2014	lb/day	<	ND
14	Cyanide, Total (as CN)		2/11/2014	lb/day	<	ND
14	Cyanide, Total (as CN)		3/11/2014	lb/day	<	ND
14	Cyanide, Total (as CN)		4/8/2014	lb/day	<	ND
14	Cyanide, Total (as CN)		5/13/2014	lb/day	<	ND
14	Cyanide, Total (as CN)		6/10/2014	lb/day	<	ND
14	Cyanide, Total (as CN)		7/8/2014	lb/day	<	ND
14	Cyanide, Total (as CN)		8/12/2014	lb/day	<	ND
14	Cyanide, Total (as CN)		9/9/2014	lb/day	<	ND
14	Cyanide, Total (as CN)		10/14/2014	lb/day	<	ND
14	Cyanide, Total (as CN)		8/10/2009	ug/L	<	ND
14	Cyanide, Total (as CN)	BLENDING EVENT	8/20/2009	ug/L	<	ND
14	Cyanide, Total (as CN)		9/7/2009	ug/L	<	ND
14	Cyanide, Total (as CN)		10/13/2009	ug/L	<	ND
14	Cyanide, Total (as CN)		12/3/2009	ug/L	<	ND
14	Cyanide, Total (as CN)		1/2/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		1/5/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		2/9/2010	ug/L		21
14	Cyanide, Total (as CN)	BLENDING EVENT	3/3/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		3/4/2010	ug/L	<	ND
14	Cyanide, Total (as CN)	BLENDING EVENT	4/2/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		4/6/2010	ug/L	<	ND
14	Cyanide, Total (as CN)	BLENDING EVENT	5/2/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		5/11/2010	ug/L	<	ND
14	Cyanide, Total (as CN)	BLENDING EVENT	6/4/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		6/8/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		7/2/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		8/11/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		9/2/2010	ug/L	<	ND

0.25	
0.25	
0.25	

14	Cyanide, Total (as CN)		10/7/2010	ug/L	<	ND
14	Cyanide, Total (as CN)	BLENDING EVENT	10/24/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		11/17/2010	ug/L	<	ND
14	Cyanide, Total (as CN)	BLENDING EVENT	12/31/2010	ug/L	<	ND
14	Cyanide, Total (as CN)		12/31/2010	ug/L	<	ND
14	Cyanide, Total (as CN)	Standard Method (19th) 4500-CN E: Total CN	1/1/2011	ug/L	<	ND
14	Cyanide, Total (as CN)		1/5/2011	ug/L	<	ND
14	Cyanide, Total (as CN)		2/2/2011	ug/L	<	ND
14	Cyanide, Total (as CN)		3/2/2011	ug/L	<	ND
14	Cyanide, Total (as CN)		4/5/2011	ug/L	<	ND
14	Cyanide, Total (as CN)		5/10/2011	ug/L	<	ND
14	Cyanide, Total (as CN)	Standard Method (19th) 4500-CN E: Total CN	6/2/2011	ug/L	<	ND
14	Cyanide, Total (as CN)	Standard Method (19th) 4500-CN E: Total CN	7/14/2011	ug/L	<	ND
14	Cyanide, Total (as CN)	Standard Method (19th) 4500-CN E: Total CN	8/2/2011	ug/L	<	ND
14	Cyanide, Total (as CN)	Standard Method (19th) 4500-CN E: Total CN	9/13/2011	ug/L	<	ND
14	Cyanide, Total (as CN)	Standard Method (19th) 4500-CN E: Total CN	10/6/2011	ug/L	<	ND
14	Cyanide, Total (as CN)	Standard Method (19th) 4500-CN E: Total CN	11/3/2011	ug/L	<	ND
14	Cyanide, Total (as CN)	Standard Method (19th) 4500-CN E: Total CN	12/13/2011	ug/L	<	ND
14	Cyanide, Total (as CN)		1/10/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		2/10/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		3/8/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		4/5/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		5/8/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		6/6/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		7/12/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		8/2/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		9/12/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		10/4/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		11/15/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		12/11/2012	ug/L	<	ND
14	Cyanide, Total (as CN)		1/8/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		2/7/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		3/6/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		4/9/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		5/14/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		6/12/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		7/24/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		8/13/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		9/10/2013	ug/L		5.1
14	Cyanide, Total (as CN)		10/8/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		11/12/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		12/10/2013	ug/L	<	ND
14	Cyanide, Total (as CN)		1/14/2014	ug/L	<	ND
14	Cyanide, Total (as CN)		2/11/2014	ug/L	<	ND
14	Cyanide, Total (as CN)		3/11/2014	ug/L	<	ND
14	Cyanide, Total (as CN)		4/8/2014	ug/L	<	ND
14	Cyanide, Total (as CN)		5/13/2014	ug/L	<	ND
14	Cyanide, Total (as CN)		6/10/2014	ug/L	<	ND
14	Cyanide, Total (as CN)		7/8/2014	ug/L	<	ND
14	Cyanide, Total (as CN)		8/12/2014	ug/L	<	ND
14	Cyanide, Total (as CN)		9/9/2014	ug/L	<	ND
14	Cyanide, Total (as CN)		10/14/2014	ug/L	<	ND

5	20	
5	20	
5	20	
5		
5		
1	5	
5		Daily Max
1	5	
1	5	
1	5	
1	5	
1	5	
1	5	
1	5	
1	5	
1	5	
1	5	
1	5	
1	5	
5		
5		
5

17	Acrolein		12/14/2009	ug/L	<	ND
17	Acrolein	EPA 8260B	12/31/2010	ug/L	<	ND
17	Acrolein	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
17	Acrolein	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
17	Acrolein	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
18	Acrylonitrile		12/14/2009	ug/L	<	ND
18	Acrylonitrile	EPA 8260B	12/31/2010	ug/L	<	ND
18	Acrylonitrile	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
18	Acrylonitrile	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
18	Acrylonitrile	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
19	Benzene		12/14/2009	ug/L	<	ND
19	Benzene	EPA 8260B	12/31/2010	ug/L	<	ND
19	Benzene	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
19	Benzene	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
19	Benzene	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
20	Bromoform		12/14/2009	ug/L	<	ND
20	Bromoform	EPA 8260B	12/31/2010	ug/L	<	ND
20	Bromoform	EPA 8260B	11/16/2011	ug/L	<	ND
20	Bromoform		12/11/2012	ug/L		0.63
20	Bromoform		12/10/2013	ug/L	<	ND
21	Carbon Tetrachloride		12/14/2009	ug/L	<	ND
21	Carbon Tetrachloride	EPA 8260B	12/31/2010	ug/L	<	ND
21	Carbon Tetrachloride	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
21	Carbon Tetrachloride	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
21	Carbon Tetrachloride	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
22	Chlorobenzene		12/14/2009	ug/L	<	ND
22	Chlorobenzene	EPA 8260B	12/31/2010	ug/L	<	ND
22	Chlorobenzene	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
22	Chlorobenzene	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
22	Chlorobenzene	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
23	Chlorodibromomethane		12/14/2009	ug/L	<	ND
23	Chlorodibromomethane	EPA 8260B	12/31/2010	ug/L		1.2
23	Chlorodibromomethane	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L		0.73
23	Chlorodibromomethane	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L		2
23	Chlorodibromomethane	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L		0.59
26	Chloroform		12/14/2009	ug/L		1.6
26	Chloroform	EPA 8260B	12/31/2010	ug/L		1.1
26	Chloroform	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L		2.5
26	Chloroform	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L		6
26	Chloroform	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L		3.1
27	Dichlorobromomethane		12/14/2009	ug/L		1.2
27	Dichlorobromomethane	EPA 8260B	12/31/2010	ug/L		1.4
27	Dichlorobromomethane	EPA 8260B	11/16/2011	ug/L		1.9
27	Dichlorobromomethane	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L		5
27	Dichlorobromomethane	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L		1.6
28	1,1-Dichloroethane		12/14/2009	ug/L	<	ND
28	1,1-Dichloroethane	EPA 8260B	12/31/2010	ug/L	<	ND
28	1,1-Dichloroethane	EPA 8260B	11/16/2011	ug/L	<	ND
28	1,1-Dichloroethane		12/11/2012	ug/L	<	ND
28	1,1-Dichloroethane		12/10/2013	ug/L	<	ND
29	1,2-Dichloroethane		12/14/2009	ug/L	<	ND
29	1,2-Dichloroethane	EPA 8260B	12/31/2010	ug/L	<	ND

5	5
2	
2	
2	
0.4	2
5	5
5	
5	
5	
1	5
0.5	0.5
0.2	
0.5	
0.5	
0.1	0.5
0.5	0.5
0.5	
0.5	
0.5	0.5
0.5	0.5
0.5	0.5
0.5	
0.5	
0.5	
0.1	0.5
0.5	0.5
0.5	
0.5	
0.5	
0.1	0.5
0.5	0.5
0.5	
0.1	0.5
0.5	0.5
0.5	
0.5

29	1,2-Dichloroethane	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
29	1,2-Dichloroethane	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
29	1,2-Dichloroethane	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
30	1,1-Dichloroethylene		12/14/2009	ug/L	<	ND
30	1,1-Dichloroethylene	EPA 8260B	12/31/2010	ug/L	<	ND
30	1,1-Dichloroethylene	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
30	1,1-Dichloroethylene	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
30	1,1-Dichloroethylene	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
31	1,2-Dichloropropane		12/14/2009	ug/L	<	ND
31	1,2-Dichloropropane	EPA 8260B	12/31/2010	ug/L	<	ND
31	1,2-Dichloropropane	EPA 8260B	11/16/2011	ug/L	<	ND
31	1,2-Dichloropropane		12/11/2012	ug/L	<	ND
31	1,2-Dichloropropane		12/10/2013	ug/L	<	ND
32	1,3-Dichloropropylenes, Sum	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
32	1,3-Dichloropropylenes, Sum	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
32	1,3-Dichloropropylenes, Sum	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
32	cis-1,3-Dichloropropene		12/14/2009	ug/L	<	ND
32	cis-1,3-Dichloropropene	EPA 8260B	12/31/2010	ug/L	<	ND
32	cis-1,3-Dichloropropene		12/11/2012	ug/L	<	ND
32	cis-1,3-Dichloropropene		12/10/2013	ug/L	<	ND
32	trans-1,3-Dichloropropene		12/14/2009	ug/L	<	ND
32	trans-1,3-Dichloropropene	EPA 8260B	12/31/2010	ug/L	<	ND
32	trans-1,3-Dichloropropene	EPA 8260B	11/16/2011	ug/L	<	ND
32	trans-1,3-Dichloropropene		12/11/2012	ug/L	<	ND
32	trans-1,3-Dichloropropene		12/10/2013	ug/L	<	ND
33	Ethylbenzene		12/14/2009	ug/L	<	ND
33	Ethylbenzene	EPA 8260B	12/31/2010	ug/L	<	ND
33	Ethylbenzene	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
33	Ethylbenzene	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
33	Ethylbenzene	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
34	Methyl Bromide		12/14/2009	ug/L	<	ND
34	Methyl Bromide	EPA 8260B	12/31/2010	ug/L	<	ND
34	Methyl Bromide	EPA 8260B	11/16/2011	ug/L	<	ND
34	Methyl Bromide		12/11/2012	ug/L	<	ND
34	Methyl Bromide		12/10/2013	ug/L	<	ND
35	Methyl Chloride		12/14/2009	ug/L	<	ND
35	Methyl Chloride	EPA 8260B	12/31/2010	ug/L	<	ND
35	Methyl Chloride	EPA 8260B	11/16/2011	ug/L	<	ND
35	Methyl Chloride		12/11/2012	ug/L	<	ND
35	Methyl Chloride		12/10/2013	ug/L	<	ND
36	Methylene Chloride		12/14/2009	ug/L	<	ND
36	Methylene Chloride	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
36	Methylene Chloride	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
36	Methylene Chloride	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
37	1,1,2,2-Tetrachloroethane		12/14/2009	ug/L	<	ND
37	1,1,2,2-Tetrachloroethane	EPA 8260B	12/31/2010	ug/L	<	ND
37	1,1,2,2-Tetrachloroethane	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
37	1,1,2,2-Tetrachloroethane	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
37	1,1,2,2-Tetrachloroethane	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
38	Tetrachloroethylene		12/14/2009	ug/L	<	ND
38	Tetrachloroethylene	EPA 8260B	12/31/2010	ug/L	<	ND
38	Tetrachloroethylene	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND

0.5	
0.5	
0.1	0.5
0.5	0.5
0.5	
0.5	
0.5	
0.1	0.5
0.5	0.5
1	
1	
1	1
1	1
2	
2	
0.4	2
1	1
1	
1	1
1	1
1	1
1	
1	
1	1
1	1
0.5	0.5
0.5	
0.5	
0.5	
0.1	0.5
0.5	0.5
0.5	
0.5	
0.5	0.5
0.5	
0.5	0.5
0.5	
0.5	
0.5	0.5
0.5	0.5
0.5	0.5
0.5	
0.5	
0.1	0.5
0.5	0.5
0.5	
0.5	
0.5	
0.1	0.5
0.5	0.5
0.5	
0.5	

38	Tetrachloroethylene	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
38	Tetrachloroethylene	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
39	Toluene		12/14/2009	ug/L	<	ND
39	Toluene	EPA 8260B	12/31/2010	ug/L	<	ND
39	Toluene	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
39	Toluene	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
39	Toluene	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
41	1,1,1-Trichloroethane		12/14/2009	ug/L	<	ND
41	1,1,1-Trichloroethane	EPA 8260B	12/31/2010	ug/L	<	ND
41	1,1,1-Trichloroethane	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
41	1,1,1-Trichloroethane	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
41	1,1,1-Trichloroethane	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
42	1,1,2-Trichloroethane		12/14/2009	ug/L	<	ND
42	1,1,2-Trichloroethane	EPA 8260B	12/31/2010	ug/L	<	ND
42	1,1,2-Trichloroethane	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
42	1,1,2-Trichloroethane	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
42	1,1,2-Trichloroethane	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
43	Trichloroethylene		12/14/2009	ug/L	<	ND
43	Trichloroethylene	EPA 8260B	12/31/2010	ug/L	<	ND
43	Trichloroethylene	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
43	Trichloroethylene	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
43	Trichloroethylene	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
44	Vinyl Chloride		12/14/2009	ug/L	<	ND
44	Vinyl Chloride	EPA 8260B	12/31/2010	ug/L	<	ND
44	Vinyl Chloride	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
44	Vinyl Chloride	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
44	Vinyl Chloride	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
46	2,4-Dichlorophenol		12/14/2009	ug/L	<	ND
46	2,4-Dichlorophenol	EPA 8270C	12/31/2010	ug/L	<	ND
46	2,4-Dichlorophenol	EPA 8270C	11/16/2011	ug/L	<	ND
46	2,4-Dichlorophenol	EPA 8270C	12/11/2012	ug/L	<	ND
46	2,4-Dichlorophenol		12/10/2013	ug/L	<	ND
47	2,4-Dimethylphenol		12/14/2009	ug/L	<	ND
47	2,4-Dimethylphenol	EPA 8270C	12/31/2010	ug/L	<	ND
47	2,4-Dimethylphenol	EPA 8270C	11/16/2011	ug/L	<	ND
47	2,4-Dimethylphenol	EPA 8270C	12/11/2012	ug/L	<	ND
47	2,4-Dimethylphenol		12/10/2013	ug/L	<	ND
48	2-Methyl-4,6-dinitrophenol		12/14/2009	ug/L	<	ND
48	2-Methyl-4,6-dinitrophenol	EPA 8270C	12/31/2010	ug/L	<	ND
48	2-Methyl-4,6-dinitrophenol	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
48	2-Methyl-4,6-dinitrophenol	EPA 8270C	11/16/2011	ug/L	<	ND
48	2-Methyl-4,6-dinitrophenol	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
48	2-Methyl-4,6-dinitrophenol	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
49	2,4-Dinitrophenol		12/14/2009	ug/L	<	ND
49	2,4-Dinitrophenol	EPA 8270C	12/31/2010	ug/L	<	ND
49	2,4-Dinitrophenol	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
49	2,4-Dinitrophenol	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
49	2,4-Dinitrophenol	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
49	2,4-Dinitrophenol		12/10/2013	ug/L	<	ND
50	2-Nitrophenol		12/14/2009	ug/L	<	ND
50	2-Nitrophenol	EPA 8270C	12/31/2010	ug/L	<	ND
50	2-Nitrophenol	EPA 8270C	11/16/2011	ug/L	<	ND

0.5	
0.1	0.5
0.5	0.5
0.5	
0.5	
0.5	
0.1	0.5
0.5	0.5
0.5	
0.5	
0.5	
0.1	0.5
0.5	0.5
0.5	
0.5	
0.5	
0.1	0.5
0.5	0.5
0.5	
0.5	
0.5	
0.1	0.5
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
100	100
49	
50	
10	
50	
10	50
100	100
49	
50	
50	
10	50
50	50
10	10
9.8	
10	

50	2-Nitrophenol	EPA 8270C	12/11/2012	ug/L	<	ND
50	2-Nitrophenol		12/10/2013	ug/L	<	ND
51	4-Nitrophenol		12/14/2009	ug/L	<	ND
51	4-Nitrophenol	EPA 8270C	12/31/2010	ug/L	<	ND
51	4-Nitrophenol	EPA 8270C	11/16/2011	ug/L	<	ND
51	4-Nitrophenol	EPA 8270C	12/11/2012	ug/L	<	ND
51	4-Nitrophenol		12/10/2013	ug/L	<	ND
52	3-Methyl-4-Chlorophenol		12/14/2009	ug/L	<	ND
52	3-Methyl-4-Chlorophenol	EPA 8270C	12/31/2010	ug/L	<	ND
52	3-Methyl-4-Chlorophenol	EPA 8270C	11/16/2011	ug/L	<	ND
52	3-Methyl-4-Chlorophenol	EPA 8270C	12/11/2012	ug/L	<	ND
52	3-Methyl-4-Chlorophenol		12/10/2013	ug/L	<	ND
53	Pentachlorophenol		12/14/2009	ug/L	<	ND
53	Pentachlorophenol	EPA 8270C	12/31/2010	ug/L	<	ND
53	Pentachlorophenol	EPA 8270C	11/16/2011	ug/L	<	ND
53	Pentachlorophenol	EPA 8270C	12/11/2012	ug/L	<	ND
53	Pentachlorophenol		12/10/2013	ug/L	<	ND
54	Phenolics, Chlorinated		12/14/2009	ug/L	<	ND
54	Phenolics, Chlorinated	EPA 8270C	12/31/2010	ug/L	<	ND
54	Phenolics, Chlorinated	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
54	Phenolics, Chlorinated	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
54	Phenolics, Chlorinated	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
54	Phenolics, Nonchlorinated	EPA 420.1	11/16/2011	ug/L	<	ND
54	Phenolics, Non-chlorinated	Phenolics, Total Recoverable (Spectrophotometric, Manual)	11/16/2011	mg/L	<	ND
54	Phenolics, Non-chlorinated	Phenolics, Total Recoverable (Spectrophotometric, Manual)	12/11/2012	mg/L	<	ND
54	Phenolics, Non-chlorinated	Phenolics, Total Recoverable (Spectrophotometric, Manual)	12/10/2013	mg/L	<	ND
54	Phenolics, Non-chlorinated		12/14/2009	ug/L	<	ND
54	Phenolics, Non-chlorinated	EPA 420.1	12/31/2010	ug/L	<	ND
55	2,4,6-Trichlorophenol		12/14/2009	ug/L	<	ND
55	2,4,6-Trichlorophenol	EPA 8270C	12/31/2010	ug/L	<	ND
55	2,4,6-Trichlorophenol	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
55	2,4,6-Trichlorophenol	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
55	2,4,6-Trichlorophenol	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
56	Acenaphthene		12/14/2009	ug/L	<	ND
56	Acenaphthene	EPA 8270 C	12/31/2010	ug/L	<	ND
56	Acenaphthene	EPA 8270C	11/16/2011	ug/L	<	ND
56	Acenaphthene	EPA 8270C	12/11/2012	ug/L	<	ND
56	Acenaphthene		12/10/2013	ug/L	<	ND
57	Acenaphthylene		12/14/2009	ug/L	<	ND
57	Acenaphthylene	EPA 8270 C	12/31/2010	ug/L	<	ND
57	Acenaphthylene	EPA 8270C	11/16/2011	ug/L	<	ND
57	Acenaphthylene	EPA 8270C	12/11/2012	ug/L	<	ND
57	Acenaphthylene		12/10/2013	ug/L	<	ND
58	Anthracene		12/14/2009	ug/L	<	ND
58	Anthracene	EPA 8270C	12/31/2010	ug/L	<	ND
58	Anthracene	EPA 8270C	11/16/2011	ug/L	<	ND
58	Anthracene	EPA 8270C	12/11/2012	ug/L	<	ND
58	Anthracene		12/10/2013	ug/L	<	ND
59	Benzidine		12/14/2009	ug/L	<	ND
59	Benzidine	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
59	Benzidine	EPA 8270C	11/16/2011	ug/L	<	ND
59	Benzidine	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND

10	10
10	10
50	50
49	
10	
10	10
10	10
20	20
9.8	
10	
10	10
10	10
80	80
49	
10	
10	10
10	10
10	10
9.8	
10	
10	
2	10
100	
0.1	
0.1	
0.02	0.1
100	100
100	
10	10
9.8	
10	
10	
2	10
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
100	100
50	
50	
50	

59	Benzidine	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
60	Benzo(a)anthracene		12/14/2009	ug/L	<	ND
60	Benzo(a)anthracene	EPA 8270 C	12/31/2010	ug/L	<	ND
60	Benzo(a)anthracene	EPA 8270C	11/16/2011	ug/L	<	ND
60	Benzo(a)anthracene	EPA 8270C	12/11/2012	ug/L	<	ND
60	Benzo(a)anthracene		12/10/2013	ug/L	<	ND
61	Benzo(a)pyrene		12/14/2009	ug/L	<	ND
61	Benzo(a)pyrene	EPA 8270 C	12/31/2010	ug/L	<	ND
61	Benzo(a)pyrene	EPA 8270C	11/16/2011	ug/L	<	ND
61	Benzo(a)pyrene	EPA 8270C	12/11/2012	ug/L	<	ND
61	Benzo(a)pyrene		12/10/2013	ug/L	<	ND
62	Benzo(b)fluoranthene		12/14/2009	ug/L	<	ND
62	Benzo(b)fluoranthene	EPA 8270 C	12/31/2010	ug/L	<	ND
62	Benzo(b)fluoranthene	EPA 8270C	11/16/2011	ug/L	<	ND
62	Benzo(b)fluoranthene	EPA 8270C	12/11/2012	ug/L	<	ND
62	Benzo(b)fluoranthene		12/10/2013	ug/L	<	ND
63	Benzo(g,h,i)perylene		12/14/2009	ug/L	<	ND
63	Benzo(g,h,i)perylene	EPA 8270 C	12/31/2010	ug/L	<	ND
63	Benzo(g,h,i)perylene	EPA 8270C	11/16/2011	ug/L	<	ND
63	Benzo(g,h,i)perylene	EPA 8270C	12/11/2012	ug/L	<	ND
63	Benzo(g,h,i)perylene		12/10/2013	ug/L	<	ND
64	Benzo(k)fluoranthene		12/14/2009	ug/L	<	ND
64	Benzo(k)fluoranthene	EPA 8270 C	12/31/2010	ug/L	<	ND
64	Benzo(k)fluoranthene	EPA 8270C	11/16/2011	ug/L	<	ND
64	Benzo(k)fluoranthene	EPA 8270C	12/11/2012	ug/L	<	ND
64	Benzo(k)fluoranthene		12/10/2013	ug/L	<	ND
65	Bis (2-Chloroethoxy) Methane		12/14/2009	ug/L	<	ND
65	Bis (2-Chloroethoxy) Methane	EPA 8270C	12/31/2010	ug/L	<	ND
65	Bis (2-Chloroethoxy) Methane	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
65	Bis (2-Chloroethoxy) Methane	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
65	Bis (2-Chloroethoxy) Methane	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
66	Bis (2-Chloroethyl) Ether		12/14/2009	ug/L	<	ND
66	Bis (2-Chloroethyl) Ether	EPA 8270C	12/31/2010	ug/L	<	ND
66	Bis (2-Chloroethyl) Ether	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
66	Bis (2-Chloroethyl) Ether	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
66	Bis (2-Chloroethyl) Ether	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
67	Bis (2-Chloroisopropyl) Ether		12/14/2009	ug/L	<	ND
67	Bis (2-Chloroisopropyl) Ether	EPA 8270C	12/31/2010	ug/L	<	ND
67	Bis (2-Chloroisopropyl) Ether	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
67	Bis (2-Chloroisopropyl) Ether	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
67	Bis (2-Chloroisopropyl) Ether	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
68	Bis (2-Ethylhexyl) Phthalate		12/14/2009	ug/L	<	ND
68	Bis (2-Ethylhexyl) Phthalate	EPA 8270C	12/31/2010	ug/L	<	ND
68	Bis (2-Ethylhexyl) Phthalate	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
68	Bis (2-Ethylhexyl) Phthalate	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
68	Bis (2-Ethylhexyl) Phthalate	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
69	4-Bromophenyl phenyl ether		12/14/2009	ug/L	<	ND
69	4-Bromophenyl phenyl ether	EPA 8270C	12/31/2010	ug/L	<	ND
69	4-Bromophenyl phenyl ether	EPA 8270C	11/16/2011	ug/L	<	ND
69	4-Bromophenyl phenyl ether	EPA 8270C	12/11/2012	ug/L	<	ND
69	4-Bromophenyl phenyl ether		12/10/2013	ug/L	<	ND
70	Butyl benzyl phthalate		12/14/2009	ug/L	<	ND

10	50
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	
2	10
10	10
9.8	
25	
25	
5	25
10	10
9.8	
10	
10	
2	10
50	50
9.8	
10	
10	
2	10
10	10
9.8	
10	
10	10
10	10
20	20

70	Butyl benzyl phthalate	EPA 8270C	12/31/2010	ug/L	<	ND
70	Butyl benzyl phthalate	EPA 8270C	11/16/2011	ug/L	<	ND
70	Butyl benzyl phthalate	EPA 8270C	12/11/2012	ug/L	<	ND
70	Butyl benzyl phthalate		12/10/2013	ug/L	<	ND
71	2-Chloronaphthalene		12/14/2009	ug/L	<	ND
71	2-Chloronaphthalene	EPA 8270C	12/31/2010	ug/L	<	ND
71	2-Chloronaphthalene	EPA 8270C	11/16/2011	ug/L	<	ND
71	2-Chloronaphthalene	EPA 8270C	12/11/2012	ug/L	<	ND
71	2-Chloronaphthalene		12/10/2013	ug/L	<	ND
72	4-Chlorophenyl phenyl ether		12/14/2009	ug/L	<	ND
72	4-Chlorophenyl phenyl ether	EPA 8270C	12/31/2010	ug/L	<	ND
72	4-Chlorophenyl phenyl ether	EPA 8270C	11/16/2011	ug/L	<	ND
72	4-Chlorophenyl phenyl ether	EPA 8270C	12/11/2012	ug/L	<	ND
72	4-Chlorophenyl phenyl ether		12/10/2013	ug/L	<	ND
73	Chrysene		12/14/2009	ug/L	<	ND
73	Chrysene	EPA 8270 C	12/31/2010	ug/L	<	ND
73	Chrysene	EPA 8270C	11/16/2011	ug/L	<	ND
73	Chrysene	EPA 8270C	12/11/2012	ug/L	<	ND
73	Chrysene		12/10/2013	ug/L	<	ND
74	Dibenzo(a,h)anthracene		12/14/2009	ug/L	<	ND
74	Dibenzo(a,h)anthracene	EPA 8270 C	12/31/2010	ug/L	<	ND
74	Dibenzo(a,h)anthracene	EPA 8270C	11/16/2011	ug/L	<	ND
74	Dibenzo(a,h)anthracene	EPA 8270C	12/11/2012	ug/L	<	ND
74	Dibenzo(a,h)anthracene		12/10/2013	ug/L	<	ND
75	1,2-Dichlorobenzene		12/14/2009	ug/L	<	ND
75	1,2-Dichlorobenzene	EPA 8260B	12/31/2010	ug/L	<	ND
75	1,2-Dichlorobenzene	EPA 8260B	11/16/2011	ug/L	<	ND
75	1,2-Dichlorobenzene		12/11/2012	ug/L	<	ND
75	1,2-Dichlorobenzene	EPA 8270C	12/11/2012	ug/L	<	ND
76	1,3-Dichlorobenzene		12/14/2009	ug/L	<	ND
76	1,3-Dichlorobenzene	EPA 8260B	12/31/2010	ug/L	<	ND
76	1,3-Dichlorobenzene	EPA 8260B	11/16/2011	ug/L	<	ND
76	1,3-Dichlorobenzene		12/11/2012	ug/L	<	ND
76	1,3-Dichlorobenzene	EPA 8270C	12/11/2012	ug/L	<	ND
76	1,3-Dichlorobenzene		12/10/2013	ug/L	<	ND
76	1,3-Dichlorobenzene		12/10/2013	ug/L	<	ND
77	1,4-Dichlorobenzene		12/14/2009	ug/L	<	ND
77	1,4-Dichlorobenzene	EPA 8260B	12/31/2010	ug/L	<	ND
77	1,4-Dichlorobenzene	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
77	1,4-Dichlorobenzene	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
77	1,4-Dichlorobenzene	EPA 8270C	12/11/2012	ug/L	<	ND
77	1,4-Dichlorobenzene	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
77	1,4-Dichlorobenzene		12/10/2013	ug/L	<	ND
78	3,3'-Dichlorobenzidine		12/14/2009	ug/L	<	ND
78	3,3'-Dichlorobenzidine	EPA 8270C	12/31/2010	ug/L	<	ND
78	3,3'-Dichlorobenzidine	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
78	3,3'-Dichlorobenzidine	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
78	3,3'-Dichlorobenzidine	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
79	Diethyl phthalate		12/14/2009	ug/L	<	ND
79	Diethyl phthalate	EPA 8270C	12/31/2010	ug/L	<	ND
79	Diethyl Phthalate	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
79	Diethyl Phthalate	EPA 8270C	12/11/2012	ug/L	<	ND

9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
0.5	0.5
0.5	
0.5	
0.5	0.5
10	10
0.5	0.5
0.5	
0.5	
0.5	0.5
10	10
0.5	0.5
10	10
0.5	0.5
0.5	
0.5	
0.5	
10	10
0.1	0.5
10	10
20	20
49	
25	
25	
5	25
10	10
9.8	
10	
10	10

79	Diethyl Phthalate	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
80	Dimethyl Phthalate		12/14/2009	ug/L	<	ND
80	Dimethyl Phthalate	EPA 8270C	12/31/2010	ug/L	<	ND
80	Dimethyl Phthalate	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
80	Dimethyl Phthalate	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
80	Dimethyl Phthalate	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
81	Di-n-butyl Phthalate		12/14/2009	ug/L	<	ND
81	Di-n-butyl Phthalate	EPA 8270C	12/31/2010	ug/L	<	ND
81	Di-n-butyl Phthalate	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
81	Di-n-butyl Phthalate	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
81	Di-n-butyl Phthalate	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
82	2,4-Dinitrotoluene		12/14/2009	ug/L	<	ND
82	2,4-Dinitrotoluene	EPA 8270C	12/31/2010	ug/L	<	ND
82	2,4-Dinitrotoluene	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
82	2,4-Dinitrotoluene	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
82	2,4-Dinitrotoluene	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
83	2,6-Dinitrotoluene		12/14/2009	ug/L	<	ND
83	2,6-Dinitrotoluene	EPA 8270C	12/31/2010	ug/L	<	ND
83	2,6-Dinitrotoluene	EPA 8270C	11/16/2011	ug/L	<	ND
83	2,6-Dinitrotoluene	EPA 8270C	12/11/2012	ug/L	<	ND
83	2,6-Dinitrotoluene		12/10/2013	ug/L	<	ND
84	Di-n-octyl phthalate		12/14/2009	ug/L	<	ND
84	Di-n-octyl phthalate	EPA 8270C	12/31/2010	ug/L	<	ND
84	Di-n-octyl phthalate	EPA 8270C	11/16/2011	ug/L	<	ND
84	Di-n-octyl phthalate	EPA 8270C	12/11/2012	ug/L	<	ND
84	Di-n-octyl phthalate		12/10/2013	ug/L	<	ND
85	1,2-Diphenylhydrazine		12/14/2009	ug/L	<	ND
85	1,2-Diphenylhydrazine	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
85	1,2-Diphenylhydrazine	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
85	1,2-Diphenylhydrazine	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
86	Fluoranthene		12/14/2009	ug/L	<	ND
86	Fluoranthene		12/31/2010	ug/L	<	ND
86	Fluoranthene	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
86	Fluoranthene	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
86	Fluoranthene	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
87	Fluorene		12/14/2009	ug/L	<	ND
87	Fluorene	EPA 8270 C	12/31/2010	ug/L	<	ND
87	Fluorene	EPA 8270C	11/16/2011	ug/L	<	ND
87	Fluorene	EPA 8270C	12/11/2012	ug/L	<	ND
87	Fluorene		12/10/2013	ug/L	<	ND
88	Hexachlorobenzene		12/14/2009	ug/L	<	ND
88	Hexachlorobenzene	EPA 8270C	12/31/2010	ug/L	<	ND
88	Hexachlorobenzene	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
88	Hexachlorobenzene	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
88	Hexachlorobenzene	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
89	Hexachlorobutadiene		12/14/2009	ug/L	<	ND
89	Hexachlorobutadiene	EPA 8260B	12/31/2010	ug/L	<	ND
89	Hexachlorobutadiene	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
89	Hexachlorobutadiene	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
89	Hexachlorobutadiene	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
90	Hexachlorocyclopentadiene		12/14/2009	ug/L	<	ND
90	Hexachlorocyclopentadiene	EPA 8270C	12/31/2010	ug/L	<	ND

2	10
10	10
9.8	
10	
10	
2	10
50	50
9.8	
10	
10	
2	10
10	10
9.8	
10	
10	
2	10
10	10
9.8	
10	
10	10
10	10
80	80
9.8	
10	
10	10
10	10
50	50
2	
2	
0.4	2
10	10
9.8	
10	
10	
2	10
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	
2	10
0.5	0.5
0.5	
0.5	
0.5	
0.1	0.5
100	100
49	

90	Hexachlorocyclopentadiene	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
90	Hexachlorocyclopentadiene	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
90	Hexachlorocyclopentadiene	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
91	Hexachloroethane		12/14/2009	ug/L	<	ND
91	Hexachloroethane	EPA 8270C	12/31/2010	ug/L	<	ND
91	Hexachloroethane	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
91	Hexachloroethane	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
91	Hexachloroethane	EPA 8270C	12/11/2012	ug/L	<	ND
91	Hexachloroethane	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
92	Indeno(1,2,3-Cd)pyrene		12/14/2009	ug/L	<	ND
92	Indeno(1,2,3-Cd)pyrene	EPA 8270 C	12/31/2010	ug/L	<	ND
92	Indeno(1,2,3-Cd)pyrene	EPA 8270C	11/16/2011	ug/L	<	ND
92	Indeno(1,2,3-Cd)pyrene	EPA 8270C	12/11/2012	ug/L	<	ND
92	Indeno(1,2,3-Cd)pyrene		12/10/2013	ug/L	<	ND
93	Isophorone		12/14/2009	ug/L	<	ND
93	Isophorone	EPA 8270C	12/31/2010	ug/L	<	ND
93	Isophorone	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
93	Isophorone	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
93	Isophorone	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
94	Naphthalene		12/14/2009	ug/L	<	ND
94	Naphthalene	EPA 8260B	12/31/2010	ug/L	<	ND
94	Naphthalene	EPA 8270C	11/16/2011	ug/L	<	ND
94	Naphthalene	EPA 8260B	11/16/2011	ug/L	<	ND
94	Naphthalene		12/11/2012	ug/L	<	ND
94	Naphthalene	EPA 8270C	12/11/2012	ug/L	<	ND
94	Naphthalene		12/10/2013	ug/L	<	ND
95	Nitrobenzene		12/14/2009	ug/L	<	ND
95	Nitrobenzene	EPA 8260B	12/31/2010	ug/L	<	ND
95	Nitrobenzene	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
95	Nitrobenzene	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
95	Nitrobenzene		12/11/2012	ug/L	<	ND
95	Nitrobenzene	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
95	Nitrobenzene		12/10/2013	ug/L	<	ND
95	Nitrobenzene		12/10/2013	ug/L	<	ND
96	N-Nitrosodimethylamine		12/14/2009	ug/L	<	ND
96	N-Nitrosodimethylamine	EPA 8270C	12/31/2010	ug/L	<	ND
96	N-Nitrosodimethylamine	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
96	N-Nitrosodimethylamine	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
96	N-Nitrosodimethylamine	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
97	N-Nitrosodi-n-Propylamine		12/14/2009	ug/L	<	ND
97	N-Nitrosodi-n-propylamine	EPA 8270C	12/31/2010	ug/L	<	ND
97	N-Nitrosodi-n-Propylamine	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
97	N-Nitrosodi-n-Propylamine	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
97	N-Nitrosodi-n-Propylamine	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
98	N-Nitrosodiphenylamine		12/14/2009	ug/L	<	ND
98	N-nitrosodiphenylamine	EPA 8270C	12/31/2010	ug/L	<	ND
98	N-Nitrosodiphenylamine	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
98	N-Nitrosodiphenylamine	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
98	N-Nitrosodiphenylamine	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
99	Phenanthrene		12/14/2009	ug/L	<	ND
99	Phenanthrene	EPA 8270C	12/31/2010	ug/L	<	ND

25	
25	
5	25
2	2
9.8	
2	
2	
10	10
0.4	2
10	10
9.8	
10	
10	10
10	10
10	10
9.8	
10	
10	
2	10
1	1
1	
10	
1	
1	1
10	10
1	1
10	10
10	10
10	
10	
25	
10	10
2	10
10	10
25	25
50	50
9.8	
10	
10	
2	10
10	10
9.8	
10	
10	
2	10
10	10
9.8	
10	
10	
2	10
10	10
9.8	

99	Phenanthrene	EPA 8270C	11/16/2011	ug/L	<	ND
99	Phenanthrene	EPA 8270C	12/11/2012	ug/L	<	ND
99	Phenanthrene		12/10/2013	ug/L	<	ND
100	Pyrene		12/14/2009	ug/L	<	ND
100	Pyrene	EPA 8270 C	12/31/2010	ug/L	<	ND
100	Pyrene	EPA 8270C	11/16/2011	ug/L	<	ND
100	Pyrene	EPA 8270C	12/11/2012	ug/L	<	ND
100	Pyrene		12/10/2013	ug/L	<	ND
101	1,2,4-Trichlorobenzene		12/14/2009	ug/L	<	ND
101	1,2,4-Trichlorobenzene	EPA 8260B	12/31/2010	ug/L	<	ND
101	1,2,4-Trichlorobenzene	EPA 8270C	11/16/2011	ug/L	<	ND
101	1,2,4-Trichlorobenzene		12/11/2012	ug/L	<	ND
101	1,2,4-Trichlorobenzene	EPA 8270C	12/11/2012	ug/L	<	ND
101	1,2,4-Trichlorobenzene		12/10/2013	ug/L	<	ND
101	1,2,4-Trichlorobenzene		12/10/2013	ug/L	<	ND
102	Aldrin		12/14/2009	ug/L	<	ND
102	Aldrin	EPA 608	12/31/2010	ug/L	<	ND
102	Aldrin	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
102	Aldrin	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND
102	Aldrin	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
103	alpha-BHC		12/14/2009	ug/L	<	ND
103	alpha-BHC	EPA 608	12/31/2010	ug/L	<	ND
103	alpha-BHC		11/16/2011	ug/L	<	ND
103	alpha-BHC		12/11/2012	ug/L	<	ND
103	alpha-BHC		12/10/2013	ug/L	<	ND
104	beta-BHC		12/14/2009	ug/L	<	ND
104	beta-BHC	EPA 608	12/31/2010	ug/L	<	ND
104	beta-BHC		11/16/2011	ug/L	<	ND
104	beta-BHC		12/11/2012	ug/L	<	ND
104	beta-BHC		12/10/2013	ug/L	<	ND
105	gamma-BHC		12/14/2009	ug/L	<	ND
105	gamma-BHC	EPA 608	12/31/2010	ug/L	<	ND
105	gamma-BHC		11/16/2011	ug/L	<	ND
105	gamma-BHC		12/11/2012	ug/L	<	ND
105	gamma-BHC		12/10/2013	ug/L	<	ND
106	delta-BHC		12/14/2009	ug/L	<	ND
106	delta-BHC	EPA 608	12/31/2010	ug/L	<	ND
106	delta-BHC		11/16/2011	ug/L	<	ND
106	delta-BHC		12/11/2012	ug/L	<	ND
106	delta-BHC		12/10/2013	ug/L	<	ND
107	Chlordane		12/14/2009	ug/L	<	ND
107	Chlordane	EPA 608	12/31/2010	ug/L	<	ND
107	Chlordane	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
107	Chlordane	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND
107	Chlordane	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
108	4,4'-DDT		12/14/2009	ug/L	<	ND
108	4,4'-DDT	EPA 608	12/31/2010	ug/L	<	ND
108	4,4'-DDT	EPA 608	11/16/2011	ug/L	<	ND
108	4,4'-DDT		12/11/2012	ug/L	<	ND
108	4,4'-DDT		12/10/2013	ug/L	<	ND
109	4,4'-DDE		12/14/2009	ug/L	<	ND
109	4,4'-DDE	EPA 608	12/31/2010	ug/L	<	ND

10	
10	10
10	10
10	10
9.8	
10	
10	10
10	10
0.5	0.5
0.5	
0.5	
0.5	0.5
10	10
0.5	0.5
10	10
0.1	0.1
0.1	
0.1	
0.1	
0.02	0.1
0.1	0.1
0.1	
0.1	
0.1	0.1
0.1	0.1
0.1	0.1
0.1	
0.1	
0.1	0.1
0.1	0.1
0.1	0.1
0.1	
0.1	
0.1	0.1
0.1	0.1
1	1
1	
1	
1	
0.2	1
0.1	0.1
0.1	
0.1	
0.1	0.1
0.1	0.1
0.1	0.1
0.1	

109	4,4'-DDE	EPA 608	11/16/2011	ug/L	<	ND
109	4,4'-DDE		12/11/2012	ug/L	<	ND
109	4,4'-DDE		12/10/2013	ug/L	<	ND
110	4,4'-DDD		12/14/2009	ug/L	<	ND
110	4,4'-DDD	EPA 608	12/31/2010	ug/L	<	ND
110	4,4'-DDD	EPA 608	11/16/2011	ug/L	<	ND
110	4,4'-DDD		12/11/2012	ug/L	<	ND
110	4,4'-DDD		12/10/2013	ug/L	<	ND
111	Dieldrin		12/14/2009	ug/L	<	ND
111	Dieldrin	EPA 608	12/31/2010	ug/L	<	ND
111	Dieldrin	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
111	Dieldrin	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND
111	Dieldrin	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
112	alpha-Endosulfan		12/14/2009	ug/L	<	ND
112	alpha-Endosulfan	EPA 608	12/31/2010	ug/L	<	ND
112	alpha-Endosulfan		11/16/2011	ug/L	<	ND
112	alpha-Endosulfan		12/11/2012	ug/L	<	ND
112	alpha-Endosulfan		12/10/2013	ug/L	<	ND
113	beta-Endosulfan		12/14/2009	ug/L	<	ND
113	beta-Endosulfan	EPA 608	12/31/2010	ug/L	<	ND
113	beta-Endosulfan		11/16/2011	ug/L	<	ND
113	beta-Endosulfan		12/11/2012	ug/L	<	ND
113	beta-Endosulfan		12/10/2013	ug/L	<	ND
114	Endosulfan Sulfate		12/14/2009	ug/L	<	ND
114	Endosulfan Sulfate	EPA 608	12/31/2010	ug/L	<	ND
114	Endosulfan Sulfate		11/16/2011	ug/L	<	ND
114	Endosulfan Sulfate		12/11/2012	ug/L	<	ND
114	Endosulfan Sulfate		12/10/2013	ug/L	<	ND
115	Endrin		12/14/2009	ug/L	<	ND
115	Endrin		12/31/2010	ug/L	<	ND
115	Endrin	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
115	Endrin	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND
115	Endrin	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
116	Endrin Aldehyde		12/14/2009	ug/L	<	ND
116	Endrin Aldehyde	EPA 608	12/31/2010	ug/L	<	ND
116	Endrin Aldehyde	EPA 608	11/16/2011	ug/L	<	ND
116	Endrin Aldehyde		12/11/2012	ug/L	<	ND
116	Endrin Aldehyde		12/10/2013	ug/L	<	ND
117	Heptachlor		12/14/2009	ug/L	<	ND
117	Heptachlor	EPA 608	12/31/2010	ug/L	<	ND
117	Heptachlor	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
117	Heptachlor	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND
117	Heptachlor	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
118	Heptachlor Epoxide		12/14/2009	ug/L	<	ND
118	Heptachlor Epoxide	EPA 608	12/31/2010	ug/L	<	ND
118	Heptachlor Epoxide	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
118	Heptachlor Epoxide	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND
118	Heptachlor Epoxide	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
126	Toxaphene		12/14/2009	ug/L	<	ND
126	Toxaphene	EPA 608	12/31/2010	ug/L	<	ND
126	Toxaphene	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
126	Toxaphene	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND

0.1	
0.1	0.1
0.1	0.1
0.1	0.1
0.1	
0.1	
0.1	0.1
0.1	0.1
0.1	0.1
0.1	
0.1	
0.1	
0.02	0.1
0.1	0.1
0.1	
0.1	
0.1	0.1
0.1	0.1
0.1	0.1
0.1	
0.1	
0.1	0.1
0.1	0.1
0.1	0.1
0.1	
0.1	
0.1	0.1
0.1	0.1
0.1	0.1
0.1	
0.1	
0.1	
0.02	0.1
0.1	0.1
0.1	
0.1	
0.1	0.1
0.1	
0.1	0.1
0.1	
0.1	
0.1	
0.02	0.1
0.1	0.1
0.1	
0.1	
0.1	
0.02	0.1
1	1
1	
1	
1	

126	Toxaphene	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
5a	Chromium (Total)		12/14/2009	ug/L	<	ND
5a	Chromium (Total)	EPA 200.8	12/31/2010	ug/L	<	ND
5a	Chromium (Total)		12/11/2012	ug/L		1.21
5a	Chromium (Total)	Inductively Coupled Plasma/Mass Spectroscopy	11/16/2011	ug/L		6.9
5a	Chromium (Total)	Inductively Coupled Plasma/Mass Spectroscopy	12/10/2013	ug/L	<	ND
5b	Chromium (VI)		12/14/2009	ug/L	<	ND
5b	Chromium (VI)	SM3500-Cr-B	12/31/2010	ug/L	<	ND
5b	Chromium (VI)	Standard Method (19th) 3500-Cr D: Chromium by Colorimetric Method	11/16/2011	ug/L	<	ND
5b	Chromium (VI)	Standard Method (19th) 3500-Cr D: Chromium by Colorimetric Method	12/11/2012	ug/L	<	ND
5b	Chromium (VI)	Standard Method (19th) 3500-Cr D: Chromium by Colorimetric Method	12/10/2013	ug/L	<	ND
	1,1,1,2-Tetrachloroethane		12/14/2009	ug/L	<	ND
	1,1,1,2-Tetrachloroethane		12/11/2012	ug/L	<	ND
	1,1,1,2-Tetrachloroethane		12/10/2013	ug/L	<	ND
	1,1,2-Trichlorotrifluoroethane		12/14/2009	ug/L	<	ND
	1,1,2-Trichlorotrifluoroethane		12/11/2012	ug/L	<	ND
	1,1,2-Trichlorotrifluoroethane		12/10/2013	ug/L	<	ND
	1,1-Dichloropropene		12/14/2009	ug/L	<	ND
	1,1-Dichloropropene		12/11/2012	ug/L	<	ND
	1,1-Dichloropropene		12/10/2013	ug/L	<	ND
	1,2,3-Trichlorobenzene		12/14/2009	ug/L	<	ND
	1,2,3-Trichlorobenzene		12/11/2012	ug/L	<	ND
	1,2,3-Trichlorobenzene		12/10/2013	ug/L	<	ND
	1,2,3-Trichloropropane		12/14/2009	ug/L	<	ND
	1,2,3-Trichloropropane		12/11/2012	ug/L	<	ND
	1,2,3-Trichloropropane		12/10/2013	ug/L	<	ND
	1,2,4-Trimethylbenzene		12/14/2009	ug/L	<	ND
	1,2,4-Trimethylbenzene		12/11/2012	ug/L	<	ND
	1,2,4-Trimethylbenzene		12/10/2013	ug/L	<	ND
	1,2-Dibromo-3-chloropropane		12/11/2012	ug/L	<	ND
	1,2-Dibromo-3-chloropropane		12/10/2013	ug/L	<	ND
	1,2-Dibromo-3-chloropropane (DBCP)		12/14/2009	ug/L	<	ND
	1,2-Dibromoethane (EDB)		12/14/2009	ug/L	<	ND
	1,2-Dibromoethane (EDB)	EPA 8260B	12/31/2010	ug/L	<	ND
	1,2-Dibromoethane (EDB)	EPA 8260B	11/16/2011	ug/L	<	ND
	1,2-Dibromoethane (EDB)		12/11/2012	ug/L	<	ND
	1,2-Dibromoethane (EDB)		12/10/2013	ug/L	<	ND
	1,2-Dichlorobenzene		12/10/2013	ug/L	<	ND
	1,2-Dichlorobenzene		12/10/2013	ug/L	<	ND
	1,3,5-Trimethylbenzene		12/14/2009	ug/L	<	ND
	1,3,5-Trimethylbenzene		12/11/2012	ug/L	<	ND
	1,3,5-Trimethylbenzene		12/10/2013	ug/L	<	ND
	1,3-Dichloropropane		12/14/2009	ug/L	<	ND
	1,3-Dichloropropane		12/11/2012	ug/L	<	ND
	1,3-Dichloropropane		12/10/2013	ug/L	<	ND
	1-Methylnaphthalene	EPA 8270C	12/11/2012	ug/L	<	ND
	1-Methylnaphthalene		12/10/2013	ug/L	<	ND
	2,2-Dichloropropane		12/14/2009	ug/L	<	ND
	2,2-Dichloropropane		12/11/2012	ug/L	<	ND
	2,2-Dichloropropane		12/10/2013	ug/L	<	ND
	2,4,5-Trichlorophenol	EPA 8270C	12/11/2012	ug/L	<	ND
	2,4,5-Trichlorophenol		12/10/2013	ug/L	<	ND

0.2	1
5	5
5	
1	
5	
1	5
10	10
5	
5	
5	
1	5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
1	1
1	1
1	1
0.5	0.5
0.5	0.5
0.5	0.5
2	2
2	2
2	2
1	1
1	
0.5	
1	1
1	1
0.5	0.5
10	10
0.5	0.5
0.5	0.5
0.5	0.5
1	1
1	1
1	1
10	10
10	10
0.5	0.5
0.5	0.5
0.5	0.5
10	10
10	10

2-Chlorophenol		12/14/2009	ug/L	<	ND
2-Chlorophenol	EPA 8270C	12/31/2010	ug/L	<	ND
2-Chlorophenol	EPA 8270C	11/16/2011	ug/L	<	ND
2-Chlorophenol	EPA 8270C	12/11/2012	ug/L	<	ND
2-Chlorophenol		12/10/2013	ug/L	<	ND
2-Chlorotoluene		12/14/2009	ug/L	<	ND
2-Chlorotoluene		12/11/2012	ug/L	<	ND
2-Chlorotoluene		12/10/2013	ug/L	<	ND
2-Hexanone		12/14/2009	ug/L	<	ND
2-Hexanone		12/11/2012	ug/L	<	ND
2-Hexanone		12/10/2013	ug/L	<	ND
2-Methylnaphthalene	EPA 8270C	12/11/2012	ug/L	<	ND
2-Methylnaphthalene		12/10/2013	ug/L	<	ND
2-Methylphenol	EPA 8270C	12/11/2012	ug/L	<	ND
2-Methylphenol		12/10/2013	ug/L	<	ND
2-Nitroaniline	EPA 8270C	12/11/2012	ug/L	<	ND
2-Nitroaniline		12/10/2013	ug/L	<	ND
3,4-Methylphenol	EPA 8270C	12/11/2012	ug/L	<	ND
3,4-Methylphenol		12/10/2013	ug/L	<	ND
3-Nitroaniline	EPA 8270C	12/11/2012	ug/L	<	ND
3-Nitroaniline		12/10/2013	ug/L	<	ND
4-Chloroaniline	EPA 8270C	12/11/2012	ug/L	<	ND
4-Chloroaniline		12/10/2013	ug/L	<	ND
4-Chlorotoluene		12/14/2009	ug/L	<	ND
4-Chlorotoluene		12/11/2012	ug/L	<	ND
4-Chlorotoluene		12/10/2013	ug/L	<	ND
4-Isopropyltoluene		12/14/2009	ug/L	<	ND
4-Isopropyltoluene		12/11/2012	ug/L	<	ND
4-Isopropyltoluene		12/10/2013	ug/L	<	ND
4-Nitroaniline	EPA 8270C	12/11/2012	ug/L	<	ND
4-Nitroaniline		12/10/2013	ug/L	<	ND
Acetone		12/14/2009	ug/L	<	ND
Acetone	EPA 8260B	12/31/2010	ug/L	<	ND
Acetone	EPA 8260B	11/16/2011	ug/L	<	ND
Acetone		12/11/2012	ug/L	<	ND
Acetone		12/10/2013	ug/L	<	ND
Acute Toxicity	Data Unavailable	9/12/2011	% survival		100
Acute Toxicity		12/5/2011	% survival		95
Acute Toxicity	Data Unavailable	5/23/2012	% survival		100
Acute Toxicity	Data Unavailable	8/13/2012	% survival		100
Acute Toxicity	Data Unavailable	12/10/2012	% survival		100
Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	3/7/2013	% survival		100
Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	4/26/2013	% survival		100
Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	7/29/2013	% survival		100
Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	10/16/2013	% survival		100
Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	2/10/2014	% survival		100
Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	4/21/2014	% survival		100
Allyl chloride		12/14/2009	ug/L	<	ND
Allyl chloride		12/11/2012	ug/L	<	ND
Allyl chloride		12/10/2013	ug/L	<	ND
Ammonia, Total (as N)	BLENDING EVENT	3/3/2010	lb/day		0.000729
Ammonia, Total (as N)		3/4/2010	lb/day		82.7

10	10
9.8	
10	
10	10
10	10
0.5	0.5
0.5	0.5
0.5	0.5
5	5
5	
5	5
10	10
10	10
10	10
10	10
10	10
10	10
10	10
10	10
10	
10	10
10	10
10	10
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
10	10
10	10
5	5
5	
5	
5	5
5	5

1	1
1	1
1	1

Ammonia, Total (as N)	BLENDING EVENT	3/12/2010	lb/day	0.00223
Ammonia, Total (as N)	BLENDING EVENT	4/2/2010	lb/day	0.001
Ammonia, Total (as N)	BLENDING EVENT	4/5/2010	lb/day	0.091
Ammonia, Total (as N)		4/6/2010	lb/day	47.08
Ammonia, Total (as N)	BLENDING EVENT	4/27/2010	lb/day	0.066
Ammonia, Total (as N)	BLENDING EVENT	4/28/2010	lb/day	0.005
Ammonia, Total (as N)	BLENDING EVENT	4/29/2010	lb/day	0.001
Ammonia, Total (as N)	BLENDING EVENT	5/2/2010	lb/day	0
Ammonia, Total (as N)		5/11/2010	lb/day	71.893268
Ammonia, Total (as N)	BLENDING EVENT	6/4/2010	lb/day	0
Ammonia, Total (as N)		6/8/2010	lb/day	53.376
Ammonia, Total (as N)		7/2/2010	lb/day	70.9
Ammonia, Total (as N)		8/11/2010	lb/day	177.9
Ammonia, Total (as N)		9/2/2010	lb/day	137.5
Ammonia, Total (as N)		10/7/2010	lb/day	30.13
Ammonia, Total (as N)	BLENDING EVENT	10/24/2010	lb/day	0.001
Ammonia, Total (as N)		11/17/2010	lb/day	27.1
Ammonia, Total (as N)	BLENDING EVENT	12/31/2010	lb/day	70.8
Ammonia, Total (as N)		12/31/2010	lb/day	51.5
Ammonia, Total (as N)		1/5/2011	lb/day	126
Ammonia, Total (as N)		2/2/2011	lb/day	19.5
Ammonia, Total (as N)		3/2/2011	lb/day	31.9
Ammonia, Total (as N)		4/5/2011	lb/day	54.1
Ammonia, Total (as N)		5/10/2011	lb/day	41.1
Ammonia, Total (as N)		6/2/2011	lb/day	67.3
Ammonia, Total (as N)		7/14/2011	lb/day	85.4
Ammonia, Total (as N)		8/2/2011	lb/day	68.2
Ammonia, Total (as N)		9/13/2011	lb/day	7.42
Ammonia, Total (as N)		10/6/2011	lb/day	57.9
Ammonia, Total (as N)		11/3/2011	lb/day	29.6
Ammonia, Total (as N)		12/13/2011	lb/day	19.3
Ammonia, Total (as N)		1/10/2012	lb/day	10.8
Ammonia, Total (as N)		2/10/2012	lb/day	46.8
Ammonia, Total (as N)		3/8/2012	lb/day	29.7
Ammonia, Total (as N)		4/5/2012	lb/day	122
Ammonia, Total (as N)		5/8/2012	lb/day	21.6
Ammonia, Total (as N)		6/6/2012	lb/day	168
Ammonia, Total (as N)		7/12/2012	lb/day	271
Ammonia, Total (as N)		8/2/2012	lb/day	200
Ammonia, Total (as N)		9/12/2012	lb/day	199
Ammonia, Total (as N)		10/4/2012	lb/day	122
Ammonia, Total (as N)		11/15/2012	lb/day	43.9
Ammonia, Total (as N)		12/11/2012	lb/day	32
Ammonia, Total (as N)		1/8/2013	lb/day	66
Ammonia, Total (as N)		2/7/2013	lb/day	85.4
Ammonia, Total (as N)		3/6/2013	lb/day	147
Ammonia, Total (as N)		4/9/2013	lb/day	97
Ammonia, Total (as N)		5/14/2013	lb/day	168
Ammonia, Total (as N)		6/12/2013	lb/day	148
Ammonia, Total (as N)		7/24/2013	lb/day	192
Ammonia, Total (as N)		8/13/2013	lb/day	90.1
Ammonia, Total (as N)		9/10/2013	lb/day	37.9

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Ammonia, Total (as N)		10/8/2013	lb/day		55.5
Ammonia, Total (as N)		11/12/2013	lb/day		34.3
Ammonia, Total (as N)		12/10/2013	lb/day		40
Ammonia, Total (as N)		1/14/2014	lb/day		60.2
Ammonia, Total (as N)		2/11/2014	lb/day		76.9
Ammonia, Total (as N)		3/11/2014	lb/day		63.2
Ammonia, Total (as N)		4/8/2014	lb/day		65
Ammonia, Total (as N)		5/13/2014	lb/day		134
Ammonia, Total (as N)		6/10/2014	lb/day		12.8
Ammonia, Total (as N)		7/8/2014	lb/day	<	ND
Ammonia, Total (as N)		8/12/2014	lb/day		97.7
Ammonia, Total (as N)		9/9/2014	lb/day		108
Ammonia, Total (as N)		10/14/2014	lb/day		472
Ammonia, Total (as N)		8/10/2009	mg/L		8.8
Ammonia, Total (as N)	BLENDING EVENT	8/20/2009	mg/L		5.4
Ammonia, Total (as N)		9/7/2009	mg/L		2.8
Ammonia, Total (as N)		10/13/2009	mg/L		0.38
Ammonia, Total (as N)		12/3/2009	mg/L		1.2
Ammonia, Total (as N)		1/1/2010	mg/L		4.5
Ammonia, Total (as N)		1/5/2010	mg/L		0.5
Ammonia, Total (as N)		1/10/2010	mg/L		1.6
Ammonia, Total (as N)		1/19/2010	mg/L		3.9
Ammonia, Total (as N)		1/20/2010	mg/L		2.7
Ammonia, Total (as N)		1/21/2010	mg/L		1.5
Ammonia, Total (as N)		1/22/2010	mg/L		0.46
Ammonia, Total (as N)		1/23/2010	mg/L		0.63
Ammonia, Total (as N)		1/26/2010	mg/L		0.73
Ammonia, Total (as N)		2/9/2010	mg/L		0.3
Ammonia, Total (as N)	BLENDING EVENT	3/3/2010	mg/L		2.3
Ammonia, Total (as N)	BLENDING EVENT	3/4/2010	mg/L		0.5
Ammonia, Total (as N)		3/4/2010	mg/L		1.3
Ammonia, Total (as N)	BLENDING EVENT	3/12/2010	mg/L		0.5
Ammonia, Total (as N)	BLENDING EVENT	3/13/2010	mg/L		0.62
Ammonia, Total (as N)	BLENDING EVENT	3/14/2010	mg/L		0.51
Ammonia, Total (as N)	BLENDING EVENT	3/21/2010	mg/L		0.34
Ammonia, Total (as N)	BLENDING EVENT	3/31/2010	mg/L		0.81
Ammonia, Total (as N)	BLENDING EVENT	4/2/2010	mg/L		0.99
Ammonia, Total (as N)	BLENDING EVENT	4/5/2010	mg/L		0.99
Ammonia, Total (as N)	BLENDING EVENT	4/6/2010	mg/L		0.42
Ammonia, Total (as N)		4/6/2010	mg/L		0.68
Ammonia, Total (as N)	BLENDING EVENT	4/27/2010	mg/L		4.1
Ammonia, Total (as N)	BLENDING EVENT	4/28/2010	mg/L		1.3
Ammonia, Total (as N)	BLENDING EVENT	4/29/2010	mg/L		1
Ammonia, Total (as N)	BLENDING EVENT	5/2/2010	mg/L		1.1
Ammonia, Total (as N)		5/11/2010	mg/L		1.4
Ammonia, Total (as N)	BLENDING EVENT	6/4/2010	mg/L		6.5
Ammonia, Total (as N)		6/8/2010	mg/L		1
Ammonia, Total (as N)		7/2/2010	mg/L		2
Ammonia, Total (as N)		8/11/2010	mg/L		5.1
Ammonia, Total (as N)		9/2/2010	mg/L		4
Ammonia, Total (as N)		10/7/2010	mg/L		0.9
Ammonia, Total (as N)	BLENDING EVENT	10/24/2010	mg/L		1.1

3

0.1

Ammonia, Total (as N)		11/17/2010	mg/L		0.76
Ammonia, Total (as N)	BLENDING EVENT	12/31/2010	mg/L		5.2
Ammonia, Total (as N)		12/31/2010	mg/L		1.1
Ammonia, Total (as N)	Standard Method (19th) 4500-NH: Nitrogen (Ammonia)	1/1/2011	mg/L		4
Ammonia, Total (as N)	Standard Method (19th) 4500-NH: Nitrogen (Ammonia)	1/12/2011	mg/L		8.4
Ammonia, Total (as N)		2/2/2011	mg/L		0.49
Ammonia, Total (as N)		3/2/2011	mg/L		0.65
Ammonia, Total (as N)		4/5/2011	mg/L		0.99
Ammonia, Total (as N)		5/10/2011	mg/L		1.1
Ammonia, Total (as N)	Standard Method (19th) 4500-NH: Nitrogen (Ammonia)	6/2/2011	mg/L		2
Ammonia, Total (as N)		7/14/2011	mg/L		2.8
Ammonia, Total (as N)	Standard Method (19th) 4500-NH: Nitrogen (Ammonia)	8/2/2011	mg/L		2.3
Ammonia, Total (as N)	Standard Method (19th) 4500-NH: Nitrogen (Ammonia)	9/13/2011	mg/L		0.27
Ammonia, Total (as N)	Standard Method (19th) 4500-NH: Nitrogen (Ammonia)	10/6/2011	mg/L		1.7
Ammonia, Total (as N)	Standard Method (19th) 4500-NH: Nitrogen (Ammonia)	11/3/2011	mg/L		1
Ammonia, Total (as N)	Standard Method (19th) 4500-NH: Nitrogen (Ammonia)	12/13/2011	mg/L		0.65
Ammonia, Total (as N)		1/10/2012	mg/L		0.36
Ammonia, Total (as N)		2/10/2012	mg/L		1.1
Ammonia, Total (as N)		3/8/2012	mg/L		0.78
Ammonia, Total (as N)		4/5/2012	mg/L		1.5
Ammonia, Total (as N)		5/8/2012	mg/L		0.55
Ammonia, Total (as N)		6/6/2012	mg/L		4.7
Ammonia, Total (as N)		7/12/2012	mg/L		9.5
Ammonia, Total (as N)		8/2/2012	mg/L		7
Ammonia, Total (as N)		9/12/2012	mg/L		7.2
Ammonia, Total (as N)		10/4/2012	mg/L		4.7
Ammonia, Total (as N)		11/15/2012	mg/L		1.7
Ammonia, Total (as N)		12/11/2012	mg/L		0.57
Ammonia, Total (as N)		1/8/2013	mg/L		1.5
Ammonia, Total (as N)		2/7/2013	mg/L		2
Ammonia, Total (as N)		3/6/2013	mg/L		2.3
Ammonia, Total (as N)		4/9/2013	mg/L		2.3
Ammonia, Total (as N)		5/14/2013	mg/L		5.2
Ammonia, Total (as N)		6/12/2013	mg/L		5.2
Ammonia, Total (as N)		7/24/2013	mg/L		6.9
Ammonia, Total (as N)		8/13/2013	mg/L		3.3
Ammonia, Total (as N)		9/10/2013	mg/L		1.4
Ammonia, Total (as N)		10/8/2013	mg/L		1.9
Ammonia, Total (as N)		11/12/2013	mg/L		1.3
Ammonia, Total (as N)		12/10/2013	mg/L		1.6
Ammonia, Total (as N)		1/14/2014	mg/L		2.4
Ammonia, Total (as N)		2/11/2014	mg/L		2.7
Ammonia, Total (as N)		3/11/2014	mg/L		1.3
Ammonia, Total (as N)		4/8/2014	mg/L		2
Ammonia, Total (as N)		5/13/2014	mg/L		4.7
Ammonia, Total (as N)		6/10/2014	mg/L		0.59
Ammonia, Total (as N)		7/8/2014	mg/L	<	ND
Ammonia, Total (as N)		8/12/2014	mg/L		3.1
Ammonia, Total (as N)		9/9/2014	mg/L		3.4
Ammonia, Total (as N)		10/14/2014	mg/L		13
Aniline	EPA 8270C	12/11/2012	ug/L	<	ND
Aniline		12/10/2013	ug/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1
0.02	
10	10
10	10

Azobenzene	EPA 8270C	12/11/2012	ug/L	<	ND
Azobenzene		12/10/2013	ug/L	<	ND
Benzoic Acid	EPA 8270C	12/11/2012	ug/L	<	ND
Benzoic Acid		12/10/2013	ug/L	<	ND
Benzyl alcohol	EPA 8270C	12/11/2012	ug/L	<	ND
Benzyl alcohol		12/10/2013	ug/L	<	ND
BHC, Sum	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
BHC, Sum	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND
BHC, Sum	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/6/2009	lb/day		642.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/13/2009	lb/day		817.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/20/2009	lb/day		544.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/27/2009	lb/day		572
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/3/2009	lb/day		467
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/10/2009	lb/day		558
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/17/2009	lb/day		490
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/24/2009	lb/day		310
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/1/2009	lb/day		234
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/8/2009	lb/day		164
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/14/2009	lb/day		209
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/22/2009	lb/day		261
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/29/2009	lb/day		363
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/4/2009	lb/day		228
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/11/2009	lb/day		339
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/19/2009	lb/day		423
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/25/2009	lb/day		220
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/3/2009	lb/day		217
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/10/2009	lb/day		599
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/17/2009	lb/day		532
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/24/2009	lb/day		410
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/31/2009	lb/day		547
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/7/2010	lb/day		345
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/14/2010	lb/day		319
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/20/2010	lb/day		2129.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/27/2010	lb/day		347.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/4/2010	lb/day		310
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/11/2010	lb/day		241
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/18/2010	lb/day		212
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/25/2010	lb/day		412
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	3/3/2010	lb/day		1.49
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/4/2010	lb/day		395
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/11/2010	lb/day		360
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	3/12/2010	lb/day		24.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/18/2010	lb/day		206
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/25/2010	lb/day		322
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/1/2010	lb/day		3.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	4/2/2010	lb/day		7.97
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	4/5/2010	lb/day		0.59
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/6/2010	lb/day		436.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/15/2010	lb/day		354
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/22/2010	lb/day		689
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	4/28/2010	lb/day		48.34

10	10
10	10
50	50
50	50
10	10
10	10
0.4	
0.4	
0.08	0.4

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/29/2010	lb/day	1422
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	4/29/2010	lb/day	7.89
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	5/2/2010	lb/day	0
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/4/2010	lb/day	464
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/13/2010	lb/day	517
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/20/2010	lb/day	507.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/27/2010	lb/day	1078.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/3/2010	lb/day	1741
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/10/2010	lb/day	455
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/17/2010	lb/day	373
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/23/2010	lb/day	602
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/2/2010	lb/day	496
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/7/2010	lb/day	373
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/14/2010	lb/day	566
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/22/2010	lb/day	526
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/30/2010	lb/day	604
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/5/2010	lb/day	471
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/12/2010	lb/day	492
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/26/2010	lb/day	638
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/2/2010	lb/day	516
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/9/2010	lb/day	409
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/16/2010	lb/day	461
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/22/2010	lb/day	274
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/30/2010	lb/day	237
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/7/2010	lb/day	368
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/14/2010	lb/day	472
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/22/2010	lb/day	275
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	10/24/2010	lb/day	10.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/29/2010	lb/day	287
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/4/2010	lb/day	135
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/10/2010	lb/day	201
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/17/2010	lb/day	393
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/24/2010	lb/day	342
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/29/2010	lb/day	2175
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	mean	12/31/2010	lb/day	812
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	max	12/31/2010	lb/day	2175
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	mean	12/31/2010	lb/day	117.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	max	12/31/2010	lb/day	377.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/1/2011	lb/day	2175
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/6/2011	lb/day	447
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/8/2011	lb/day	447
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/13/2011	lb/day	539
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/13/2011	lb/day	539
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/13/2011	lb/day	539
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/15/2011	lb/day	539
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/18/2011	lb/day	529
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/22/2011	lb/day	529
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/27/2011	lb/day	263
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/29/2011	lb/day	263
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/31/2011	lb/day	444
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/31/2011	lb/day	444
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/5/2011	lb/day	175

BLENDING EVENT
BLENDING EVENT

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	2/12/2011	lb/day	197
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	2/17/2011	lb/day	318
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	2/19/2011	lb/day	318
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	2/26/2011	lb/day	287
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	2/28/2011	lb/day	244
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	3/2/2011	lb/day	402
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	3/8/2011	lb/day	707
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	3/16/2011	lb/day	554
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	3/24/2011	lb/day	1441
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	3/24/2011	lb/day	1441
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	3/31/2011	lb/day	776
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	3/31/2011	lb/day	703
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	4/7/2011	lb/day	430
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	4/14/2011	lb/day	405
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	4/21/2011	lb/day	808
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	4/21/2011	lb/day	808
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	4/28/2011	lb/day	440
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	4/30/2011	lb/day	521
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	5/7/2011	lb/day	353
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	5/12/2011	lb/day	567
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	5/14/2011	lb/day	567
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	5/21/2011	lb/day	424
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	5/28/2011	lb/day	515
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	5/31/2011	lb/day	465
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	6/4/2011	lb/day	505
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	6/9/2011	lb/day	555
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	6/11/2011	lb/day	555
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	6/18/2011	lb/day	485
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	6/25/2011	lb/day	519
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	6/30/2011	lb/day	491
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	7/2/2011	lb/day	519
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	7/9/2011	lb/day	546
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	7/16/2011	lb/day	427
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	7/21/2011	lb/day	561
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	7/23/2011	lb/day	561
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	7/30/2011	lb/day	395
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	7/31/2011	lb/day	482
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	8/4/2011	lb/day	488
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	8/11/2011	lb/day	412
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	8/18/2011	lb/day	553
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	8/18/2011	lb/day	553
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	8/25/2011	lb/day	432
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	8/31/2011	lb/day	471
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	9/1/2011	lb/day	321
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	9/8/2011	lb/day	236
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	9/14/2011	lb/day	232
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	9/22/2011	lb/day	508
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	9/22/2011	lb/day	508
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	9/29/2011	lb/day	289
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	9/30/2011	lb/day	317
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	10/6/2011	lb/day	443
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	10/13/2011	lb/day	385

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/20/2011	lb/day	319
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/27/2011	lb/day	478
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/27/2011	lb/day	478
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/31/2011	lb/day	383
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/3/2011	lb/day	355
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/5/2011	lb/day	355
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/10/2011	lb/day	234
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/12/2011	lb/day	234
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/16/2011	lb/day	433
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/19/2011	lb/day	433
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/23/2011	lb/day	813
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/23/2011	lb/day	813
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/26/2011	lb/day	813
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/30/2011	lb/day	459
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/1/2011	lb/day	289
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/3/2011	lb/day	289
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/8/2011	lb/day	308
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/10/2011	lb/day	308
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/15/2011	lb/day	260
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/17/2011	lb/day	260
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/22/2011	lb/day	286
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/24/2011	lb/day	286
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/29/2011	lb/day	327
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/29/2011	lb/day	327
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/31/2011	lb/day	327
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/31/2011	lb/day	294
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/5/2012	lb/day	294
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/7/2012	lb/day	294
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/12/2012	lb/day	214
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/14/2012	lb/day	214
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/18/2012	lb/day	520
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/21/2012	lb/day	520
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/26/2012	lb/day	816
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/28/2012	lb/day	816
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/28/2012	lb/day	816
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/31/2012	lb/day	461
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/2/2012	lb/day	361
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/2/2012	lb/day	361
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/4/2012	lb/day	361
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/9/2012	lb/day	259
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/11/2012	lb/day	259
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/16/2012	lb/day	334
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/18/2012	lb/day	334
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/23/2012	lb/day	230
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/25/2012	lb/day	230
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/29/2012	lb/day	296
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/1/2012	lb/day	581
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/3/2012	lb/day	581
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/8/2012	lb/day	267
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/10/2012	lb/day	267
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/14/2012	lb/day	562
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/17/2012	lb/day	562

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/22/2012	lb/day	594
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/24/2012	lb/day	594
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/29/2012	lb/day	1528
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/29/2012	lb/day	1528
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/31/2012	lb/day	706
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/31/2012	lb/day	1528
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/5/2012	lb/day	975
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/5/2012	lb/day	975
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/7/2012	lb/day	975
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/12/2012	lb/day	571
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/14/2012	lb/day	571
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/19/2012	lb/day	274
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/21/2012	lb/day	274
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/26/2012	lb/day	346
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/28/2012	lb/day	346
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/30/2012	lb/day	542
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/3/2012	lb/day	344
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/5/2012	lb/day	344
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/9/2012	lb/day	224
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/12/2012	lb/day	224
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/16/2012	lb/day	245
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/19/2012	lb/day	245
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/24/2012	lb/day	410
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/24/2012	lb/day	410
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/26/2012	lb/day	410
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/31/2012	lb/day	272
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/31/2012	lb/day	272
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/2/2012	lb/day	272
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/7/2012	lb/day	445
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/7/2012	lb/day	445
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/9/2012	lb/day	445
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/14/2012	lb/day	362
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/16/2012	lb/day	362
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/21/2012	lb/day	335
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/23/2012	lb/day	335
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/28/2012	lb/day	305
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/30/2012	lb/day	305
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/30/2012	lb/day	362
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/4/2012	lb/day	291
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/7/2012	lb/day	291
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/12/2012	lb/day	285
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/14/2012	lb/day	285
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/18/2012	lb/day	292
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/21/2012	lb/day	292
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/24/2012	lb/day	311
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/24/2012	lb/day	311
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/28/2012	lb/day	311
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/31/2012	lb/day	295
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/2/2012	lb/day	343
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/4/2012	lb/day	343
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/9/2012	lb/day	295
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/11/2012	lb/day	295

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/16/2012	lb/day	247
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/18/2012	lb/day	247
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/23/2012	lb/day	368
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/23/2012	lb/day	368
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/25/2012	lb/day	368
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/30/2012	lb/day	349
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/31/2012	lb/day	320
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/1/2012	lb/day	349
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/5/2012	lb/day	178
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/8/2012	lb/day	178
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/14/2012	lb/day	329
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/15/2012	lb/day	329
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/20/2012	lb/day	331
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/20/2012	lb/day	331
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/22/2012	lb/day	331
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/27/2012	lb/day	293
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/29/2012	lb/day	293
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/30/2012	lb/day	320
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/4/2012	lb/day	312
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/6/2012	lb/day	312
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/11/2012	lb/day	317
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/13/2012	lb/day	317
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/18/2012	lb/day	262
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/20/2012	lb/day	262
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/25/2012	lb/day	338
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/25/2012	lb/day	338
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/27/2012	lb/day	338
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/31/2012	lb/day	307
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/1/2012	lb/day	383
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/3/2012	lb/day	383
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/7/2012	lb/day	476
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/10/2012	lb/day	476
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/15/2012	lb/day	196
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/17/2012	lb/day	196
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/21/2012	lb/day	289
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/24/2012	lb/day	289
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/29/2012	lb/day	735
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/29/2012	lb/day	735
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/30/2012	lb/day	416
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/1/2012	lb/day	735
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/6/2012	lb/day	187
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/8/2012	lb/day	187
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/13/2012	lb/day	207
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/15/2012	lb/day	207
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/20/2012	lb/day	484
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/22/2012	lb/day	484
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/27/2012	lb/day	1489
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/27/2012	lb/day	1489
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/29/2012	lb/day	1489
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/31/2012	lb/day	592
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/3/2013	lb/day	253
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/5/2013	lb/day	253

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/10/2013	lb/day	291
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/12/2013	lb/day	291
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/17/2013	lb/day	330
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/19/2013	lb/day	330
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/23/2013	lb/day	514
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/23/2013	lb/day	514
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/26/2013	lb/day	514
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/31/2013	lb/day	352
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/31/2013	lb/day	348
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/2/2013	lb/day	352
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/7/2013	lb/day	418
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/7/2013	lb/day	418
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/9/2013	lb/day	418
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/14/2013	lb/day	308
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/16/2013	lb/day	308
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/21/2013	lb/day	307
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/23/2013	lb/day	307
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/28/2013	lb/day	252
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/28/2013	lb/day	321
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/2/2013	lb/day	252
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/6/2013	lb/day	516
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/6/2013	lb/day	516
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/9/2013	lb/day	516
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/12/2013	lb/day	272
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/16/2013	lb/day	272
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/21/2013	lb/day	362
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/23/2013	lb/day	362
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/28/2013	lb/day	312
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/30/2013	lb/day	312
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/31/2013	lb/day	322
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/4/2013	lb/day	405
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/4/2013	lb/day	405
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/6/2013	lb/day	405
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/11/2013	lb/day	209
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/13/2013	lb/day	209
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/18/2013	lb/day	231
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/20/2013	lb/day	231
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/25/2013	lb/day	344
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/27/2013	lb/day	344
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/30/2013	lb/day	297
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/2/2013	lb/day	473
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/4/2013	lb/day	473
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/8/2013	lb/day	548
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/8/2013	lb/day	548
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/11/2013	lb/day	548
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/17/2013	lb/day	320
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/18/2013	lb/day	320
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/23/2013	lb/day	498
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/25/2013	lb/day	498
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/30/2013	lb/day	522
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/31/2013	lb/day	472
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/1/2013	lb/day	522

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/6/2013	lb/day	363
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/8/2013	lb/day	363
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/13/2013	lb/day	407
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/13/2013	lb/day	407
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/15/2013	lb/day	407
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/20/2013	lb/day	402
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/22/2013	lb/day	402
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/26/2013	lb/day	388
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/29/2013	lb/day	388
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/30/2013	lb/day	390
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/4/2013	lb/day	438
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/4/2013	lb/day	438
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/6/2013	lb/day	438
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/11/2013	lb/day	385
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/13/2013	lb/day	385
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/17/2013	lb/day	396
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/20/2013	lb/day	396
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/24/2013	lb/day	335
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/27/2013	lb/day	335
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/31/2013	lb/day	322
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/31/2013	lb/day	375
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/3/2013	lb/day	322
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/7/2013	lb/day	311
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/10/2013	lb/day	311
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/15/2013	lb/day	392
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/15/2013	lb/day	392
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/17/2013	lb/day	392
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/22/2013	lb/day	336
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/24/2013	lb/day	336
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/29/2013	lb/day	345
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/31/2013	lb/day	346
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/31/2013	lb/day	345
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/5/2013	lb/day	292
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/7/2013	lb/day	292
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/11/2013	lb/day	322
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/14/2013	lb/day	322
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/19/2013	lb/day	338
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/21/2013	lb/day	338
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/26/2013	lb/day	347
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/26/2013	lb/day	347
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/28/2013	lb/day	347
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/30/2013	lb/day	325
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/3/2013	lb/day	289
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/5/2013	lb/day	289
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/10/2013	lb/day	233
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/12/2013	lb/day	233
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/17/2013	lb/day	293
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/19/2013	lb/day	293
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/24/2013	lb/day	439
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/26/2013	lb/day	439
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/31/2013	lb/day	442
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/31/2013	lb/day	339

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/31/2013	lb/day	442
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/2/2013	lb/day	442
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/7/2013	lb/day	349
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/7/2013	lb/day	349
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/9/2013	lb/day	349
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/14/2013	lb/day	207
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/16/2013	lb/day	207
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/20/2013	lb/day	235
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/23/2013	lb/day	235
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/28/2013	lb/day	295
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/30/2013	lb/day	295
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/30/2013	lb/day	271
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/6/2013	lb/day	298
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/7/2013	lb/day	298
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/12/2013	lb/day	266
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/14/2013	lb/day	266
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/19/2013	lb/day	367
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/21/2013	lb/day	367
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/26/2013	lb/day	599
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/26/2013	lb/day	599
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/28/2013	lb/day	599
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/31/2013	lb/day	382
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/2/2014	lb/day	242
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/4/2014	lb/day	242
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/9/2014	lb/day	263
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/11/2014	lb/day	263
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/15/2014	lb/day	216
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/18/2014	lb/day	216
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/23/2014	lb/day	236
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/25/2014	lb/day	236
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/30/2014	lb/day	439
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/30/2014	lb/day	439
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/31/2014	lb/day	279
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/1/2014	lb/day	439
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/6/2014	lb/day	340
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/8/2014	lb/day	340
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/13/2014	lb/day	321
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/15/2014	lb/day	321
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/20/2014	lb/day	396
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/20/2014	lb/day	396
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/22/2014	lb/day	396
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/27/2014	lb/day	306
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/28/2014	lb/day	341
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/1/2014	lb/day	306
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/5/2014	lb/day	276
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/8/2014	lb/day	276
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/13/2014	lb/day	288
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/13/2014	lb/day	288
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/15/2014	lb/day	288
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/20/2014	lb/day	240
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/22/2014	lb/day	240
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/27/2014	lb/day	267

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/29/2014	lb/day	267
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/31/2014	lb/day	268
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/3/2014	lb/day	223
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/5/2014	lb/day	223
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/10/2014	lb/day	261
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/12/2014	lb/day	261
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/17/2014	lb/day	327
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/19/2014	lb/day	327
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/24/2014	lb/day	433
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/24/2014	lb/day	433
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/26/2014	lb/day	433
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/30/2014	lb/day	311
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/1/2014	lb/day	314
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/3/2014	lb/day	314
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/8/2014	lb/day	359
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/10/2014	lb/day	359
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/14/2014	lb/day	352
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/17/2014	lb/day	352
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/22/2014	lb/day	516
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/22/2014	lb/day	516
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/24/2014	lb/day	516
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/29/2014	lb/day	293
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/31/2014	lb/day	367
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/31/2014	lb/day	293
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/5/2014	lb/day	279
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/7/2014	lb/day	279
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/12/2014	lb/day	438
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/14/2014	lb/day	438
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/19/2014	lb/day	473
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/21/2014	lb/day	473
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/26/2014	lb/day	599
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/26/2014	lb/day	599
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/28/2014	lb/day	599
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/30/2014	lb/day	447
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/3/2014	lb/day	602
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/5/2014	lb/day	602
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/10/2014	lb/day	424
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/12/2014	lb/day	424
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/17/2014	lb/day	483
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/19/2014	lb/day	483
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/23/2014	lb/day	335
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/26/2014	lb/day	335
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/31/2014	lb/day	711
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/31/2014	lb/day	711
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/31/2014	lb/day	511
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/2/2014	lb/day	711
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/8/2014	lb/day	420
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/9/2014	lb/day	420
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/14/2014	lb/day	573
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/16/2014	lb/day	573
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/21/2014	lb/day	631
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/21/2014	lb/day	631

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/23/2014	lb/day	631
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/28/2014	lb/day	620
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/30/2014	lb/day	620
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/31/2014	lb/day	561
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/3/2014	lb/day	810
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/6/2014	lb/day	810
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/11/2014	lb/day	496
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/13/2014	lb/day	496
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/17/2014	lb/day	696
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/20/2014	lb/day	696
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/25/2014	lb/day	1153
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/25/2014	lb/day	1153
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/27/2014	lb/day	1153
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/30/2014	lb/day	789
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/2/2014	lb/day	447
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/4/2014	lb/day	447
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/9/2014	lb/day	377
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/11/2014	lb/day	377
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/16/2014	lb/day	461
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/18/2014	lb/day	461
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/23/2014	lb/day	560
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/25/2014	lb/day	560
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/30/2014	lb/day	622
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/30/2014	lb/day	622
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/31/2014	lb/day	494
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/6/2009	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/13/2009	mg/L	24
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/20/2009	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	8/20/2009	mg/L	22
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/27/2009	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/3/2009	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/10/2009	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/17/2009	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/24/2009	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/1/2009	mg/L	7.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/8/2009	mg/L	5.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/14/2009	mg/L	5.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/22/2009	mg/L	8.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/29/2009	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/4/2009	mg/L	7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/11/2009	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/19/2009	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/25/2009	mg/L	6.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/3/2009	mg/L	6.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/10/2009	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/17/2009	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/24/2009	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/31/2009	mg/L	8.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	1/1/2010	mg/L	8.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/7/2010	mg/L	7.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	1/10/2010	mg/L	5.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/14/2010	mg/L	6.1

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	1/19/2010	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/20/2010	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	1/20/2010	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	1/21/2010	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	1/22/2010	mg/L	5.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	1/23/2010	mg/L	2.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	1/26/2010	mg/L	4.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/27/2010	mg/L	5.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/4/2010	mg/L	5.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/11/2010	mg/L	4.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/18/2010	mg/L	4.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/25/2010	mg/L	8.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	2/26/2010	mg/L	8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	2/27/2010	mg/L	7.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	3/3/2010	mg/L	4.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/4/2010	mg/L	6.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	3/4/2010	mg/L	4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/11/2010	mg/L	6.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	3/12/2010	mg/L	5.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	3/13/2010	mg/L	6.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	3/14/2010	mg/L	4.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/18/2010	mg/L	4.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/25/2010	mg/L	5.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	3/31/2010	mg/L	4.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/1/2010	mg/L	5.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	4/2/2010	mg/L	7.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	4/5/2010	mg/L	6.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/6/2010	mg/L	6.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	4/6/2010	mg/L	4.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/15/2010	mg/L	6.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/22/2010	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	4/28/2010	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/29/2010	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	4/29/2010	mg/L	8.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	5/2/2010	mg/L	6.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/4/2010	mg/L	8.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/13/2010	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/20/2010	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/27/2010	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/3/2010	mg/L	23
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	6/4/2010	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/10/2010	mg/L	8.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/17/2010	mg/L	8.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/23/2010	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/2/2010	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/7/2010	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/14/2010	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/22/2010	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/30/2010	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/5/2010	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/12/2010	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/26/2010	mg/L	19

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/2/2010	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/9/2010	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/16/2010	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/22/2010	mg/L	8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/30/2010	mg/L	7.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/7/2010	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/14/2010	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/22/2010	mg/L	8.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	BLENDING EVENT	10/24/2010	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/29/2010	mg/L	7.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/4/2010	mg/L	4.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/10/2010	mg/L	5.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/17/2010	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/24/2010	mg/L	7.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/29/2010	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	mean	12/31/2010	mg/L	9.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	max	12/31/2010	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	mean	12/31/2010	mg/L	10.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	max	12/31/2010	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/1/2011	mg/L	8.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/1/2011	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/6/2011	mg/L	8.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/8/2011	mg/L	8.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/12/2011	mg/L	5.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/13/2011	mg/L	9.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/15/2011	mg/L	9.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/22/2011	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/27/2011	mg/L	6.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/29/2011	mg/L	6.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/5/2011	mg/L	4.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/10/2011	mg/L	5.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/12/2011	mg/L	5.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/19/2011	mg/L	5.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/26/2011	mg/L	5.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/28/2011	mg/L	5.05
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/2/2011	mg/L	8.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/8/2011	mg/L	9.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/16/2011	mg/L	6.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/24/2011	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/24/2011	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/31/2011	mg/L	8.58
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/31/2011	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/7/2011	mg/L	7.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/14/2011	mg/L	8.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/21/2011	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/21/2011	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/28/2011	mg/L	9.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/30/2011	mg/L	9.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/7/2011	mg/L	9.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/12/2011	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/14/2011	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/21/2011	mg/L	11

BLENDING EVENT
BLENDING EVENT

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/28/2011	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/31/2011	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/4/2011	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/9/2011	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/11/2011	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/18/2011	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/25/2011	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/30/2011	mg/L	15.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/2/2011	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/9/2011	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/16/2011	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/21/2011	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/23/2011	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/30/2011	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/31/2011	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/4/2011	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/11/2011	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/18/2011	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/18/2011	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/25/2011	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/31/2011	mg/L	16.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/1/2011	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/8/2011	mg/L	8.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/14/2011	mg/L	7.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/22/2011	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/22/2011	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/29/2011	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/30/2011	mg/L	11.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/6/2011	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/13/2011	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/20/2011	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/27/2011	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/27/2011	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/31/2011	mg/L	13.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/3/2011	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/5/2011	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/10/2011	mg/L	8.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/12/2011	mg/L	8.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/16/2011	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/19/2011	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/23/2011	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/23/2011	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/26/2011	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/30/2011	mg/L	12.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/1/2011	mg/L	9.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/3/2011	mg/L	9.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/8/2011	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/8/2011	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/10/2011	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/15/2011	mg/L	8.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/17/2011	mg/L	8.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/22/2011	mg/L	9.4

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/24/2011	mg/L	9.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/29/2011	mg/L	8.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/31/2011	mg/L	9.02
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/31/2011	mg/L	8.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/5/2012	mg/L	9.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/7/2012	mg/L	9.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/12/2012	mg/L	7.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/14/2012	mg/L	7.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/18/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/21/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/26/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/28/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/28/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/31/2012	mg/L	9.15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/2/2012	mg/L	7.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/4/2012	mg/L	7.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/9/2012	mg/L	6.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/11/2012	mg/L	6.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/16/2012	mg/L	8.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/16/2012	mg/L	8.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/18/2012	mg/L	8.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/23/2012	mg/L	6.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/25/2012	mg/L	6.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/29/2012	mg/L	7.15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/1/2012	mg/L	9.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/1/2012	mg/L	9.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/3/2012	mg/L	9.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/8/2012	mg/L	7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/10/2012	mg/L	7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/14/2012	mg/L	9.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/17/2012	mg/L	9.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/22/2012	mg/L	8.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/24/2012	mg/L	8.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/29/2012	mg/L	8.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/31/2012	mg/L	8.82
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/31/2012	mg/L	8.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/5/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/5/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/7/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/12/2012	mg/L	5.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/14/2012	mg/L	5.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/19/2012	mg/L	4.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/21/2012	mg/L	4.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/26/2012	mg/L	6.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/28/2012	mg/L	6.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/30/2012	mg/L	7.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/3/2012	mg/L	7.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/5/2012	mg/L	7.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/9/2012	mg/L	5.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/12/2012	mg/L	5.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/16/2012	mg/L	6.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/19/2012	mg/L	6.6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/24/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/24/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/26/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/31/2012	mg/L	8.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/31/2012	mg/L	8.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/2/2012	mg/L	8.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/7/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/7/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/9/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/14/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/16/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/21/2012	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/23/2012	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/28/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/30/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/30/2012	mg/L	11.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/4/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/7/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/12/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/14/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/18/2012	mg/L	9.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/21/2012	mg/L	9.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/24/2012	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/24/2012	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/28/2012	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/31/2012	mg/L	10.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/2/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/4/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/9/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/11/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/16/2012	mg/L	8.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/18/2012	mg/L	8.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/23/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/23/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/25/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/30/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/31/2012	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/1/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/5/2012	mg/L	6.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/8/2012	mg/L	6.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/14/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/15/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/20/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/20/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/22/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/27/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/29/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/30/2012	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/4/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/6/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/11/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/13/2012	mg/L	12

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/18/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/20/2012	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/25/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/25/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/27/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/31/2012	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/1/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/3/2012	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/7/2012	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/7/2012	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/10/2012	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/15/2012	mg/L	7.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/17/2012	mg/L	7.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/21/2012	mg/L	7.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/24/2012	mg/L	7.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/29/2012	mg/L	8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/30/2012	mg/L	10.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/1/2012	mg/L	8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/6/2012	mg/L	3.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/8/2012	mg/L	3.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/13/2012	mg/L	4.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/15/2012	mg/L	4.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/20/2012	mg/L	4.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/22/2012	mg/L	4.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/27/2012	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/27/2012	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/29/2012	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/31/2012	mg/L	7.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/3/2013	mg/L	5.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/5/2013	mg/L	5.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/10/2013	mg/L	5.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/12/2013	mg/L	5.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/17/2013	mg/L	8.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/19/2013	mg/L	8.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/23/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/23/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/26/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/31/2013	mg/L	9.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/31/2013	mg/L	7.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/2/2013	mg/L	9.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/7/2013	mg/L	9.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/7/2013	mg/L	9.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/9/2013	mg/L	9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/14/2013	mg/L	9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/16/2013	mg/L	9.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/21/2013	mg/L	9.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/23/2013	mg/L	7.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/28/2013	mg/L	7.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/28/2013	mg/L	8.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/2/2013	mg/L	7.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/6/2013	mg/L	8.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/9/2013	mg/L	8.1

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/12/2013	mg/L	7.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/16/2013	mg/L	7.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/21/2013	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/21/2013	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/23/2013	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/28/2013	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/30/2013	mg/L	10
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/31/2013	mg/L	8.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/4/2013	mg/L	9.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/6/2013	mg/L	9.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/11/2013	mg/L	5.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/13/2013	mg/L	5.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/18/2013	mg/L	7.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/20/2013	mg/L	7.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/25/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/25/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/27/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/30/2013	mg/L	8.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/2/2013	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/4/2013	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/8/2013	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/11/2013	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/17/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/18/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/23/2013	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/23/2013	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/25/2013	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/30/2013	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/31/2013	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/1/2013	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/6/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/8/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/13/2013	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/13/2013	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/15/2013	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/20/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/22/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/26/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/29/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/30/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/4/2013	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/4/2013	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/6/2013	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/11/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/13/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/17/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/20/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/24/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/27/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/31/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/31/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/3/2013	mg/L	12

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/7/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/10/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/15/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/15/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/17/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/22/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/24/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/29/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/31/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/31/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/5/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/7/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/11/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/14/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/19/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/21/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/26/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/26/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/28/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/30/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/3/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/5/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/10/2013	mg/L	8.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/12/2013	mg/L	8.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/17/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/19/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/24/2013	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/26/2013	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/31/2013	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/31/2013	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/31/2013	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/2/2013	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/7/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/7/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/9/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/14/2013	mg/L	8.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/16/2013	mg/L	8.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/20/2013	mg/L	7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/23/2013	mg/L	7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	11/28/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/30/2013	mg/L	10.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		11/30/2013	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/6/2013	mg/L	8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/7/2013	mg/L	8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/12/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/14/2013	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/19/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/21/2013	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/26/2013	mg/L	24
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	12/26/2013	mg/L	24
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/28/2013	mg/L	24
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		12/31/2013	mg/L	14

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/2/2014	mg/L	9.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/4/2014	mg/L	9.5
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/9/2014	mg/L	9.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/11/2014	mg/L	9.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/15/2014	mg/L	8.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/18/2014	mg/L	8.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/23/2014	mg/L	9.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/25/2014	mg/L	9.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/30/2014	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	1/30/2014	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		1/31/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/1/2014	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/6/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/6/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/8/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/13/2014	mg/L	8.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/15/2014	mg/L	8.4
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/20/2014	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/22/2014	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	2/27/2014	mg/L	8.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		2/28/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/1/2014	mg/L	8.7
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/5/2014	mg/L	7.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/5/2014	mg/L	7.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/8/2014	mg/L	7.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/13/2014	mg/L	5.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/15/2014	mg/L	5.9
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/20/2014	mg/L	7.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/22/2014	mg/L	7.3
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	3/27/2014	mg/L	7.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/29/2014	mg/L	7.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		3/31/2014	mg/L	7.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/3/2014	mg/L	6.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/5/2014	mg/L	6.1
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/10/2014	mg/L	8.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/12/2014	mg/L	8.2
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/17/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/19/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	4/24/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/24/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/26/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		4/30/2014	mg/L	9.6
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/1/2014	mg/L	9.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/3/2014	mg/L	9.8
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/8/2014	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/10/2014	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/14/2014	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/17/2014	mg/L	12
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/22/2014	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/22/2014	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/24/2014	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	5/29/2014	mg/L	11

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/31/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		5/31/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/5/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/7/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/12/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/14/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/19/2014	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/21/2014	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	6/26/2014	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/26/2014	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/28/2014	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		6/30/2014	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/3/2014	mg/L	20
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/5/2014	mg/L	20
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/10/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/12/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/17/2014	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/19/2014	mg/L	15
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/23/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/26/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/31/2014	mg/L	22
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		7/31/2014	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	7/31/2014	mg/L	22
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/2/2014	mg/L	22
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/8/2014	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/9/2014	mg/L	14
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/14/2014	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/16/2014	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/21/2014	mg/L	21
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/23/2014	mg/L	21
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/28/2014	mg/L	22
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	8/28/2014	mg/L	22
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/30/2014	mg/L	22
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		8/31/2014	mg/L	19
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/3/2014	mg/L	22
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/6/2014	mg/L	22
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/11/2014	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/13/2014	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/17/2014	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/20/2014	mg/L	18
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	9/25/2014	mg/L	32
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/25/2014	mg/L	32
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/27/2014	mg/L	32
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		9/30/2014	mg/L	22
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/2/2014	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/4/2014	mg/L	16
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/9/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/11/2014	mg/L	11
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/16/2014	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/18/2014	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/23/2014	mg/L	13
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/25/2014	mg/L	13

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/30/2014	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	Standard Method (18th & 19th) 5210 B: 5-Day BOD Test	10/30/2014	mg/L	17
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)		10/31/2014	mg/L	14.8
BOD5 @ 20 Deg. C, Percent Removal		8/6/2009	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		8/13/2009	% Removal	93
BOD5 @ 20 Deg. C, Percent Removal		8/20/2009	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal		8/27/2009	% Removal	93
BOD5 @ 20 Deg. C, Percent Removal		9/3/2009	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		9/10/2009	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal		9/17/2009	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		9/24/2009	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		10/1/2009	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal		10/8/2009	% Removal	98
BOD5 @ 20 Deg. C, Percent Removal		10/14/2009	% Removal	98
BOD5 @ 20 Deg. C, Percent Removal		10/22/2009	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal		10/29/2009	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		11/4/2009	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal		11/11/2009	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		11/19/2009	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal		11/25/2009	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal		12/3/2009	% Removal	98
BOD5 @ 20 Deg. C, Percent Removal		12/10/2009	% Removal	93
BOD5 @ 20 Deg. C, Percent Removal		12/17/2009	% Removal	92
BOD5 @ 20 Deg. C, Percent Removal		12/24/2009	% Removal	92
BOD5 @ 20 Deg. C, Percent Removal		12/31/2009	% Removal	93
BOD5 @ 20 Deg. C, Percent Removal		1/7/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		1/14/2010	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal		1/20/2010	% Removal	80
BOD5 @ 20 Deg. C, Percent Removal		1/27/2010	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal		2/4/2010	% Removal	94
BOD5 @ 20 Deg. C, Percent Removal		2/11/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		2/18/2010	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal		2/25/2010	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal		3/4/2010	% Removal	93
BOD5 @ 20 Deg. C, Percent Removal		3/11/2010	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal		3/18/2010	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal		3/25/2010	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal		4/1/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		4/6/2010	% Removal	93
BOD5 @ 20 Deg. C, Percent Removal		4/15/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		4/22/2010	% Removal	89
BOD5 @ 20 Deg. C, Percent Removal		4/29/2010	% Removal	82
BOD5 @ 20 Deg. C, Percent Removal		5/4/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		5/13/2010	% Removal	91
BOD5 @ 20 Deg. C, Percent Removal		5/20/2010	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal		5/27/2010	% Removal	92
BOD5 @ 20 Deg. C, Percent Removal		6/3/2010	% Removal	90
BOD5 @ 20 Deg. C, Percent Removal		6/10/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal		6/17/2010	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal		6/23/2010	% Removal	93
BOD5 @ 20 Deg. C, Percent Removal		7/2/2010	% Removal	94
BOD5 @ 20 Deg. C, Percent Removal		7/7/2010	% Removal	95

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

BOD5 @ 20 Deg. C, Percent Removal	7/14/2010	% Removal	93
BOD5 @ 20 Deg. C, Percent Removal	7/22/2010	% Removal	94
BOD5 @ 20 Deg. C, Percent Removal	7/30/2010	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal	8/5/2010	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal	8/12/2010	% Removal	94
BOD5 @ 20 Deg. C, Percent Removal	8/26/2010	% Removal	94
BOD5 @ 20 Deg. C, Percent Removal	9/2/2010	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal	9/9/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal	9/16/2010	% Removal	95
BOD5 @ 20 Deg. C, Percent Removal	9/22/2010	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal	9/30/2010	% Removal	98
BOD5 @ 20 Deg. C, Percent Removal	10/7/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal	10/14/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal	10/22/2010	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal	10/29/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal	11/4/2010	% Removal	98
BOD5 @ 20 Deg. C, Percent Removal	11/10/2010	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal	11/17/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal	11/24/2010	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal	12/31/2010	% Removal	94
BOD5 @ 20 Deg. C, Percent Removal	1/31/2011	% Removal	94.2
BOD5 @ 20 Deg. C, Percent Removal	1/31/2011	% Removal	94.2
BOD5 @ 20 Deg. C, Percent Removal	2/28/2011	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal	3/31/2011	% Removal	92.3
BOD5 @ 20 Deg. C, Percent Removal	4/30/2011	% Removal	93.5
BOD5 @ 20 Deg. C, Percent Removal	5/31/2011	% Removal	94.7
BOD5 @ 20 Deg. C, Percent Removal	6/30/2011	% Removal	94.6
BOD5 @ 20 Deg. C, Percent Removal	7/31/2011	% Removal	95.2
BOD5 @ 20 Deg. C, Percent Removal	8/31/2011	% Removal	94.8
BOD5 @ 20 Deg. C, Percent Removal	9/30/2011	% Removal	96.5
BOD5 @ 20 Deg. C, Percent Removal	10/31/2011	% Removal	95.1
BOD5 @ 20 Deg. C, Percent Removal	11/30/2011	% Removal	95.2
BOD5 @ 20 Deg. C, Percent Removal	12/31/2011	% Removal	96.5
BOD5 @ 20 Deg. C, Percent Removal	1/31/2012	% Removal	95.8
BOD5 @ 20 Deg. C, Percent Removal	2/29/2012	% Removal	96.5
BOD5 @ 20 Deg. C, Percent Removal	3/31/2012	% Removal	93.9
BOD5 @ 20 Deg. C, Percent Removal	4/30/2012	% Removal	94.4
BOD5 @ 20 Deg. C, Percent Removal	5/31/2012	% Removal	96.8
BOD5 @ 20 Deg. C, Percent Removal	6/30/2012	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal	7/31/2012	% Removal	97.1
BOD5 @ 20 Deg. C, Percent Removal	8/31/2012	% Removal	96.6
BOD5 @ 20 Deg. C, Percent Removal	9/30/2012	% Removal	96.9
BOD5 @ 20 Deg. C, Percent Removal	10/31/2012	% Removal	97
BOD5 @ 20 Deg. C, Percent Removal	11/30/2012	% Removal	95.9
BOD5 @ 20 Deg. C, Percent Removal	12/31/2012	% Removal	94.6
BOD5 @ 20 Deg. C, Percent Removal	1/31/2013	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal	2/28/2013	% Removal	96
BOD5 @ 20 Deg. C, Percent Removal	3/31/2013	% Removal	96.1
BOD5 @ 20 Deg. C, Percent Removal	4/30/2013	% Removal	96.6
BOD5 @ 20 Deg. C, Percent Removal	5/31/2013	% Removal	95.2
BOD5 @ 20 Deg. C, Percent Removal	6/30/2013	% Removal	95.6
BOD5 @ 20 Deg. C, Percent Removal	7/31/2013	% Removal	96.3

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

BOD5 @ 20 Deg. C, Percent Removal	8/31/2013	% Removal		96.9
BOD5 @ 20 Deg. C, Percent Removal	9/30/2013	% Removal		96.8
BOD5 @ 20 Deg. C, Percent Removal	10/31/2013	% Removal		96.8
BOD5 @ 20 Deg. C, Percent Removal	11/30/2013	% Removal		96.6
BOD5 @ 20 Deg. C, Percent Removal	12/31/2013	% Removal		95.1
BOD5 @ 20 Deg. C, Percent Removal	1/31/2014	% Removal		96.4
BOD5 @ 20 Deg. C, Percent Removal	2/28/2014	% Removal		96
BOD5 @ 20 Deg. C, Percent Removal	3/31/2014	% Removal		96.6
BOD5 @ 20 Deg. C, Percent Removal	4/30/2014	% Removal		96
BOD5 @ 20 Deg. C, Percent Removal	5/31/2014	% Removal		96.4
BOD5 @ 20 Deg. C, Percent Removal	6/30/2014	% Removal		96
BOD5 @ 20 Deg. C, Percent Removal	7/31/2014	% Removal		96
BOD5 @ 20 Deg. C, Percent Removal	8/31/2014	% Removal		95
BOD5 @ 20 Deg. C, Percent Removal	9/30/2014	% Removal		94
BOD5 @ 20 Deg. C, Percent Removal	10/31/2014	% Removal		95
Bromobenzene	12/14/2009	ug/L	<	ND
Bromobenzene	12/11/2012	ug/L	<	ND
Bromobenzene	12/10/2013	ug/L	<	ND
Bromochloromethane	12/14/2009	ug/L	<	ND
Bromochloromethane	12/11/2012	ug/L	<	ND
Bromochloromethane	12/10/2013	ug/L	<	ND
Carbon Disulfide	12/14/2009	ug/L	<	ND
Carbon Disulfide	12/11/2012	ug/L	<	ND
Carbon Disulfide	12/10/2013	ug/L	<	ND
CBOD	8/13/2009	mg/L		4.9
CBOD	9/10/2009	mg/L		5.6
CBOD	10/29/2009	mg/L		2.7
CBOD	11/19/2009	mg/L		3.6
CBOD	12/7/2009	mg/L		4.9
Chlorine, Total Residual	3/5/2010	lb/day		0.59
Chlorine, Total Residual	3/6/2010	lb/day		0.55
Chlorine, Total Residual	3/7/2010	lb/day		0.59
Chlorine, Total Residual	3/8/2010	lb/day		0.58
Chlorine, Total Residual	3/11/2010	lb/day		0.55
Chlorine, Total Residual	3/12/2010	lb/day		0.9
Chlorine, Total Residual	3/15/2010	lb/day		0.6
Chlorine, Total Residual	3/16/2010	lb/day		0.56
Chlorine, Total Residual	3/17/2010	lb/day		0.55
Chlorine, Total Residual	3/18/2010	lb/day		1
Chlorine, Total Residual	3/20/2010	lb/day		6.91
Chlorine, Total Residual	3/22/2010	lb/day		1.39
Chlorine, Total Residual	3/24/2010	lb/day		0.53
Chlorine, Total Residual	3/25/2010	lb/day		0.61
Chlorine, Total Residual	3/27/2010	lb/day		0.00053
Chlorine, Total Residual	3/31/2010	lb/day		0.00069
Chlorine, Total Residual	4/3/2010	lb/day		0.69
Chlorine, Total Residual	4/4/2010	lb/day		2.63
Chlorine, Total Residual	4/6/2010	lb/day		0.69
Chlorine, Total Residual	4/7/2010	lb/day		1.31
Chlorine, Total Residual	4/8/2010	lb/day		0.58
Chlorine, Total Residual	4/9/2010	lb/day		0.57
Chlorine, Total Residual	4/10/2010	lb/day		0.55

0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5

Chlorine, Total Residual	4/12/2010	lb/day	0.6
Chlorine, Total Residual	4/14/2010	lb/day	0.63
Chlorine, Total Residual	4/16/2010	lb/day	0.54
Chlorine, Total Residual	4/17/2010	lb/day	1.05
Chlorine, Total Residual	4/19/2010	lb/day	0.61
Chlorine, Total Residual	4/20/2010	lb/day	0.75
Chlorine, Total Residual	4/22/2010	lb/day	0.57
Chlorine, Total Residual	4/23/2010	lb/day	0.53
Chlorine, Total Residual	4/24/2010	lb/day	0.5
Chlorine, Total Residual	5/1/2010	lb/day	0.00069
Chlorine, Total Residual	5/7/2010	lb/day	0.00049
Chlorine, Total Residual	5/9/2010	lb/day	0.00048
Chlorine, Total Residual	5/10/2010	lb/day	0.00061
Chlorine, Total Residual	5/11/2010	lb/day	0.00052
Chlorine, Total Residual	5/13/2010	lb/day	0.00047
Chlorine, Total Residual	5/14/2010	lb/day	0.00045
Chlorine, Total Residual	5/17/2010	lb/day	0.0035
Chlorine, Total Residual	5/18/2010	lb/day	0.00135
Chlorine, Total Residual	5/19/2010	lb/day	0.00092
Chlorine, Total Residual	5/23/2010	lb/day	0.00097
Chlorine, Total Residual	6/1/2010	lb/day	2.8731
Chlorine, Total Residual	6/2/2010	lb/day	1.96032
Chlorine, Total Residual	6/3/2010	lb/day	0.75686
Chlorine, Total Residual	6/4/2010	lb/day	1.50587
Chlorine, Total Residual	6/5/2010	lb/day	0.6496
Chlorine, Total Residual	6/6/2010	lb/day	0.58989
Chlorine, Total Residual	6/7/2010	lb/day	0.57296
Chlorine, Total Residual	6/8/2010	lb/day	0.53376
Chlorine, Total Residual	6/16/2010	lb/day	0.46312
Chlorine, Total Residual	6/17/2010	lb/day	1.69536
Chlorine, Total Residual	6/18/2010	lb/day	0.4195
Chlorine, Total Residual	6/19/2010	lb/day	0.39957
Chlorine, Total Residual	6/21/2010	lb/day	0.41049
Chlorine, Total Residual	6/25/2010	lb/day	0.38998
Chlorine, Total Residual	6/26/2010	lb/day	0.3904
Chlorine, Total Residual	6/30/2010	lb/day	0.38764
Chlorine, Total Residual	7/1/2010	lb/day	0.37
Chlorine, Total Residual	7/2/2010	lb/day	0.35
Chlorine, Total Residual	7/3/2010	lb/day	0.71
Chlorine, Total Residual	7/4/2010	lb/day	0.35
Chlorine, Total Residual	7/5/2010	lb/day	0.35
Chlorine, Total Residual	7/6/2010	lb/day	0.37
Chlorine, Total Residual	7/9/2010	lb/day	0.35
Chlorine, Total Residual	7/14/2010	lb/day	0.35
Chlorine, Total Residual	7/15/2010	lb/day	2.82
Chlorine, Total Residual	7/17/2010	lb/day	0.33
Chlorine, Total Residual	7/18/2010	lb/day	0.34
Chlorine, Total Residual	7/19/2010	lb/day	0.35
Chlorine, Total Residual	7/20/2010	lb/day	0.7
Chlorine, Total Residual	7/23/2010	lb/day	0.33
Chlorine, Total Residual	7/24/2010	lb/day	0.33
Chlorine, Total Residual	7/26/2010	lb/day	0.35

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Chlorine, Total Residual		7/28/2010	lb/day		0.38
Chlorine, Total Residual		7/29/2010	lb/day		0.35
Chlorine, Total Residual		7/31/2010	lb/day		0.33
Chlorine, Total Residual		8/2/2010	lb/day		0.33
Chlorine, Total Residual		8/4/2010	lb/day		0.35
Chlorine, Total Residual		8/5/2010	lb/day		0.34
Chlorine, Total Residual		8/14/2010	lb/day		0.33
Chlorine, Total Residual		8/17/2010	lb/day		0.39
Chlorine, Total Residual		8/18/2010	lb/day		0.36
Chlorine, Total Residual		8/20/2010	lb/day		0.34
Chlorine, Total Residual		8/24/2010	lb/day		0.35
Chlorine, Total Residual		8/28/2010	lb/day		0.37
Chlorine, Total Residual		8/31/2010	lb/day		0.67
Chlorine, Total Residual		9/2/2010	lb/day		0.34
Chlorine, Total Residual		9/4/2010	lb/day		0.34
Chlorine, Total Residual		9/6/2010	lb/day		0.33
Chlorine, Total Residual		9/11/2010	lb/day		0.35
Chlorine, Total Residual		9/14/2010	lb/day		0.34
Chlorine, Total Residual		9/16/2010	lb/day		0.33
Chlorine, Total Residual		9/17/2010	lb/day		0.33
Chlorine, Total Residual		9/18/2010	lb/day		0.4
Chlorine, Total Residual		9/26/2010	lb/day		0.68
Chlorine, Total Residual		10/1/2010	lb/day		0.32
Chlorine, Total Residual		10/2/2010	lb/day		0.33
Chlorine, Total Residual		10/3/2010	lb/day		0.68
Chlorine, Total Residual		10/9/2010	lb/day		0.31
Chlorine, Total Residual		10/13/2010	lb/day		0.32
Chlorine, Total Residual		10/14/2010	lb/day		0.31
Chlorine, Total Residual		10/15/2010	lb/day		0.3
Chlorine, Total Residual		10/16/2010	lb/day		0.62
Chlorine, Total Residual		10/19/2010	lb/day		0.31
Chlorine, Total Residual		10/20/2010	lb/day		0.32
Chlorine, Total Residual		10/21/2010	lb/day		0.3
Chlorine, Total Residual		10/23/2010	lb/day		0.49
Chlorine, Total Residual		10/29/2010	lb/day		0.38
Chlorine, Total Residual		10/30/2010	lb/day		0.36
Chlorine, Total Residual		11/1/2010	lb/day		0.34
Chlorine, Total Residual		11/2/2010	lb/day		0.35
Chlorine, Total Residual		11/4/2010	lb/day		0.31
Chlorine, Total Residual		11/7/2010	lb/day		0.44
Chlorine, Total Residual		11/11/2010	lb/day		0.76
Chlorine, Total Residual		11/14/2010	lb/day		0.32
Chlorine, Total Residual		11/19/2010	lb/day		0.8
Chlorine, Total Residual		11/21/2010	lb/day		0.47
Chlorine, Total Residual		11/26/2010	lb/day		0.44
Chlorine, Total Residual		11/29/2010	lb/day		0.46
Chlorine, Total Residual		11/30/2010	lb/day		0.87
Chlorine, Total Residual		12/31/2010	lb/day	<	ND
Chlorine, Total Residual	max	12/31/2010	lb/day		19
Chlorine, Total Residual		1/1/2011	lb/day	<	ND
Chlorine, Total Residual		1/2/2011	lb/day	<	ND
Chlorine, Total Residual		1/3/2011	lb/day	<	ND

5		
	BLENDING EVENT	
0.1		
0.1		
0.1		

Chlorine, Total Residual	1/4/2011	lb/day	<	ND
Chlorine, Total Residual	1/5/2011	lb/day	<	ND
Chlorine, Total Residual	1/6/2011	lb/day	<	ND
Chlorine, Total Residual	1/7/2011	lb/day	<	ND
Chlorine, Total Residual	1/8/2011	lb/day	<	ND
Chlorine, Total Residual	1/9/2011	lb/day	<	ND
Chlorine, Total Residual	1/10/2011	lb/day	<	ND
Chlorine, Total Residual	1/11/2011	lb/day	<	ND
Chlorine, Total Residual	1/12/2011	lb/day	<	ND
Chlorine, Total Residual	1/13/2011	lb/day	<	ND
Chlorine, Total Residual	1/14/2011	lb/day	<	ND
Chlorine, Total Residual	1/15/2011	lb/day	<	ND
Chlorine, Total Residual	1/16/2011	lb/day	<	ND
Chlorine, Total Residual	1/17/2011	lb/day	<	ND
Chlorine, Total Residual	1/18/2011	lb/day	<	ND
Chlorine, Total Residual	1/19/2011	lb/day	<	ND
Chlorine, Total Residual	1/20/2011	lb/day	<	ND
Chlorine, Total Residual	1/21/2011	lb/day	<	ND
Chlorine, Total Residual	1/22/2011	lb/day	<	ND
Chlorine, Total Residual	1/23/2011	lb/day	<	ND
Chlorine, Total Residual	1/24/2011	lb/day	<	ND
Chlorine, Total Residual	1/25/2011	lb/day	<	ND
Chlorine, Total Residual	1/26/2011	lb/day	<	ND
Chlorine, Total Residual	1/27/2011	lb/day	<	ND
Chlorine, Total Residual	1/28/2011	lb/day	<	ND
Chlorine, Total Residual	1/29/2011	lb/day	<	ND
Chlorine, Total Residual	1/30/2011	lb/day	<	ND
Chlorine, Total Residual	1/31/2011	lb/day	<	ND
Chlorine, Total Residual	2/1/2011	lb/day	<	ND
Chlorine, Total Residual	2/2/2011	lb/day	<	ND
Chlorine, Total Residual	2/3/2011	lb/day	<	ND
Chlorine, Total Residual	2/4/2011	lb/day	<	ND
Chlorine, Total Residual	2/5/2011	lb/day	<	ND
Chlorine, Total Residual	2/6/2011	lb/day	<	ND
Chlorine, Total Residual	2/7/2011	lb/day	<	ND
Chlorine, Total Residual	2/8/2011	lb/day	<	ND
Chlorine, Total Residual	2/9/2011	lb/day	<	ND
Chlorine, Total Residual	2/10/2011	lb/day	<	ND
Chlorine, Total Residual	2/11/2011	lb/day	<	ND
Chlorine, Total Residual	2/12/2011	lb/day	<	ND
Chlorine, Total Residual	2/13/2011	lb/day	<	ND
Chlorine, Total Residual	2/14/2011	lb/day	<	ND
Chlorine, Total Residual	2/15/2011	lb/day	<	ND
Chlorine, Total Residual	2/16/2011	lb/day	<	ND
Chlorine, Total Residual	2/17/2011	lb/day	<	ND
Chlorine, Total Residual	2/18/2011	lb/day	<	ND
Chlorine, Total Residual	2/19/2011	lb/day	<	ND
Chlorine, Total Residual	2/20/2011	lb/day	<	ND
Chlorine, Total Residual	2/21/2011	lb/day	<	ND
Chlorine, Total Residual	2/22/2011	lb/day	<	ND
Chlorine, Total Residual	2/23/2011	lb/day	<	ND
Chlorine, Total Residual	2/24/2011	lb/day	<	ND

0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5
0.5

Chlorine, Total Residual	2/25/2011	lb/day	<	ND
Chlorine, Total Residual	2/26/2011	lb/day	<	ND
Chlorine, Total Residual	2/27/2011	lb/day	<	ND
Chlorine, Total Residual	2/28/2011	lb/day	<	ND
Chlorine, Total Residual	3/1/2011	lb/day	<	ND
Chlorine, Total Residual	3/2/2011	lb/day	<	ND
Chlorine, Total Residual	3/3/2011	lb/day	<	ND
Chlorine, Total Residual	3/4/2011	lb/day	<	ND
Chlorine, Total Residual	3/5/2011	lb/day	<	ND
Chlorine, Total Residual	3/6/2011	lb/day	<	ND
Chlorine, Total Residual	3/7/2011	lb/day	<	ND
Chlorine, Total Residual	3/8/2011	lb/day	<	ND
Chlorine, Total Residual	3/9/2011	lb/day	<	ND
Chlorine, Total Residual	3/10/2011	lb/day	<	ND
Chlorine, Total Residual	3/11/2011	lb/day	<	ND
Chlorine, Total Residual	3/12/2011	lb/day	<	ND
Chlorine, Total Residual	3/13/2011	lb/day	<	ND
Chlorine, Total Residual	3/14/2011	lb/day	<	ND
Chlorine, Total Residual	3/15/2011	lb/day	<	ND
Chlorine, Total Residual	3/16/2011	lb/day	<	ND
Chlorine, Total Residual	3/17/2011	lb/day	<	ND
Chlorine, Total Residual	3/18/2011	lb/day	<	ND
Chlorine, Total Residual	3/19/2011	lb/day	<	ND
Chlorine, Total Residual	3/20/2011	lb/day	<	ND
Chlorine, Total Residual	3/21/2011	lb/day	<	ND
Chlorine, Total Residual	3/22/2011	lb/day	<	ND
Chlorine, Total Residual	3/23/2011	lb/day	<	ND
Chlorine, Total Residual	3/24/2011	lb/day	<	ND
Chlorine, Total Residual	3/25/2011	lb/day	<	ND
Chlorine, Total Residual	3/26/2011	lb/day	<	ND
Chlorine, Total Residual	3/27/2011	lb/day	<	ND
Chlorine, Total Residual	3/28/2011	lb/day	<	ND
Chlorine, Total Residual	3/29/2011	lb/day	<	ND
Chlorine, Total Residual	3/30/2011	lb/day	<	ND
Chlorine, Total Residual	3/31/2011	lb/day	<	ND
Chlorine, Total Residual	4/1/2011	lb/day	<	ND
Chlorine, Total Residual	4/2/2011	lb/day	<	ND
Chlorine, Total Residual	4/3/2011	lb/day	<	ND
Chlorine, Total Residual	4/4/2011	lb/day	<	ND
Chlorine, Total Residual	4/5/2011	lb/day	<	ND
Chlorine, Total Residual	4/6/2011	lb/day	<	ND
Chlorine, Total Residual	4/7/2011	lb/day	<	ND
Chlorine, Total Residual	4/8/2011	lb/day	<	ND
Chlorine, Total Residual	4/9/2011	lb/day	<	ND
Chlorine, Total Residual	4/10/2011	lb/day	<	ND
Chlorine, Total Residual	4/11/2011	lb/day	<	ND
Chlorine, Total Residual	4/12/2011	lb/day	<	ND
Chlorine, Total Residual	4/13/2011	lb/day	<	ND
Chlorine, Total Residual	4/14/2011	lb/day	<	ND
Chlorine, Total Residual	4/15/2011	lb/day	<	ND
Chlorine, Total Residual	4/16/2011	lb/day	<	ND
Chlorine, Total Residual	4/17/2011	lb/day	<	ND

0.5
0.5
0.5
0.5
0.1
0.1
0.1

Chlorine, Total Residual	4/18/2011	lb/day	<	ND
Chlorine, Total Residual	4/19/2011	lb/day	<	ND
Chlorine, Total Residual	4/20/2011	lb/day	<	ND
Chlorine, Total Residual	4/21/2011	lb/day	<	ND
Chlorine, Total Residual	4/22/2011	lb/day	<	ND
Chlorine, Total Residual	4/23/2011	lb/day	<	ND
Chlorine, Total Residual	4/24/2011	lb/day	<	ND
Chlorine, Total Residual	4/25/2011	lb/day	<	ND
Chlorine, Total Residual	4/26/2011	lb/day	<	ND
Chlorine, Total Residual	4/27/2011	lb/day	<	ND
Chlorine, Total Residual	4/28/2011	lb/day	<	ND
Chlorine, Total Residual	4/29/2011	lb/day	<	ND
Chlorine, Total Residual	4/30/2011	lb/day	<	ND
Chlorine, Total Residual	5/1/2011	lb/day	<	ND
Chlorine, Total Residual	5/2/2011	lb/day	<	ND
Chlorine, Total Residual	5/3/2011	lb/day	<	ND
Chlorine, Total Residual	5/4/2011	lb/day	<	ND
Chlorine, Total Residual	5/5/2011	lb/day	<	ND
Chlorine, Total Residual	5/6/2011	lb/day	<	ND
Chlorine, Total Residual	5/7/2011	lb/day	<	ND
Chlorine, Total Residual	5/8/2011	lb/day	<	ND
Chlorine, Total Residual	5/9/2011	lb/day	<	ND
Chlorine, Total Residual	5/10/2011	lb/day	<	ND
Chlorine, Total Residual	5/11/2011	lb/day	<	ND
Chlorine, Total Residual	5/12/2011	lb/day	<	ND
Chlorine, Total Residual	5/13/2011	lb/day	<	ND
Chlorine, Total Residual	5/14/2011	lb/day	<	ND
Chlorine, Total Residual	5/15/2011	lb/day	<	ND
Chlorine, Total Residual	5/16/2011	lb/day	<	ND
Chlorine, Total Residual	5/17/2011	lb/day	<	ND
Chlorine, Total Residual	5/18/2011	lb/day	<	ND
Chlorine, Total Residual	5/19/2011	lb/day	<	ND
Chlorine, Total Residual	5/20/2011	lb/day	<	ND
Chlorine, Total Residual	5/21/2011	lb/day	<	ND
Chlorine, Total Residual	5/22/2011	lb/day	<	ND
Chlorine, Total Residual	5/23/2011	lb/day	<	ND
Chlorine, Total Residual	5/24/2011	lb/day	<	ND
Chlorine, Total Residual	5/25/2011	lb/day	<	ND
Chlorine, Total Residual	5/26/2011	lb/day	<	ND
Chlorine, Total Residual	5/27/2011	lb/day	<	ND
Chlorine, Total Residual	5/28/2011	lb/day	<	ND
Chlorine, Total Residual	5/29/2011	lb/day	<	ND
Chlorine, Total Residual	5/30/2011	lb/day	<	ND
Chlorine, Total Residual	5/31/2011	lb/day	<	ND
Chlorine, Total Residual	6/1/2011	lb/day	<	ND
Chlorine, Total Residual	6/2/2011	lb/day	<	ND
Chlorine, Total Residual	6/3/2011	lb/day	<	ND
Chlorine, Total Residual	6/4/2011	lb/day	<	ND
Chlorine, Total Residual	6/5/2011	lb/day	<	ND
Chlorine, Total Residual	6/6/2011	lb/day	<	ND
Chlorine, Total Residual	6/7/2011	lb/day	<	ND
Chlorine, Total Residual	6/8/2011	lb/day	<	ND

0.1
0.1
0.1

Chlorine, Total Residual	6/9/2011	lb/day	<	ND
Chlorine, Total Residual	6/10/2011	lb/day	<	ND
Chlorine, Total Residual	6/11/2011	lb/day	<	ND
Chlorine, Total Residual	6/12/2011	lb/day	<	ND
Chlorine, Total Residual	6/13/2011	lb/day	<	ND
Chlorine, Total Residual	6/14/2011	lb/day	<	ND
Chlorine, Total Residual	6/15/2011	lb/day	<	ND
Chlorine, Total Residual	6/16/2011	lb/day	<	ND
Chlorine, Total Residual	6/17/2011	lb/day	<	ND
Chlorine, Total Residual	6/18/2011	lb/day	<	ND
Chlorine, Total Residual	6/19/2011	lb/day	<	ND
Chlorine, Total Residual	6/20/2011	lb/day	<	ND
Chlorine, Total Residual	6/21/2011	lb/day	<	ND
Chlorine, Total Residual	6/22/2011	lb/day	<	ND
Chlorine, Total Residual	6/23/2011	lb/day	<	ND
Chlorine, Total Residual	6/24/2011	lb/day	<	ND
Chlorine, Total Residual	6/25/2011	lb/day	<	ND
Chlorine, Total Residual	6/26/2011	lb/day	<	ND
Chlorine, Total Residual	6/27/2011	lb/day	<	ND
Chlorine, Total Residual	6/28/2011	lb/day	<	ND
Chlorine, Total Residual	6/29/2011	lb/day	<	ND
Chlorine, Total Residual	6/30/2011	lb/day	<	ND
Chlorine, Total Residual	7/1/2011	lb/day	<	ND
Chlorine, Total Residual	7/2/2011	lb/day	<	ND
Chlorine, Total Residual	7/3/2011	lb/day	<	ND
Chlorine, Total Residual	7/4/2011	lb/day	<	ND
Chlorine, Total Residual	7/5/2011	lb/day	<	ND
Chlorine, Total Residual	7/6/2011	lb/day	<	ND
Chlorine, Total Residual	7/7/2011	lb/day	<	ND
Chlorine, Total Residual	7/8/2011	lb/day	<	ND
Chlorine, Total Residual	7/9/2011	lb/day	<	ND
Chlorine, Total Residual	7/10/2011	lb/day	<	ND
Chlorine, Total Residual	7/11/2011	lb/day	<	ND
Chlorine, Total Residual	7/12/2011	lb/day	<	ND
Chlorine, Total Residual	7/13/2011	lb/day	<	ND
Chlorine, Total Residual	7/14/2011	lb/day	<	ND
Chlorine, Total Residual	7/15/2011	lb/day	<	ND
Chlorine, Total Residual	7/16/2011	lb/day	<	ND
Chlorine, Total Residual	7/17/2011	lb/day	<	ND
Chlorine, Total Residual	7/18/2011	lb/day	<	ND
Chlorine, Total Residual	7/19/2011	lb/day	<	ND
Chlorine, Total Residual	7/20/2011	lb/day	<	ND
Chlorine, Total Residual	7/21/2011	lb/day	<	ND
Chlorine, Total Residual	7/22/2011	lb/day	<	ND
Chlorine, Total Residual	7/23/2011	lb/day	<	ND
Chlorine, Total Residual	7/24/2011	lb/day	<	ND
Chlorine, Total Residual	7/25/2011	lb/day	<	ND
Chlorine, Total Residual	7/26/2011	lb/day	<	ND
Chlorine, Total Residual	7/27/2011	lb/day	<	ND
Chlorine, Total Residual	7/28/2011	lb/day	<	ND
Chlorine, Total Residual	7/29/2011	lb/day	<	ND
Chlorine, Total Residual	7/30/2011	lb/day	<	ND

0.1
0.1
0.1

Chlorine, Total Residual	7/31/2011	lb/day	<	ND
Chlorine, Total Residual	8/1/2011	lb/day	<	ND
Chlorine, Total Residual	8/2/2011	lb/day	<	ND
Chlorine, Total Residual	8/3/2011	lb/day	<	ND
Chlorine, Total Residual	8/4/2011	lb/day	<	ND
Chlorine, Total Residual	8/5/2011	lb/day	<	ND
Chlorine, Total Residual	8/6/2011	lb/day	<	ND
Chlorine, Total Residual	8/7/2011	lb/day	<	ND
Chlorine, Total Residual	8/8/2011	lb/day	<	ND
Chlorine, Total Residual	8/9/2011	lb/day	<	ND
Chlorine, Total Residual	8/10/2011	lb/day	<	ND
Chlorine, Total Residual	8/11/2011	lb/day	<	ND
Chlorine, Total Residual	8/12/2011	lb/day	<	ND
Chlorine, Total Residual	8/13/2011	lb/day	<	ND
Chlorine, Total Residual	8/14/2011	lb/day	<	ND
Chlorine, Total Residual	8/15/2011	lb/day	<	ND
Chlorine, Total Residual	8/16/2011	lb/day	<	ND
Chlorine, Total Residual	8/17/2011	lb/day	<	ND
Chlorine, Total Residual	8/18/2011	lb/day	<	ND
Chlorine, Total Residual	8/19/2011	lb/day		2.29
Chlorine, Total Residual	8/20/2011	lb/day		18.7
Chlorine, Total Residual	8/21/2011	lb/day	<	ND
Chlorine, Total Residual	8/22/2011	lb/day	<	ND
Chlorine, Total Residual	8/23/2011	lb/day	<	ND
Chlorine, Total Residual	8/24/2011	lb/day	<	ND
Chlorine, Total Residual	8/25/2011	lb/day	<	ND
Chlorine, Total Residual	8/26/2011	lb/day	<	ND
Chlorine, Total Residual	8/27/2011	lb/day	<	ND
Chlorine, Total Residual	8/28/2011	lb/day	<	ND
Chlorine, Total Residual	8/29/2011	lb/day	<	ND
Chlorine, Total Residual	8/30/2011	lb/day	<	ND
Chlorine, Total Residual	8/31/2011	lb/day		18.7
Chlorine, Total Residual	9/1/2011	lb/day	<	ND
Chlorine, Total Residual	9/2/2011	lb/day	<	ND
Chlorine, Total Residual	9/3/2011	lb/day	<	ND
Chlorine, Total Residual	9/4/2011	lb/day	<	ND
Chlorine, Total Residual	9/5/2011	lb/day	<	ND
Chlorine, Total Residual	9/6/2011	lb/day	<	ND
Chlorine, Total Residual	9/7/2011	lb/day	<	ND
Chlorine, Total Residual	9/8/2011	lb/day	<	ND
Chlorine, Total Residual	9/9/2011	lb/day	<	ND
Chlorine, Total Residual	9/10/2011	lb/day	<	ND
Chlorine, Total Residual	9/11/2011	lb/day	<	ND
Chlorine, Total Residual	9/12/2011	lb/day	<	ND
Chlorine, Total Residual	9/13/2011	lb/day	<	ND
Chlorine, Total Residual	9/14/2011	lb/day	<	ND
Chlorine, Total Residual	9/15/2011	lb/day	<	ND
Chlorine, Total Residual	9/16/2011	lb/day	<	ND
Chlorine, Total Residual	9/17/2011	lb/day	<	ND
Chlorine, Total Residual	9/18/2011	lb/day	<	ND
Chlorine, Total Residual	9/19/2011	lb/day	<	ND
Chlorine, Total Residual	9/20/2011	lb/day	<	ND

0.1
0.1
0.1

Chlorine, Total Residual	9/21/2011	lb/day	<	ND
Chlorine, Total Residual	9/22/2011	lb/day	<	ND
Chlorine, Total Residual	9/23/2011	lb/day	<	ND
Chlorine, Total Residual	9/24/2011	lb/day	<	ND
Chlorine, Total Residual	9/25/2011	lb/day	<	ND
Chlorine, Total Residual	9/26/2011	lb/day	<	ND
Chlorine, Total Residual	9/27/2011	lb/day	<	ND
Chlorine, Total Residual	9/28/2011	lb/day	<	ND
Chlorine, Total Residual	9/29/2011	lb/day	<	ND
Chlorine, Total Residual	9/30/2011	lb/day	<	ND
Chlorine, Total Residual	10/1/2011	lb/day	<	ND
Chlorine, Total Residual	10/2/2011	lb/day	<	ND
Chlorine, Total Residual	10/3/2011	lb/day	<	ND
Chlorine, Total Residual	10/4/2011	lb/day	<	ND
Chlorine, Total Residual	10/5/2011	lb/day	<	ND
Chlorine, Total Residual	10/6/2011	lb/day	<	ND
Chlorine, Total Residual	10/7/2011	lb/day	<	ND
Chlorine, Total Residual	10/8/2011	lb/day	<	ND
Chlorine, Total Residual	10/9/2011	lb/day	<	ND
Chlorine, Total Residual	10/10/2011	lb/day	<	ND
Chlorine, Total Residual	10/11/2011	lb/day	<	ND
Chlorine, Total Residual	10/12/2011	lb/day	<	ND
Chlorine, Total Residual	10/13/2011	lb/day	<	ND
Chlorine, Total Residual	10/14/2011	lb/day	<	ND
Chlorine, Total Residual	10/15/2011	lb/day	<	ND
Chlorine, Total Residual	10/16/2011	lb/day	<	ND
Chlorine, Total Residual	10/17/2011	lb/day	<	ND
Chlorine, Total Residual	10/18/2011	lb/day	<	ND
Chlorine, Total Residual	10/19/2011	lb/day	<	ND
Chlorine, Total Residual	10/20/2011	lb/day	<	ND
Chlorine, Total Residual	10/21/2011	lb/day	<	ND
Chlorine, Total Residual	10/22/2011	lb/day	<	ND
Chlorine, Total Residual	10/23/2011	lb/day		1.76
Chlorine, Total Residual	10/23/2011	lb/day	<	ND
Chlorine, Total Residual	10/24/2011	lb/day	<	ND
Chlorine, Total Residual	10/25/2011	lb/day	<	ND
Chlorine, Total Residual	10/26/2011	lb/day	<	ND
Chlorine, Total Residual	10/27/2011	lb/day	<	ND
Chlorine, Total Residual	10/28/2011	lb/day	<	ND
Chlorine, Total Residual	10/29/2011	lb/day	<	ND
Chlorine, Total Residual	10/30/2011	lb/day	<	ND
Chlorine, Total Residual	10/31/2011	lb/day		1.76
Chlorine, Total Residual	11/1/2011	lb/day	<	ND
Chlorine, Total Residual	11/2/2011	lb/day	<	ND
Chlorine, Total Residual	11/3/2011	lb/day	<	ND
Chlorine, Total Residual	11/4/2011	lb/day	<	ND
Chlorine, Total Residual	11/5/2011	lb/day	<	ND
Chlorine, Total Residual	11/6/2011	lb/day	<	ND
Chlorine, Total Residual	11/7/2011	lb/day	<	ND
Chlorine, Total Residual	11/8/2011	lb/day	<	ND
Chlorine, Total Residual	11/9/2011	lb/day	<	ND
Chlorine, Total Residual	11/10/2011	lb/day	<	ND

0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
1.25
0.1
1.25
0.1
0.1
0.1
1.25
1.25
0.1
0.1
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	11/11/2011	lb/day	<	ND
Chlorine, Total Residual	11/12/2011	lb/day	<	ND
Chlorine, Total Residual	11/13/2011	lb/day	<	ND
Chlorine, Total Residual	11/14/2011	lb/day	<	ND
Chlorine, Total Residual	11/15/2011	lb/day	<	ND
Chlorine, Total Residual	11/16/2011	lb/day	<	ND
Chlorine, Total Residual	11/17/2011	lb/day	<	ND
Chlorine, Total Residual	11/18/2011	lb/day	<	ND
Chlorine, Total Residual	11/19/2011	lb/day	<	ND
Chlorine, Total Residual	11/20/2011	lb/day	<	ND
Chlorine, Total Residual	11/21/2011	lb/day	<	ND
Chlorine, Total Residual	11/22/2011	lb/day	<	ND
Chlorine, Total Residual	11/23/2011	lb/day	<	ND
Chlorine, Total Residual	11/24/2011	lb/day	<	ND
Chlorine, Total Residual	11/25/2011	lb/day	<	ND
Chlorine, Total Residual	11/26/2011	lb/day	<	ND
Chlorine, Total Residual	11/27/2011	lb/day	<	ND
Chlorine, Total Residual	11/28/2011	lb/day	<	ND
Chlorine, Total Residual	11/29/2011	lb/day	<	ND
Chlorine, Total Residual	11/30/2011	lb/day	<	ND
Chlorine, Total Residual	12/1/2011	lb/day	<	ND
Chlorine, Total Residual	12/2/2011	lb/day	<	ND
Chlorine, Total Residual	12/3/2011	lb/day	<	ND
Chlorine, Total Residual	12/4/2011	lb/day	<	ND
Chlorine, Total Residual	12/5/2011	lb/day	<	ND
Chlorine, Total Residual	12/6/2011	lb/day	<	ND
Chlorine, Total Residual	12/7/2011	lb/day	<	ND
Chlorine, Total Residual	12/8/2011	lb/day	<	ND
Chlorine, Total Residual	12/9/2011	lb/day	<	ND
Chlorine, Total Residual	12/10/2011	lb/day	<	ND
Chlorine, Total Residual	12/11/2011	lb/day	<	ND
Chlorine, Total Residual	12/12/2011	lb/day	<	ND
Chlorine, Total Residual	12/13/2011	lb/day	<	ND
Chlorine, Total Residual	12/14/2011	lb/day	<	ND
Chlorine, Total Residual	12/15/2011	lb/day	<	ND
Chlorine, Total Residual	12/16/2011	lb/day	<	ND
Chlorine, Total Residual	12/17/2011	lb/day	<	ND
Chlorine, Total Residual	12/18/2011	lb/day	<	ND
Chlorine, Total Residual	12/19/2011	lb/day	<	ND
Chlorine, Total Residual	12/20/2011	lb/day	<	ND
Chlorine, Total Residual	12/21/2011	lb/day	<	ND
Chlorine, Total Residual	12/22/2011	lb/day	<	ND
Chlorine, Total Residual	12/23/2011	lb/day	<	ND
Chlorine, Total Residual	12/24/2011	lb/day	<	ND
Chlorine, Total Residual	12/25/2011	lb/day	<	ND
Chlorine, Total Residual	12/26/2011	lb/day	<	ND
Chlorine, Total Residual	12/27/2011	lb/day	<	ND
Chlorine, Total Residual	12/28/2011	lb/day	<	ND
Chlorine, Total Residual	12/29/2011	lb/day	<	ND
Chlorine, Total Residual	12/30/2011	lb/day	<	ND
Chlorine, Total Residual	12/31/2011	lb/day	<	ND
Chlorine, Total Residual	1/1/2012	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	1/2/2012	lb/day	<	ND
Chlorine, Total Residual	1/3/2012	lb/day	<	ND
Chlorine, Total Residual	1/4/2012	lb/day	<	ND
Chlorine, Total Residual	1/5/2012	lb/day	<	ND
Chlorine, Total Residual	1/6/2012	lb/day	<	ND
Chlorine, Total Residual	1/7/2012	lb/day	<	ND
Chlorine, Total Residual	1/8/2012	lb/day	<	ND
Chlorine, Total Residual	1/9/2012	lb/day	<	ND
Chlorine, Total Residual	1/10/2012	lb/day	<	ND
Chlorine, Total Residual	1/11/2012	lb/day	<	ND
Chlorine, Total Residual	1/12/2012	lb/day	<	ND
Chlorine, Total Residual	1/13/2012	lb/day	<	ND
Chlorine, Total Residual	1/14/2012	lb/day	<	ND
Chlorine, Total Residual	1/15/2012	lb/day	<	ND
Chlorine, Total Residual	1/16/2012	lb/day	<	ND
Chlorine, Total Residual	1/17/2012	lb/day	<	ND
Chlorine, Total Residual	1/18/2012	lb/day	<	ND
Chlorine, Total Residual	1/19/2012	lb/day	<	ND
Chlorine, Total Residual	1/20/2012	lb/day	<	ND
Chlorine, Total Residual	1/21/2012	lb/day	<	ND
Chlorine, Total Residual	1/22/2012	lb/day	<	ND
Chlorine, Total Residual	1/23/2012	lb/day	<	ND
Chlorine, Total Residual	1/24/2012	lb/day	<	ND
Chlorine, Total Residual	1/25/2012	lb/day	<	ND
Chlorine, Total Residual	1/26/2012	lb/day	<	ND
Chlorine, Total Residual	1/27/2012	lb/day	<	ND
Chlorine, Total Residual	1/28/2012	lb/day	<	ND
Chlorine, Total Residual	1/29/2012	lb/day	<	ND
Chlorine, Total Residual	1/30/2012	lb/day	<	ND
Chlorine, Total Residual	1/31/2012	lb/day	<	ND
Chlorine, Total Residual	2/1/2012	lb/day	<	ND
Chlorine, Total Residual	2/2/2012	lb/day	<	ND
Chlorine, Total Residual	2/3/2012	lb/day	<	ND
Chlorine, Total Residual	2/4/2012	lb/day	<	ND
Chlorine, Total Residual	2/5/2012	lb/day	<	ND
Chlorine, Total Residual	2/6/2012	lb/day	<	ND
Chlorine, Total Residual	2/7/2012	lb/day	<	ND
Chlorine, Total Residual	2/8/2012	lb/day	<	ND
Chlorine, Total Residual	2/9/2012	lb/day	<	ND
Chlorine, Total Residual	2/10/2012	lb/day	<	ND
Chlorine, Total Residual	2/11/2012	lb/day	<	ND
Chlorine, Total Residual	2/12/2012	lb/day	<	ND
Chlorine, Total Residual	2/13/2012	lb/day	<	ND
Chlorine, Total Residual	2/14/2012	lb/day	<	ND
Chlorine, Total Residual	2/15/2012	lb/day	<	ND
Chlorine, Total Residual	2/16/2012	lb/day	<	ND
Chlorine, Total Residual	2/17/2012	lb/day	<	ND
Chlorine, Total Residual	2/18/2012	lb/day	<	ND
Chlorine, Total Residual	2/19/2012	lb/day	<	ND
Chlorine, Total Residual	2/20/2012	lb/day	<	ND
Chlorine, Total Residual	2/21/2012	lb/day	<	ND
Chlorine, Total Residual	2/22/2012	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	2/23/2012	lb/day	<	ND
Chlorine, Total Residual	2/24/2012	lb/day	<	ND
Chlorine, Total Residual	2/25/2012	lb/day	<	ND
Chlorine, Total Residual	2/26/2012	lb/day	<	ND
Chlorine, Total Residual	2/27/2012	lb/day	<	ND
Chlorine, Total Residual	2/28/2012	lb/day	<	ND
Chlorine, Total Residual	2/29/2012	lb/day	<	ND
Chlorine, Total Residual	3/1/2012	lb/day	<	ND
Chlorine, Total Residual	3/2/2012	lb/day	<	ND
Chlorine, Total Residual	3/3/2012	lb/day	<	ND
Chlorine, Total Residual	3/4/2012	lb/day	<	ND
Chlorine, Total Residual	3/5/2012	lb/day	<	ND
Chlorine, Total Residual	3/6/2012	lb/day	<	ND
Chlorine, Total Residual	3/7/2012	lb/day	<	ND
Chlorine, Total Residual	3/8/2012	lb/day	<	ND
Chlorine, Total Residual	3/9/2012	lb/day	<	ND
Chlorine, Total Residual	3/10/2012	lb/day	<	ND
Chlorine, Total Residual	3/11/2012	lb/day	<	ND
Chlorine, Total Residual	3/12/2012	lb/day	<	ND
Chlorine, Total Residual	3/13/2012	lb/day	<	ND
Chlorine, Total Residual	3/14/2012	lb/day	<	ND
Chlorine, Total Residual	3/15/2012	lb/day	<	ND
Chlorine, Total Residual	3/16/2012	lb/day	<	ND
Chlorine, Total Residual	3/17/2012	lb/day	<	ND
Chlorine, Total Residual	3/18/2012	lb/day	<	ND
Chlorine, Total Residual	3/19/2012	lb/day	<	ND
Chlorine, Total Residual	3/20/2012	lb/day	<	ND
Chlorine, Total Residual	3/21/2012	lb/day	<	ND
Chlorine, Total Residual	3/22/2012	lb/day	<	ND
Chlorine, Total Residual	3/23/2012	lb/day	<	ND
Chlorine, Total Residual	3/24/2012	lb/day	<	ND
Chlorine, Total Residual	3/25/2012	lb/day	<	ND
Chlorine, Total Residual	3/26/2012	lb/day	<	ND
Chlorine, Total Residual	3/27/2012	lb/day	<	ND
Chlorine, Total Residual	3/28/2012	lb/day	<	ND
Chlorine, Total Residual	3/29/2012	lb/day	<	ND
Chlorine, Total Residual	3/30/2012	lb/day	<	ND
Chlorine, Total Residual	3/31/2012	lb/day	<	ND
Chlorine, Total Residual	4/1/2012	lb/day	<	ND
Chlorine, Total Residual	4/2/2012	lb/day	<	ND
Chlorine, Total Residual	4/3/2012	lb/day	<	ND
Chlorine, Total Residual	4/4/2012	lb/day	<	ND
Chlorine, Total Residual	4/5/2012	lb/day	<	ND
Chlorine, Total Residual	4/6/2012	lb/day	<	ND
Chlorine, Total Residual	4/7/2012	lb/day	<	ND
Chlorine, Total Residual	4/8/2012	lb/day	<	ND
Chlorine, Total Residual	4/9/2012	lb/day	<	ND
Chlorine, Total Residual	4/10/2012	lb/day	<	ND
Chlorine, Total Residual	4/11/2012	lb/day	<	ND
Chlorine, Total Residual	4/12/2012	lb/day	<	ND
Chlorine, Total Residual	4/13/2012	lb/day		1.25
Chlorine, Total Residual	4/14/2012	lb/day	<	ND

1.25
1.25
1.25

Chlorine, Total Residual	4/15/2012	lb/day	<	ND
Chlorine, Total Residual	4/16/2012	lb/day	<	ND
Chlorine, Total Residual	4/17/2012	lb/day	<	ND
Chlorine, Total Residual	4/18/2012	lb/day	<	ND
Chlorine, Total Residual	4/19/2012	lb/day	<	ND
Chlorine, Total Residual	4/20/2012	lb/day	<	ND
Chlorine, Total Residual	4/21/2012	lb/day	<	ND
Chlorine, Total Residual	4/22/2012	lb/day	<	ND
Chlorine, Total Residual	4/23/2012	lb/day	<	ND
Chlorine, Total Residual	4/24/2012	lb/day	<	ND
Chlorine, Total Residual	4/25/2012	lb/day	<	ND
Chlorine, Total Residual	4/26/2012	lb/day	<	ND
Chlorine, Total Residual	4/27/2012	lb/day	<	ND
Chlorine, Total Residual	4/28/2012	lb/day	<	ND
Chlorine, Total Residual	4/29/2012	lb/day	<	ND
Chlorine, Total Residual	4/30/2012	lb/day	<	ND
Chlorine, Total Residual	5/1/2012	lb/day	<	ND
Chlorine, Total Residual	5/2/2012	lb/day	<	ND
Chlorine, Total Residual	5/3/2012	lb/day	<	ND
Chlorine, Total Residual	5/4/2012	lb/day	<	ND
Chlorine, Total Residual	5/5/2012	lb/day	<	ND
Chlorine, Total Residual	5/6/2012	lb/day	<	ND
Chlorine, Total Residual	5/7/2012	lb/day	<	ND
Chlorine, Total Residual	5/8/2012	lb/day	<	ND
Chlorine, Total Residual	5/9/2012	lb/day	<	ND
Chlorine, Total Residual	5/10/2012	lb/day	<	ND
Chlorine, Total Residual	5/11/2012	lb/day	<	ND
Chlorine, Total Residual	5/12/2012	lb/day	<	ND
Chlorine, Total Residual	5/13/2012	lb/day	<	ND
Chlorine, Total Residual	5/14/2012	lb/day	<	ND
Chlorine, Total Residual	5/15/2012	lb/day	<	ND
Chlorine, Total Residual	5/16/2012	lb/day	<	ND
Chlorine, Total Residual	5/17/2012	lb/day	<	ND
Chlorine, Total Residual	5/18/2012	lb/day	<	ND
Chlorine, Total Residual	5/19/2012	lb/day	<	ND
Chlorine, Total Residual	5/20/2012	lb/day	<	ND
Chlorine, Total Residual	5/21/2012	lb/day	<	ND
Chlorine, Total Residual	5/22/2012	lb/day	<	ND
Chlorine, Total Residual	5/23/2012	lb/day	<	ND
Chlorine, Total Residual	5/24/2012	lb/day	<	ND
Chlorine, Total Residual	5/25/2012	lb/day	<	ND
Chlorine, Total Residual	5/26/2012	lb/day	<	ND
Chlorine, Total Residual	5/27/2012	lb/day	<	ND
Chlorine, Total Residual	5/28/2012	lb/day	<	ND
Chlorine, Total Residual	5/29/2012	lb/day	<	ND
Chlorine, Total Residual	5/30/2012	lb/day	<	ND
Chlorine, Total Residual	5/31/2012	lb/day	<	ND
Chlorine, Total Residual	6/1/2012	lb/day	<	ND
Chlorine, Total Residual	6/2/2012	lb/day	<	ND
Chlorine, Total Residual	6/3/2012	lb/day	<	ND
Chlorine, Total Residual	6/4/2012	lb/day	<	ND
Chlorine, Total Residual	6/5/2012	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	6/6/2012	lb/day	<	ND
Chlorine, Total Residual	6/7/2012	lb/day	<	ND
Chlorine, Total Residual	6/8/2012	lb/day	<	ND
Chlorine, Total Residual	6/9/2012	lb/day	<	ND
Chlorine, Total Residual	6/10/2012	lb/day	<	ND
Chlorine, Total Residual	6/11/2012	lb/day	<	ND
Chlorine, Total Residual	6/12/2012	lb/day	<	ND
Chlorine, Total Residual	6/13/2012	lb/day	<	ND
Chlorine, Total Residual	6/14/2012	lb/day	<	ND
Chlorine, Total Residual	6/15/2012	lb/day	<	ND
Chlorine, Total Residual	6/16/2012	lb/day	<	ND
Chlorine, Total Residual	6/17/2012	lb/day	<	ND
Chlorine, Total Residual	6/18/2012	lb/day	<	ND
Chlorine, Total Residual	6/19/2012	lb/day	<	ND
Chlorine, Total Residual	6/20/2012	lb/day	<	ND
Chlorine, Total Residual	6/21/2012	lb/day	<	ND
Chlorine, Total Residual	6/22/2012	lb/day	<	ND
Chlorine, Total Residual	6/23/2012	lb/day	<	ND
Chlorine, Total Residual	6/24/2012	lb/day	<	ND
Chlorine, Total Residual	6/25/2012	lb/day	<	ND
Chlorine, Total Residual	6/26/2012	lb/day	<	ND
Chlorine, Total Residual	6/27/2012	lb/day	<	ND
Chlorine, Total Residual	6/28/2012	lb/day	<	ND
Chlorine, Total Residual	6/29/2012	lb/day	<	ND
Chlorine, Total Residual	6/30/2012	lb/day	<	ND
Chlorine, Total Residual	7/1/2012	lb/day	<	ND
Chlorine, Total Residual	7/2/2012	lb/day	<	ND
Chlorine, Total Residual	7/3/2012	lb/day	<	ND
Chlorine, Total Residual	7/4/2012	lb/day	<	ND
Chlorine, Total Residual	7/5/2012	lb/day	<	ND
Chlorine, Total Residual	7/6/2012	lb/day	<	ND
Chlorine, Total Residual	7/7/2012	lb/day		1.25
Chlorine, Total Residual	7/8/2012	lb/day	<	ND
Chlorine, Total Residual	7/9/2012	lb/day	<	ND
Chlorine, Total Residual	7/10/2012	lb/day	<	ND
Chlorine, Total Residual	7/11/2012	lb/day	<	ND
Chlorine, Total Residual	7/12/2012	lb/day	<	ND
Chlorine, Total Residual	7/13/2012	lb/day	<	ND
Chlorine, Total Residual	7/14/2012	lb/day	<	ND
Chlorine, Total Residual	7/15/2012	lb/day	<	ND
Chlorine, Total Residual	7/16/2012	lb/day	<	ND
Chlorine, Total Residual	7/17/2012	lb/day	<	ND
Chlorine, Total Residual	7/18/2012	lb/day	<	ND
Chlorine, Total Residual	7/19/2012	lb/day	<	ND
Chlorine, Total Residual	7/20/2012	lb/day	<	ND
Chlorine, Total Residual	7/21/2012	lb/day	<	ND
Chlorine, Total Residual	7/22/2012	lb/day	<	ND
Chlorine, Total Residual	7/23/2012	lb/day	<	ND
Chlorine, Total Residual	7/24/2012	lb/day	<	ND
Chlorine, Total Residual	7/25/2012	lb/day	<	ND
Chlorine, Total Residual	7/26/2012	lb/day	<	ND
Chlorine, Total Residual	7/27/2012	lb/day	<	ND

1.25
1.25
1.25

Chlorine, Total Residual	7/28/2012	lb/day	<	ND
Chlorine, Total Residual	7/29/2012	lb/day	<	ND
Chlorine, Total Residual	7/30/2012	lb/day	<	ND
Chlorine, Total Residual	7/31/2012	lb/day	<	ND
Chlorine, Total Residual	8/1/2012	lb/day	<	ND
Chlorine, Total Residual	8/2/2012	lb/day	<	ND
Chlorine, Total Residual	8/3/2012	lb/day	<	ND
Chlorine, Total Residual	8/4/2012	lb/day	<	ND
Chlorine, Total Residual	8/5/2012	lb/day	<	ND
Chlorine, Total Residual	8/6/2012	lb/day	<	ND
Chlorine, Total Residual	8/7/2012	lb/day	<	ND
Chlorine, Total Residual	8/8/2012	lb/day	<	ND
Chlorine, Total Residual	8/9/2012	lb/day	<	ND
Chlorine, Total Residual	8/10/2012	lb/day	<	ND
Chlorine, Total Residual	8/11/2012	lb/day	<	ND
Chlorine, Total Residual	8/12/2012	lb/day	<	ND
Chlorine, Total Residual	8/13/2012	lb/day	<	ND
Chlorine, Total Residual	8/14/2012	lb/day	<	ND
Chlorine, Total Residual	8/15/2012	lb/day	<	ND
Chlorine, Total Residual	8/16/2012	lb/day	<	ND
Chlorine, Total Residual	8/17/2012	lb/day	<	ND
Chlorine, Total Residual	8/18/2012	lb/day	<	ND
Chlorine, Total Residual	8/19/2012	lb/day	<	ND
Chlorine, Total Residual	8/20/2012	lb/day	<	ND
Chlorine, Total Residual	8/21/2012	lb/day	<	ND
Chlorine, Total Residual	8/22/2012	lb/day	<	ND
Chlorine, Total Residual	8/23/2012	lb/day	<	ND
Chlorine, Total Residual	8/24/2012	lb/day	<	ND
Chlorine, Total Residual	8/25/2012	lb/day	<	ND
Chlorine, Total Residual	8/26/2012	lb/day	<	ND
Chlorine, Total Residual	8/27/2012	lb/day	<	ND
Chlorine, Total Residual	8/28/2012	lb/day	<	ND
Chlorine, Total Residual	8/29/2012	lb/day	<	ND
Chlorine, Total Residual	8/30/2012	lb/day	<	ND
Chlorine, Total Residual	8/31/2012	lb/day	<	ND
Chlorine, Total Residual	9/1/2012	lb/day	<	ND
Chlorine, Total Residual	9/2/2012	lb/day	<	ND
Chlorine, Total Residual	9/3/2012	lb/day	<	ND
Chlorine, Total Residual	9/4/2012	lb/day	<	ND
Chlorine, Total Residual	9/5/2012	lb/day	<	ND
Chlorine, Total Residual	9/6/2012	lb/day		1.37
Chlorine, Total Residual	9/7/2012	lb/day		2.18
Chlorine, Total Residual	9/8/2012	lb/day	<	ND
Chlorine, Total Residual	9/9/2012	lb/day	<	ND
Chlorine, Total Residual	9/10/2012	lb/day	<	ND
Chlorine, Total Residual	9/11/2012	lb/day	<	ND
Chlorine, Total Residual	9/12/2012	lb/day	<	ND
Chlorine, Total Residual	9/13/2012	lb/day	<	ND
Chlorine, Total Residual	9/14/2012	lb/day	<	ND
Chlorine, Total Residual	9/15/2012	lb/day	<	ND
Chlorine, Total Residual	9/16/2012	lb/day	<	ND
Chlorine, Total Residual	9/17/2012	lb/day	<	ND

1.25
1.25
1.25

Chlorine, Total Residual	9/18/2012	lb/day	<	ND
Chlorine, Total Residual	9/19/2012	lb/day	<	ND
Chlorine, Total Residual	9/20/2012	lb/day	<	ND
Chlorine, Total Residual	9/21/2012	lb/day	<	ND
Chlorine, Total Residual	9/22/2012	lb/day	<	ND
Chlorine, Total Residual	9/23/2012	lb/day	<	ND
Chlorine, Total Residual	9/24/2012	lb/day	<	ND
Chlorine, Total Residual	9/25/2012	lb/day	<	ND
Chlorine, Total Residual	9/26/2012	lb/day	<	ND
Chlorine, Total Residual	9/27/2012	lb/day	<	ND
Chlorine, Total Residual	9/28/2012	lb/day	<	ND
Chlorine, Total Residual	9/29/2012	lb/day	<	ND
Chlorine, Total Residual	9/30/2012	lb/day	<	ND
Chlorine, Total Residual	10/1/2012	lb/day	<	ND
Chlorine, Total Residual	10/2/2012	lb/day	<	ND
Chlorine, Total Residual	10/3/2012	lb/day	<	ND
Chlorine, Total Residual	10/4/2012	lb/day	<	ND
Chlorine, Total Residual	10/5/2012	lb/day	<	ND
Chlorine, Total Residual	10/6/2012	lb/day	<	ND
Chlorine, Total Residual	10/7/2012	lb/day	<	ND
Chlorine, Total Residual	10/8/2012	lb/day	<	ND
Chlorine, Total Residual	10/9/2012	lb/day	<	ND
Chlorine, Total Residual	10/10/2012	lb/day	<	ND
Chlorine, Total Residual	10/11/2012	lb/day	<	ND
Chlorine, Total Residual	10/12/2012	lb/day	<	ND
Chlorine, Total Residual	10/13/2012	lb/day	<	ND
Chlorine, Total Residual	10/14/2012	lb/day	<	ND
Chlorine, Total Residual	10/15/2012	lb/day	<	ND
Chlorine, Total Residual	10/16/2012	lb/day	<	ND
Chlorine, Total Residual	10/17/2012	lb/day	<	ND
Chlorine, Total Residual	10/18/2012	lb/day	<	ND
Chlorine, Total Residual	10/19/2012	lb/day	<	ND
Chlorine, Total Residual	10/20/2012	lb/day		1.81
Chlorine, Total Residual	10/21/2012	lb/day	<	ND
Chlorine, Total Residual	10/22/2012	lb/day	<	ND
Chlorine, Total Residual	10/23/2012	lb/day	<	ND
Chlorine, Total Residual	10/24/2012	lb/day	<	ND
Chlorine, Total Residual	10/25/2012	lb/day	<	ND
Chlorine, Total Residual	10/26/2012	lb/day	<	ND
Chlorine, Total Residual	10/27/2012	lb/day	<	ND
Chlorine, Total Residual	10/28/2012	lb/day	<	ND
Chlorine, Total Residual	10/29/2012	lb/day	<	ND
Chlorine, Total Residual	10/30/2012	lb/day	<	ND
Chlorine, Total Residual	10/31/2012	lb/day	<	ND
Chlorine, Total Residual	11/1/2012	lb/day	<	ND
Chlorine, Total Residual	11/2/2012	lb/day	<	ND
Chlorine, Total Residual	11/3/2012	lb/day	<	ND
Chlorine, Total Residual	11/4/2012	lb/day	<	ND
Chlorine, Total Residual	11/5/2012	lb/day	<	ND
Chlorine, Total Residual	11/6/2012	lb/day	<	ND
Chlorine, Total Residual	11/7/2012	lb/day	<	ND
Chlorine, Total Residual	11/8/2012	lb/day	<	ND

1.25
1.25
1.25

Chlorine, Total Residual	11/9/2012	lb/day	<	ND
Chlorine, Total Residual	11/10/2012	lb/day	<	ND
Chlorine, Total Residual	11/11/2012	lb/day	<	ND
Chlorine, Total Residual	11/12/2012	lb/day	<	ND
Chlorine, Total Residual	11/13/2012	lb/day	<	ND
Chlorine, Total Residual	11/14/2012	lb/day	<	ND
Chlorine, Total Residual	11/15/2012	lb/day	<	ND
Chlorine, Total Residual	11/16/2012	lb/day	<	ND
Chlorine, Total Residual	11/17/2012	lb/day	<	ND
Chlorine, Total Residual	11/18/2012	lb/day	<	ND
Chlorine, Total Residual	11/19/2012	lb/day	<	ND
Chlorine, Total Residual	11/20/2012	lb/day	<	ND
Chlorine, Total Residual	11/21/2012	lb/day	<	ND
Chlorine, Total Residual	11/22/2012	lb/day		1.3
Chlorine, Total Residual	11/23/2012	lb/day	<	ND
Chlorine, Total Residual	11/24/2012	lb/day	<	ND
Chlorine, Total Residual	11/25/2012	lb/day	<	ND
Chlorine, Total Residual	11/26/2012	lb/day	<	ND
Chlorine, Total Residual	11/27/2012	lb/day	<	ND
Chlorine, Total Residual	11/28/2012	lb/day	<	ND
Chlorine, Total Residual	11/29/2012	lb/day	<	ND
Chlorine, Total Residual	11/30/2012	lb/day	<	ND
Chlorine, Total Residual	12/1/2012	lb/day	<	ND
Chlorine, Total Residual	12/2/2012	lb/day	<	ND
Chlorine, Total Residual	12/3/2012	lb/day	<	ND
Chlorine, Total Residual	12/4/2012	lb/day	<	ND
Chlorine, Total Residual	12/5/2012	lb/day	<	ND
Chlorine, Total Residual	12/6/2012	lb/day	<	ND
Chlorine, Total Residual	12/7/2012	lb/day	<	ND
Chlorine, Total Residual	12/8/2012	lb/day	<	ND
Chlorine, Total Residual	12/9/2012	lb/day	<	ND
Chlorine, Total Residual	12/10/2012	lb/day	<	ND
Chlorine, Total Residual	12/11/2012	lb/day	<	ND
Chlorine, Total Residual	12/12/2012	lb/day	<	ND
Chlorine, Total Residual	12/13/2012	lb/day	<	ND
Chlorine, Total Residual	12/14/2012	lb/day	<	ND
Chlorine, Total Residual	12/15/2012	lb/day	<	ND
Chlorine, Total Residual	12/16/2012	lb/day	<	ND
Chlorine, Total Residual	12/17/2012	lb/day	<	ND
Chlorine, Total Residual	12/18/2012	lb/day	<	ND
Chlorine, Total Residual	12/19/2012	lb/day	<	ND
Chlorine, Total Residual	12/20/2012	lb/day	<	ND
Chlorine, Total Residual	12/21/2012	lb/day	<	ND
Chlorine, Total Residual	12/22/2012	lb/day	<	ND
Chlorine, Total Residual	12/23/2012	lb/day	<	ND
Chlorine, Total Residual	12/24/2012	lb/day	<	ND
Chlorine, Total Residual	12/25/2012	lb/day	<	ND
Chlorine, Total Residual	12/26/2012	lb/day		3.4
Chlorine, Total Residual	12/27/2012	lb/day	<	ND
Chlorine, Total Residual	12/28/2012	lb/day	<	ND
Chlorine, Total Residual	12/29/2012	lb/day	<	ND
Chlorine, Total Residual	12/30/2012	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	12/31/2012	lb/day	<	ND
Chlorine, Total Residual	1/1/2013	lb/day	<	ND
Chlorine, Total Residual	1/2/2013	lb/day	<	ND
Chlorine, Total Residual	1/3/2013	lb/day	<	ND
Chlorine, Total Residual	1/4/2013	lb/day	<	ND
Chlorine, Total Residual	1/5/2013	lb/day	<	ND
Chlorine, Total Residual	1/6/2013	lb/day	<	ND
Chlorine, Total Residual	1/7/2013	lb/day	<	ND
Chlorine, Total Residual	1/8/2013	lb/day	<	ND
Chlorine, Total Residual	1/9/2013	lb/day	<	ND
Chlorine, Total Residual	1/10/2013	lb/day	<	ND
Chlorine, Total Residual	1/11/2013	lb/day	<	ND
Chlorine, Total Residual	1/12/2013	lb/day	<	ND
Chlorine, Total Residual	1/13/2013	lb/day	<	ND
Chlorine, Total Residual	1/14/2013	lb/day	<	ND
Chlorine, Total Residual	1/15/2013	lb/day	<	ND
Chlorine, Total Residual	1/16/2013	lb/day	<	ND
Chlorine, Total Residual	1/17/2013	lb/day	<	ND
Chlorine, Total Residual	1/18/2013	lb/day	<	ND
Chlorine, Total Residual	1/19/2013	lb/day	<	ND
Chlorine, Total Residual	1/20/2013	lb/day	<	ND
Chlorine, Total Residual	1/21/2013	lb/day	<	ND
Chlorine, Total Residual	1/22/2013	lb/day	<	ND
Chlorine, Total Residual	1/23/2013	lb/day	<	ND
Chlorine, Total Residual	1/24/2013	lb/day	<	ND
Chlorine, Total Residual	1/25/2013	lb/day	<	ND
Chlorine, Total Residual	1/26/2013	lb/day	<	ND
Chlorine, Total Residual	1/27/2013	lb/day	<	ND
Chlorine, Total Residual	1/28/2013	lb/day	<	ND
Chlorine, Total Residual	1/29/2013	lb/day	<	ND
Chlorine, Total Residual	1/30/2013	lb/day	<	ND
Chlorine, Total Residual	1/31/2013	lb/day	<	ND
Chlorine, Total Residual	2/1/2013	lb/day	<	ND
Chlorine, Total Residual	2/2/2013	lb/day	<	ND
Chlorine, Total Residual	2/3/2013	lb/day	<	ND
Chlorine, Total Residual	2/4/2013	lb/day	<	ND
Chlorine, Total Residual	2/5/2013	lb/day	<	ND
Chlorine, Total Residual	2/6/2013	lb/day	<	ND
Chlorine, Total Residual	2/7/2013	lb/day	<	ND
Chlorine, Total Residual	2/8/2013	lb/day	<	ND
Chlorine, Total Residual	2/9/2013	lb/day	<	ND
Chlorine, Total Residual	2/10/2013	lb/day	<	ND
Chlorine, Total Residual	2/11/2013	lb/day	<	ND
Chlorine, Total Residual	2/12/2013	lb/day	<	ND
Chlorine, Total Residual	2/13/2013	lb/day	<	ND
Chlorine, Total Residual	2/14/2013	lb/day	<	ND
Chlorine, Total Residual	2/15/2013	lb/day	<	ND
Chlorine, Total Residual	2/16/2013	lb/day	<	ND
Chlorine, Total Residual	2/17/2013	lb/day	<	ND
Chlorine, Total Residual	2/18/2013	lb/day	<	ND
Chlorine, Total Residual	2/19/2013	lb/day	<	ND
Chlorine, Total Residual	2/20/2013	lb/day	<	ND

1.25
1.25
1.25

Chlorine, Total Residual	2/21/2013	lb/day	<	ND
Chlorine, Total Residual	2/22/2013	lb/day	<	ND
Chlorine, Total Residual	2/23/2013	lb/day	<	ND
Chlorine, Total Residual	2/24/2013	lb/day	<	ND
Chlorine, Total Residual	2/25/2013	lb/day	<	ND
Chlorine, Total Residual	2/26/2013	lb/day	<	ND
Chlorine, Total Residual	2/27/2013	lb/day	<	ND
Chlorine, Total Residual	2/28/2013	lb/day	<	ND
Chlorine, Total Residual	3/1/2013	lb/day	<	ND
Chlorine, Total Residual	3/2/2013	lb/day	<	ND
Chlorine, Total Residual	3/3/2013	lb/day	<	ND
Chlorine, Total Residual	3/4/2013	lb/day	<	ND
Chlorine, Total Residual	3/5/2013	lb/day	<	ND
Chlorine, Total Residual	3/6/2013	lb/day	<	ND
Chlorine, Total Residual	3/7/2013	lb/day	<	ND
Chlorine, Total Residual	3/8/2013	lb/day	<	ND
Chlorine, Total Residual	3/9/2013	lb/day	<	ND
Chlorine, Total Residual	3/10/2013	lb/day	<	ND
Chlorine, Total Residual	3/11/2013	lb/day	<	ND
Chlorine, Total Residual	3/12/2013	lb/day	<	ND
Chlorine, Total Residual	3/13/2013	lb/day	<	ND
Chlorine, Total Residual	3/14/2013	lb/day	<	ND
Chlorine, Total Residual	3/15/2013	lb/day	<	ND
Chlorine, Total Residual	3/16/2013	lb/day	<	ND
Chlorine, Total Residual	3/17/2013	lb/day	<	ND
Chlorine, Total Residual	3/18/2013	lb/day	<	ND
Chlorine, Total Residual	3/19/2013	lb/day	<	ND
Chlorine, Total Residual	3/20/2013	lb/day	<	ND
Chlorine, Total Residual	3/21/2013	lb/day	<	ND
Chlorine, Total Residual	3/22/2013	lb/day	<	ND
Chlorine, Total Residual	3/23/2013	lb/day	<	ND
Chlorine, Total Residual	3/24/2013	lb/day	<	ND
Chlorine, Total Residual	3/25/2013	lb/day	<	ND
Chlorine, Total Residual	3/26/2013	lb/day	<	ND
Chlorine, Total Residual	3/27/2013	lb/day	<	ND
Chlorine, Total Residual	3/28/2013	lb/day	<	ND
Chlorine, Total Residual	3/29/2013	lb/day	<	ND
Chlorine, Total Residual	3/30/2013	lb/day	<	ND
Chlorine, Total Residual	3/31/2013	lb/day	<	ND
Chlorine, Total Residual	4/1/2013	lb/day	<	ND
Chlorine, Total Residual	4/2/2013	lb/day	<	ND
Chlorine, Total Residual	4/3/2013	lb/day	<	ND
Chlorine, Total Residual	4/4/2013	lb/day	<	ND
Chlorine, Total Residual	4/5/2013	lb/day	<	ND
Chlorine, Total Residual	4/6/2013	lb/day	<	ND
Chlorine, Total Residual	4/7/2013	lb/day	<	ND
Chlorine, Total Residual	4/8/2013	lb/day	<	ND
Chlorine, Total Residual	4/9/2013	lb/day	<	ND
Chlorine, Total Residual	4/10/2013	lb/day	<	ND
Chlorine, Total Residual	4/11/2013	lb/day	<	ND
Chlorine, Total Residual	4/12/2013	lb/day	<	ND
Chlorine, Total Residual	4/13/2013	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	4/14/2013	lb/day	<	ND
Chlorine, Total Residual	4/15/2013	lb/day	<	ND
Chlorine, Total Residual	4/16/2013	lb/day	<	ND
Chlorine, Total Residual	4/17/2013	lb/day	<	ND
Chlorine, Total Residual	4/18/2013	lb/day	<	ND
Chlorine, Total Residual	4/19/2013	lb/day	<	ND
Chlorine, Total Residual	4/20/2013	lb/day	<	ND
Chlorine, Total Residual	4/21/2013	lb/day	<	ND
Chlorine, Total Residual	4/22/2013	lb/day	<	ND
Chlorine, Total Residual	4/23/2013	lb/day	<	ND
Chlorine, Total Residual	4/24/2013	lb/day	<	ND
Chlorine, Total Residual	4/25/2013	lb/day	<	ND
Chlorine, Total Residual	4/26/2013	lb/day	<	ND
Chlorine, Total Residual	4/27/2013	lb/day	<	ND
Chlorine, Total Residual	4/28/2013	lb/day	<	ND
Chlorine, Total Residual	4/29/2013	lb/day	<	ND
Chlorine, Total Residual	4/30/2013	lb/day	<	ND
Chlorine, Total Residual	5/1/2013	lb/day	<	ND
Chlorine, Total Residual	5/2/2013	lb/day	<	ND
Chlorine, Total Residual	5/3/2013	lb/day	<	ND
Chlorine, Total Residual	5/4/2013	lb/day	<	ND
Chlorine, Total Residual	5/5/2013	lb/day	<	ND
Chlorine, Total Residual	5/6/2013	lb/day	<	ND
Chlorine, Total Residual	5/7/2013	lb/day	<	ND
Chlorine, Total Residual	5/8/2013	lb/day	<	ND
Chlorine, Total Residual	5/9/2013	lb/day	<	ND
Chlorine, Total Residual	5/10/2013	lb/day	<	ND
Chlorine, Total Residual	5/11/2013	lb/day	<	ND
Chlorine, Total Residual	5/12/2013	lb/day	<	ND
Chlorine, Total Residual	5/13/2013	lb/day	<	ND
Chlorine, Total Residual	5/14/2013	lb/day	<	ND
Chlorine, Total Residual	5/15/2013	lb/day	<	ND
Chlorine, Total Residual	5/16/2013	lb/day	<	ND
Chlorine, Total Residual	5/17/2013	lb/day	<	ND
Chlorine, Total Residual	5/18/2013	lb/day	<	ND
Chlorine, Total Residual	5/19/2013	lb/day	<	ND
Chlorine, Total Residual	5/20/2013	lb/day	<	ND
Chlorine, Total Residual	5/21/2013	lb/day	<	ND
Chlorine, Total Residual	5/22/2013	lb/day	<	ND
Chlorine, Total Residual	5/23/2013	lb/day	<	ND
Chlorine, Total Residual	5/24/2013	lb/day	<	ND
Chlorine, Total Residual	5/25/2013	lb/day	<	ND
Chlorine, Total Residual	5/26/2013	lb/day	<	ND
Chlorine, Total Residual	5/27/2013	lb/day	<	ND
Chlorine, Total Residual	5/28/2013	lb/day	<	ND
Chlorine, Total Residual	5/29/2013	lb/day	<	ND
Chlorine, Total Residual	5/30/2013	lb/day	<	ND
Chlorine, Total Residual	5/31/2013	lb/day	<	ND
Chlorine, Total Residual	6/1/2013	lb/day	<	ND
Chlorine, Total Residual	6/2/2013	lb/day	<	ND
Chlorine, Total Residual	6/3/2013	lb/day	<	ND
Chlorine, Total Residual	6/4/2013	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	6/5/2013	lb/day	<	ND
Chlorine, Total Residual	6/6/2013	lb/day	<	ND
Chlorine, Total Residual	6/7/2013	lb/day	<	ND
Chlorine, Total Residual	6/8/2013	lb/day	<	ND
Chlorine, Total Residual	6/9/2013	lb/day	<	ND
Chlorine, Total Residual	6/10/2013	lb/day	<	ND
Chlorine, Total Residual	6/11/2013	lb/day	<	ND
Chlorine, Total Residual	6/12/2013	lb/day	<	ND
Chlorine, Total Residual	6/13/2013	lb/day	<	ND
Chlorine, Total Residual	6/14/2013	lb/day	<	ND
Chlorine, Total Residual	6/15/2013	lb/day	<	ND
Chlorine, Total Residual	6/16/2013	lb/day	<	ND
Chlorine, Total Residual	6/17/2013	lb/day	<	ND
Chlorine, Total Residual	6/18/2013	lb/day	<	ND
Chlorine, Total Residual	6/19/2013	lb/day	<	ND
Chlorine, Total Residual	6/20/2013	lb/day	<	ND
Chlorine, Total Residual	6/21/2013	lb/day	<	ND
Chlorine, Total Residual	6/22/2013	lb/day	<	ND
Chlorine, Total Residual	6/23/2013	lb/day	<	ND
Chlorine, Total Residual	6/24/2013	lb/day	<	ND
Chlorine, Total Residual	6/25/2013	lb/day	<	ND
Chlorine, Total Residual	6/26/2013	lb/day	<	ND
Chlorine, Total Residual	6/27/2013	lb/day	<	ND
Chlorine, Total Residual	6/28/2013	lb/day	<	ND
Chlorine, Total Residual	6/29/2013	lb/day	<	ND
Chlorine, Total Residual	6/30/2013	lb/day	<	ND
Chlorine, Total Residual	7/1/2013	lb/day	<	ND
Chlorine, Total Residual	7/2/2013	lb/day	<	ND
Chlorine, Total Residual	7/3/2013	lb/day	<	ND
Chlorine, Total Residual	7/4/2013	lb/day	<	ND
Chlorine, Total Residual	7/5/2013	lb/day	<	ND
Chlorine, Total Residual	7/6/2013	lb/day	<	ND
Chlorine, Total Residual	7/7/2013	lb/day	<	ND
Chlorine, Total Residual	7/8/2013	lb/day	<	ND
Chlorine, Total Residual	7/9/2013	lb/day	<	ND
Chlorine, Total Residual	7/10/2013	lb/day	<	ND
Chlorine, Total Residual	7/11/2013	lb/day	<	ND
Chlorine, Total Residual	7/12/2013	lb/day	<	ND
Chlorine, Total Residual	7/13/2013	lb/day	<	ND
Chlorine, Total Residual	7/14/2013	lb/day	<	ND
Chlorine, Total Residual	7/15/2013	lb/day	<	ND
Chlorine, Total Residual	7/16/2013	lb/day	<	ND
Chlorine, Total Residual	7/17/2013	lb/day	<	ND
Chlorine, Total Residual	7/18/2013	lb/day	<	ND
Chlorine, Total Residual	7/19/2013	lb/day	<	ND
Chlorine, Total Residual	7/20/2013	lb/day	<	ND
Chlorine, Total Residual	7/21/2013	lb/day	<	ND
Chlorine, Total Residual	7/22/2013	lb/day	<	ND
Chlorine, Total Residual	7/23/2013	lb/day	<	ND
Chlorine, Total Residual	7/24/2013	lb/day	<	ND
Chlorine, Total Residual	7/25/2013	lb/day	<	ND
Chlorine, Total Residual	7/26/2013	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	7/27/2013	lb/day	<	ND
Chlorine, Total Residual	7/28/2013	lb/day	<	ND
Chlorine, Total Residual	7/29/2013	lb/day	<	ND
Chlorine, Total Residual	7/30/2013	lb/day	<	ND
Chlorine, Total Residual	7/31/2013	lb/day	<	ND
Chlorine, Total Residual	8/1/2013	lb/day	<	ND
Chlorine, Total Residual	8/2/2013	lb/day	<	ND
Chlorine, Total Residual	8/3/2013	lb/day	<	ND
Chlorine, Total Residual	8/4/2013	lb/day	<	ND
Chlorine, Total Residual	8/5/2013	lb/day	<	ND
Chlorine, Total Residual	8/6/2013	lb/day	<	ND
Chlorine, Total Residual	8/7/2013	lb/day	<	ND
Chlorine, Total Residual	8/8/2013	lb/day	<	ND
Chlorine, Total Residual	8/9/2013	lb/day	<	ND
Chlorine, Total Residual	8/10/2013	lb/day	<	ND
Chlorine, Total Residual	8/11/2013	lb/day	<	ND
Chlorine, Total Residual	8/12/2013	lb/day	<	ND
Chlorine, Total Residual	8/13/2013	lb/day	<	ND
Chlorine, Total Residual	8/14/2013	lb/day	<	ND
Chlorine, Total Residual	8/15/2013	lb/day	<	ND
Chlorine, Total Residual	8/16/2013	lb/day	<	ND
Chlorine, Total Residual	8/17/2013	lb/day	<	ND
Chlorine, Total Residual	8/18/2013	lb/day	<	ND
Chlorine, Total Residual	8/19/2013	lb/day	<	ND
Chlorine, Total Residual	8/20/2013	lb/day	<	ND
Chlorine, Total Residual	8/21/2013	lb/day	<	ND
Chlorine, Total Residual	8/22/2013	lb/day	<	ND
Chlorine, Total Residual	8/23/2013	lb/day	<	ND
Chlorine, Total Residual	8/24/2013	lb/day	<	ND
Chlorine, Total Residual	8/25/2013	lb/day	<	ND
Chlorine, Total Residual	8/26/2013	lb/day	<	ND
Chlorine, Total Residual	8/27/2013	lb/day	<	ND
Chlorine, Total Residual	8/28/2013	lb/day	<	ND
Chlorine, Total Residual	8/29/2013	lb/day	<	ND
Chlorine, Total Residual	8/30/2013	lb/day	<	ND
Chlorine, Total Residual	8/31/2013	lb/day	<	ND
Chlorine, Total Residual	9/1/2013	lb/day	<	ND
Chlorine, Total Residual	9/2/2013	lb/day	<	ND
Chlorine, Total Residual	9/3/2013	lb/day	<	ND
Chlorine, Total Residual	9/4/2013	lb/day	<	ND
Chlorine, Total Residual	9/5/2013	lb/day	<	ND
Chlorine, Total Residual	9/6/2013	lb/day	<	ND
Chlorine, Total Residual	9/7/2013	lb/day	<	ND
Chlorine, Total Residual	9/8/2013	lb/day	<	ND
Chlorine, Total Residual	9/9/2013	lb/day	<	ND
Chlorine, Total Residual	9/10/2013	lb/day	<	ND
Chlorine, Total Residual	9/11/2013	lb/day	<	ND
Chlorine, Total Residual	9/12/2013	lb/day	<	ND
Chlorine, Total Residual	9/13/2013	lb/day	<	ND
Chlorine, Total Residual	9/14/2013	lb/day	<	ND
Chlorine, Total Residual	9/15/2013	lb/day	<	ND
Chlorine, Total Residual	9/16/2013	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	9/17/2013	lb/day	<	ND
Chlorine, Total Residual	9/18/2013	lb/day	<	ND
Chlorine, Total Residual	9/19/2013	lb/day	<	ND
Chlorine, Total Residual	9/20/2013	lb/day	<	ND
Chlorine, Total Residual	9/21/2013	lb/day	<	ND
Chlorine, Total Residual	9/22/2013	lb/day	<	ND
Chlorine, Total Residual	9/23/2013	lb/day	<	ND
Chlorine, Total Residual	9/24/2013	lb/day	<	ND
Chlorine, Total Residual	9/25/2013	lb/day	<	ND
Chlorine, Total Residual	9/26/2013	lb/day	<	ND
Chlorine, Total Residual	9/27/2013	lb/day	<	ND
Chlorine, Total Residual	9/28/2013	lb/day	<	ND
Chlorine, Total Residual	9/29/2013	lb/day	<	ND
Chlorine, Total Residual	9/30/2013	lb/day	<	ND
Chlorine, Total Residual	10/1/2013	lb/day	<	ND
Chlorine, Total Residual	10/2/2013	lb/day	<	ND
Chlorine, Total Residual	10/3/2013	lb/day	<	ND
Chlorine, Total Residual	10/4/2013	lb/day	<	ND
Chlorine, Total Residual	10/5/2013	lb/day	<	ND
Chlorine, Total Residual	10/6/2013	lb/day	<	ND
Chlorine, Total Residual	10/7/2013	lb/day	<	ND
Chlorine, Total Residual	10/8/2013	lb/day	<	ND
Chlorine, Total Residual	10/9/2013	lb/day	<	ND
Chlorine, Total Residual	10/10/2013	lb/day	<	ND
Chlorine, Total Residual	10/11/2013	lb/day	<	ND
Chlorine, Total Residual	10/12/2013	lb/day	<	ND
Chlorine, Total Residual	10/13/2013	lb/day	<	ND
Chlorine, Total Residual	10/14/2013	lb/day	<	ND
Chlorine, Total Residual	10/15/2013	lb/day	<	ND
Chlorine, Total Residual	10/16/2013	lb/day	<	ND
Chlorine, Total Residual	10/17/2013	lb/day	<	ND
Chlorine, Total Residual	10/18/2013	lb/day	<	ND
Chlorine, Total Residual	10/19/2013	lb/day	<	ND
Chlorine, Total Residual	10/20/2013	lb/day	<	ND
Chlorine, Total Residual	10/21/2013	lb/day	<	ND
Chlorine, Total Residual	10/22/2013	lb/day	<	ND
Chlorine, Total Residual	10/23/2013	lb/day	<	ND
Chlorine, Total Residual	10/24/2013	lb/day	<	ND
Chlorine, Total Residual	10/25/2013	lb/day	<	ND
Chlorine, Total Residual	10/26/2013	lb/day	<	ND
Chlorine, Total Residual	10/27/2013	lb/day	<	ND
Chlorine, Total Residual	10/28/2013	lb/day	<	ND
Chlorine, Total Residual	10/29/2013	lb/day	<	ND
Chlorine, Total Residual	10/30/2013	lb/day	<	ND
Chlorine, Total Residual	10/31/2013	lb/day	<	ND
Chlorine, Total Residual	11/1/2013	lb/day	<	ND
Chlorine, Total Residual	11/2/2013	lb/day	<	ND
Chlorine, Total Residual	11/3/2013	lb/day	<	ND
Chlorine, Total Residual	11/4/2013	lb/day	<	ND
Chlorine, Total Residual	11/5/2013	lb/day	<	ND
Chlorine, Total Residual	11/6/2013	lb/day	<	ND
Chlorine, Total Residual	11/7/2013	lb/day	<	ND

1.25
1.25
1.25

Chlorine, Total Residual	11/8/2013	lb/day	<	ND
Chlorine, Total Residual	11/9/2013	lb/day	<	ND
Chlorine, Total Residual	11/10/2013	lb/day	<	ND
Chlorine, Total Residual	11/11/2013	lb/day	<	ND
Chlorine, Total Residual	11/12/2013	lb/day	<	ND
Chlorine, Total Residual	11/13/2013	lb/day	<	ND
Chlorine, Total Residual	11/14/2013	lb/day	<	ND
Chlorine, Total Residual	11/15/2013	lb/day	<	ND
Chlorine, Total Residual	11/16/2013	lb/day	<	ND
Chlorine, Total Residual	11/17/2013	lb/day	<	ND
Chlorine, Total Residual	11/18/2013	lb/day	<	ND
Chlorine, Total Residual	11/19/2013	lb/day	<	ND
Chlorine, Total Residual	11/20/2013	lb/day	<	ND
Chlorine, Total Residual	11/21/2013	lb/day	<	ND
Chlorine, Total Residual	11/22/2013	lb/day	<	ND
Chlorine, Total Residual	11/23/2013	lb/day	<	ND
Chlorine, Total Residual	11/24/2013	lb/day	<	ND
Chlorine, Total Residual	11/25/2013	lb/day	<	ND
Chlorine, Total Residual	11/26/2013	lb/day	<	ND
Chlorine, Total Residual	11/27/2013	lb/day	<	ND
Chlorine, Total Residual	11/28/2013	lb/day	<	ND
Chlorine, Total Residual	11/29/2013	lb/day	<	ND
Chlorine, Total Residual	11/30/2013	lb/day	<	ND
Chlorine, Total Residual	12/1/2013	lb/day	<	ND
Chlorine, Total Residual	12/2/2013	lb/day	<	ND
Chlorine, Total Residual	12/3/2013	lb/day	<	ND
Chlorine, Total Residual	12/5/2013	lb/day	<	ND
Chlorine, Total Residual	12/6/2013	lb/day	<	ND
Chlorine, Total Residual	12/7/2013	lb/day	<	ND
Chlorine, Total Residual	12/8/2013	lb/day	<	ND
Chlorine, Total Residual	12/9/2013	lb/day	<	ND
Chlorine, Total Residual	12/10/2013	lb/day	<	ND
Chlorine, Total Residual	12/11/2013	lb/day	<	ND
Chlorine, Total Residual	12/12/2013	lb/day	<	ND
Chlorine, Total Residual	12/13/2013	lb/day	<	ND
Chlorine, Total Residual	12/14/2013	lb/day	<	ND
Chlorine, Total Residual	12/15/2013	lb/day	<	ND
Chlorine, Total Residual	12/16/2013	lb/day	<	ND
Chlorine, Total Residual	12/17/2013	lb/day	<	ND
Chlorine, Total Residual	12/18/2013	lb/day	<	ND
Chlorine, Total Residual	12/19/2013	lb/day	<	ND
Chlorine, Total Residual	12/20/2013	lb/day	<	ND
Chlorine, Total Residual	12/21/2013	lb/day	<	ND
Chlorine, Total Residual	12/22/2013	lb/day	<	ND
Chlorine, Total Residual	12/23/2013	lb/day	<	ND
Chlorine, Total Residual	12/24/2013	lb/day	<	ND
Chlorine, Total Residual	12/25/2013	lb/day	<	ND
Chlorine, Total Residual	12/26/2013	lb/day	<	ND
Chlorine, Total Residual	12/27/2013	lb/day	<	ND
Chlorine, Total Residual	12/28/2013	lb/day	<	ND
Chlorine, Total Residual	12/29/2013	lb/day	<	ND
Chlorine, Total Residual	12/30/2013	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	12/31/2013	lb/day	<	ND
Chlorine, Total Residual	1/1/2014	lb/day	<	ND
Chlorine, Total Residual	1/2/2014	lb/day	<	ND
Chlorine, Total Residual	1/3/2014	lb/day	<	ND
Chlorine, Total Residual	1/4/2014	lb/day	<	ND
Chlorine, Total Residual	1/5/2014	lb/day	<	ND
Chlorine, Total Residual	1/6/2014	lb/day	<	ND
Chlorine, Total Residual	1/7/2014	lb/day	<	ND
Chlorine, Total Residual	1/8/2014	lb/day	<	ND
Chlorine, Total Residual	1/9/2014	lb/day	<	ND
Chlorine, Total Residual	1/10/2014	lb/day	<	ND
Chlorine, Total Residual	1/11/2014	lb/day	<	ND
Chlorine, Total Residual	1/12/2014	lb/day	<	ND
Chlorine, Total Residual	1/13/2014	lb/day	<	ND
Chlorine, Total Residual	1/14/2014	lb/day	<	ND
Chlorine, Total Residual	1/15/2014	lb/day	<	ND
Chlorine, Total Residual	1/16/2014	lb/day	<	ND
Chlorine, Total Residual	1/17/2014	lb/day	<	ND
Chlorine, Total Residual	1/18/2014	lb/day	<	ND
Chlorine, Total Residual	1/19/2014	lb/day	<	ND
Chlorine, Total Residual	1/20/2014	lb/day	<	ND
Chlorine, Total Residual	1/21/2014	lb/day	<	ND
Chlorine, Total Residual	1/22/2014	lb/day	<	ND
Chlorine, Total Residual	1/23/2014	lb/day	<	ND
Chlorine, Total Residual	1/24/2014	lb/day	<	ND
Chlorine, Total Residual	1/25/2014	lb/day	<	ND
Chlorine, Total Residual	1/26/2014	lb/day	<	ND
Chlorine, Total Residual	1/27/2014	lb/day	<	ND
Chlorine, Total Residual	1/28/2014	lb/day	<	ND
Chlorine, Total Residual	1/29/2014	lb/day	<	ND
Chlorine, Total Residual	1/30/2014	lb/day	<	ND
Chlorine, Total Residual	1/31/2014	lb/day	<	ND
Chlorine, Total Residual	2/1/2014	lb/day	<	ND
Chlorine, Total Residual	2/2/2014	lb/day	<	ND
Chlorine, Total Residual	2/3/2014	lb/day	<	ND
Chlorine, Total Residual	2/4/2014	lb/day	<	ND
Chlorine, Total Residual	2/5/2014	lb/day	<	ND
Chlorine, Total Residual	2/6/2014	lb/day	<	ND
Chlorine, Total Residual	2/7/2014	lb/day	<	ND
Chlorine, Total Residual	2/8/2014	lb/day	<	ND
Chlorine, Total Residual	2/9/2014	lb/day	<	ND
Chlorine, Total Residual	2/10/2014	lb/day	<	ND
Chlorine, Total Residual	2/11/2014	lb/day	<	ND
Chlorine, Total Residual	2/12/2014	lb/day	<	ND
Chlorine, Total Residual	2/13/2014	lb/day	<	ND
Chlorine, Total Residual	2/14/2014	lb/day	<	ND
Chlorine, Total Residual	2/15/2014	lb/day	<	ND
Chlorine, Total Residual	2/16/2014	lb/day	<	ND
Chlorine, Total Residual	2/17/2014	lb/day	<	ND
Chlorine, Total Residual	2/18/2014	lb/day	<	ND
Chlorine, Total Residual	2/19/2014	lb/day	<	ND
Chlorine, Total Residual	2/20/2014	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	2/21/2014	lb/day	<	ND
Chlorine, Total Residual	2/22/2014	lb/day	<	ND
Chlorine, Total Residual	2/23/2014	lb/day	<	ND
Chlorine, Total Residual	2/24/2014	lb/day	<	ND
Chlorine, Total Residual	2/25/2014	lb/day	<	ND
Chlorine, Total Residual	2/26/2014	lb/day	<	ND
Chlorine, Total Residual	2/27/2014	lb/day	<	ND
Chlorine, Total Residual	2/28/2014	lb/day	<	ND
Chlorine, Total Residual	3/1/2014	lb/day	<	ND
Chlorine, Total Residual	3/2/2014	lb/day	<	ND
Chlorine, Total Residual	3/3/2014	lb/day	<	ND
Chlorine, Total Residual	3/4/2014	lb/day	<	ND
Chlorine, Total Residual	3/5/2014	lb/day	<	ND
Chlorine, Total Residual	3/6/2014	lb/day	<	ND
Chlorine, Total Residual	3/7/2014	lb/day	<	ND
Chlorine, Total Residual	3/8/2014	lb/day	<	ND
Chlorine, Total Residual	3/9/2014	lb/day	<	ND
Chlorine, Total Residual	3/10/2014	lb/day	<	ND
Chlorine, Total Residual	3/11/2014	lb/day	<	ND
Chlorine, Total Residual	3/12/2014	lb/day	<	ND
Chlorine, Total Residual	3/13/2014	lb/day	<	ND
Chlorine, Total Residual	3/14/2014	lb/day	<	ND
Chlorine, Total Residual	3/15/2014	lb/day	<	ND
Chlorine, Total Residual	3/16/2014	lb/day	<	ND
Chlorine, Total Residual	3/17/2014	lb/day	<	ND
Chlorine, Total Residual	3/18/2014	lb/day	<	ND
Chlorine, Total Residual	3/19/2014	lb/day	<	ND
Chlorine, Total Residual	3/20/2014	lb/day	<	ND
Chlorine, Total Residual	3/21/2014	lb/day	<	ND
Chlorine, Total Residual	3/22/2014	lb/day	<	ND
Chlorine, Total Residual	3/23/2014	lb/day	<	ND
Chlorine, Total Residual	3/24/2014	lb/day	<	ND
Chlorine, Total Residual	3/25/2014	lb/day	<	ND
Chlorine, Total Residual	3/26/2014	lb/day	<	ND
Chlorine, Total Residual	3/27/2014	lb/day	<	ND
Chlorine, Total Residual	3/28/2014	lb/day	<	ND
Chlorine, Total Residual	3/29/2014	lb/day	<	ND
Chlorine, Total Residual	3/30/2014	lb/day	<	ND
Chlorine, Total Residual	3/31/2014	lb/day	<	ND
Chlorine, Total Residual	4/1/2014	lb/day	<	ND
Chlorine, Total Residual	4/2/2014	lb/day	<	ND
Chlorine, Total Residual	4/3/2014	lb/day	<	ND
Chlorine, Total Residual	4/4/2014	lb/day	<	ND
Chlorine, Total Residual	4/5/2014	lb/day	<	ND
Chlorine, Total Residual	4/6/2014	lb/day	<	ND
Chlorine, Total Residual	4/7/2014	lb/day	<	ND
Chlorine, Total Residual	4/8/2014	lb/day	<	ND
Chlorine, Total Residual	4/9/2014	lb/day	<	ND
Chlorine, Total Residual	4/10/2014	lb/day	<	ND
Chlorine, Total Residual	4/11/2014	lb/day	<	ND
Chlorine, Total Residual	4/12/2014	lb/day	<	ND
Chlorine, Total Residual	4/13/2014	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	4/14/2014	lb/day	<	ND
Chlorine, Total Residual	4/15/2014	lb/day	<	ND
Chlorine, Total Residual	4/16/2014	lb/day	<	ND
Chlorine, Total Residual	4/17/2014	lb/day	<	ND
Chlorine, Total Residual	4/18/2014	lb/day	<	ND
Chlorine, Total Residual	4/19/2014	lb/day	<	ND
Chlorine, Total Residual	4/20/2014	lb/day	<	ND
Chlorine, Total Residual	4/21/2014	lb/day	<	ND
Chlorine, Total Residual	4/22/2014	lb/day	<	ND
Chlorine, Total Residual	4/23/2014	lb/day	<	ND
Chlorine, Total Residual	4/24/2014	lb/day	<	ND
Chlorine, Total Residual	4/25/2014	lb/day	<	ND
Chlorine, Total Residual	4/26/2014	lb/day	<	ND
Chlorine, Total Residual	4/27/2014	lb/day	<	ND
Chlorine, Total Residual	4/28/2014	lb/day	<	ND
Chlorine, Total Residual	4/29/2014	lb/day	<	ND
Chlorine, Total Residual	4/30/2014	lb/day	<	ND
Chlorine, Total Residual	5/1/2014	lb/day	<	ND
Chlorine, Total Residual	5/2/2014	lb/day	<	ND
Chlorine, Total Residual	5/3/2014	lb/day	<	ND
Chlorine, Total Residual	5/4/2014	lb/day	<	ND
Chlorine, Total Residual	5/5/2014	lb/day	<	ND
Chlorine, Total Residual	5/6/2014	lb/day	<	ND
Chlorine, Total Residual	5/7/2014	lb/day	<	ND
Chlorine, Total Residual	5/8/2014	lb/day	<	ND
Chlorine, Total Residual	5/9/2014	lb/day	<	ND
Chlorine, Total Residual	5/10/2014	lb/day	<	ND
Chlorine, Total Residual	5/11/2014	lb/day	<	ND
Chlorine, Total Residual	5/12/2014	lb/day	<	ND
Chlorine, Total Residual	5/13/2014	lb/day	<	ND
Chlorine, Total Residual	5/14/2014	lb/day	<	ND
Chlorine, Total Residual	5/15/2014	lb/day	<	ND
Chlorine, Total Residual	5/16/2014	lb/day	<	ND
Chlorine, Total Residual	5/17/2014	lb/day	<	ND
Chlorine, Total Residual	5/18/2014	lb/day	<	ND
Chlorine, Total Residual	5/19/2014	lb/day	<	ND
Chlorine, Total Residual	5/20/2014	lb/day	<	ND
Chlorine, Total Residual	5/21/2014	lb/day	<	ND
Chlorine, Total Residual	5/22/2014	lb/day	<	ND
Chlorine, Total Residual	5/23/2014	lb/day	<	ND
Chlorine, Total Residual	5/24/2014	lb/day	<	ND
Chlorine, Total Residual	5/25/2014	lb/day	<	ND
Chlorine, Total Residual	5/26/2014	lb/day	<	ND
Chlorine, Total Residual	5/27/2014	lb/day	<	ND
Chlorine, Total Residual	5/28/2014	lb/day	<	ND
Chlorine, Total Residual	5/29/2014	lb/day	<	ND
Chlorine, Total Residual	5/30/2014	lb/day	<	ND
Chlorine, Total Residual	5/31/2014	lb/day	<	ND
Chlorine, Total Residual	6/1/2014	lb/day	<	ND
Chlorine, Total Residual	6/2/2014	lb/day	<	ND
Chlorine, Total Residual	6/3/2014	lb/day	<	ND
Chlorine, Total Residual	6/4/2014	lb/day	<	ND

1.25
1.25
1.25

Chlorine, Total Residual	6/5/2014	lb/day	<	ND
Chlorine, Total Residual	6/6/2014	lb/day	<	ND
Chlorine, Total Residual	6/7/2014	lb/day	<	ND
Chlorine, Total Residual	6/8/2014	lb/day	<	ND
Chlorine, Total Residual	6/9/2014	lb/day	<	ND
Chlorine, Total Residual	6/10/2014	lb/day	<	ND
Chlorine, Total Residual	6/11/2014	lb/day	<	ND
Chlorine, Total Residual	6/12/2014	lb/day	<	ND
Chlorine, Total Residual	6/13/2014	lb/day	<	ND
Chlorine, Total Residual	6/14/2014	lb/day	<	ND
Chlorine, Total Residual	6/15/2014	lb/day	<	ND
Chlorine, Total Residual	6/16/2014	lb/day	<	ND
Chlorine, Total Residual	6/17/2014	lb/day	<	ND
Chlorine, Total Residual	6/18/2014	lb/day	<	ND
Chlorine, Total Residual	6/19/2014	lb/day	<	ND
Chlorine, Total Residual	6/20/2014	lb/day	<	ND
Chlorine, Total Residual	6/21/2014	lb/day	<	ND
Chlorine, Total Residual	6/22/2014	lb/day	<	ND
Chlorine, Total Residual	6/23/2014	lb/day	<	ND
Chlorine, Total Residual	6/24/2014	lb/day	<	ND
Chlorine, Total Residual	6/25/2014	lb/day	<	ND
Chlorine, Total Residual	6/26/2014	lb/day	<	ND
Chlorine, Total Residual	6/27/2014	lb/day	<	ND
Chlorine, Total Residual	6/28/2014	lb/day	<	ND
Chlorine, Total Residual	6/29/2014	lb/day	<	ND
Chlorine, Total Residual	6/30/2014	lb/day	<	ND
Chlorine, Total Residual	7/1/2014	lb/day	<	ND
Chlorine, Total Residual	7/2/2014	lb/day	<	ND
Chlorine, Total Residual	7/3/2014	lb/day	<	ND
Chlorine, Total Residual	7/4/2014	lb/day	<	ND
Chlorine, Total Residual	7/5/2014	lb/day	<	ND
Chlorine, Total Residual	7/6/2014	lb/day	<	ND
Chlorine, Total Residual	7/7/2014	lb/day	<	ND
Chlorine, Total Residual	7/8/2014	lb/day	<	ND
Chlorine, Total Residual	7/9/2014	lb/day	<	ND
Chlorine, Total Residual	7/10/2014	lb/day	<	ND
Chlorine, Total Residual	7/11/2014	lb/day	<	ND
Chlorine, Total Residual	7/12/2014	lb/day	<	ND
Chlorine, Total Residual	7/13/2014	lb/day	<	ND
Chlorine, Total Residual	7/14/2014	lb/day	<	ND
Chlorine, Total Residual	7/15/2014	lb/day	<	ND
Chlorine, Total Residual	7/16/2014	lb/day	<	ND
Chlorine, Total Residual	7/17/2014	lb/day	<	ND
Chlorine, Total Residual	7/18/2014	lb/day	<	ND
Chlorine, Total Residual	7/19/2014	lb/day	<	ND
Chlorine, Total Residual	7/20/2014	lb/day	<	ND
Chlorine, Total Residual	7/21/2014	lb/day	<	ND
Chlorine, Total Residual	7/22/2014	lb/day	<	ND
Chlorine, Total Residual	7/23/2014	lb/day	<	ND
Chlorine, Total Residual	7/24/2014	lb/day	<	ND
Chlorine, Total Residual	7/25/2014	lb/day	<	ND
Chlorine, Total Residual	7/26/2014	lb/day	<	ND

1.25
1.25
1.25

Chlorine, Total Residual	7/27/2014	lb/day	<	ND
Chlorine, Total Residual	7/28/2014	lb/day	<	ND
Chlorine, Total Residual	7/29/2014	lb/day	<	ND
Chlorine, Total Residual	7/30/2014	lb/day	<	ND
Chlorine, Total Residual	7/31/2014	lb/day	<	ND
Chlorine, Total Residual	8/1/2014	lb/day	<	ND
Chlorine, Total Residual	8/2/2014	lb/day	<	ND
Chlorine, Total Residual	8/3/2014	lb/day	<	ND
Chlorine, Total Residual	8/4/2014	lb/day	<	ND
Chlorine, Total Residual	8/5/2014	lb/day	<	ND
Chlorine, Total Residual	8/6/2014	lb/day	<	ND
Chlorine, Total Residual	8/7/2014	lb/day	<	ND
Chlorine, Total Residual	8/8/2014	lb/day	<	ND
Chlorine, Total Residual	8/9/2014	lb/day	<	ND
Chlorine, Total Residual	8/10/2014	lb/day	<	ND
Chlorine, Total Residual	8/11/2014	lb/day	<	ND
Chlorine, Total Residual	8/12/2014	lb/day	<	ND
Chlorine, Total Residual	8/13/2014	lb/day	<	ND
Chlorine, Total Residual	8/14/2014	lb/day	<	ND
Chlorine, Total Residual	8/15/2014	lb/day	<	ND
Chlorine, Total Residual	8/16/2014	lb/day	<	ND
Chlorine, Total Residual	8/17/2014	lb/day	<	ND
Chlorine, Total Residual	8/18/2014	lb/day		2.95
Chlorine, Total Residual	8/19/2014	lb/day	<	ND
Chlorine, Total Residual	8/20/2014	lb/day	<	ND
Chlorine, Total Residual	8/21/2014	lb/day	<	ND
Chlorine, Total Residual	8/22/2014	lb/day	<	ND
Chlorine, Total Residual	8/23/2014	lb/day	<	ND
Chlorine, Total Residual	8/24/2014	lb/day	<	ND
Chlorine, Total Residual	8/25/2014	lb/day	<	ND
Chlorine, Total Residual	8/26/2014	lb/day	<	ND
Chlorine, Total Residual	8/27/2014	lb/day	<	ND
Chlorine, Total Residual	8/28/2014	lb/day	<	ND
Chlorine, Total Residual	8/29/2014	lb/day	<	ND
Chlorine, Total Residual	8/30/2014	lb/day	<	ND
Chlorine, Total Residual	8/31/2014	lb/day	<	ND
Chlorine, Total Residual	9/1/2014	lb/day	<	ND
Chlorine, Total Residual	9/2/2014	lb/day	<	ND
Chlorine, Total Residual	9/3/2014	lb/day	<	ND
Chlorine, Total Residual	9/4/2014	lb/day	<	ND
Chlorine, Total Residual	9/5/2014	lb/day	<	ND
Chlorine, Total Residual	9/6/2014	lb/day	<	ND
Chlorine, Total Residual	9/7/2014	lb/day	<	ND
Chlorine, Total Residual	9/8/2014	lb/day	<	ND
Chlorine, Total Residual	9/9/2014	lb/day	<	ND
Chlorine, Total Residual	9/10/2014	lb/day	<	ND
Chlorine, Total Residual	9/11/2014	lb/day	<	ND
Chlorine, Total Residual	9/12/2014	lb/day	<	ND
Chlorine, Total Residual	9/13/2014	lb/day	<	ND
Chlorine, Total Residual	9/14/2014	lb/day	<	ND
Chlorine, Total Residual	9/15/2014	lb/day	<	ND
Chlorine, Total Residual	9/16/2014	lb/day	<	ND

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual	9/17/2014	lb/day	<	ND
Chlorine, Total Residual	9/18/2014	lb/day	<	ND
Chlorine, Total Residual	9/19/2014	lb/day	<	ND
Chlorine, Total Residual	9/20/2014	lb/day	<	ND
Chlorine, Total Residual	9/21/2014	lb/day	<	ND
Chlorine, Total Residual	9/22/2014	lb/day	<	ND
Chlorine, Total Residual	9/23/2014	lb/day	<	ND
Chlorine, Total Residual	9/24/2014	lb/day	<	ND
Chlorine, Total Residual	9/25/2014	lb/day	<	ND
Chlorine, Total Residual	9/26/2014	lb/day	<	ND
Chlorine, Total Residual	9/27/2014	lb/day	<	ND
Chlorine, Total Residual	9/28/2014	lb/day	<	ND
Chlorine, Total Residual	9/29/2014	lb/day	<	ND
Chlorine, Total Residual	9/30/2014	lb/day	<	ND
Chlorine, Total Residual	10/1/2014	lb/day	<	ND
Chlorine, Total Residual	10/2/2014	lb/day	<	ND
Chlorine, Total Residual	10/3/2014	lb/day	<	ND
Chlorine, Total Residual	10/4/2014	lb/day	<	ND
Chlorine, Total Residual	10/5/2014	lb/day	<	ND
Chlorine, Total Residual	10/6/2014	lb/day	<	ND
Chlorine, Total Residual	10/7/2014	lb/day	<	ND
Chlorine, Total Residual	10/8/2014	lb/day	<	ND
Chlorine, Total Residual	10/9/2014	lb/day	<	ND
Chlorine, Total Residual	10/10/2014	lb/day	<	ND
Chlorine, Total Residual	10/11/2014	lb/day	<	ND
Chlorine, Total Residual	10/12/2014	lb/day	<	ND
Chlorine, Total Residual	10/13/2014	lb/day	<	ND
Chlorine, Total Residual	10/14/2014	lb/day	<	ND
Chlorine, Total Residual	10/15/2014	lb/day	<	ND
Chlorine, Total Residual	10/16/2014	lb/day	<	ND
Chlorine, Total Residual	10/17/2014	lb/day	<	ND
Chlorine, Total Residual	10/18/2014	lb/day	<	ND
Chlorine, Total Residual	10/19/2014	lb/day	<	ND
Chlorine, Total Residual	10/20/2014	lb/day	<	ND
Chlorine, Total Residual	10/21/2014	lb/day	<	ND
Chlorine, Total Residual	10/22/2014	lb/day	<	ND
Chlorine, Total Residual	10/23/2014	lb/day	<	ND
Chlorine, Total Residual	10/24/2014	lb/day	<	ND
Chlorine, Total Residual	10/25/2014	lb/day	<	ND
Chlorine, Total Residual	10/26/2014	lb/day	<	ND
Chlorine, Total Residual	10/27/2014	lb/day	<	ND
Chlorine, Total Residual	10/28/2014	lb/day	<	ND
Chlorine, Total Residual	10/29/2014	lb/day	<	ND
Chlorine, Total Residual	10/30/2014	lb/day	<	ND
Chlorine, Total Residual	10/31/2014	lb/day	<	ND
Chlorine, Total Residual	8/1/2009	mg/L		0
Chlorine, Total Residual	8/2/2009	mg/L		0
Chlorine, Total Residual	8/3/2009	mg/L		0
Chlorine, Total Residual	8/4/2009	mg/L		0
Chlorine, Total Residual	8/5/2009	mg/L		0
Chlorine, Total Residual	8/6/2009	mg/L		0
Chlorine, Total Residual	8/7/2009	mg/L		0

1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25
1.25

Chlorine, Total Residual		8/8/2009	mg/L	0
Chlorine, Total Residual		8/9/2009	mg/L	0
Chlorine, Total Residual		8/10/2009	mg/L	0.01
Chlorine, Total Residual		8/11/2009	mg/L	0.02
Chlorine, Total Residual		8/12/2009	mg/L	0
Chlorine, Total Residual		8/13/2009	mg/L	0.01
Chlorine, Total Residual		8/14/2009	mg/L	0
Chlorine, Total Residual		8/15/2009	mg/L	0
Chlorine, Total Residual		8/16/2009	mg/L	0
Chlorine, Total Residual		8/17/2009	mg/L	0
Chlorine, Total Residual		8/18/2009	mg/L	0
Chlorine, Total Residual		8/19/2009	mg/L	0
Chlorine, Total Residual		8/20/2009	mg/L	0.02
Chlorine, Total Residual	BLENDING EVENT	8/20/2009	mg/L	0.02
Chlorine, Total Residual		8/21/2009	mg/L	0
Chlorine, Total Residual		8/22/2009	mg/L	0
Chlorine, Total Residual		8/23/2009	mg/L	0
Chlorine, Total Residual		8/24/2009	mg/L	0.01
Chlorine, Total Residual		8/25/2009	mg/L	0
Chlorine, Total Residual		8/26/2009	mg/L	0.01
Chlorine, Total Residual		8/27/2009	mg/L	0.01
Chlorine, Total Residual		8/28/2009	mg/L	0.01
Chlorine, Total Residual		8/29/2009	mg/L	0.01
Chlorine, Total Residual		8/30/2009	mg/L	0
Chlorine, Total Residual		8/31/2009	mg/L	0.01
Chlorine, Total Residual		9/1/2009	mg/L	0.1
Chlorine, Total Residual		9/2/2009	mg/L	0
Chlorine, Total Residual		9/3/2009	mg/L	0
Chlorine, Total Residual		9/4/2009	mg/L	0
Chlorine, Total Residual		9/5/2009	mg/L	0
Chlorine, Total Residual		9/6/2009	mg/L	0
Chlorine, Total Residual		9/7/2009	mg/L	0
Chlorine, Total Residual		9/8/2009	mg/L	0
Chlorine, Total Residual		9/9/2009	mg/L	0
Chlorine, Total Residual		9/10/2009	mg/L	0
Chlorine, Total Residual		9/11/2009	mg/L	0
Chlorine, Total Residual		9/12/2009	mg/L	0
Chlorine, Total Residual		9/13/2009	mg/L	0.07
Chlorine, Total Residual		9/14/2009	mg/L	0.01
Chlorine, Total Residual		9/15/2009	mg/L	0
Chlorine, Total Residual		9/16/2009	mg/L	0
Chlorine, Total Residual		9/17/2009	mg/L	0
Chlorine, Total Residual		9/18/2009	mg/L	0
Chlorine, Total Residual		9/19/2009	mg/L	0
Chlorine, Total Residual		9/20/2009	mg/L	0
Chlorine, Total Residual		9/21/2009	mg/L	0
Chlorine, Total Residual		9/22/2009	mg/L	0
Chlorine, Total Residual		9/23/2009	mg/L	0
Chlorine, Total Residual		9/24/2009	mg/L	0
Chlorine, Total Residual		9/25/2009	mg/L	0
Chlorine, Total Residual		9/26/2009	mg/L	0
Chlorine, Total Residual		9/27/2009	mg/L	0

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Chlorine, Total Residual	9/28/2009	mg/L	0.02
Chlorine, Total Residual	9/29/2009	mg/L	0.01
Chlorine, Total Residual	9/30/2009	mg/L	0
Chlorine, Total Residual	10/1/2009	mg/L	0
Chlorine, Total Residual	10/2/2009	mg/L	0
Chlorine, Total Residual	10/3/2009	mg/L	0
Chlorine, Total Residual	10/4/2009	mg/L	0
Chlorine, Total Residual	10/5/2009	mg/L	0
Chlorine, Total Residual	10/6/2009	mg/L	0
Chlorine, Total Residual	10/7/2009	mg/L	0
Chlorine, Total Residual	10/8/2009	mg/L	0
Chlorine, Total Residual	10/9/2009	mg/L	0
Chlorine, Total Residual	10/10/2009	mg/L	0.01
Chlorine, Total Residual	10/11/2009	mg/L	0
Chlorine, Total Residual	10/12/2009	mg/L	0
Chlorine, Total Residual	10/13/2009	mg/L	0.01
Chlorine, Total Residual	10/14/2009	mg/L	0
Chlorine, Total Residual	10/15/2009	mg/L	0
Chlorine, Total Residual	10/16/2009	mg/L	0
Chlorine, Total Residual	10/17/2009	mg/L	0
Chlorine, Total Residual	10/18/2009	mg/L	0
Chlorine, Total Residual	10/19/2009	mg/L	0
Chlorine, Total Residual	10/20/2009	mg/L	0
Chlorine, Total Residual	10/21/2009	mg/L	0
Chlorine, Total Residual	10/22/2009	mg/L	0
Chlorine, Total Residual	10/23/2009	mg/L	0.01
Chlorine, Total Residual	10/24/2009	mg/L	0
Chlorine, Total Residual	10/25/2009	mg/L	0.01
Chlorine, Total Residual	10/26/2009	mg/L	0.01
Chlorine, Total Residual	10/27/2009	mg/L	0.01
Chlorine, Total Residual	10/28/2009	mg/L	0
Chlorine, Total Residual	10/29/2009	mg/L	0
Chlorine, Total Residual	10/30/2009	mg/L	0.01
Chlorine, Total Residual	10/31/2009	mg/L	0
Chlorine, Total Residual	11/1/2009	mg/L	0
Chlorine, Total Residual	11/2/2009	mg/L	0
Chlorine, Total Residual	11/3/2009	mg/L	0
Chlorine, Total Residual	11/4/2009	mg/L	0
Chlorine, Total Residual	11/5/2009	mg/L	0
Chlorine, Total Residual	11/6/2009	mg/L	0
Chlorine, Total Residual	11/7/2009	mg/L	0
Chlorine, Total Residual	11/8/2009	mg/L	0
Chlorine, Total Residual	11/9/2009	mg/L	0
Chlorine, Total Residual	11/10/2009	mg/L	0
Chlorine, Total Residual	11/11/2009	mg/L	0
Chlorine, Total Residual	11/12/2009	mg/L	0
Chlorine, Total Residual	11/13/2009	mg/L	0.01
Chlorine, Total Residual	11/14/2009	mg/L	0
Chlorine, Total Residual	11/15/2009	mg/L	0
Chlorine, Total Residual	11/16/2009	mg/L	0
Chlorine, Total Residual	11/17/2009	mg/L	0
Chlorine, Total Residual	11/18/2009	mg/L	0

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Chlorine, Total Residual	11/19/2009	mg/L	0
Chlorine, Total Residual	11/20/2009	mg/L	0
Chlorine, Total Residual	11/21/2009	mg/L	0
Chlorine, Total Residual	11/22/2009	mg/L	0
Chlorine, Total Residual	11/23/2009	mg/L	0
Chlorine, Total Residual	11/24/2009	mg/L	0
Chlorine, Total Residual	11/25/2009	mg/L	0.01
Chlorine, Total Residual	11/26/2009	mg/L	0.01
Chlorine, Total Residual	11/27/2009	mg/L	0
Chlorine, Total Residual	11/28/2009	mg/L	0
Chlorine, Total Residual	11/29/2009	mg/L	0
Chlorine, Total Residual	11/30/2009	mg/L	0
Chlorine, Total Residual	12/1/2009	mg/L	0.01
Chlorine, Total Residual	12/2/2009	mg/L	0
Chlorine, Total Residual	12/3/2009	mg/L	0
Chlorine, Total Residual	12/4/2009	mg/L	0
Chlorine, Total Residual	12/5/2009	mg/L	0
Chlorine, Total Residual	12/6/2009	mg/L	0
Chlorine, Total Residual	12/7/2009	mg/L	0
Chlorine, Total Residual	12/8/2009	mg/L	0
Chlorine, Total Residual	12/9/2009	mg/L	0
Chlorine, Total Residual	12/10/2009	mg/L	0.05
Chlorine, Total Residual	12/11/2009	mg/L	0
Chlorine, Total Residual	12/12/2009	mg/L	0
Chlorine, Total Residual	12/13/2009	mg/L	0
Chlorine, Total Residual	12/14/2009	mg/L	0
Chlorine, Total Residual	12/15/2009	mg/L	0
Chlorine, Total Residual	12/16/2009	mg/L	0
Chlorine, Total Residual	12/17/2009	mg/L	0
Chlorine, Total Residual	12/18/2009	mg/L	0
Chlorine, Total Residual	12/19/2009	mg/L	0
Chlorine, Total Residual	12/20/2009	mg/L	0
Chlorine, Total Residual	12/21/2009	mg/L	0
Chlorine, Total Residual	12/22/2009	mg/L	0
Chlorine, Total Residual	12/23/2009	mg/L	0.02
Chlorine, Total Residual	12/24/2009	mg/L	0
Chlorine, Total Residual	12/25/2009	mg/L	0
Chlorine, Total Residual	12/26/2009	mg/L	0
Chlorine, Total Residual	12/27/2009	mg/L	0
Chlorine, Total Residual	12/28/2009	mg/L	0
Chlorine, Total Residual	12/29/2009	mg/L	0
Chlorine, Total Residual	12/30/2009	mg/L	0
Chlorine, Total Residual	12/31/2009	mg/L	0
Chlorine, Total Residual	1/1/2010	mg/L	0
Chlorine, Total Residual	1/1/2010	mg/L	0
Chlorine, Total Residual	1/2/2010	mg/L	0
Chlorine, Total Residual	1/3/2010	mg/L	0
Chlorine, Total Residual	1/4/2010	mg/L	0
Chlorine, Total Residual	1/5/2010	mg/L	0
Chlorine, Total Residual	1/6/2010	mg/L	0
Chlorine, Total Residual	1/7/2010	mg/L	0
Chlorine, Total Residual	1/8/2010	mg/L	0.01

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Chlorine, Total Residual	1/9/2010	mg/L	0
Chlorine, Total Residual	1/10/2010	mg/L	0
Chlorine, Total Residual	1/10/2010	mg/L	0
Chlorine, Total Residual	1/11/2010	mg/L	0.02
Chlorine, Total Residual	1/12/2010	mg/L	0
Chlorine, Total Residual	1/13/2010	mg/L	0.01
Chlorine, Total Residual	1/14/2010	mg/L	0
Chlorine, Total Residual	1/15/2010	mg/L	0
Chlorine, Total Residual	1/16/2010	mg/L	0
Chlorine, Total Residual	1/17/2010	mg/L	0
Chlorine, Total Residual	1/18/2010	mg/L	0
Chlorine, Total Residual	1/19/2010	mg/L	0
Chlorine, Total Residual	1/19/2010	mg/L	0
Chlorine, Total Residual	1/20/2010	mg/L	0
Chlorine, Total Residual	1/20/2010	mg/L	0
Chlorine, Total Residual	1/21/2010	mg/L	0
Chlorine, Total Residual	1/21/2010	mg/L	0
Chlorine, Total Residual	1/22/2010	mg/L	0.02
Chlorine, Total Residual	1/22/2010	mg/L	0.02
Chlorine, Total Residual	1/23/2010	mg/L	0.01
Chlorine, Total Residual	1/23/2010	mg/L	0.01
Chlorine, Total Residual	1/24/2010	mg/L	0
Chlorine, Total Residual	1/25/2010	mg/L	0
Chlorine, Total Residual	1/26/2010	mg/L	0
Chlorine, Total Residual	1/26/2010	mg/L	0
Chlorine, Total Residual	1/27/2010	mg/L	0
Chlorine, Total Residual	1/28/2010	mg/L	0
Chlorine, Total Residual	1/29/2010	mg/L	0
Chlorine, Total Residual	1/30/2010	mg/L	0.01
Chlorine, Total Residual	1/31/2010	mg/L	0
Chlorine, Total Residual	2/1/2010	mg/L	0.01
Chlorine, Total Residual	2/2/2010	mg/L	0.01
Chlorine, Total Residual	2/3/2010	mg/L	0
Chlorine, Total Residual	2/4/2010	mg/L	0.01
Chlorine, Total Residual	2/5/2010	mg/L	0.01
Chlorine, Total Residual	2/6/2010	mg/L	0.01
Chlorine, Total Residual	2/7/2010	mg/L	0
Chlorine, Total Residual	2/8/2010	mg/L	0
Chlorine, Total Residual	2/9/2010	mg/L	0
Chlorine, Total Residual	2/10/2010	mg/L	0
Chlorine, Total Residual	2/11/2010	mg/L	0
Chlorine, Total Residual	2/12/2010	mg/L	0
Chlorine, Total Residual	2/13/2010	mg/L	0
Chlorine, Total Residual	2/14/2010	mg/L	0
Chlorine, Total Residual	2/15/2010	mg/L	0.01
Chlorine, Total Residual	2/16/2010	mg/L	0
Chlorine, Total Residual	2/17/2010	mg/L	0
Chlorine, Total Residual	2/18/2010	mg/L	0
Chlorine, Total Residual	2/19/2010	mg/L	0.01
Chlorine, Total Residual	2/20/2010	mg/L	0.01
Chlorine, Total Residual	2/21/2010	mg/L	0
Chlorine, Total Residual	2/22/2010	mg/L	0.01

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Chlorine, Total Residual		2/23/2010	mg/L	0
Chlorine, Total Residual		2/24/2010	mg/L	0
Chlorine, Total Residual		2/25/2010	mg/L	0
Chlorine, Total Residual		2/26/2010	mg/L	0.01
Chlorine, Total Residual	BLENDING EVENT	2/26/2010	mg/L	0.01
Chlorine, Total Residual	BLENDING EVENT	2/27/2010	mg/L	0
Chlorine, Total Residual		2/27/2010	mg/L	0
Chlorine, Total Residual		2/28/2010	mg/L	0
Chlorine, Total Residual		3/1/2010	mg/L	0
Chlorine, Total Residual		3/2/2010	mg/L	0
Chlorine, Total Residual		3/3/2010	mg/L	0
Chlorine, Total Residual	BLENDING EVENT	3/3/2010	mg/L	0
Chlorine, Total Residual	BLENDING EVENT	3/4/2010	mg/L	0
Chlorine, Total Residual		3/4/2010	mg/L	0
Chlorine, Total Residual		3/5/2010	mg/L	0.01
Chlorine, Total Residual		3/6/2010	mg/L	0.01
Chlorine, Total Residual		3/7/2010	mg/L	0.01
Chlorine, Total Residual		3/8/2010	mg/L	0.01
Chlorine, Total Residual		3/9/2010	mg/L	0
Chlorine, Total Residual		3/10/2010	mg/L	0
Chlorine, Total Residual		3/11/2010	mg/L	0.01
Chlorine, Total Residual	BLENDING EVENT	3/12/2010	mg/L	0.01
Chlorine, Total Residual		3/12/2010	mg/L	0.01
Chlorine, Total Residual	BLENDING EVENT	3/13/2010	mg/L	0
Chlorine, Total Residual		3/13/2010	mg/L	0
Chlorine, Total Residual		3/14/2010	mg/L	0
Chlorine, Total Residual		3/14/2010	mg/L	0
Chlorine, Total Residual		3/15/2010	mg/L	0.01
Chlorine, Total Residual		3/16/2010	mg/L	0.01
Chlorine, Total Residual		3/17/2010	mg/L	0.01
Chlorine, Total Residual		3/18/2010	mg/L	0.02
Chlorine, Total Residual		3/19/2010	mg/L	0
Chlorine, Total Residual		3/20/2010	mg/L	0.14
Chlorine, Total Residual	BLENDING EVENT	3/21/2010	mg/L	0
Chlorine, Total Residual		3/21/2010	mg/L	0
Chlorine, Total Residual		3/22/2010	mg/L	0.03
Chlorine, Total Residual		3/23/2010	mg/L	0
Chlorine, Total Residual		3/24/2010	mg/L	0.01
Chlorine, Total Residual		3/25/2010	mg/L	0.01
Chlorine, Total Residual		3/26/2010	mg/L	0
Chlorine, Total Residual		3/27/2010	mg/L	0.01
Chlorine, Total Residual		3/28/2010	mg/L	0
Chlorine, Total Residual		3/29/2010	mg/L	0
Chlorine, Total Residual		3/30/2010	mg/L	0
Chlorine, Total Residual	BLENDING EVENT	3/31/2010	mg/L	0.01
Chlorine, Total Residual		3/31/2010	mg/L	0.01
Chlorine, Total Residual		4/1/2010	mg/L	0
Chlorine, Total Residual	BLENDING EVENT	4/2/2010	mg/L	0
Chlorine, Total Residual		4/2/2010	mg/L	0
Chlorine, Total Residual		4/3/2010	mg/L	0.01
Chlorine, Total Residual		4/4/2010	mg/L	0.03
Chlorine, Total Residual	BLENDING EVENT	4/5/2010	mg/L	0

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Chlorine, Total Residual		4/5/2010	mg/L	0
Chlorine, Total Residual		4/6/2010	mg/L	0.01
Chlorine, Total Residual	BLENDING EVENT	4/6/2010	mg/L	0.01
Chlorine, Total Residual		4/7/2010	mg/L	0.02
Chlorine, Total Residual		4/8/2010	mg/L	0.01
Chlorine, Total Residual		4/9/2010	mg/L	0.01
Chlorine, Total Residual		4/10/2010	mg/L	0.01
Chlorine, Total Residual		4/11/2010	mg/L	0
Chlorine, Total Residual		4/12/2010	mg/L	0.01
Chlorine, Total Residual		4/13/2010	mg/L	0
Chlorine, Total Residual		4/14/2010	mg/L	0.01
Chlorine, Total Residual		4/15/2010	mg/L	0
Chlorine, Total Residual		4/16/2010	mg/L	0.01
Chlorine, Total Residual		4/17/2010	mg/L	0.02
Chlorine, Total Residual		4/18/2010	mg/L	0
Chlorine, Total Residual		4/19/2010	mg/L	0.01
Chlorine, Total Residual		4/20/2010	mg/L	0.01
Chlorine, Total Residual		4/21/2010	mg/L	0
Chlorine, Total Residual		4/22/2010	mg/L	0.01
Chlorine, Total Residual		4/23/2010	mg/L	0.01
Chlorine, Total Residual		4/24/2010	mg/L	0.01
Chlorine, Total Residual		4/25/2010	mg/L	0
Chlorine, Total Residual		4/26/2010	mg/L	0
Chlorine, Total Residual		4/27/2010	mg/L	0
Chlorine, Total Residual	BLENDING EVENT	4/27/2010	mg/L	0
Chlorine, Total Residual	BLENDING EVENT	4/28/2010	mg/L	0
Chlorine, Total Residual		4/28/2010	mg/L	0
Chlorine, Total Residual		4/29/2010	mg/L	0
Chlorine, Total Residual	BLENDING EVENT	4/29/2010	mg/L	0
Chlorine, Total Residual		4/30/2010	mg/L	0
Chlorine, Total Residual		5/1/2010	mg/L	0.01
Chlorine, Total Residual	BLENDING EVENT	5/2/2010	mg/L	0
Chlorine, Total Residual		5/2/2010	mg/L	0
Chlorine, Total Residual		5/3/2010	mg/L	0
Chlorine, Total Residual		5/4/2010	mg/L	0
Chlorine, Total Residual		5/5/2010	mg/L	0
Chlorine, Total Residual		5/6/2010	mg/L	0
Chlorine, Total Residual		5/7/2010	mg/L	0.01
Chlorine, Total Residual		5/8/2010	mg/L	0
Chlorine, Total Residual		5/9/2010	mg/L	0.01
Chlorine, Total Residual		5/10/2010	mg/L	0.01
Chlorine, Total Residual		5/11/2010	mg/L	0.01
Chlorine, Total Residual		5/12/2010	mg/L	0
Chlorine, Total Residual		5/13/2010	mg/L	0.01
Chlorine, Total Residual		5/14/2010	mg/L	0.01
Chlorine, Total Residual		5/15/2010	mg/L	0
Chlorine, Total Residual		5/16/2010	mg/L	0
Chlorine, Total Residual		5/17/2010	mg/L	0.08
Chlorine, Total Residual		5/18/2010	mg/L	0.03
Chlorine, Total Residual		5/19/2010	mg/L	0.02
Chlorine, Total Residual		5/20/2010	mg/L	0
Chlorine, Total Residual		5/21/2010	mg/L	0

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Chlorine, Total Residual		5/22/2010	mg/L	0
Chlorine, Total Residual		5/23/2010	mg/L	0.02
Chlorine, Total Residual		5/24/2010	mg/L	0
Chlorine, Total Residual		5/25/2010	mg/L	0
Chlorine, Total Residual		5/26/2010	mg/L	0
Chlorine, Total Residual		5/27/2010	mg/L	0
Chlorine, Total Residual		5/28/2010	mg/L	0
Chlorine, Total Residual		5/29/2010	mg/L	0
Chlorine, Total Residual		5/30/2010	mg/L	0
Chlorine, Total Residual		5/31/2010	mg/L	0
Chlorine, Total Residual		6/1/2010	mg/L	0.06
Chlorine, Total Residual		6/2/2010	mg/L	0.03
Chlorine, Total Residual		6/3/2010	mg/L	0.01
Chlorine, Total Residual		6/4/2010	mg/L	0.02
Chlorine, Total Residual	BLENDING EVENT	6/4/2010	mg/L	0.02
Chlorine, Total Residual	BLENDING EVENT	6/4/2010	mg/L	0
Chlorine, Total Residual		6/5/2010	mg/L	0.01
Chlorine, Total Residual		6/6/2010	mg/L	0.01
Chlorine, Total Residual		6/7/2010	mg/L	0.01
Chlorine, Total Residual		6/8/2010	mg/L	0.01
Chlorine, Total Residual		6/9/2010	mg/L	0
Chlorine, Total Residual		6/10/2010	mg/L	0
Chlorine, Total Residual		6/11/2010	mg/L	0
Chlorine, Total Residual		6/12/2010	mg/L	0
Chlorine, Total Residual		6/13/2010	mg/L	0
Chlorine, Total Residual		6/14/2010	mg/L	0
Chlorine, Total Residual		6/15/2010	mg/L	0
Chlorine, Total Residual		6/16/2010	mg/L	0.01
Chlorine, Total Residual		6/17/2010	mg/L	0.04
Chlorine, Total Residual		6/18/2010	mg/L	0.01
Chlorine, Total Residual		6/19/2010	mg/L	0.01
Chlorine, Total Residual		6/20/2010	mg/L	0
Chlorine, Total Residual		6/21/2010	mg/L	0.01
Chlorine, Total Residual		6/22/2010	mg/L	0
Chlorine, Total Residual		6/23/2010	mg/L	0
Chlorine, Total Residual		6/24/2010	mg/L	0
Chlorine, Total Residual		6/25/2010	mg/L	0.01
Chlorine, Total Residual		6/26/2010	mg/L	0.01
Chlorine, Total Residual		6/27/2010	mg/L	0
Chlorine, Total Residual		6/28/2010	mg/L	0
Chlorine, Total Residual		6/29/2010	mg/L	0
Chlorine, Total Residual		6/30/2010	mg/L	0.01
Chlorine, Total Residual		7/1/2010	mg/L	0.01
Chlorine, Total Residual		7/2/2010	mg/L	0.01
Chlorine, Total Residual		7/3/2010	mg/L	0.02
Chlorine, Total Residual		7/4/2010	mg/L	0.01
Chlorine, Total Residual		7/5/2010	mg/L	0.01
Chlorine, Total Residual		7/6/2010	mg/L	0.01
Chlorine, Total Residual		7/7/2010	mg/L	0
Chlorine, Total Residual		7/8/2010	mg/L	0
Chlorine, Total Residual		7/9/2010	mg/L	0.01
Chlorine, Total Residual		7/10/2010	mg/L	0

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Chlorine, Total Residual	7/11/2010	mg/L	0
Chlorine, Total Residual	7/12/2010	mg/L	0
Chlorine, Total Residual	7/13/2010	mg/L	0
Chlorine, Total Residual	7/14/2010	mg/L	0.01
Chlorine, Total Residual	7/15/2010	mg/L	0.08
Chlorine, Total Residual	7/16/2010	mg/L	0
Chlorine, Total Residual	7/17/2010	mg/L	0.01
Chlorine, Total Residual	7/18/2010	mg/L	0.01
Chlorine, Total Residual	7/19/2010	mg/L	0.01
Chlorine, Total Residual	7/20/2010	mg/L	0.02
Chlorine, Total Residual	7/21/2010	mg/L	0
Chlorine, Total Residual	7/22/2010	mg/L	0
Chlorine, Total Residual	7/23/2010	mg/L	0.01
Chlorine, Total Residual	7/24/2010	mg/L	0.01
Chlorine, Total Residual	7/25/2010	mg/L	0
Chlorine, Total Residual	7/26/2010	mg/L	0.01
Chlorine, Total Residual	7/27/2010	mg/L	0
Chlorine, Total Residual	7/28/2010	mg/L	0.01
Chlorine, Total Residual	7/29/2010	mg/L	0.01
Chlorine, Total Residual	7/30/2010	mg/L	0
Chlorine, Total Residual	7/31/2010	mg/L	0.01
Chlorine, Total Residual	8/1/2010	mg/L	0
Chlorine, Total Residual	8/2/2010	mg/L	0.01
Chlorine, Total Residual	8/3/2010	mg/L	0
Chlorine, Total Residual	8/4/2010	mg/L	0.01
Chlorine, Total Residual	8/5/2010	mg/L	0.01
Chlorine, Total Residual	8/6/2010	mg/L	0
Chlorine, Total Residual	8/7/2010	mg/L	0
Chlorine, Total Residual	8/8/2010	mg/L	0
Chlorine, Total Residual	8/9/2010	mg/L	0
Chlorine, Total Residual	8/10/2010	mg/L	0
Chlorine, Total Residual	8/11/2010	mg/L	0
Chlorine, Total Residual	8/12/2010	mg/L	0
Chlorine, Total Residual	8/13/2010	mg/L	0
Chlorine, Total Residual	8/14/2010	mg/L	0.01
Chlorine, Total Residual	8/15/2010	mg/L	0
Chlorine, Total Residual	8/16/2010	mg/L	0
Chlorine, Total Residual	8/17/2010	mg/L	0.01
Chlorine, Total Residual	8/18/2010	mg/L	0.01
Chlorine, Total Residual	8/19/2010	mg/L	0
Chlorine, Total Residual	8/20/2010	mg/L	0.01
Chlorine, Total Residual	8/21/2010	mg/L	0
Chlorine, Total Residual	8/22/2010	mg/L	0
Chlorine, Total Residual	8/23/2010	mg/L	0
Chlorine, Total Residual	8/24/2010	mg/L	0.01
Chlorine, Total Residual	8/25/2010	mg/L	0
Chlorine, Total Residual	8/26/2010	mg/L	0
Chlorine, Total Residual	8/27/2010	mg/L	0
Chlorine, Total Residual	8/28/2010	mg/L	0.01
Chlorine, Total Residual	8/29/2010	mg/L	0
Chlorine, Total Residual	8/30/2010	mg/L	0
Chlorine, Total Residual	8/31/2010	mg/L	0.02

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Chlorine, Total Residual	9/1/2010	mg/L	0
Chlorine, Total Residual	9/2/2010	mg/L	0.01
Chlorine, Total Residual	9/3/2010	mg/L	0
Chlorine, Total Residual	9/4/2010	mg/L	0.01
Chlorine, Total Residual	9/5/2010	mg/L	0
Chlorine, Total Residual	9/6/2010	mg/L	0.01
Chlorine, Total Residual	9/7/2010	mg/L	0
Chlorine, Total Residual	9/8/2010	mg/L	0
Chlorine, Total Residual	9/9/2010	mg/L	0
Chlorine, Total Residual	9/10/2010	mg/L	0
Chlorine, Total Residual	9/11/2010	mg/L	0.01
Chlorine, Total Residual	9/12/2010	mg/L	0
Chlorine, Total Residual	9/13/2010	mg/L	0
Chlorine, Total Residual	9/14/2010	mg/L	0.01
Chlorine, Total Residual	9/15/2010	mg/L	0
Chlorine, Total Residual	9/16/2010	mg/L	0.01
Chlorine, Total Residual	9/17/2010	mg/L	0.01
Chlorine, Total Residual	9/18/2010	mg/L	0.01
Chlorine, Total Residual	9/19/2010	mg/L	0
Chlorine, Total Residual	9/20/2010	mg/L	0
Chlorine, Total Residual	9/21/2010	mg/L	0
Chlorine, Total Residual	9/22/2010	mg/L	0
Chlorine, Total Residual	9/23/2010	mg/L	0
Chlorine, Total Residual	9/24/2010	mg/L	0
Chlorine, Total Residual	9/25/2010	mg/L	0
Chlorine, Total Residual	9/26/2010	mg/L	0.02
Chlorine, Total Residual	9/27/2010	mg/L	0
Chlorine, Total Residual	9/28/2010	mg/L	0
Chlorine, Total Residual	9/29/2010	mg/L	0
Chlorine, Total Residual	9/30/2010	mg/L	0
Chlorine, Total Residual	10/1/2010	mg/L	0.01
Chlorine, Total Residual	10/2/2010	mg/L	0.01
Chlorine, Total Residual	10/3/2010	mg/L	0.02
Chlorine, Total Residual	10/4/2010	mg/L	0
Chlorine, Total Residual	10/5/2010	mg/L	0
Chlorine, Total Residual	10/6/2010	mg/L	0
Chlorine, Total Residual	10/7/2010	mg/L	0
Chlorine, Total Residual	10/8/2010	mg/L	0
Chlorine, Total Residual	10/9/2010	mg/L	0.01
Chlorine, Total Residual	10/10/2010	mg/L	0
Chlorine, Total Residual	10/11/2010	mg/L	0
Chlorine, Total Residual	10/12/2010	mg/L	0
Chlorine, Total Residual	10/13/2010	mg/L	0.01
Chlorine, Total Residual	10/14/2010	mg/L	0.01
Chlorine, Total Residual	10/15/2010	mg/L	0.01
Chlorine, Total Residual	10/16/2010	mg/L	0.02
Chlorine, Total Residual	10/17/2010	mg/L	0
Chlorine, Total Residual	10/18/2010	mg/L	0
Chlorine, Total Residual	10/19/2010	mg/L	0.01
Chlorine, Total Residual	10/20/2010	mg/L	0.01
Chlorine, Total Residual	10/21/2010	mg/L	0.01
Chlorine, Total Residual	10/22/2010	mg/L	0

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Chlorine, Total Residual		10/23/2010	mg/L		0.01
Chlorine, Total Residual	BLENDING EVENT	10/24/2010	mg/L		0
Chlorine, Total Residual		10/24/2010	mg/L		0
Chlorine, Total Residual		10/25/2010	mg/L		0
Chlorine, Total Residual		10/26/2010	mg/L		0
Chlorine, Total Residual		10/27/2010	mg/L		0
Chlorine, Total Residual		10/28/2010	mg/L		0
Chlorine, Total Residual		10/29/2010	mg/L		0.01
Chlorine, Total Residual		10/30/2010	mg/L		0.01
Chlorine, Total Residual		10/31/2010	mg/L		0
Chlorine, Total Residual		11/1/2010	mg/L		0.01
Chlorine, Total Residual		11/2/2010	mg/L		0.01
Chlorine, Total Residual		11/3/2010	mg/L		0
Chlorine, Total Residual		11/4/2010	mg/L		0.01
Chlorine, Total Residual		11/5/2010	mg/L		0
Chlorine, Total Residual		11/6/2010	mg/L		0
Chlorine, Total Residual		11/7/2010	mg/L		0.01
Chlorine, Total Residual		11/8/2010	mg/L		0
Chlorine, Total Residual		11/9/2010	mg/L		0
Chlorine, Total Residual		11/10/2010	mg/L		0
Chlorine, Total Residual		11/11/2010	mg/L		0.02
Chlorine, Total Residual		11/12/2010	mg/L		0
Chlorine, Total Residual		11/13/2010	mg/L		0
Chlorine, Total Residual		11/14/2010	mg/L		0.01
Chlorine, Total Residual		11/15/2010	mg/L		0
Chlorine, Total Residual		11/16/2010	mg/L		0
Chlorine, Total Residual		11/17/2010	mg/L		0
Chlorine, Total Residual		11/18/2010	mg/L		0
Chlorine, Total Residual		11/19/2010	mg/L		0.02
Chlorine, Total Residual		11/20/2010	mg/L		0
Chlorine, Total Residual		11/21/2010	mg/L		0.01
Chlorine, Total Residual		11/22/2010	mg/L		0
Chlorine, Total Residual		11/23/2010	mg/L		0
Chlorine, Total Residual		11/24/2010	mg/L		0
Chlorine, Total Residual		11/25/2010	mg/L		0
Chlorine, Total Residual		11/26/2010	mg/L		0.01
Chlorine, Total Residual		11/27/2010	mg/L		0
Chlorine, Total Residual		11/28/2010	mg/L		0
Chlorine, Total Residual		11/29/2010	mg/L		0.01
Chlorine, Total Residual		11/30/2010	mg/L		0.02
Chlorine, Total Residual		12/31/2010	mg/L		0.2
Chlorine, Total Residual	max	12/31/2010	mg/L		0.01
Chlorine, Total Residual	Standard Method (19th) 4500-Cl G: Chlorine: DPD Colorimetric	1/1/2011	mg/L	<	ND
Chlorine, Total Residual		1/2/2011	mg/L	<	ND
Chlorine, Total Residual		1/3/2011	mg/L	<	ND
Chlorine, Total Residual		1/4/2011	mg/L	<	ND
Chlorine, Total Residual		1/5/2011	mg/L	<	ND
Chlorine, Total Residual		1/6/2011	mg/L	<	ND
Chlorine, Total Residual		1/7/2011	mg/L	<	ND
Chlorine, Total Residual		1/8/2011	mg/L	<	ND
Chlorine, Total Residual		1/9/2011	mg/L	<	ND
Chlorine, Total Residual		1/10/2011	mg/L	<	ND

		BLENDING EVENT
0.02	0.1	
0.02	0.1	Daily Max
0.02	0.1	Daily Max
0.02	0.1	Daily Max
0.02	0.1	Daily Max
0.02	0.1	Daily Max
0.02	0.1	Daily Max
0.02	0.1	Daily Max
0.02	0.1	Daily Max
0.02	0.1	Daily Max

Chlorine, Total Residual		1/11/2011	mg/L	<	ND
Chlorine, Total Residual	Standard Method (19th) 4500-Cl G: Chlorine: DPD Colorimetric	1/12/2011	mg/L	<	ND
Chlorine, Total Residual		1/12/2011	mg/L	<	ND
Chlorine, Total Residual		1/13/2011	mg/L	<	ND
Chlorine, Total Residual		1/14/2011	mg/L	<	ND
Chlorine, Total Residual		1/15/2011	mg/L	<	ND
Chlorine, Total Residual		1/16/2011	mg/L	<	ND
Chlorine, Total Residual		1/17/2011	mg/L	<	ND
Chlorine, Total Residual		1/18/2011	mg/L	<	ND
Chlorine, Total Residual		1/19/2011	mg/L	<	ND
Chlorine, Total Residual		1/20/2011	mg/L	<	ND
Chlorine, Total Residual		1/21/2011	mg/L	<	ND
Chlorine, Total Residual		1/22/2011	mg/L	<	ND
Chlorine, Total Residual		1/23/2011	mg/L	<	ND
Chlorine, Total Residual		1/24/2011	mg/L	<	ND
Chlorine, Total Residual		1/25/2011	mg/L	<	ND
Chlorine, Total Residual		1/26/2011	mg/L	<	ND
Chlorine, Total Residual		1/27/2011	mg/L	<	ND
Chlorine, Total Residual		1/28/2011	mg/L	<	ND
Chlorine, Total Residual		1/29/2011	mg/L	<	ND
Chlorine, Total Residual		1/30/2011	mg/L	<	ND
Chlorine, Total Residual		1/31/2011	mg/L	<	ND
Chlorine, Total Residual		2/1/2011	mg/L	<	ND
Chlorine, Total Residual		2/2/2011	mg/L	<	ND
Chlorine, Total Residual		2/3/2011	mg/L	<	ND
Chlorine, Total Residual		2/4/2011	mg/L	<	ND
Chlorine, Total Residual		2/5/2011	mg/L	<	ND
Chlorine, Total Residual		2/6/2011	mg/L	<	ND
Chlorine, Total Residual		2/7/2011	mg/L	<	ND
Chlorine, Total Residual		2/8/2011	mg/L	<	ND
Chlorine, Total Residual		2/9/2011	mg/L		0.06
Chlorine, Total Residual		2/10/2011	mg/L	<	ND
Chlorine, Total Residual		2/11/2011	mg/L		0.11
Chlorine, Total Residual		2/12/2011	mg/L		0.24
Chlorine, Total Residual		2/13/2011	mg/L		0.2
Chlorine, Total Residual		2/14/2011	mg/L	<	ND
Chlorine, Total Residual		2/15/2011	mg/L	<	ND
Chlorine, Total Residual		2/16/2011	mg/L	<	ND
Chlorine, Total Residual		2/17/2011	mg/L	<	ND
Chlorine, Total Residual		2/18/2011	mg/L	<	ND
Chlorine, Total Residual		2/19/2011	mg/L	<	ND
Chlorine, Total Residual		2/20/2011	mg/L	<	ND
Chlorine, Total Residual		2/21/2011	mg/L	<	ND
Chlorine, Total Residual		2/22/2011	mg/L	<	ND
Chlorine, Total Residual		2/23/2011	mg/L	<	ND
Chlorine, Total Residual		2/24/2011	mg/L	<	ND
Chlorine, Total Residual		2/25/2011	mg/L	<	ND
Chlorine, Total Residual		2/26/2011	mg/L	<	ND
Chlorine, Total Residual		2/27/2011	mg/L	<	ND
Chlorine, Total Residual		2/28/2011	mg/L	<	ND
Chlorine, Total Residual		3/1/2011	mg/L	<	ND
Chlorine, Total Residual		3/2/2011	mg/L	<	ND

0.02	0.1	Daily Max
	0.1	
0.02	0.1	Daily Max
0.02	0.1	Daily Max
0.02	0.1	Daily Max

Chlorine, Total Residual	3/3/2011	mg/L	<	ND
Chlorine, Total Residual	3/4/2011	mg/L	<	ND
Chlorine, Total Residual	3/5/2011	mg/L	<	ND
Chlorine, Total Residual	3/6/2011	mg/L	<	ND
Chlorine, Total Residual	3/7/2011	mg/L	<	ND
Chlorine, Total Residual	3/8/2011	mg/L	<	ND
Chlorine, Total Residual	3/9/2011	mg/L	<	ND
Chlorine, Total Residual	3/10/2011	mg/L	<	ND
Chlorine, Total Residual	3/11/2011	mg/L	<	ND
Chlorine, Total Residual	3/12/2011	mg/L	<	ND
Chlorine, Total Residual	3/13/2011	mg/L	<	ND
Chlorine, Total Residual	3/14/2011	mg/L	<	ND
Chlorine, Total Residual	3/15/2011	mg/L	<	ND
Chlorine, Total Residual	3/16/2011	mg/L	<	ND
Chlorine, Total Residual	3/17/2011	mg/L	<	ND
Chlorine, Total Residual	3/18/2011	mg/L	<	ND
Chlorine, Total Residual	3/19/2011	mg/L		0.08
Chlorine, Total Residual	3/20/2011	mg/L	<	ND
Chlorine, Total Residual	3/21/2011	mg/L	<	ND
Chlorine, Total Residual	3/22/2011	mg/L	<	ND
Chlorine, Total Residual	3/23/2011	mg/L	<	ND
Chlorine, Total Residual	3/24/2011	mg/L	<	ND
Chlorine, Total Residual	3/25/2011	mg/L	<	ND
Chlorine, Total Residual	3/26/2011	mg/L		0.07
Chlorine, Total Residual	3/27/2011	mg/L	<	ND
Chlorine, Total Residual	3/28/2011	mg/L	<	ND
Chlorine, Total Residual	3/29/2011	mg/L	<	ND
Chlorine, Total Residual	3/30/2011	mg/L		0.11
Chlorine, Total Residual	3/31/2011	mg/L	<	ND
Chlorine, Total Residual	4/1/2011	mg/L	<	ND
Chlorine, Total Residual	4/2/2011	mg/L	<	ND
Chlorine, Total Residual	4/3/2011	mg/L	<	ND
Chlorine, Total Residual	4/4/2011	mg/L	<	ND
Chlorine, Total Residual	4/5/2011	mg/L		0.05
Chlorine, Total Residual	4/6/2011	mg/L	<	ND
Chlorine, Total Residual	4/7/2011	mg/L	<	ND
Chlorine, Total Residual	4/8/2011	mg/L	<	ND
Chlorine, Total Residual	4/9/2011	mg/L	<	ND
Chlorine, Total Residual	4/10/2011	mg/L	<	ND
Chlorine, Total Residual	4/11/2011	mg/L	<	ND
Chlorine, Total Residual	4/12/2011	mg/L	<	ND
Chlorine, Total Residual	4/13/2011	mg/L	<	ND
Chlorine, Total Residual	4/14/2011	mg/L	<	ND
Chlorine, Total Residual	4/15/2011	mg/L		0.1
Chlorine, Total Residual	4/16/2011	mg/L		0.03
Chlorine, Total Residual	4/17/2011	mg/L	<	ND
Chlorine, Total Residual	4/18/2011	mg/L	<	ND
Chlorine, Total Residual	4/19/2011	mg/L	<	ND
Chlorine, Total Residual	4/20/2011	mg/L	<	ND
Chlorine, Total Residual	4/21/2011	mg/L	<	ND
Chlorine, Total Residual	4/22/2011	mg/L	<	ND
Chlorine, Total Residual	4/23/2011	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	4/24/2011	mg/L	<	ND
Chlorine, Total Residual	4/25/2011	mg/L	<	ND
Chlorine, Total Residual	4/26/2011	mg/L	<	ND
Chlorine, Total Residual	4/26/2011	mg/L	<	ND
Chlorine, Total Residual	4/27/2011	mg/L	<	ND
Chlorine, Total Residual	4/28/2011	mg/L	<	ND
Chlorine, Total Residual	4/29/2011	mg/L	<	ND
Chlorine, Total Residual	4/30/2011	mg/L	<	ND
Chlorine, Total Residual	5/1/2011	mg/L	<	ND
Chlorine, Total Residual	5/2/2011	mg/L	<	ND
Chlorine, Total Residual	5/3/2011	mg/L	<	ND
Chlorine, Total Residual	5/4/2011	mg/L	<	ND
Chlorine, Total Residual	5/5/2011	mg/L	<	ND
Chlorine, Total Residual	5/6/2011	mg/L	<	ND
Chlorine, Total Residual	5/7/2011	mg/L	<	ND
Chlorine, Total Residual	5/8/2011	mg/L	<	ND
Chlorine, Total Residual	5/9/2011	mg/L	<	ND
Chlorine, Total Residual	5/10/2011	mg/L	<	ND
Chlorine, Total Residual	5/11/2011	mg/L	<	ND
Chlorine, Total Residual	5/12/2011	mg/L	<	ND
Chlorine, Total Residual	5/13/2011	mg/L	<	ND
Chlorine, Total Residual	5/14/2011	mg/L	<	ND
Chlorine, Total Residual	5/15/2011	mg/L	<	ND
Chlorine, Total Residual	5/16/2011	mg/L	<	ND
Chlorine, Total Residual	5/17/2011	mg/L	<	ND
Chlorine, Total Residual	5/18/2011	mg/L	<	ND
Chlorine, Total Residual	5/19/2011	mg/L	<	ND
Chlorine, Total Residual	5/20/2011	mg/L	<	ND
Chlorine, Total Residual	5/21/2011	mg/L	<	ND
Chlorine, Total Residual	5/22/2011	mg/L	<	ND
Chlorine, Total Residual	5/23/2011	mg/L		0.03
Chlorine, Total Residual	5/24/2011	mg/L		0.03
Chlorine, Total Residual	5/25/2011	mg/L	<	ND
Chlorine, Total Residual	5/26/2011	mg/L		0.03
Chlorine, Total Residual	5/27/2011	mg/L	<	ND
Chlorine, Total Residual	5/28/2011	mg/L	<	ND
Chlorine, Total Residual	5/29/2011	mg/L	<	ND
Chlorine, Total Residual	5/30/2011	mg/L	<	ND
Chlorine, Total Residual	5/31/2011	mg/L	<	ND
Chlorine, Total Residual	6/1/2011	mg/L	<	ND
Chlorine, Total Residual	6/2/2011	mg/L	<	ND
Chlorine, Total Residual	6/3/2011	mg/L	<	ND
Chlorine, Total Residual	6/4/2011	mg/L	<	ND
Chlorine, Total Residual	6/5/2011	mg/L	<	ND
Chlorine, Total Residual	6/6/2011	mg/L	<	ND
Chlorine, Total Residual	6/7/2011	mg/L	<	ND
Chlorine, Total Residual	6/8/2011	mg/L	<	ND
Chlorine, Total Residual	6/9/2011	mg/L	<	ND
Chlorine, Total Residual	6/10/2011	mg/L	<	ND
Chlorine, Total Residual	6/11/2011	mg/L	<	ND
Chlorine, Total Residual	6/12/2011	mg/L	<	ND
Chlorine, Total Residual	6/13/2011	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	6/14/2011	mg/L	<	ND
Chlorine, Total Residual	6/15/2011	mg/L	<	ND
Chlorine, Total Residual	6/16/2011	mg/L	<	ND
Chlorine, Total Residual	6/17/2011	mg/L	<	ND
Chlorine, Total Residual	6/18/2011	mg/L	<	ND
Chlorine, Total Residual	6/19/2011	mg/L	<	ND
Chlorine, Total Residual	6/20/2011	mg/L	<	ND
Chlorine, Total Residual	6/21/2011	mg/L	<	ND
Chlorine, Total Residual	6/22/2011	mg/L	<	ND
Chlorine, Total Residual	6/23/2011	mg/L	<	ND
Chlorine, Total Residual	6/24/2011	mg/L	<	ND
Chlorine, Total Residual	6/25/2011	mg/L	<	ND
Chlorine, Total Residual	6/26/2011	mg/L	<	ND
Chlorine, Total Residual	6/27/2011	mg/L	<	ND
Chlorine, Total Residual	6/28/2011	mg/L	<	ND
Chlorine, Total Residual	6/29/2011	mg/L	<	ND
Chlorine, Total Residual	6/30/2011	mg/L	<	ND
Chlorine, Total Residual	7/1/2011	mg/L	<	ND
Chlorine, Total Residual	7/2/2011	mg/L	<	ND
Chlorine, Total Residual	7/3/2011	mg/L	<	ND
Chlorine, Total Residual	7/4/2011	mg/L	<	ND
Chlorine, Total Residual	7/5/2011	mg/L	<	ND
Chlorine, Total Residual	7/6/2011	mg/L	<	ND
Chlorine, Total Residual	7/7/2011	mg/L	<	ND
Chlorine, Total Residual	7/8/2011	mg/L	<	ND
Chlorine, Total Residual	7/9/2011	mg/L	<	ND
Chlorine, Total Residual	7/10/2011	mg/L	<	ND
Chlorine, Total Residual	7/11/2011	mg/L	<	ND
Chlorine, Total Residual	7/12/2011	mg/L	<	ND
Chlorine, Total Residual	7/13/2011	mg/L	<	ND
Chlorine, Total Residual	7/14/2011	mg/L	<	ND
Chlorine, Total Residual	7/15/2011	mg/L	<	ND
Chlorine, Total Residual	7/16/2011	mg/L	<	ND
Chlorine, Total Residual	7/17/2011	mg/L	<	ND
Chlorine, Total Residual	7/18/2011	mg/L	<	ND
Chlorine, Total Residual	7/19/2011	mg/L	<	ND
Chlorine, Total Residual	7/20/2011	mg/L	<	ND
Chlorine, Total Residual	7/21/2011	mg/L	<	ND
Chlorine, Total Residual	7/22/2011	mg/L	<	ND
Chlorine, Total Residual	7/23/2011	mg/L	<	ND
Chlorine, Total Residual	7/24/2011	mg/L	<	ND
Chlorine, Total Residual	7/25/2011	mg/L	<	ND
Chlorine, Total Residual	7/26/2011	mg/L	<	ND
Chlorine, Total Residual	7/27/2011	mg/L	<	ND
Chlorine, Total Residual	7/28/2011	mg/L	<	ND
Chlorine, Total Residual	7/29/2011	mg/L		0.03
Chlorine, Total Residual	7/30/2011	mg/L	<	ND
Chlorine, Total Residual	7/31/2011	mg/L	<	ND
Chlorine, Total Residual	8/1/2011	mg/L	<	ND
Chlorine, Total Residual	8/2/2011	mg/L	<	ND
Chlorine, Total Residual	8/3/2011	mg/L	<	ND
Chlorine, Total Residual	8/4/2011	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	8/5/2011	mg/L	<	ND
Chlorine, Total Residual	8/6/2011	mg/L	<	ND
Chlorine, Total Residual	8/7/2011	mg/L	<	ND
Chlorine, Total Residual	8/8/2011	mg/L	<	ND
Chlorine, Total Residual	8/9/2011	mg/L	<	ND
Chlorine, Total Residual	8/10/2011	mg/L	<	ND
Chlorine, Total Residual	8/11/2011	mg/L	<	ND
Chlorine, Total Residual	8/12/2011	mg/L	<	ND
Chlorine, Total Residual	8/13/2011	mg/L	<	ND
Chlorine, Total Residual	8/14/2011	mg/L	<	ND
Chlorine, Total Residual	8/15/2011	mg/L	<	ND
Chlorine, Total Residual	8/16/2011	mg/L	<	ND
Chlorine, Total Residual	8/17/2011	mg/L	<	ND
Chlorine, Total Residual	8/18/2011	mg/L	<	ND
Chlorine, Total Residual	8/19/2011	mg/L		0.5
Chlorine, Total Residual	8/20/2011	mg/L		1.57
Chlorine, Total Residual	8/21/2011	mg/L	<	ND
Chlorine, Total Residual	8/22/2011	mg/L	<	ND
Chlorine, Total Residual	8/23/2011	mg/L	<	ND
Chlorine, Total Residual	8/24/2011	mg/L	<	ND
Chlorine, Total Residual	8/25/2011	mg/L	<	ND
Chlorine, Total Residual	8/26/2011	mg/L	<	ND
Chlorine, Total Residual	8/27/2011	mg/L	<	ND
Chlorine, Total Residual	8/28/2011	mg/L	<	ND
Chlorine, Total Residual	8/29/2011	mg/L	<	ND
Chlorine, Total Residual	8/30/2011	mg/L	<	ND
Chlorine, Total Residual	8/31/2011	mg/L	<	ND
Chlorine, Total Residual	9/1/2011	mg/L	<	ND
Chlorine, Total Residual	9/2/2011	mg/L	<	ND
Chlorine, Total Residual	9/3/2011	mg/L	<	ND
Chlorine, Total Residual	9/4/2011	mg/L	<	ND
Chlorine, Total Residual	9/5/2011	mg/L	<	ND
Chlorine, Total Residual	9/6/2011	mg/L	<	ND
Chlorine, Total Residual	9/7/2011	mg/L	<	ND
Chlorine, Total Residual	9/8/2011	mg/L	<	ND
Chlorine, Total Residual	9/9/2011	mg/L	<	ND
Chlorine, Total Residual	9/10/2011	mg/L	<	ND
Chlorine, Total Residual	9/11/2011	mg/L	<	ND
Chlorine, Total Residual	9/12/2011	mg/L	<	ND
Chlorine, Total Residual	9/13/2011	mg/L	<	ND
Chlorine, Total Residual	9/14/2011	mg/L	<	ND
Chlorine, Total Residual	9/15/2011	mg/L	<	ND
Chlorine, Total Residual	9/16/2011	mg/L	<	ND
Chlorine, Total Residual	9/17/2011	mg/L	<	ND
Chlorine, Total Residual	9/18/2011	mg/L	<	ND
Chlorine, Total Residual	9/19/2011	mg/L	<	ND
Chlorine, Total Residual	9/20/2011	mg/L	<	ND
Chlorine, Total Residual	9/21/2011	mg/L	<	ND
Chlorine, Total Residual	9/22/2011	mg/L	<	ND
Chlorine, Total Residual	9/23/2011	mg/L	<	ND
Chlorine, Total Residual	9/24/2011	mg/L	<	ND
Chlorine, Total Residual	9/25/2011	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	9/26/2011	mg/L	<	ND
Chlorine, Total Residual	9/27/2011	mg/L	<	ND
Chlorine, Total Residual	9/28/2011	mg/L	<	ND
Chlorine, Total Residual	9/29/2011	mg/L	<	ND
Chlorine, Total Residual	9/30/2011	mg/L	<	ND
Chlorine, Total Residual	10/1/2011	mg/L	<	ND
Chlorine, Total Residual	10/2/2011	mg/L	<	ND
Chlorine, Total Residual	10/3/2011	mg/L	<	ND
Chlorine, Total Residual	10/4/2011	mg/L	<	ND
Chlorine, Total Residual	10/5/2011	mg/L	<	ND
Chlorine, Total Residual	10/6/2011	mg/L	<	ND
Chlorine, Total Residual	10/7/2011	mg/L	<	ND
Chlorine, Total Residual	10/8/2011	mg/L	<	ND
Chlorine, Total Residual	10/9/2011	mg/L	<	ND
Chlorine, Total Residual	10/10/2011	mg/L	<	ND
Chlorine, Total Residual	10/11/2011	mg/L	<	ND
Chlorine, Total Residual	10/12/2011	mg/L	<	ND
Chlorine, Total Residual	10/13/2011	mg/L	<	ND
Chlorine, Total Residual	10/14/2011	mg/L	<	ND
Chlorine, Total Residual	10/15/2011	mg/L	<	ND
Chlorine, Total Residual	10/16/2011	mg/L	<	ND
Chlorine, Total Residual	10/17/2011	mg/L	<	ND
Chlorine, Total Residual	10/18/2011	mg/L	<	ND
Chlorine, Total Residual	10/19/2011	mg/L	<	ND
Chlorine, Total Residual	10/20/2011	mg/L	<	ND
Chlorine, Total Residual	10/21/2011	mg/L	<	ND
Chlorine, Total Residual	10/22/2011	mg/L	<	ND
Chlorine, Total Residual	10/23/2011	mg/L		0.06
Chlorine, Total Residual	10/24/2011	mg/L	<	ND
Chlorine, Total Residual	10/25/2011	mg/L	<	ND
Chlorine, Total Residual	10/26/2011	mg/L	<	ND
Chlorine, Total Residual	10/27/2011	mg/L	<	ND
Chlorine, Total Residual	10/28/2011	mg/L	<	ND
Chlorine, Total Residual	10/29/2011	mg/L	<	ND
Chlorine, Total Residual	10/30/2011	mg/L	<	ND
Chlorine, Total Residual	10/31/2011	mg/L		0.06
Chlorine, Total Residual	11/1/2011	mg/L	<	ND
Chlorine, Total Residual	11/2/2011	mg/L	<	ND
Chlorine, Total Residual	11/3/2011	mg/L	<	ND
Chlorine, Total Residual	11/4/2011	mg/L	<	ND
Chlorine, Total Residual	11/5/2011	mg/L	<	ND
Chlorine, Total Residual	11/6/2011	mg/L	<	ND
Chlorine, Total Residual	11/7/2011	mg/L	<	ND
Chlorine, Total Residual	11/8/2011	mg/L	<	ND
Chlorine, Total Residual	11/9/2011	mg/L	<	ND
Chlorine, Total Residual	11/10/2011	mg/L	<	ND
Chlorine, Total Residual	11/11/2011	mg/L	<	ND
Chlorine, Total Residual	11/12/2011	mg/L	<	ND
Chlorine, Total Residual	11/13/2011	mg/L	<	ND
Chlorine, Total Residual	11/14/2011	mg/L	<	ND
Chlorine, Total Residual	11/15/2011	mg/L	<	ND
Chlorine, Total Residual	11/16/2011	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	11/17/2011	mg/L	<	ND
Chlorine, Total Residual	11/18/2011	mg/L	<	ND
Chlorine, Total Residual	11/19/2011	mg/L	<	ND
Chlorine, Total Residual	11/20/2011	mg/L	<	ND
Chlorine, Total Residual	11/21/2011	mg/L	<	ND
Chlorine, Total Residual	11/22/2011	mg/L	<	ND
Chlorine, Total Residual	11/23/2011	mg/L	<	ND
Chlorine, Total Residual	11/24/2011	mg/L	<	ND
Chlorine, Total Residual	11/25/2011	mg/L	<	ND
Chlorine, Total Residual	11/26/2011	mg/L	<	ND
Chlorine, Total Residual	11/27/2011	mg/L	<	ND
Chlorine, Total Residual	11/28/2011	mg/L	<	ND
Chlorine, Total Residual	11/29/2011	mg/L	<	ND
Chlorine, Total Residual	11/30/2011	mg/L	<	ND
Chlorine, Total Residual	12/1/2011	mg/L	<	ND
Chlorine, Total Residual	12/2/2011	mg/L	<	ND
Chlorine, Total Residual	12/3/2011	mg/L	<	ND
Chlorine, Total Residual	12/4/2011	mg/L	<	ND
Chlorine, Total Residual	12/5/2011	mg/L	<	ND
Chlorine, Total Residual	12/6/2011	mg/L	<	ND
Chlorine, Total Residual	12/7/2011	mg/L	<	ND
Chlorine, Total Residual	12/8/2011	mg/L	<	ND
Chlorine, Total Residual	12/9/2011	mg/L	<	ND
Chlorine, Total Residual	12/10/2011	mg/L	<	ND
Chlorine, Total Residual	12/11/2011	mg/L	<	ND
Chlorine, Total Residual	12/12/2011	mg/L	<	ND
Chlorine, Total Residual	12/13/2011	mg/L	<	ND
Chlorine, Total Residual	12/14/2011	mg/L	<	ND
Chlorine, Total Residual	12/15/2011	mg/L	<	ND
Chlorine, Total Residual	12/16/2011	mg/L	<	ND
Chlorine, Total Residual	12/17/2011	mg/L	<	ND
Chlorine, Total Residual	12/18/2011	mg/L	<	ND
Chlorine, Total Residual	12/19/2011	mg/L	<	ND
Chlorine, Total Residual	12/20/2011	mg/L	<	ND
Chlorine, Total Residual	12/21/2011	mg/L	<	ND
Chlorine, Total Residual	12/22/2011	mg/L	<	ND
Chlorine, Total Residual	12/23/2011	mg/L	<	ND
Chlorine, Total Residual	12/24/2011	mg/L	<	ND
Chlorine, Total Residual	12/25/2011	mg/L	<	ND
Chlorine, Total Residual	12/26/2011	mg/L	<	ND
Chlorine, Total Residual	12/27/2011	mg/L	<	ND
Chlorine, Total Residual	12/28/2011	mg/L	<	ND
Chlorine, Total Residual	12/29/2011	mg/L	<	ND
Chlorine, Total Residual	12/30/2011	mg/L	<	ND
Chlorine, Total Residual	12/31/2011	mg/L	<	ND
Chlorine, Total Residual	1/1/2012	mg/L	<	ND
Chlorine, Total Residual	1/2/2012	mg/L	<	ND
Chlorine, Total Residual	1/3/2012	mg/L	<	ND
Chlorine, Total Residual	1/4/2012	mg/L	<	ND
Chlorine, Total Residual	1/5/2012	mg/L	<	ND
Chlorine, Total Residual	1/6/2012	mg/L	<	ND
Chlorine, Total Residual	1/7/2012	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	1/8/2012	mg/L	<	ND
Chlorine, Total Residual	1/9/2012	mg/L	<	ND
Chlorine, Total Residual	1/10/2012	mg/L	<	ND
Chlorine, Total Residual	1/11/2012	mg/L	<	ND
Chlorine, Total Residual	1/12/2012	mg/L	<	ND
Chlorine, Total Residual	1/13/2012	mg/L	<	ND
Chlorine, Total Residual	1/14/2012	mg/L	<	ND
Chlorine, Total Residual	1/15/2012	mg/L	<	ND
Chlorine, Total Residual	1/16/2012	mg/L	<	ND
Chlorine, Total Residual	1/17/2012	mg/L	<	ND
Chlorine, Total Residual	1/18/2012	mg/L	<	ND
Chlorine, Total Residual	1/19/2012	mg/L	<	ND
Chlorine, Total Residual	1/20/2012	mg/L	<	ND
Chlorine, Total Residual	1/21/2012	mg/L	<	ND
Chlorine, Total Residual	1/22/2012	mg/L	<	ND
Chlorine, Total Residual	1/23/2012	mg/L	<	ND
Chlorine, Total Residual	1/24/2012	mg/L	<	ND
Chlorine, Total Residual	1/25/2012	mg/L	<	ND
Chlorine, Total Residual	1/26/2012	mg/L	<	ND
Chlorine, Total Residual	1/27/2012	mg/L	<	ND
Chlorine, Total Residual	1/28/2012	mg/L	<	ND
Chlorine, Total Residual	1/29/2012	mg/L	<	ND
Chlorine, Total Residual	1/30/2012	mg/L	<	ND
Chlorine, Total Residual	1/31/2012	mg/L	<	ND
Chlorine, Total Residual	2/1/2012	mg/L	<	ND
Chlorine, Total Residual	2/2/2012	mg/L	<	ND
Chlorine, Total Residual	2/3/2012	mg/L	<	ND
Chlorine, Total Residual	2/4/2012	mg/L	<	ND
Chlorine, Total Residual	2/5/2012	mg/L	<	ND
Chlorine, Total Residual	2/6/2012	mg/L	<	ND
Chlorine, Total Residual	2/7/2012	mg/L	<	ND
Chlorine, Total Residual	2/8/2012	mg/L	<	ND
Chlorine, Total Residual	2/9/2012	mg/L	<	ND
Chlorine, Total Residual	2/10/2012	mg/L	<	ND
Chlorine, Total Residual	2/11/2012	mg/L	<	ND
Chlorine, Total Residual	2/12/2012	mg/L	<	ND
Chlorine, Total Residual	2/13/2012	mg/L	<	ND
Chlorine, Total Residual	2/14/2012	mg/L	<	ND
Chlorine, Total Residual	2/15/2012	mg/L	<	ND
Chlorine, Total Residual	2/16/2012	mg/L	<	ND
Chlorine, Total Residual	2/17/2012	mg/L	<	ND
Chlorine, Total Residual	2/18/2012	mg/L	<	ND
Chlorine, Total Residual	2/19/2012	mg/L	<	ND
Chlorine, Total Residual	2/20/2012	mg/L	<	ND
Chlorine, Total Residual	2/21/2012	mg/L	<	ND
Chlorine, Total Residual	2/22/2012	mg/L	<	ND
Chlorine, Total Residual	2/23/2012	mg/L	<	ND
Chlorine, Total Residual	2/24/2012	mg/L	<	ND
Chlorine, Total Residual	2/25/2012	mg/L	<	ND
Chlorine, Total Residual	2/26/2012	mg/L	<	ND
Chlorine, Total Residual	2/27/2012	mg/L	<	ND
Chlorine, Total Residual	2/28/2012	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	2/29/2012	mg/L	<	ND
Chlorine, Total Residual	3/1/2012	mg/L	<	ND
Chlorine, Total Residual	3/2/2012	mg/L	<	ND
Chlorine, Total Residual	3/3/2012	mg/L	<	ND
Chlorine, Total Residual	3/4/2012	mg/L	<	ND
Chlorine, Total Residual	3/5/2012	mg/L	<	ND
Chlorine, Total Residual	3/6/2012	mg/L	<	ND
Chlorine, Total Residual	3/7/2012	mg/L	<	ND
Chlorine, Total Residual	3/8/2012	mg/L	<	ND
Chlorine, Total Residual	3/9/2012	mg/L	<	ND
Chlorine, Total Residual	3/10/2012	mg/L	<	ND
Chlorine, Total Residual	3/11/2012	mg/L	<	ND
Chlorine, Total Residual	3/12/2012	mg/L	<	ND
Chlorine, Total Residual	3/13/2012	mg/L	<	ND
Chlorine, Total Residual	3/14/2012	mg/L	<	ND
Chlorine, Total Residual	3/15/2012	mg/L	<	ND
Chlorine, Total Residual	3/16/2012	mg/L	<	ND
Chlorine, Total Residual	3/17/2012	mg/L	<	ND
Chlorine, Total Residual	3/18/2012	mg/L	<	ND
Chlorine, Total Residual	3/19/2012	mg/L	<	ND
Chlorine, Total Residual	3/20/2012	mg/L	<	ND
Chlorine, Total Residual	3/21/2012	mg/L	<	ND
Chlorine, Total Residual	3/22/2012	mg/L	<	ND
Chlorine, Total Residual	3/23/2012	mg/L	<	ND
Chlorine, Total Residual	3/24/2012	mg/L	<	ND
Chlorine, Total Residual	3/25/2012	mg/L	<	ND
Chlorine, Total Residual	3/26/2012	mg/L	<	ND
Chlorine, Total Residual	3/27/2012	mg/L	<	ND
Chlorine, Total Residual	3/28/2012	mg/L	<	ND
Chlorine, Total Residual	3/29/2012	mg/L	<	ND
Chlorine, Total Residual	3/30/2012	mg/L	<	ND
Chlorine, Total Residual	3/31/2012	mg/L	<	ND
Chlorine, Total Residual	4/1/2012	mg/L	<	ND
Chlorine, Total Residual	4/2/2012	mg/L	<	ND
Chlorine, Total Residual	4/3/2012	mg/L	<	ND
Chlorine, Total Residual	4/4/2012	mg/L	<	ND
Chlorine, Total Residual	4/5/2012	mg/L	<	ND
Chlorine, Total Residual	4/6/2012	mg/L	<	ND
Chlorine, Total Residual	4/7/2012	mg/L	<	ND
Chlorine, Total Residual	4/8/2012	mg/L	<	ND
Chlorine, Total Residual	4/9/2012	mg/L	<	ND
Chlorine, Total Residual	4/10/2012	mg/L	<	ND
Chlorine, Total Residual	4/11/2012	mg/L	<	ND
Chlorine, Total Residual	4/12/2012	mg/L	<	ND
Chlorine, Total Residual	4/13/2012	mg/L		0.09
Chlorine, Total Residual	4/14/2012	mg/L	<	ND
Chlorine, Total Residual	4/15/2012	mg/L	<	ND
Chlorine, Total Residual	4/16/2012	mg/L	<	ND
Chlorine, Total Residual	4/17/2012	mg/L	<	ND
Chlorine, Total Residual	4/18/2012	mg/L	<	ND
Chlorine, Total Residual	4/19/2012	mg/L	<	ND
Chlorine, Total Residual	4/20/2012	mg/L	<	ND

0.02	1
0.02	1
0.02	1

Chlorine, Total Residual	4/21/2012	mg/L	<	ND
Chlorine, Total Residual	4/22/2012	mg/L	<	ND
Chlorine, Total Residual	4/23/2012	mg/L	<	ND
Chlorine, Total Residual	4/24/2012	mg/L	<	ND
Chlorine, Total Residual	4/25/2012	mg/L	<	ND
Chlorine, Total Residual	4/26/2012	mg/L	<	ND
Chlorine, Total Residual	4/27/2012	mg/L	<	ND
Chlorine, Total Residual	4/28/2012	mg/L	<	ND
Chlorine, Total Residual	4/29/2012	mg/L	<	ND
Chlorine, Total Residual	4/30/2012	mg/L	<	ND
Chlorine, Total Residual	5/1/2012	mg/L	<	ND
Chlorine, Total Residual	5/2/2012	mg/L	<	ND
Chlorine, Total Residual	5/3/2012	mg/L	<	ND
Chlorine, Total Residual	5/4/2012	mg/L	<	ND
Chlorine, Total Residual	5/5/2012	mg/L	<	ND
Chlorine, Total Residual	5/6/2012	mg/L	<	ND
Chlorine, Total Residual	5/7/2012	mg/L	<	ND
Chlorine, Total Residual	5/8/2012	mg/L	<	ND
Chlorine, Total Residual	5/9/2012	mg/L	<	ND
Chlorine, Total Residual	5/10/2012	mg/L	<	ND
Chlorine, Total Residual	5/11/2012	mg/L		0.03
Chlorine, Total Residual	5/12/2012	mg/L	<	ND
Chlorine, Total Residual	5/13/2012	mg/L	<	ND
Chlorine, Total Residual	5/14/2012	mg/L	<	ND
Chlorine, Total Residual	5/15/2012	mg/L	<	ND
Chlorine, Total Residual	5/16/2012	mg/L	<	ND
Chlorine, Total Residual	5/17/2012	mg/L	<	ND
Chlorine, Total Residual	5/18/2012	mg/L	<	ND
Chlorine, Total Residual	5/19/2012	mg/L	<	ND
Chlorine, Total Residual	5/20/2012	mg/L	<	ND
Chlorine, Total Residual	5/21/2012	mg/L	<	ND
Chlorine, Total Residual	5/22/2012	mg/L	<	ND
Chlorine, Total Residual	5/23/2012	mg/L	<	ND
Chlorine, Total Residual	5/24/2012	mg/L	<	ND
Chlorine, Total Residual	5/25/2012	mg/L	<	ND
Chlorine, Total Residual	5/26/2012	mg/L	<	ND
Chlorine, Total Residual	5/27/2012	mg/L	<	ND
Chlorine, Total Residual	5/28/2012	mg/L	<	ND
Chlorine, Total Residual	5/29/2012	mg/L	<	ND
Chlorine, Total Residual	5/30/2012	mg/L	<	ND
Chlorine, Total Residual	5/31/2012	mg/L	<	ND
Chlorine, Total Residual	6/1/2012	mg/L	<	ND
Chlorine, Total Residual	6/2/2012	mg/L	<	ND
Chlorine, Total Residual	6/3/2012	mg/L	<	ND
Chlorine, Total Residual	6/4/2012	mg/L	<	ND
Chlorine, Total Residual	6/5/2012	mg/L	<	ND
Chlorine, Total Residual	6/6/2012	mg/L	<	ND
Chlorine, Total Residual	6/7/2012	mg/L	<	ND
Chlorine, Total Residual	6/8/2012	mg/L	<	ND
Chlorine, Total Residual	6/9/2012	mg/L	<	ND
Chlorine, Total Residual	6/10/2012	mg/L	<	ND
Chlorine, Total Residual	6/11/2012	mg/L	<	ND

0.02	1
0.02	1
0.02	1

Chlorine, Total Residual	6/12/2012	mg/L	<	ND
Chlorine, Total Residual	6/13/2012	mg/L	<	ND
Chlorine, Total Residual	6/14/2012	mg/L	<	ND
Chlorine, Total Residual	6/15/2012	mg/L	<	ND
Chlorine, Total Residual	6/16/2012	mg/L	<	ND
Chlorine, Total Residual	6/17/2012	mg/L	<	ND
Chlorine, Total Residual	6/18/2012	mg/L	<	ND
Chlorine, Total Residual	6/19/2012	mg/L	<	ND
Chlorine, Total Residual	6/20/2012	mg/L	<	ND
Chlorine, Total Residual	6/21/2012	mg/L	<	ND
Chlorine, Total Residual	6/22/2012	mg/L	<	ND
Chlorine, Total Residual	6/23/2012	mg/L	<	ND
Chlorine, Total Residual	6/24/2012	mg/L	<	ND
Chlorine, Total Residual	6/25/2012	mg/L	<	ND
Chlorine, Total Residual	6/26/2012	mg/L	<	ND
Chlorine, Total Residual	6/27/2012	mg/L	<	ND
Chlorine, Total Residual	6/28/2012	mg/L	<	ND
Chlorine, Total Residual	6/29/2012	mg/L	<	ND
Chlorine, Total Residual	6/30/2012	mg/L	<	ND
Chlorine, Total Residual	7/1/2012	mg/L	<	ND
Chlorine, Total Residual	7/2/2012	mg/L	<	ND
Chlorine, Total Residual	7/3/2012	mg/L	<	ND
Chlorine, Total Residual	7/4/2012	mg/L	<	ND
Chlorine, Total Residual	7/5/2012	mg/L	<	ND
Chlorine, Total Residual	7/6/2012	mg/L	<	ND
Chlorine, Total Residual	7/7/2012	mg/L		0.12
Chlorine, Total Residual	7/8/2012	mg/L	<	ND
Chlorine, Total Residual	7/9/2012	mg/L		0.03
Chlorine, Total Residual	7/10/2012	mg/L		0.04
Chlorine, Total Residual	7/11/2012	mg/L	<	ND
Chlorine, Total Residual	7/12/2012	mg/L	<	ND
Chlorine, Total Residual	7/13/2012	mg/L	<	ND
Chlorine, Total Residual	7/14/2012	mg/L	<	ND
Chlorine, Total Residual	7/15/2012	mg/L	<	ND
Chlorine, Total Residual	7/16/2012	mg/L	<	ND
Chlorine, Total Residual	7/17/2012	mg/L	<	ND
Chlorine, Total Residual	7/18/2012	mg/L	<	ND
Chlorine, Total Residual	7/19/2012	mg/L	<	ND
Chlorine, Total Residual	7/20/2012	mg/L	<	ND
Chlorine, Total Residual	7/21/2012	mg/L	<	ND
Chlorine, Total Residual	7/22/2012	mg/L	<	ND
Chlorine, Total Residual	7/23/2012	mg/L	<	ND
Chlorine, Total Residual	7/24/2012	mg/L	<	ND
Chlorine, Total Residual	7/25/2012	mg/L	<	ND
Chlorine, Total Residual	7/26/2012	mg/L	<	ND
Chlorine, Total Residual	7/27/2012	mg/L		0.03
Chlorine, Total Residual	7/28/2012	mg/L	<	ND
Chlorine, Total Residual	7/29/2012	mg/L	<	ND
Chlorine, Total Residual	7/30/2012	mg/L	<	ND
Chlorine, Total Residual	7/31/2012	mg/L	<	ND
Chlorine, Total Residual	8/1/2012	mg/L	<	ND
Chlorine, Total Residual	8/2/2012	mg/L	<	ND

0.02	1
0.02	1
0.02	1

Chlorine, Total Residual	8/3/2012	mg/L	<	ND
Chlorine, Total Residual	8/4/2012	mg/L	<	ND
Chlorine, Total Residual	8/5/2012	mg/L	<	ND
Chlorine, Total Residual	8/6/2012	mg/L	<	ND
Chlorine, Total Residual	8/7/2012	mg/L	<	ND
Chlorine, Total Residual	8/8/2012	mg/L	<	ND
Chlorine, Total Residual	8/9/2012	mg/L	<	ND
Chlorine, Total Residual	8/10/2012	mg/L	<	ND
Chlorine, Total Residual	8/11/2012	mg/L	<	ND
Chlorine, Total Residual	8/12/2012	mg/L	<	ND
Chlorine, Total Residual	8/13/2012	mg/L	<	ND
Chlorine, Total Residual	8/14/2012	mg/L	<	ND
Chlorine, Total Residual	8/15/2012	mg/L	<	ND
Chlorine, Total Residual	8/16/2012	mg/L	<	ND
Chlorine, Total Residual	8/17/2012	mg/L	<	ND
Chlorine, Total Residual	8/18/2012	mg/L	<	ND
Chlorine, Total Residual	8/19/2012	mg/L	<	ND
Chlorine, Total Residual	8/20/2012	mg/L	<	ND
Chlorine, Total Residual	8/21/2012	mg/L	<	ND
Chlorine, Total Residual	8/22/2012	mg/L	<	ND
Chlorine, Total Residual	8/23/2012	mg/L	<	ND
Chlorine, Total Residual	8/24/2012	mg/L		0.03
Chlorine, Total Residual	8/25/2012	mg/L	<	ND
Chlorine, Total Residual	8/26/2012	mg/L	<	ND
Chlorine, Total Residual	8/27/2012	mg/L	<	ND
Chlorine, Total Residual	8/28/2012	mg/L	<	ND
Chlorine, Total Residual	8/29/2012	mg/L	<	ND
Chlorine, Total Residual	8/30/2012	mg/L	<	ND
Chlorine, Total Residual	8/31/2012	mg/L	<	ND
Chlorine, Total Residual	9/1/2012	mg/L	<	ND
Chlorine, Total Residual	9/2/2012	mg/L	<	ND
Chlorine, Total Residual	9/3/2012	mg/L	<	ND
Chlorine, Total Residual	9/4/2012	mg/L	<	ND
Chlorine, Total Residual	9/5/2012	mg/L		0.03
Chlorine, Total Residual	9/6/2012	mg/L		0.05
Chlorine, Total Residual	9/7/2012	mg/L		0.08
Chlorine, Total Residual	9/8/2012	mg/L		0.03
Chlorine, Total Residual	9/9/2012	mg/L	<	ND
Chlorine, Total Residual	9/10/2012	mg/L	<	ND
Chlorine, Total Residual	9/11/2012	mg/L	<	ND
Chlorine, Total Residual	9/12/2012	mg/L	<	ND
Chlorine, Total Residual	9/13/2012	mg/L	<	ND
Chlorine, Total Residual	9/14/2012	mg/L	<	ND
Chlorine, Total Residual	9/15/2012	mg/L	<	ND
Chlorine, Total Residual	9/16/2012	mg/L	<	ND
Chlorine, Total Residual	9/17/2012	mg/L	<	ND
Chlorine, Total Residual	9/18/2012	mg/L	<	ND
Chlorine, Total Residual	9/19/2012	mg/L	<	ND
Chlorine, Total Residual	9/20/2012	mg/L	<	ND
Chlorine, Total Residual	9/21/2012	mg/L	<	ND
Chlorine, Total Residual	9/22/2012	mg/L	<	ND
Chlorine, Total Residual	9/23/2012	mg/L	<	ND

0.02	1
0.02	1
0.02	1

Chlorine, Total Residual	9/24/2012	mg/L	<	ND
Chlorine, Total Residual	9/25/2012	mg/L	<	ND
Chlorine, Total Residual	9/26/2012	mg/L	<	ND
Chlorine, Total Residual	9/27/2012	mg/L	<	ND
Chlorine, Total Residual	9/28/2012	mg/L	<	ND
Chlorine, Total Residual	9/29/2012	mg/L	<	ND
Chlorine, Total Residual	9/30/2012	mg/L	<	ND
Chlorine, Total Residual	10/1/2012	mg/L	<	ND
Chlorine, Total Residual	10/2/2012	mg/L	<	ND
Chlorine, Total Residual	10/3/2012	mg/L	<	ND
Chlorine, Total Residual	10/4/2012	mg/L	<	ND
Chlorine, Total Residual	10/5/2012	mg/L		0.04
Chlorine, Total Residual	10/6/2012	mg/L	<	ND
Chlorine, Total Residual	10/7/2012	mg/L	<	ND
Chlorine, Total Residual	10/8/2012	mg/L	<	ND
Chlorine, Total Residual	10/9/2012	mg/L	<	ND
Chlorine, Total Residual	10/10/2012	mg/L	<	ND
Chlorine, Total Residual	10/11/2012	mg/L	<	ND
Chlorine, Total Residual	10/12/2012	mg/L	<	ND
Chlorine, Total Residual	10/13/2012	mg/L	<	ND
Chlorine, Total Residual	10/14/2012	mg/L	<	ND
Chlorine, Total Residual	10/15/2012	mg/L	<	ND
Chlorine, Total Residual	10/16/2012	mg/L	<	ND
Chlorine, Total Residual	10/17/2012	mg/L	<	ND
Chlorine, Total Residual	10/18/2012	mg/L	<	ND
Chlorine, Total Residual	10/19/2012	mg/L	<	ND
Chlorine, Total Residual	10/20/2012	mg/L		0.07
Chlorine, Total Residual	10/21/2012	mg/L	<	ND
Chlorine, Total Residual	10/22/2012	mg/L	<	ND
Chlorine, Total Residual	10/23/2012	mg/L	<	ND
Chlorine, Total Residual	10/24/2012	mg/L	<	ND
Chlorine, Total Residual	10/25/2012	mg/L	<	ND
Chlorine, Total Residual	10/26/2012	mg/L	<	ND
Chlorine, Total Residual	10/27/2012	mg/L	<	ND
Chlorine, Total Residual	10/28/2012	mg/L	<	ND
Chlorine, Total Residual	10/29/2012	mg/L	<	ND
Chlorine, Total Residual	10/30/2012	mg/L	<	ND
Chlorine, Total Residual	10/31/2012	mg/L	<	ND
Chlorine, Total Residual	11/1/2012	mg/L	<	ND
Chlorine, Total Residual	11/2/2012	mg/L	<	ND
Chlorine, Total Residual	11/3/2012	mg/L	<	ND
Chlorine, Total Residual	11/4/2012	mg/L	<	ND
Chlorine, Total Residual	11/5/2012	mg/L	<	ND
Chlorine, Total Residual	11/6/2012	mg/L	<	ND
Chlorine, Total Residual	11/7/2012	mg/L		0.03
Chlorine, Total Residual	11/8/2012	mg/L		0.03
Chlorine, Total Residual	11/9/2012	mg/L	<	ND
Chlorine, Total Residual	11/10/2012	mg/L	<	ND
Chlorine, Total Residual	11/11/2012	mg/L	<	ND
Chlorine, Total Residual	11/12/2012	mg/L	<	ND
Chlorine, Total Residual	11/13/2012	mg/L	<	ND
Chlorine, Total Residual	11/14/2012	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	11/15/2012	mg/L	<	ND
Chlorine, Total Residual	11/16/2012	mg/L	<	ND
Chlorine, Total Residual	11/17/2012	mg/L	<	ND
Chlorine, Total Residual	11/18/2012	mg/L	<	ND
Chlorine, Total Residual	11/19/2012	mg/L	<	ND
Chlorine, Total Residual	11/20/2012	mg/L	<	ND
Chlorine, Total Residual	11/21/2012	mg/L	<	ND
Chlorine, Total Residual	11/22/2012	mg/L		0.04
Chlorine, Total Residual	11/23/2012	mg/L	<	ND
Chlorine, Total Residual	11/24/2012	mg/L	<	ND
Chlorine, Total Residual	11/25/2012	mg/L	<	ND
Chlorine, Total Residual	11/26/2012	mg/L	<	ND
Chlorine, Total Residual	11/27/2012	mg/L	<	ND
Chlorine, Total Residual	11/28/2012	mg/L	<	ND
Chlorine, Total Residual	11/29/2012	mg/L	<	ND
Chlorine, Total Residual	11/30/2012	mg/L	<	ND
Chlorine, Total Residual	12/1/2012	mg/L	<	ND
Chlorine, Total Residual	12/2/2012	mg/L	<	ND
Chlorine, Total Residual	12/3/2012	mg/L	<	ND
Chlorine, Total Residual	12/4/2012	mg/L	<	ND
Chlorine, Total Residual	12/5/2012	mg/L	<	ND
Chlorine, Total Residual	12/6/2012	mg/L	<	ND
Chlorine, Total Residual	12/7/2012	mg/L	<	ND
Chlorine, Total Residual	12/8/2012	mg/L	<	ND
Chlorine, Total Residual	12/9/2012	mg/L	<	ND
Chlorine, Total Residual	12/10/2012	mg/L	<	ND
Chlorine, Total Residual	12/11/2012	mg/L	<	ND
Chlorine, Total Residual	12/12/2012	mg/L	<	ND
Chlorine, Total Residual	12/13/2012	mg/L	<	ND
Chlorine, Total Residual	12/14/2012	mg/L	<	ND
Chlorine, Total Residual	12/15/2012	mg/L	<	ND
Chlorine, Total Residual	12/16/2012	mg/L	<	ND
Chlorine, Total Residual	12/17/2012	mg/L	<	ND
Chlorine, Total Residual	12/18/2012	mg/L	<	ND
Chlorine, Total Residual	12/19/2012	mg/L	<	ND
Chlorine, Total Residual	12/20/2012	mg/L	<	ND
Chlorine, Total Residual	12/21/2012	mg/L	<	ND
Chlorine, Total Residual	12/22/2012	mg/L	<	ND
Chlorine, Total Residual	12/23/2012	mg/L	<	ND
Chlorine, Total Residual	12/24/2012	mg/L	<	ND
Chlorine, Total Residual	12/25/2012	mg/L	<	ND
Chlorine, Total Residual	12/26/2012	mg/L		0.03
Chlorine, Total Residual	12/27/2012	mg/L	<	ND
Chlorine, Total Residual	12/28/2012	mg/L	<	ND
Chlorine, Total Residual	12/29/2012	mg/L	<	ND
Chlorine, Total Residual	12/30/2012	mg/L	<	ND
Chlorine, Total Residual	12/31/2012	mg/L	<	ND
Chlorine, Total Residual	1/1/2013	mg/L	<	ND
Chlorine, Total Residual	1/2/2013	mg/L	<	ND
Chlorine, Total Residual	1/3/2013	mg/L	<	ND
Chlorine, Total Residual	1/4/2013	mg/L	<	ND
Chlorine, Total Residual	1/5/2013	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	1/6/2013	mg/L	<	ND
Chlorine, Total Residual	1/7/2013	mg/L	<	ND
Chlorine, Total Residual	1/8/2013	mg/L	<	ND
Chlorine, Total Residual	1/9/2013	mg/L	<	ND
Chlorine, Total Residual	1/10/2013	mg/L	<	ND
Chlorine, Total Residual	1/11/2013	mg/L	<	ND
Chlorine, Total Residual	1/12/2013	mg/L	<	ND
Chlorine, Total Residual	1/13/2013	mg/L	<	ND
Chlorine, Total Residual	1/14/2013	mg/L	<	ND
Chlorine, Total Residual	1/15/2013	mg/L	<	ND
Chlorine, Total Residual	1/16/2013	mg/L	<	ND
Chlorine, Total Residual	1/17/2013	mg/L	<	ND
Chlorine, Total Residual	1/18/2013	mg/L	<	ND
Chlorine, Total Residual	1/19/2013	mg/L	<	ND
Chlorine, Total Residual	1/20/2013	mg/L	<	ND
Chlorine, Total Residual	1/21/2013	mg/L	<	ND
Chlorine, Total Residual	1/22/2013	mg/L	<	ND
Chlorine, Total Residual	1/23/2013	mg/L	<	ND
Chlorine, Total Residual	1/24/2013	mg/L	<	ND
Chlorine, Total Residual	1/25/2013	mg/L	<	ND
Chlorine, Total Residual	1/26/2013	mg/L	<	ND
Chlorine, Total Residual	1/27/2013	mg/L	<	ND
Chlorine, Total Residual	1/28/2013	mg/L	<	ND
Chlorine, Total Residual	1/29/2013	mg/L	<	ND
Chlorine, Total Residual	1/30/2013	mg/L	<	ND
Chlorine, Total Residual	1/31/2013	mg/L	<	ND
Chlorine, Total Residual	2/1/2013	mg/L	<	ND
Chlorine, Total Residual	2/2/2013	mg/L	<	ND
Chlorine, Total Residual	2/3/2013	mg/L	<	ND
Chlorine, Total Residual	2/4/2013	mg/L	<	ND
Chlorine, Total Residual	2/5/2013	mg/L	<	ND
Chlorine, Total Residual	2/6/2013	mg/L	<	ND
Chlorine, Total Residual	2/7/2013	mg/L	<	ND
Chlorine, Total Residual	2/8/2013	mg/L	<	ND
Chlorine, Total Residual	2/9/2013	mg/L	<	ND
Chlorine, Total Residual	2/10/2013	mg/L	<	ND
Chlorine, Total Residual	2/11/2013	mg/L	<	ND
Chlorine, Total Residual	2/12/2013	mg/L	<	ND
Chlorine, Total Residual	2/13/2013	mg/L	<	ND
Chlorine, Total Residual	2/14/2013	mg/L	<	ND
Chlorine, Total Residual	2/15/2013	mg/L	<	ND
Chlorine, Total Residual	2/16/2013	mg/L	<	ND
Chlorine, Total Residual	2/17/2013	mg/L	<	ND
Chlorine, Total Residual	2/18/2013	mg/L	<	ND
Chlorine, Total Residual	2/19/2013	mg/L	<	ND
Chlorine, Total Residual	2/20/2013	mg/L	<	ND
Chlorine, Total Residual	2/21/2013	mg/L	<	ND
Chlorine, Total Residual	2/22/2013	mg/L	<	ND
Chlorine, Total Residual	2/23/2013	mg/L	<	ND
Chlorine, Total Residual	2/24/2013	mg/L	<	ND
Chlorine, Total Residual	2/25/2013	mg/L	<	ND
Chlorine, Total Residual	2/26/2013	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	2/27/2013	mg/L	<	ND
Chlorine, Total Residual	2/28/2013	mg/L	<	ND
Chlorine, Total Residual	3/1/2013	mg/L	<	ND
Chlorine, Total Residual	3/2/2013	mg/L	<	ND
Chlorine, Total Residual	3/3/2013	mg/L	<	ND
Chlorine, Total Residual	3/4/2013	mg/L	<	ND
Chlorine, Total Residual	3/5/2013	mg/L	<	ND
Chlorine, Total Residual	3/6/2013	mg/L	<	ND
Chlorine, Total Residual	3/7/2013	mg/L	<	ND
Chlorine, Total Residual	3/8/2013	mg/L	<	ND
Chlorine, Total Residual	3/9/2013	mg/L	<	ND
Chlorine, Total Residual	3/10/2013	mg/L	<	ND
Chlorine, Total Residual	3/11/2013	mg/L	<	ND
Chlorine, Total Residual	3/12/2013	mg/L	<	ND
Chlorine, Total Residual	3/13/2013	mg/L	<	ND
Chlorine, Total Residual	3/14/2013	mg/L	<	ND
Chlorine, Total Residual	3/15/2013	mg/L	<	ND
Chlorine, Total Residual	3/16/2013	mg/L	<	ND
Chlorine, Total Residual	3/17/2013	mg/L	<	ND
Chlorine, Total Residual	3/18/2013	mg/L	<	ND
Chlorine, Total Residual	3/19/2013	mg/L	<	ND
Chlorine, Total Residual	3/20/2013	mg/L	<	ND
Chlorine, Total Residual	3/21/2013	mg/L	<	ND
Chlorine, Total Residual	3/22/2013	mg/L	<	ND
Chlorine, Total Residual	3/23/2013	mg/L	<	ND
Chlorine, Total Residual	3/24/2013	mg/L	<	ND
Chlorine, Total Residual	3/25/2013	mg/L	<	ND
Chlorine, Total Residual	3/26/2013	mg/L	<	ND
Chlorine, Total Residual	3/27/2013	mg/L	<	ND
Chlorine, Total Residual	3/28/2013	mg/L	<	ND
Chlorine, Total Residual	3/29/2013	mg/L	<	ND
Chlorine, Total Residual	3/30/2013	mg/L	<	ND
Chlorine, Total Residual	3/31/2013	mg/L	<	ND
Chlorine, Total Residual	4/1/2013	mg/L	<	ND
Chlorine, Total Residual	4/2/2013	mg/L	<	ND
Chlorine, Total Residual	4/3/2013	mg/L	<	ND
Chlorine, Total Residual	4/4/2013	mg/L	<	ND
Chlorine, Total Residual	4/5/2013	mg/L	<	ND
Chlorine, Total Residual	4/6/2013	mg/L	<	ND
Chlorine, Total Residual	4/7/2013	mg/L	<	ND
Chlorine, Total Residual	4/8/2013	mg/L	<	ND
Chlorine, Total Residual	4/9/2013	mg/L	<	ND
Chlorine, Total Residual	4/10/2013	mg/L	<	ND
Chlorine, Total Residual	4/11/2013	mg/L	<	ND
Chlorine, Total Residual	4/12/2013	mg/L	<	ND
Chlorine, Total Residual	4/13/2013	mg/L	<	ND
Chlorine, Total Residual	4/14/2013	mg/L	<	ND
Chlorine, Total Residual	4/15/2013	mg/L		0.03
Chlorine, Total Residual	4/16/2013	mg/L	<	ND
Chlorine, Total Residual	4/17/2013	mg/L	<	ND
Chlorine, Total Residual	4/18/2013	mg/L	<	ND
Chlorine, Total Residual	4/19/2013	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	4/20/2013	mg/L	<	ND
Chlorine, Total Residual	4/21/2013	mg/L	<	ND
Chlorine, Total Residual	4/22/2013	mg/L	<	ND
Chlorine, Total Residual	4/23/2013	mg/L	<	ND
Chlorine, Total Residual	4/24/2013	mg/L	<	ND
Chlorine, Total Residual	4/25/2013	mg/L	<	ND
Chlorine, Total Residual	4/26/2013	mg/L	<	ND
Chlorine, Total Residual	4/27/2013	mg/L	<	ND
Chlorine, Total Residual	4/28/2013	mg/L	<	ND
Chlorine, Total Residual	4/29/2013	mg/L	<	ND
Chlorine, Total Residual	4/30/2013	mg/L	<	ND
Chlorine, Total Residual	5/1/2013	mg/L	<	ND
Chlorine, Total Residual	5/2/2013	mg/L	<	ND
Chlorine, Total Residual	5/3/2013	mg/L		0.03
Chlorine, Total Residual	5/4/2013	mg/L	<	ND
Chlorine, Total Residual	5/5/2013	mg/L	<	ND
Chlorine, Total Residual	5/6/2013	mg/L	<	ND
Chlorine, Total Residual	5/7/2013	mg/L	<	ND
Chlorine, Total Residual	5/8/2013	mg/L	<	ND
Chlorine, Total Residual	5/9/2013	mg/L	<	ND
Chlorine, Total Residual	5/10/2013	mg/L	<	ND
Chlorine, Total Residual	5/11/2013	mg/L	<	ND
Chlorine, Total Residual	5/12/2013	mg/L	<	ND
Chlorine, Total Residual	5/13/2013	mg/L	<	ND
Chlorine, Total Residual	5/14/2013	mg/L	<	ND
Chlorine, Total Residual	5/15/2013	mg/L	<	ND
Chlorine, Total Residual	5/16/2013	mg/L	<	ND
Chlorine, Total Residual	5/17/2013	mg/L	<	ND
Chlorine, Total Residual	5/18/2013	mg/L	<	ND
Chlorine, Total Residual	5/19/2013	mg/L	<	ND
Chlorine, Total Residual	5/20/2013	mg/L	<	ND
Chlorine, Total Residual	5/21/2013	mg/L	<	ND
Chlorine, Total Residual	5/22/2013	mg/L	<	ND
Chlorine, Total Residual	5/23/2013	mg/L	<	ND
Chlorine, Total Residual	5/24/2013	mg/L	<	ND
Chlorine, Total Residual	5/25/2013	mg/L	<	ND
Chlorine, Total Residual	5/26/2013	mg/L	<	ND
Chlorine, Total Residual	5/27/2013	mg/L	<	ND
Chlorine, Total Residual	5/28/2013	mg/L	<	ND
Chlorine, Total Residual	5/29/2013	mg/L	<	ND
Chlorine, Total Residual	5/30/2013	mg/L	<	ND
Chlorine, Total Residual	5/31/2013	mg/L	<	ND
Chlorine, Total Residual	6/1/2013	mg/L	<	ND
Chlorine, Total Residual	6/2/2013	mg/L	<	ND
Chlorine, Total Residual	6/3/2013	mg/L	<	ND
Chlorine, Total Residual	6/4/2013	mg/L		0.03
Chlorine, Total Residual	6/5/2013	mg/L	<	ND
Chlorine, Total Residual	6/6/2013	mg/L	<	ND
Chlorine, Total Residual	6/7/2013	mg/L	<	ND
Chlorine, Total Residual	6/8/2013	mg/L	<	ND
Chlorine, Total Residual	6/9/2013	mg/L	<	ND
Chlorine, Total Residual	6/10/2013	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	6/11/2013	mg/L	<	ND
Chlorine, Total Residual	6/12/2013	mg/L	<	ND
Chlorine, Total Residual	6/13/2013	mg/L		0.04
Chlorine, Total Residual	6/14/2013	mg/L	<	ND
Chlorine, Total Residual	6/15/2013	mg/L	<	ND
Chlorine, Total Residual	6/16/2013	mg/L	<	ND
Chlorine, Total Residual	6/17/2013	mg/L		0.03
Chlorine, Total Residual	6/18/2013	mg/L	<	ND
Chlorine, Total Residual	6/19/2013	mg/L	<	ND
Chlorine, Total Residual	6/20/2013	mg/L	<	ND
Chlorine, Total Residual	6/21/2013	mg/L	<	ND
Chlorine, Total Residual	6/22/2013	mg/L	<	ND
Chlorine, Total Residual	6/23/2013	mg/L	<	ND
Chlorine, Total Residual	6/24/2013	mg/L	<	ND
Chlorine, Total Residual	6/25/2013	mg/L	<	ND
Chlorine, Total Residual	6/26/2013	mg/L		0.03
Chlorine, Total Residual	6/27/2013	mg/L	<	ND
Chlorine, Total Residual	6/28/2013	mg/L	<	ND
Chlorine, Total Residual	6/29/2013	mg/L		0.03
Chlorine, Total Residual	6/30/2013	mg/L		0.03
Chlorine, Total Residual	7/1/2013	mg/L	<	ND
Chlorine, Total Residual	7/2/2013	mg/L	<	ND
Chlorine, Total Residual	7/3/2013	mg/L	<	ND
Chlorine, Total Residual	7/4/2013	mg/L	<	ND
Chlorine, Total Residual	7/5/2013	mg/L	<	ND
Chlorine, Total Residual	7/6/2013	mg/L	<	ND
Chlorine, Total Residual	7/7/2013	mg/L	<	ND
Chlorine, Total Residual	7/8/2013	mg/L	<	ND
Chlorine, Total Residual	7/9/2013	mg/L	<	ND
Chlorine, Total Residual	7/10/2013	mg/L	<	ND
Chlorine, Total Residual	7/11/2013	mg/L	<	ND
Chlorine, Total Residual	7/12/2013	mg/L	<	ND
Chlorine, Total Residual	7/13/2013	mg/L	<	ND
Chlorine, Total Residual	7/14/2013	mg/L	<	ND
Chlorine, Total Residual	7/15/2013	mg/L	<	ND
Chlorine, Total Residual	7/16/2013	mg/L	<	ND
Chlorine, Total Residual	7/17/2013	mg/L	<	ND
Chlorine, Total Residual	7/18/2013	mg/L	<	ND
Chlorine, Total Residual	7/19/2013	mg/L	<	ND
Chlorine, Total Residual	7/20/2013	mg/L	<	ND
Chlorine, Total Residual	7/21/2013	mg/L	<	ND
Chlorine, Total Residual	7/22/2013	mg/L	<	ND
Chlorine, Total Residual	7/23/2013	mg/L	<	ND
Chlorine, Total Residual	7/24/2013	mg/L	<	ND
Chlorine, Total Residual	7/25/2013	mg/L	<	ND
Chlorine, Total Residual	7/26/2013	mg/L	<	ND
Chlorine, Total Residual	7/27/2013	mg/L	<	ND
Chlorine, Total Residual	7/28/2013	mg/L	<	ND
Chlorine, Total Residual	7/29/2013	mg/L	<	ND
Chlorine, Total Residual	7/30/2013	mg/L	<	ND
Chlorine, Total Residual	7/31/2013	mg/L	<	ND
Chlorine, Total Residual	8/1/2013	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	8/2/2013	mg/L	<	ND
Chlorine, Total Residual	8/3/2013	mg/L	<	ND
Chlorine, Total Residual	8/4/2013	mg/L	<	ND
Chlorine, Total Residual	8/5/2013	mg/L	<	ND
Chlorine, Total Residual	8/6/2013	mg/L	<	ND
Chlorine, Total Residual	8/7/2013	mg/L	<	ND
Chlorine, Total Residual	8/8/2013	mg/L	<	ND
Chlorine, Total Residual	8/9/2013	mg/L	<	ND
Chlorine, Total Residual	8/10/2013	mg/L	<	ND
Chlorine, Total Residual	8/11/2013	mg/L	<	ND
Chlorine, Total Residual	8/12/2013	mg/L	<	ND
Chlorine, Total Residual	8/13/2013	mg/L	<	ND
Chlorine, Total Residual	8/14/2013	mg/L	<	ND
Chlorine, Total Residual	8/15/2013	mg/L	<	ND
Chlorine, Total Residual	8/16/2013	mg/L	<	ND
Chlorine, Total Residual	8/17/2013	mg/L	<	ND
Chlorine, Total Residual	8/18/2013	mg/L	<	ND
Chlorine, Total Residual	8/19/2013	mg/L	<	ND
Chlorine, Total Residual	8/20/2013	mg/L		0.04
Chlorine, Total Residual	8/21/2013	mg/L	<	ND
Chlorine, Total Residual	8/22/2013	mg/L	<	ND
Chlorine, Total Residual	8/23/2013	mg/L	<	ND
Chlorine, Total Residual	8/24/2013	mg/L	<	ND
Chlorine, Total Residual	8/25/2013	mg/L	<	ND
Chlorine, Total Residual	8/26/2013	mg/L		0.03
Chlorine, Total Residual	8/27/2013	mg/L	<	ND
Chlorine, Total Residual	8/28/2013	mg/L	<	ND
Chlorine, Total Residual	8/29/2013	mg/L	<	ND
Chlorine, Total Residual	8/30/2013	mg/L	<	ND
Chlorine, Total Residual	8/31/2013	mg/L	<	ND
Chlorine, Total Residual	9/1/2013	mg/L	<	ND
Chlorine, Total Residual	9/2/2013	mg/L	<	ND
Chlorine, Total Residual	9/3/2013	mg/L	<	ND
Chlorine, Total Residual	9/4/2013	mg/L	<	ND
Chlorine, Total Residual	9/5/2013	mg/L	<	ND
Chlorine, Total Residual	9/6/2013	mg/L	<	ND
Chlorine, Total Residual	9/7/2013	mg/L	<	ND
Chlorine, Total Residual	9/8/2013	mg/L	<	ND
Chlorine, Total Residual	9/9/2013	mg/L	<	ND
Chlorine, Total Residual	9/10/2013	mg/L	<	ND
Chlorine, Total Residual	9/11/2013	mg/L		0.03
Chlorine, Total Residual	9/12/2013	mg/L	<	ND
Chlorine, Total Residual	9/13/2013	mg/L	<	ND
Chlorine, Total Residual	9/14/2013	mg/L	<	ND
Chlorine, Total Residual	9/15/2013	mg/L	<	ND
Chlorine, Total Residual	9/16/2013	mg/L	<	ND
Chlorine, Total Residual	9/17/2013	mg/L	<	ND
Chlorine, Total Residual	9/18/2013	mg/L	<	ND
Chlorine, Total Residual	9/19/2013	mg/L	<	ND
Chlorine, Total Residual	9/20/2013	mg/L	<	ND
Chlorine, Total Residual	9/21/2013	mg/L	<	ND
Chlorine, Total Residual	9/22/2013	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	9/23/2013	mg/L	<	ND
Chlorine, Total Residual	9/24/2013	mg/L	<	ND
Chlorine, Total Residual	9/25/2013	mg/L	<	ND
Chlorine, Total Residual	9/26/2013	mg/L	<	ND
Chlorine, Total Residual	9/27/2013	mg/L		0.03
Chlorine, Total Residual	9/28/2013	mg/L	<	ND
Chlorine, Total Residual	9/29/2013	mg/L	<	ND
Chlorine, Total Residual	9/30/2013	mg/L	<	ND
Chlorine, Total Residual	10/1/2013	mg/L	<	ND
Chlorine, Total Residual	10/2/2013	mg/L	<	ND
Chlorine, Total Residual	10/3/2013	mg/L	<	ND
Chlorine, Total Residual	10/4/2013	mg/L	<	ND
Chlorine, Total Residual	10/5/2013	mg/L	<	ND
Chlorine, Total Residual	10/6/2013	mg/L	<	ND
Chlorine, Total Residual	10/7/2013	mg/L	<	ND
Chlorine, Total Residual	10/8/2013	mg/L	<	ND
Chlorine, Total Residual	10/9/2013	mg/L	<	ND
Chlorine, Total Residual	10/10/2013	mg/L	<	ND
Chlorine, Total Residual	10/11/2013	mg/L	<	ND
Chlorine, Total Residual	10/12/2013	mg/L		0.03
Chlorine, Total Residual	10/13/2013	mg/L	<	ND
Chlorine, Total Residual	10/14/2013	mg/L	<	ND
Chlorine, Total Residual	10/15/2013	mg/L	<	ND
Chlorine, Total Residual	10/16/2013	mg/L	<	ND
Chlorine, Total Residual	10/17/2013	mg/L	<	ND
Chlorine, Total Residual	10/18/2013	mg/L	<	ND
Chlorine, Total Residual	10/19/2013	mg/L	<	ND
Chlorine, Total Residual	10/20/2013	mg/L	<	ND
Chlorine, Total Residual	10/21/2013	mg/L	<	ND
Chlorine, Total Residual	10/22/2013	mg/L	<	ND
Chlorine, Total Residual	10/23/2013	mg/L	<	ND
Chlorine, Total Residual	10/24/2013	mg/L	<	ND
Chlorine, Total Residual	10/25/2013	mg/L	<	ND
Chlorine, Total Residual	10/26/2013	mg/L	<	ND
Chlorine, Total Residual	10/27/2013	mg/L	<	ND
Chlorine, Total Residual	10/28/2013	mg/L	<	ND
Chlorine, Total Residual	10/29/2013	mg/L	<	ND
Chlorine, Total Residual	10/30/2013	mg/L	<	ND
Chlorine, Total Residual	10/31/2013	mg/L	<	ND
Chlorine, Total Residual	11/1/2013	mg/L	<	ND
Chlorine, Total Residual	11/2/2013	mg/L	<	ND
Chlorine, Total Residual	11/3/2013	mg/L	<	ND
Chlorine, Total Residual	11/4/2013	mg/L	<	ND
Chlorine, Total Residual	11/5/2013	mg/L	<	ND
Chlorine, Total Residual	11/6/2013	mg/L		0.03
Chlorine, Total Residual	11/7/2013	mg/L	<	ND
Chlorine, Total Residual	11/8/2013	mg/L	<	ND
Chlorine, Total Residual	11/9/2013	mg/L	<	ND
Chlorine, Total Residual	11/10/2013	mg/L	<	ND
Chlorine, Total Residual	11/11/2013	mg/L	<	ND
Chlorine, Total Residual	11/12/2013	mg/L	<	ND
Chlorine, Total Residual	11/13/2013	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	11/14/2013	mg/L	<	ND
Chlorine, Total Residual	11/15/2013	mg/L	<	ND
Chlorine, Total Residual	11/16/2013	mg/L	<	ND
Chlorine, Total Residual	11/17/2013	mg/L	<	ND
Chlorine, Total Residual	11/18/2013	mg/L	<	ND
Chlorine, Total Residual	11/19/2013	mg/L	<	ND
Chlorine, Total Residual	11/20/2013	mg/L	<	ND
Chlorine, Total Residual	11/21/2013	mg/L	<	ND
Chlorine, Total Residual	11/22/2013	mg/L	<	ND
Chlorine, Total Residual	11/23/2013	mg/L	<	ND
Chlorine, Total Residual	11/24/2013	mg/L	<	ND
Chlorine, Total Residual	11/25/2013	mg/L	<	ND
Chlorine, Total Residual	11/26/2013	mg/L	<	ND
Chlorine, Total Residual	11/27/2013	mg/L	<	ND
Chlorine, Total Residual	11/28/2013	mg/L	<	ND
Chlorine, Total Residual	11/29/2013	mg/L	<	ND
Chlorine, Total Residual	11/30/2013	mg/L	<	ND
Chlorine, Total Residual	12/1/2013	mg/L	<	ND
Chlorine, Total Residual	12/2/2013	mg/L	<	ND
Chlorine, Total Residual	12/3/2013	mg/L	<	ND
Chlorine, Total Residual	12/5/2013	mg/L	<	ND
Chlorine, Total Residual	12/6/2013	mg/L	<	ND
Chlorine, Total Residual	12/7/2013	mg/L	<	ND
Chlorine, Total Residual	12/8/2013	mg/L	<	ND
Chlorine, Total Residual	12/9/2013	mg/L	<	ND
Chlorine, Total Residual	12/10/2013	mg/L	<	ND
Chlorine, Total Residual	12/11/2013	mg/L	<	ND
Chlorine, Total Residual	12/12/2013	mg/L	<	ND
Chlorine, Total Residual	12/13/2013	mg/L	<	ND
Chlorine, Total Residual	12/14/2013	mg/L	<	ND
Chlorine, Total Residual	12/15/2013	mg/L	<	ND
Chlorine, Total Residual	12/16/2013	mg/L	<	ND
Chlorine, Total Residual	12/17/2013	mg/L	<	ND
Chlorine, Total Residual	12/18/2013	mg/L	<	ND
Chlorine, Total Residual	12/19/2013	mg/L	<	ND
Chlorine, Total Residual	12/20/2013	mg/L	<	ND
Chlorine, Total Residual	12/21/2013	mg/L	<	ND
Chlorine, Total Residual	12/22/2013	mg/L	<	ND
Chlorine, Total Residual	12/23/2013	mg/L	<	ND
Chlorine, Total Residual	12/24/2013	mg/L	<	ND
Chlorine, Total Residual	12/25/2013	mg/L	<	ND
Chlorine, Total Residual	12/26/2013	mg/L	<	ND
Chlorine, Total Residual	12/27/2013	mg/L	<	ND
Chlorine, Total Residual	12/28/2013	mg/L	<	ND
Chlorine, Total Residual	12/29/2013	mg/L	<	ND
Chlorine, Total Residual	12/30/2013	mg/L	<	ND
Chlorine, Total Residual	12/31/2013	mg/L	<	ND
Chlorine, Total Residual	1/1/2014	mg/L	<	ND
Chlorine, Total Residual	1/2/2014	mg/L	<	ND
Chlorine, Total Residual	1/3/2014	mg/L	<	ND
Chlorine, Total Residual	1/4/2014	mg/L	<	ND
Chlorine, Total Residual	1/5/2014	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	1/6/2014	mg/L	<	ND
Chlorine, Total Residual	1/7/2014	mg/L	<	ND
Chlorine, Total Residual	1/8/2014	mg/L	<	ND
Chlorine, Total Residual	1/9/2014	mg/L	<	ND
Chlorine, Total Residual	1/10/2014	mg/L	<	ND
Chlorine, Total Residual	1/11/2014	mg/L	<	ND
Chlorine, Total Residual	1/12/2014	mg/L	<	ND
Chlorine, Total Residual	1/13/2014	mg/L	<	ND
Chlorine, Total Residual	1/14/2014	mg/L	<	ND
Chlorine, Total Residual	1/15/2014	mg/L	<	ND
Chlorine, Total Residual	1/16/2014	mg/L	<	ND
Chlorine, Total Residual	1/17/2014	mg/L	<	ND
Chlorine, Total Residual	1/18/2014	mg/L	<	ND
Chlorine, Total Residual	1/19/2014	mg/L	<	ND
Chlorine, Total Residual	1/20/2014	mg/L	<	ND
Chlorine, Total Residual	1/21/2014	mg/L	<	ND
Chlorine, Total Residual	1/22/2014	mg/L	<	ND
Chlorine, Total Residual	1/23/2014	mg/L	<	ND
Chlorine, Total Residual	1/24/2014	mg/L	<	ND
Chlorine, Total Residual	1/25/2014	mg/L	<	ND
Chlorine, Total Residual	1/26/2014	mg/L	<	ND
Chlorine, Total Residual	1/27/2014	mg/L	<	ND
Chlorine, Total Residual	1/28/2014	mg/L	<	ND
Chlorine, Total Residual	1/29/2014	mg/L	<	ND
Chlorine, Total Residual	1/30/2014	mg/L	<	ND
Chlorine, Total Residual	1/31/2014	mg/L	<	ND
Chlorine, Total Residual	2/1/2014	mg/L	<	ND
Chlorine, Total Residual	2/2/2014	mg/L	<	ND
Chlorine, Total Residual	2/3/2014	mg/L	<	ND
Chlorine, Total Residual	2/4/2014	mg/L	<	ND
Chlorine, Total Residual	2/5/2014	mg/L	<	ND
Chlorine, Total Residual	2/6/2014	mg/L	<	ND
Chlorine, Total Residual	2/7/2014	mg/L	<	ND
Chlorine, Total Residual	2/8/2014	mg/L	<	ND
Chlorine, Total Residual	2/9/2014	mg/L	<	ND
Chlorine, Total Residual	2/10/2014	mg/L	<	ND
Chlorine, Total Residual	2/11/2014	mg/L	<	ND
Chlorine, Total Residual	2/12/2014	mg/L	<	ND
Chlorine, Total Residual	2/13/2014	mg/L	<	ND
Chlorine, Total Residual	2/14/2014	mg/L	<	ND
Chlorine, Total Residual	2/15/2014	mg/L	<	ND
Chlorine, Total Residual	2/16/2014	mg/L	<	ND
Chlorine, Total Residual	2/17/2014	mg/L	<	ND
Chlorine, Total Residual	2/18/2014	mg/L	<	ND
Chlorine, Total Residual	2/19/2014	mg/L	<	ND
Chlorine, Total Residual	2/20/2014	mg/L	<	ND
Chlorine, Total Residual	2/21/2014	mg/L	<	ND
Chlorine, Total Residual	2/22/2014	mg/L	<	ND
Chlorine, Total Residual	2/23/2014	mg/L	<	ND
Chlorine, Total Residual	2/24/2014	mg/L	<	ND
Chlorine, Total Residual	2/25/2014	mg/L	<	ND
Chlorine, Total Residual	2/26/2014	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	2/27/2014	mg/L	<	ND
Chlorine, Total Residual	2/28/2014	mg/L	<	ND
Chlorine, Total Residual	3/1/2014	mg/L	<	ND
Chlorine, Total Residual	3/2/2014	mg/L	<	ND
Chlorine, Total Residual	3/3/2014	mg/L	<	ND
Chlorine, Total Residual	3/4/2014	mg/L	<	ND
Chlorine, Total Residual	3/5/2014	mg/L	<	ND
Chlorine, Total Residual	3/6/2014	mg/L	<	ND
Chlorine, Total Residual	3/7/2014	mg/L	<	ND
Chlorine, Total Residual	3/8/2014	mg/L	<	ND
Chlorine, Total Residual	3/9/2014	mg/L	<	ND
Chlorine, Total Residual	3/10/2014	mg/L	<	ND
Chlorine, Total Residual	3/11/2014	mg/L	<	ND
Chlorine, Total Residual	3/12/2014	mg/L	<	ND
Chlorine, Total Residual	3/13/2014	mg/L	<	ND
Chlorine, Total Residual	3/14/2014	mg/L	<	ND
Chlorine, Total Residual	3/15/2014	mg/L	<	ND
Chlorine, Total Residual	3/16/2014	mg/L	<	ND
Chlorine, Total Residual	3/17/2014	mg/L	<	ND
Chlorine, Total Residual	3/18/2014	mg/L	<	ND
Chlorine, Total Residual	3/19/2014	mg/L	<	ND
Chlorine, Total Residual	3/20/2014	mg/L	<	ND
Chlorine, Total Residual	3/21/2014	mg/L	<	ND
Chlorine, Total Residual	3/22/2014	mg/L	<	ND
Chlorine, Total Residual	3/23/2014	mg/L	<	ND
Chlorine, Total Residual	3/24/2014	mg/L	<	ND
Chlorine, Total Residual	3/25/2014	mg/L	<	ND
Chlorine, Total Residual	3/26/2014	mg/L	<	ND
Chlorine, Total Residual	3/27/2014	mg/L	<	ND
Chlorine, Total Residual	3/28/2014	mg/L	<	ND
Chlorine, Total Residual	3/29/2014	mg/L	<	ND
Chlorine, Total Residual	3/30/2014	mg/L	<	ND
Chlorine, Total Residual	3/31/2014	mg/L	<	ND
Chlorine, Total Residual	4/1/2014	mg/L	<	ND
Chlorine, Total Residual	4/2/2014	mg/L	<	ND
Chlorine, Total Residual	4/3/2014	mg/L	<	ND
Chlorine, Total Residual	4/4/2014	mg/L	<	ND
Chlorine, Total Residual	4/5/2014	mg/L	<	ND
Chlorine, Total Residual	4/6/2014	mg/L	<	ND
Chlorine, Total Residual	4/7/2014	mg/L	<	ND
Chlorine, Total Residual	4/8/2014	mg/L		0.03
Chlorine, Total Residual	4/9/2014	mg/L	<	ND
Chlorine, Total Residual	4/10/2014	mg/L	<	ND
Chlorine, Total Residual	4/11/2014	mg/L	<	ND
Chlorine, Total Residual	4/12/2014	mg/L	<	ND
Chlorine, Total Residual	4/13/2014	mg/L	<	ND
Chlorine, Total Residual	4/14/2014	mg/L	<	ND
Chlorine, Total Residual	4/15/2014	mg/L	<	ND
Chlorine, Total Residual	4/16/2014	mg/L	<	ND
Chlorine, Total Residual	4/17/2014	mg/L	<	ND
Chlorine, Total Residual	4/18/2014	mg/L	<	ND
Chlorine, Total Residual	4/19/2014	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	4/20/2014	mg/L	<	ND
Chlorine, Total Residual	4/21/2014	mg/L	<	ND
Chlorine, Total Residual	4/22/2014	mg/L	<	ND
Chlorine, Total Residual	4/23/2014	mg/L	<	ND
Chlorine, Total Residual	4/24/2014	mg/L	<	ND
Chlorine, Total Residual	4/25/2014	mg/L	<	ND
Chlorine, Total Residual	4/26/2014	mg/L	<	ND
Chlorine, Total Residual	4/27/2014	mg/L	<	ND
Chlorine, Total Residual	4/28/2014	mg/L	<	ND
Chlorine, Total Residual	4/29/2014	mg/L	<	ND
Chlorine, Total Residual	4/30/2014	mg/L	<	ND
Chlorine, Total Residual	5/1/2014	mg/L	<	ND
Chlorine, Total Residual	5/2/2014	mg/L	<	ND
Chlorine, Total Residual	5/3/2014	mg/L	<	ND
Chlorine, Total Residual	5/4/2014	mg/L	<	ND
Chlorine, Total Residual	5/5/2014	mg/L	<	ND
Chlorine, Total Residual	5/6/2014	mg/L	<	ND
Chlorine, Total Residual	5/7/2014	mg/L	<	ND
Chlorine, Total Residual	5/8/2014	mg/L	<	ND
Chlorine, Total Residual	5/9/2014	mg/L	<	ND
Chlorine, Total Residual	5/10/2014	mg/L	<	ND
Chlorine, Total Residual	5/11/2014	mg/L	<	ND
Chlorine, Total Residual	5/12/2014	mg/L	<	ND
Chlorine, Total Residual	5/13/2014	mg/L	<	ND
Chlorine, Total Residual	5/14/2014	mg/L	<	ND
Chlorine, Total Residual	5/15/2014	mg/L	<	ND
Chlorine, Total Residual	5/16/2014	mg/L	<	ND
Chlorine, Total Residual	5/17/2014	mg/L	<	ND
Chlorine, Total Residual	5/18/2014	mg/L	<	ND
Chlorine, Total Residual	5/19/2014	mg/L	<	ND
Chlorine, Total Residual	5/20/2014	mg/L	<	ND
Chlorine, Total Residual	5/21/2014	mg/L	<	ND
Chlorine, Total Residual	5/22/2014	mg/L	<	ND
Chlorine, Total Residual	5/23/2014	mg/L	<	ND
Chlorine, Total Residual	5/24/2014	mg/L	<	ND
Chlorine, Total Residual	5/25/2014	mg/L	<	ND
Chlorine, Total Residual	5/26/2014	mg/L	<	ND
Chlorine, Total Residual	5/27/2014	mg/L	<	ND
Chlorine, Total Residual	5/28/2014	mg/L	<	ND
Chlorine, Total Residual	5/29/2014	mg/L	<	ND
Chlorine, Total Residual	5/30/2014	mg/L	<	ND
Chlorine, Total Residual	5/31/2014	mg/L	<	ND
Chlorine, Total Residual	6/1/2014	mg/L	<	ND
Chlorine, Total Residual	6/2/2014	mg/L	<	ND
Chlorine, Total Residual	6/3/2014	mg/L	<	ND
Chlorine, Total Residual	6/4/2014	mg/L	<	ND
Chlorine, Total Residual	6/5/2014	mg/L	<	ND
Chlorine, Total Residual	6/6/2014	mg/L	<	ND
Chlorine, Total Residual	6/7/2014	mg/L	<	ND
Chlorine, Total Residual	6/8/2014	mg/L	<	ND
Chlorine, Total Residual	6/9/2014	mg/L	<	ND
Chlorine, Total Residual	6/10/2014	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	6/11/2014	mg/L	<	ND
Chlorine, Total Residual	6/12/2014	mg/L	<	ND
Chlorine, Total Residual	6/13/2014	mg/L	<	ND
Chlorine, Total Residual	6/14/2014	mg/L	<	ND
Chlorine, Total Residual	6/15/2014	mg/L	<	ND
Chlorine, Total Residual	6/16/2014	mg/L	<	ND
Chlorine, Total Residual	6/17/2014	mg/L	<	ND
Chlorine, Total Residual	6/18/2014	mg/L	<	ND
Chlorine, Total Residual	6/19/2014	mg/L	<	ND
Chlorine, Total Residual	6/20/2014	mg/L	<	ND
Chlorine, Total Residual	6/21/2014	mg/L	<	ND
Chlorine, Total Residual	6/22/2014	mg/L	<	ND
Chlorine, Total Residual	6/23/2014	mg/L	<	ND
Chlorine, Total Residual	6/24/2014	mg/L	<	ND
Chlorine, Total Residual	6/25/2014	mg/L	<	ND
Chlorine, Total Residual	6/26/2014	mg/L	<	ND
Chlorine, Total Residual	6/27/2014	mg/L	<	ND
Chlorine, Total Residual	6/28/2014	mg/L	<	ND
Chlorine, Total Residual	6/29/2014	mg/L	<	ND
Chlorine, Total Residual	6/30/2014	mg/L	<	ND
Chlorine, Total Residual	7/1/2014	mg/L	<	ND
Chlorine, Total Residual	7/2/2014	mg/L	<	ND
Chlorine, Total Residual	7/3/2014	mg/L		0.03
Chlorine, Total Residual	7/4/2014	mg/L	<	ND
Chlorine, Total Residual	7/5/2014	mg/L	<	ND
Chlorine, Total Residual	7/6/2014	mg/L	<	ND
Chlorine, Total Residual	7/7/2014	mg/L	<	ND
Chlorine, Total Residual	7/8/2014	mg/L	<	ND
Chlorine, Total Residual	7/9/2014	mg/L	<	ND
Chlorine, Total Residual	7/10/2014	mg/L	<	ND
Chlorine, Total Residual	7/11/2014	mg/L	<	ND
Chlorine, Total Residual	7/12/2014	mg/L	<	ND
Chlorine, Total Residual	7/13/2014	mg/L	<	ND
Chlorine, Total Residual	7/14/2014	mg/L	<	ND
Chlorine, Total Residual	7/15/2014	mg/L	<	ND
Chlorine, Total Residual	7/16/2014	mg/L	<	ND
Chlorine, Total Residual	7/17/2014	mg/L		0.03
Chlorine, Total Residual	7/18/2014	mg/L	<	ND
Chlorine, Total Residual	7/19/2014	mg/L	<	ND
Chlorine, Total Residual	7/20/2014	mg/L	<	ND
Chlorine, Total Residual	7/21/2014	mg/L	<	ND
Chlorine, Total Residual	7/22/2014	mg/L	<	ND
Chlorine, Total Residual	7/23/2014	mg/L	<	ND
Chlorine, Total Residual	7/24/2014	mg/L	<	ND
Chlorine, Total Residual	7/25/2014	mg/L	<	ND
Chlorine, Total Residual	7/26/2014	mg/L	<	ND
Chlorine, Total Residual	7/27/2014	mg/L	<	ND
Chlorine, Total Residual	7/28/2014	mg/L	<	ND
Chlorine, Total Residual	7/29/2014	mg/L	<	ND
Chlorine, Total Residual	7/30/2014	mg/L	<	ND
Chlorine, Total Residual	7/31/2014	mg/L	<	ND
Chlorine, Total Residual	8/1/2014	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual	8/2/2014	mg/L	<	ND
Chlorine, Total Residual	8/3/2014	mg/L	<	ND
Chlorine, Total Residual	8/4/2014	mg/L	<	ND
Chlorine, Total Residual	8/5/2014	mg/L	<	ND
Chlorine, Total Residual	8/6/2014	mg/L	<	ND
Chlorine, Total Residual	8/7/2014	mg/L	<	ND
Chlorine, Total Residual	8/8/2014	mg/L	<	ND
Chlorine, Total Residual	8/9/2014	mg/L	<	ND
Chlorine, Total Residual	8/10/2014	mg/L	<	ND
Chlorine, Total Residual	8/11/2014	mg/L	<	ND
Chlorine, Total Residual	8/12/2014	mg/L	<	ND
Chlorine, Total Residual	8/13/2014	mg/L	<	ND
Chlorine, Total Residual	8/14/2014	mg/L	<	ND
Chlorine, Total Residual	8/15/2014	mg/L	<	ND
Chlorine, Total Residual	8/16/2014	mg/L	<	ND
Chlorine, Total Residual	8/17/2014	mg/L	<	ND
Chlorine, Total Residual	8/18/2014	mg/L		0.1
Chlorine, Total Residual	8/19/2014	mg/L	<	ND
Chlorine, Total Residual	8/20/2014	mg/L	<	ND
Chlorine, Total Residual	8/21/2014	mg/L	<	ND
Chlorine, Total Residual	8/22/2014	mg/L	<	ND
Chlorine, Total Residual	8/23/2014	mg/L	<	ND
Chlorine, Total Residual	8/24/2014	mg/L	<	ND
Chlorine, Total Residual	8/25/2014	mg/L	<	ND
Chlorine, Total Residual	8/26/2014	mg/L	<	ND
Chlorine, Total Residual	8/27/2014	mg/L	<	ND
Chlorine, Total Residual	8/28/2014	mg/L	<	ND
Chlorine, Total Residual	8/29/2014	mg/L	<	ND
Chlorine, Total Residual	8/30/2014	mg/L	<	ND
Chlorine, Total Residual	8/31/2014	mg/L	<	ND
Chlorine, Total Residual	9/1/2014	mg/L	<	ND
Chlorine, Total Residual	9/2/2014	mg/L	<	ND
Chlorine, Total Residual	9/3/2014	mg/L	<	ND
Chlorine, Total Residual	9/4/2014	mg/L	<	ND
Chlorine, Total Residual	9/5/2014	mg/L	<	ND
Chlorine, Total Residual	9/6/2014	mg/L	<	ND
Chlorine, Total Residual	9/7/2014	mg/L	<	ND
Chlorine, Total Residual	9/8/2014	mg/L	<	ND
Chlorine, Total Residual	9/9/2014	mg/L	<	ND
Chlorine, Total Residual	9/10/2014	mg/L	<	ND
Chlorine, Total Residual	9/11/2014	mg/L	<	ND
Chlorine, Total Residual	9/12/2014	mg/L	<	ND
Chlorine, Total Residual	9/13/2014	mg/L	<	ND
Chlorine, Total Residual	9/14/2014	mg/L	<	ND
Chlorine, Total Residual	9/15/2014	mg/L	<	ND
Chlorine, Total Residual	9/16/2014	mg/L	<	ND
Chlorine, Total Residual	9/17/2014	mg/L	<	ND
Chlorine, Total Residual	9/18/2014	mg/L	<	ND
Chlorine, Total Residual	9/19/2014	mg/L	<	ND
Chlorine, Total Residual	9/20/2014	mg/L	<	ND
Chlorine, Total Residual	9/21/2014	mg/L	<	ND
Chlorine, Total Residual	9/22/2014	mg/L	<	ND

0.02	0.1
0.02	0.1
0.02	0.1

Chlorine, Total Residual		9/23/2014	mg/L	<	ND
Chlorine, Total Residual		9/24/2014	mg/L	<	ND
Chlorine, Total Residual		9/25/2014	mg/L		0.03
Chlorine, Total Residual		9/26/2014	mg/L	<	ND
Chlorine, Total Residual		9/27/2014	mg/L	<	ND
Chlorine, Total Residual		9/28/2014	mg/L	<	ND
Chlorine, Total Residual		9/29/2014	mg/L	<	ND
Chlorine, Total Residual		9/30/2014	mg/L	<	ND
Chlorine, Total Residual		10/1/2014	mg/L	<	ND
Chlorine, Total Residual		10/2/2014	mg/L	<	ND
Chlorine, Total Residual		10/3/2014	mg/L	<	ND
Chlorine, Total Residual		10/4/2014	mg/L	<	ND
Chlorine, Total Residual		10/5/2014	mg/L	<	ND
Chlorine, Total Residual		10/6/2014	mg/L	<	ND
Chlorine, Total Residual		10/7/2014	mg/L	<	ND
Chlorine, Total Residual		10/8/2014	mg/L	<	ND
Chlorine, Total Residual		10/9/2014	mg/L	<	ND
Chlorine, Total Residual		10/10/2014	mg/L	<	ND
Chlorine, Total Residual		10/11/2014	mg/L	<	ND
Chlorine, Total Residual		10/12/2014	mg/L	<	ND
Chlorine, Total Residual		10/13/2014	mg/L	<	ND
Chlorine, Total Residual		10/14/2014	mg/L	<	ND
Chlorine, Total Residual		10/15/2014	mg/L	<	ND
Chlorine, Total Residual		10/16/2014	mg/L	<	ND
Chlorine, Total Residual		10/17/2014	mg/L	<	ND
Chlorine, Total Residual		10/18/2014	mg/L	<	ND
Chlorine, Total Residual		10/19/2014	mg/L	<	ND
Chlorine, Total Residual		10/20/2014	mg/L	<	ND
Chlorine, Total Residual		10/21/2014	mg/L	<	ND
Chlorine, Total Residual		10/22/2014	mg/L	<	ND
Chlorine, Total Residual		10/23/2014	mg/L	<	ND
Chlorine, Total Residual		10/24/2014	mg/L	<	ND
Chlorine, Total Residual		10/25/2014	mg/L	<	ND
Chlorine, Total Residual		10/26/2014	mg/L	<	ND
Chlorine, Total Residual		10/27/2014	mg/L	<	ND
Chlorine, Total Residual		10/28/2014	mg/L	<	ND
Chlorine, Total Residual		10/29/2014	mg/L	<	ND
Chlorine, Total Residual		10/30/2014	mg/L	<	ND
Chlorine, Total Residual		10/31/2014	mg/L	<	ND
Chloroethane		12/14/2009	ug/L	<	ND
Chloroethane	EPA 8260B	12/31/2010	ug/L	<	ND
Chloroethane	EPA 8260B	11/16/2011	ug/L	<	ND
Chloroethane		12/11/2012	ug/L	<	ND
Chloroethane		12/10/2013	ug/L	<	ND
Chloroprene		12/14/2009	ug/L	<	ND
Chloroprene		12/10/2013	ug/L	<	ND
Chloropropene		12/11/2012	ug/L	<	ND
Chronic Toxicity	Data Unavailable	8/29/2011	TUc		8
Chronic Toxicity		11/21/2011	TUc		8
Chronic Toxicity	Data Unavailable	5/21/2012	TUc		8
Chronic Toxicity	Data Unavailable	8/13/2012	TUc		8
Chronic Toxicity	Data Unavailable	12/10/2012	TUc		10

0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.02	0.1
0.5	0.5
0.5	
0.5	
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5

	Chronic Toxicity	Data Unavailable	3/7/2013	TUc		8
	Chronic Toxicity	Data Unavailable	4/26/2013	TUc		8
	Chronic Toxicity	Data Unavailable	7/29/2013	TUc		8
	Chronic Toxicity	Data Unavailable	10/16/2013	TUc		8
	Chronic Toxicity	Data Unavailable	2/10/2014	TUc		8
	Chronic Toxicity	Data Unavailable	4/21/2014	TUc		8
	cis-1,2-Dichloroethene		12/14/2009	ug/L	<	ND
	cis-1,2-Dichloroethene	EPA 8260B	12/31/2010	ug/L	<	ND
	cis-1,2-Dichloroethene	EPA 8260B	11/16/2011	ug/L	<	ND
	cis-1,2-Dichloroethene		12/11/2012	ug/L	<	ND
	cis-1,2-Dichloroethene		12/10/2013	ug/L	<	ND
	DDT/DDD/DDE, Sum of P,P & O,P Isomers	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
	DDT/DDD/DDE, Sum of P,P & O,P Isomers	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND
	DDT/DDD/DDE, Sum of P,P & O,P Isomers	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
	Dibenzofuran	EPA 8270C	12/11/2012	ug/L	<	ND
	Dibenzofuran		12/10/2013	ug/L	<	ND
23	Chlorodibromomethane		12/10/2013	ug/L	<	ND
	Dibromomethane		12/14/2009	ug/L	<	ND
	Dibromomethane		12/11/2012	ug/L	<	ND
	Dibromomethane		12/10/2013	ug/L	<	ND
	Dichlorobenzenes	EPA 8260B	12/31/2010	ug/L	<	ND
	Dichlorobenzenes	EPA 8260B	11/16/2011	ug/L	<	ND
	Dichlorobenzenes, Sum		12/14/2009	ug/L	<	ND
	Dichlorobenzenes, Sum	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
	Dichlorobenzenes, Sum	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
	Dichlorobenzenes, Sum	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
	Dichlorodifluoromethane		12/14/2009	ug/L	<	ND
	Dichlorodifluoromethane		12/11/2012	ug/L	<	ND
	Dichlorodifluoromethane		12/10/2013	ug/L	<	ND
	Dichloromethane		12/14/2009	ug/L	<	ND
	Dichloromethane	EPA 8260B	12/31/2010	ug/L	<	ND
	Dichloromethane	EPA 8260B	11/16/2011	ug/L	<	ND
	Di-isopropyl ehter		12/10/2013	ug/L	<	ND
	Di-isopropyl ether		12/11/2012	ug/L	<	ND
	Di-isopropyl ether (DIPE)		12/14/2009	ug/L	<	ND
	Endosulfans, Sum	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
	Endosulfans, Sum	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND
	Endosulfans, Sum	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
	Endrin Ketone		12/14/2009	ug/L	<	ND
	Endrin Ketone	EPA 608	12/31/2010	ug/L	<	ND
	Endrin Ketone	EPA 608	12/31/2010	ug/L	<	ND
	Endrin Ketone		11/16/2011	ug/L	<	ND
	Endrin Ketone		12/11/2012	ug/L	<	ND
	Ethyl methacrylate		12/14/2009	ug/L	<	ND
	Ethyl methacrylate		12/11/2012	ug/L	<	ND
	Ethyl methacrylate		12/10/2013	ug/L	<	ND
	Ethyl tert-butyl ether		12/11/2012	ug/L	<	ND
	Ethyl tert-butyl ether		12/10/2013	ug/L	<	ND
	Ethyl tert-butyl ether (ETBE)		12/14/2009	ug/L	<	ND
	Fecal Coliforms		1/31/2011	%	<	ND
	Fecal Coliforms		1/31/2011	%	<	ND
	Fecal Coliforms		2/28/2011	%	<	ND

0.5	0.5
0.5	
0.5	
0.5	0.5
0.5	0.5
0.1	
0.3	
0.06	0.3
10	10
10	10
0.5	
0.5	0.5
0.5	0.5
0.5	0.5
0.5	
0.5	
0.5	0.5
1.5	
1.5	
0.3	1.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	
0.5	
1	1
1	1
1	1
0.3	
0.3	
0.06	0.3
0.1	0.1
0.1	
0.1	
0.1	
0.1	0.1
2	2
2	2
2	2
1	1
1	1
1	1
1	
1	
1	

Fecal Coliforms	3/31/2011	%		8
Fecal Coliforms	4/30/2011	%		0
Fecal Coliforms	5/31/2011	%		0
Fecal Coliforms	6/30/2011	%		0
Fecal Coliforms	7/31/2011	%		0
Fecal Coliforms	8/31/2011	%		0
Fecal Coliforms	9/30/2011	%		0
Fecal Coliforms	10/31/2011	%		0
Fecal Coliforms	11/30/2011	%		0
Fecal Coliforms	12/31/2011	%		5
Fecal Coliforms	1/31/2012	%		5
Fecal Coliforms	2/29/2012	%		0
Fecal Coliforms	3/31/2012	%		20
Fecal Coliforms	4/30/2012	%		0
Fecal Coliforms	5/31/2012	%		0
Fecal Coliforms	6/30/2012	%		0
Fecal Coliforms	7/31/2012	%		0
Fecal Coliforms	8/31/2012	%		5
Fecal Coliforms	9/30/2012	%		5
Fecal Coliforms	10/31/2012	%		0
Fecal Coliforms	12/31/2012	%		0
Fecal Coliforms	1/31/2013	%		0
Fecal Coliforms	3/31/2013	%		0
Fecal Coliforms	4/30/2013	%		0
Fecal Coliforms	5/31/2013	%		0
Fecal Coliforms	6/30/2013	%		0
Fecal Coliforms	7/31/2013	%		0
Fecal Coliforms	8/31/2013	%		0
Fecal Coliforms	9/30/2013	%		0
Fecal Coliforms	10/31/2013	%		0
Fecal Coliforms	11/30/2013	%		0
Fecal Coliforms	12/31/2013	%		10
Fecal Coliforms	1/31/2014	%		0
Fecal Coliforms	2/28/2014	%		0
Fecal Coliforms	3/31/2014	%		0
Fecal Coliforms	4/30/2014	%		0
Fecal Coliforms	5/31/2014	%		0
Fecal Coliforms	6/30/2014	%		0
Fecal Coliforms	7/31/2014	%		0
Fecal Coliforms	8/31/2014	%		0
Fecal Coliforms	9/30/2014	%		17
Fecal Coliforms	10/31/2014	%		0
Fecal Coliforms	8/1/2009	MPN/100 mL	<	ND
Fecal Coliforms	8/2/2009	MPN/100 mL		8
Fecal Coliforms	8/3/2009	MPN/100 mL	<	ND
Fecal Coliforms	8/4/2009	MPN/100 mL	<	ND
Fecal Coliforms	8/6/2009	MPN/100 mL	<	ND
Fecal Coliforms	8/7/2009	MPN/100 mL		4
Fecal Coliforms	8/9/2009	MPN/100 mL		2
Fecal Coliforms	8/12/2009	MPN/100 mL	<	ND
Fecal Coliforms	8/13/2009	MPN/100 mL		4
Fecal Coliforms	8/14/2009	MPN/100 mL		2

2

2
2
2

2

Fecal Coliforms		8/15/2009	MPN/100 mL		2
Fecal Coliforms		8/16/2009	MPN/100 mL		23
Fecal Coliforms		8/17/2009	MPN/100 mL		8
Fecal Coliforms		8/18/2009	MPN/100 mL	<	ND
Fecal Coliforms		8/20/2009	MPN/100 mL		500
Fecal Coliforms	BLENDING EVENT	8/20/2009	MPN/100 mL		500
Fecal Coliforms		8/24/2009	MPN/100 mL		7
Fecal Coliforms		8/25/2009	MPN/100 mL		4
Fecal Coliforms		8/26/2009	MPN/100 mL		2
Fecal Coliforms		8/27/2009	MPN/100 mL		7
Fecal Coliforms		8/30/2009	MPN/100 mL		4
Fecal Coliforms		9/1/2009	MPN/100 mL	<	ND
Fecal Coliforms		9/2/2009	MPN/100 mL		2
Fecal Coliforms		9/4/2009	MPN/100 mL		7
Fecal Coliforms		9/5/2009	MPN/100 mL	<	ND
Fecal Coliforms		9/6/2009	MPN/100 mL	<	ND
Fecal Coliforms		9/8/2009	MPN/100 mL		8
Fecal Coliforms		9/9/2009	MPN/100 mL		4
Fecal Coliforms		9/10/2009	MPN/100 mL		4
Fecal Coliforms		9/12/2009	MPN/100 mL		4
Fecal Coliforms		9/13/2009	MPN/100 mL		17
Fecal Coliforms		9/14/2009	MPN/100 mL	<	ND
Fecal Coliforms		9/15/2009	MPN/100 mL		4
Fecal Coliforms		9/16/2009	MPN/100 mL		4
Fecal Coliforms		9/18/2009	MPN/100 mL		2
Fecal Coliforms		9/20/2009	MPN/100 mL		2
Fecal Coliforms		9/21/2009	MPN/100 mL	<	ND
Fecal Coliforms		9/23/2009	MPN/100 mL	<	ND
Fecal Coliforms		9/25/2009	MPN/100 mL		4
Fecal Coliforms		9/26/2009	MPN/100 mL		17
Fecal Coliforms		9/29/2009	MPN/100 mL		2
Fecal Coliforms		10/1/2009	MPN/100 mL		2
Fecal Coliforms		10/2/2009	MPN/100 mL		30
Fecal Coliforms		10/3/2009	MPN/100 mL		30
Fecal Coliforms		10/4/2009	MPN/100 mL		2
Fecal Coliforms		10/5/2009	MPN/100 mL		4
Fecal Coliforms		10/7/2009	MPN/100 mL		4
Fecal Coliforms		10/8/2009	MPN/100 mL		4
Fecal Coliforms		10/10/2009	MPN/100 mL		30
Fecal Coliforms		10/13/2009	MPN/100 mL		30
Fecal Coliforms		10/14/2009	MPN/100 mL	<	ND
Fecal Coliforms		10/15/2009	MPN/100 mL	<	ND
Fecal Coliforms		10/16/2009	MPN/100 mL		2
Fecal Coliforms		10/17/2009	MPN/100 mL		2
Fecal Coliforms		10/18/2009	MPN/100 mL	<	ND
Fecal Coliforms		10/21/2009	MPN/100 mL	<	ND
Fecal Coliforms		10/22/2009	MPN/100 mL	<	ND
Fecal Coliforms		10/23/2009	MPN/100 mL		23
Fecal Coliforms		10/24/2009	MPN/100 mL	<	ND
Fecal Coliforms		10/28/2009	MPN/100 mL		17
Fecal Coliforms		10/30/2009	MPN/100 mL		2
Fecal Coliforms		11/1/2009	MPN/100 mL		2

2

2

2
2

2

2
2
2
2

2
2

2
2
2

2

Fecal Coliforms		11/2/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/3/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/4/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/6/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/9/2009	MPN/100 mL		4
Fecal Coliforms		11/10/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/11/2009	MPN/100 mL		4
Fecal Coliforms		11/12/2009	MPN/100 mL		2
Fecal Coliforms		11/14/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/15/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/16/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/17/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/20/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/21/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/22/2009	MPN/100 mL		2
Fecal Coliforms		11/25/2009	MPN/100 mL	<	ND
Fecal Coliforms		11/27/2009	MPN/100 mL		2
Fecal Coliforms		11/28/2009	MPN/100 mL		2
Fecal Coliforms		11/29/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/1/2009	MPN/100 mL		4
Fecal Coliforms		12/2/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/3/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/5/2009	MPN/100 mL		2
Fecal Coliforms		12/7/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/8/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/9/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/11/2009	MPN/100 mL		2
Fecal Coliforms		12/12/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/13/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/14/2009	MPN/100 mL		2
Fecal Coliforms		12/15/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/16/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/17/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/20/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/22/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/23/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/24/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/27/2009	MPN/100 mL	<	ND
Fecal Coliforms		12/29/2009	MPN/100 mL	<	ND
Fecal Coliforms		1/1/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	1/1/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/2/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/3/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/5/2010	MPN/100 mL		4
Fecal Coliforms		1/6/2010	MPN/100 mL		4
Fecal Coliforms		1/8/2010	MPN/100 mL		2
Fecal Coliforms		1/9/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	1/10/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/10/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/12/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/13/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/15/2010	MPN/100 mL	<	ND

2
2
2
2

2

2
2
2
2
2
2

2

2

2

2
2

2
2
2

2
2
2
2
2
2
2
2
2
2
2
2
2

2
2
2
2
2
2
2

Fecal Coliforms		1/16/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/18/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/19/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	1/19/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/20/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	1/20/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	1/21/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/21/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/22/2010	MPN/100 mL		11
Fecal Coliforms	BLENDING EVENT	1/22/2010	MPN/100 mL		11
Fecal Coliforms	BLENDING EVENT	1/23/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/23/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/24/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/25/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	1/26/2010	MPN/100 mL	<	ND
Fecal Coliforms		1/26/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/1/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/2/2010	MPN/100 mL		4
Fecal Coliforms		2/3/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/5/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/6/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/8/2010	MPN/100 mL		2
Fecal Coliforms		2/9/2010	MPN/100 mL		2
Fecal Coliforms		2/10/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/11/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/12/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/14/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/15/2010	MPN/100 mL		4
Fecal Coliforms		2/16/2010	MPN/100 mL		2
Fecal Coliforms		2/17/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/20/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/22/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/23/2010	MPN/100 mL		2
Fecal Coliforms		2/24/2010	MPN/100 mL		2
Fecal Coliforms		2/25/2010	MPN/100 mL	<	ND
Fecal Coliforms		2/26/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	2/26/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	2/27/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/1/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/2/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/3/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	3/3/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	3/4/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/4/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/8/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/9/2010	MPN/100 mL		2
Fecal Coliforms		3/10/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/11/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/12/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	3/12/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	3/13/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/13/2010	MPN/100 mL	<	ND

2
2
2
2
2
2
2
2

2
2
2
2
2
2
2

2
2
2

2
2
2
2

2
2
2

2
2
2
2
2
2
2
2
2
2
2

2
2
2
2
2
2
2

Fecal Coliforms		3/14/2010	MPN/100 mL		2
Fecal Coliforms	BLENDING EVENT	3/14/2010	MPN/100 mL		2
Fecal Coliforms		3/15/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/16/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/17/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/21/2010	MPN/100 mL		2
Fecal Coliforms	BLENDING EVENT	3/21/2010	MPN/100 mL		2
Fecal Coliforms		3/23/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/25/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/26/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/28/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/29/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	3/31/2010	MPN/100 mL	<	ND
Fecal Coliforms		3/31/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/1/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	4/2/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/2/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	4/5/2010	MPN/100 mL		2
Fecal Coliforms	BLENDING EVENT	4/6/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/8/2010	MPN/100 mL		2
Fecal Coliforms		4/10/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/11/2010	MPN/100 mL		2
Fecal Coliforms		4/12/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/14/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/15/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/16/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/19/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/20/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/21/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/23/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/24/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/26/2010	MPN/100 mL		2
Fecal Coliforms	BLENDING EVENT	4/27/2010	MPN/100 mL		23
Fecal Coliforms		4/27/2010	MPN/100 mL		23
Fecal Coliforms		4/28/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	4/28/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	4/29/2010	MPN/100 mL	<	ND
Fecal Coliforms		4/29/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/2/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	5/2/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/3/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/5/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/6/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/7/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/10/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/11/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/12/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/14/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/15/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/18/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/19/2010	MPN/100 mL		2
Fecal Coliforms		5/20/2010	MPN/100 mL	<	ND

2
2
2

2
2
2
2
2
2
2
2
2
2

2

2

2
2
2
2
2
2
2
2
2

2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2

2

Fecal Coliforms		5/21/2010	MPN/100 mL		2
Fecal Coliforms		5/22/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/23/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/24/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/26/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/28/2010	MPN/100 mL	<	ND
Fecal Coliforms		5/31/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/1/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/2/2010	MPN/100 mL	<	ND
Fecal Coliforms	BLENDING EVENT	6/4/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/4/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/6/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/7/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/9/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/10/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/12/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/13/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/14/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/17/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/18/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/19/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/20/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/21/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/22/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/23/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/24/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/27/2010	MPN/100 mL	<	ND
Fecal Coliforms		6/28/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/1/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/2/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/3/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/5/2010	MPN/100 mL		2
Fecal Coliforms		7/6/2010	MPN/100 mL		4
Fecal Coliforms		7/7/2010	MPN/100 mL		7
Fecal Coliforms		7/9/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/10/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/11/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/12/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/13/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/15/2010	MPN/100 mL		4
Fecal Coliforms		7/19/2010	MPN/100 mL		8
Fecal Coliforms		7/20/2010	MPN/100 mL		13
Fecal Coliforms		7/21/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/23/2010	MPN/100 mL		4
Fecal Coliforms		7/24/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/25/2010	MPN/100 mL		7
Fecal Coliforms		7/26/2010	MPN/100 mL	<	ND
Fecal Coliforms		7/27/2010	MPN/100 mL		4
Fecal Coliforms		8/1/2010	MPN/100 mL	<	ND
Fecal Coliforms		8/2/2010	MPN/100 mL	<	ND
Fecal Coliforms		8/3/2010	MPN/100 mL	<	ND
Fecal Coliforms		8/5/2010	MPN/100 mL	<	ND

2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2
2

Fecal Coliforms	8/6/2010	MPN/100 mL	<	ND
Fecal Coliforms	8/9/2010	MPN/100 mL	<	ND
Fecal Coliforms	8/10/2010	MPN/100 mL	<	ND
Fecal Coliforms	8/12/2010	MPN/100 mL		2
Fecal Coliforms	8/13/2010	MPN/100 mL		8
Fecal Coliforms	8/17/2010	MPN/100 mL	<	ND
Fecal Coliforms	8/18/2010	MPN/100 mL	<	ND
Fecal Coliforms	8/19/2010	MPN/100 mL		2
Fecal Coliforms	8/20/2010	MPN/100 mL	<	ND
Fecal Coliforms	8/21/2010	MPN/100 mL	<	ND
Fecal Coliforms	8/22/2010	MPN/100 mL		2
Fecal Coliforms	8/23/2010	MPN/100 mL	<	ND
Fecal Coliforms	8/24/2010	MPN/100 mL		2
Fecal Coliforms	8/26/2010	MPN/100 mL		8
Fecal Coliforms	8/28/2010	MPN/100 mL		2
Fecal Coliforms	8/31/2010	MPN/100 mL	<	ND
Fecal Coliforms	9/1/2010	MPN/100 mL	<	ND
Fecal Coliforms	9/2/2010	MPN/100 mL		2
Fecal Coliforms	9/3/2010	MPN/100 mL	<	ND
Fecal Coliforms	9/6/2010	MPN/100 mL	<	ND
Fecal Coliforms	9/7/2010	MPN/100 mL		2
Fecal Coliforms	9/9/2010	MPN/100 mL	<	ND
Fecal Coliforms	9/10/2010	MPN/100 mL	<	ND
Fecal Coliforms	9/11/2010	MPN/100 mL	<	ND
Fecal Coliforms	9/13/2010	MPN/100 mL	<	ND
Fecal Coliforms	9/16/2010	MPN/100 mL		8
Fecal Coliforms	9/17/2010	MPN/100 mL		4
Fecal Coliforms	9/18/2010	MPN/100 mL		14
Fecal Coliforms	9/19/2010	MPN/100 mL	<	ND
Fecal Coliforms	9/20/2010	MPN/100 mL		17
Fecal Coliforms	9/22/2010	MPN/100 mL		14
Fecal Coliforms	9/23/2010	MPN/100 mL		7
Fecal Coliforms	9/25/2010	MPN/100 mL		8
Fecal Coliforms	9/26/2010	MPN/100 mL		22
Fecal Coliforms	9/27/2010	MPN/100 mL		22
Fecal Coliforms	9/29/2010	MPN/100 mL	<	ND
Fecal Coliforms	10/1/2010	MPN/100 mL	<	ND
Fecal Coliforms	10/3/2010	MPN/100 mL	<	ND
Fecal Coliforms	10/4/2010	MPN/100 mL	<	ND
Fecal Coliforms	10/5/2010	MPN/100 mL		2
Fecal Coliforms	10/7/2010	MPN/100 mL		2
Fecal Coliforms	10/9/2010	MPN/100 mL		2
Fecal Coliforms	10/11/2010	MPN/100 mL		4
Fecal Coliforms	10/13/2010	MPN/100 mL	<	ND
Fecal Coliforms	10/14/2010	MPN/100 mL	<	ND
Fecal Coliforms	10/15/2010	MPN/100 mL	<	ND
Fecal Coliforms	10/18/2010	MPN/100 mL		8
Fecal Coliforms	10/19/2010	MPN/100 mL		8
Fecal Coliforms	10/20/2010	MPN/100 mL		4
Fecal Coliforms	10/21/2010	MPN/100 mL		13
Fecal Coliforms	10/23/2010	MPN/100 mL		4
Fecal Coliforms	10/24/2010	MPN/100 mL	<	ND

2
2
2

2
2

2
2

2

2
2

2
2

2
2
2
2

2

2
2
2
2

2
2
2

2

Fecal Coliforms	BLENDING EVENT	10/24/2010	MPN/100 mL	<	ND
Fecal Coliforms		10/25/2010	MPN/100 mL		17
Fecal Coliforms		10/26/2010	MPN/100 mL		17
Fecal Coliforms		10/28/2010	MPN/100 mL		2
Fecal Coliforms		10/29/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/1/2010	MPN/100 mL		17
Fecal Coliforms		11/2/2010	MPN/100 mL		2
Fecal Coliforms		11/3/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/5/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/6/2010	MPN/100 mL		2
Fecal Coliforms		11/8/2010	MPN/100 mL		2
Fecal Coliforms		11/9/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/10/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/11/2010	MPN/100 mL		2
Fecal Coliforms		11/13/2010	MPN/100 mL		2
Fecal Coliforms		11/15/2010	MPN/100 mL		2
Fecal Coliforms		11/16/2010	MPN/100 mL		2
Fecal Coliforms		11/17/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/19/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/20/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/21/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/22/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/23/2010	MPN/100 mL	<	ND
Fecal Coliforms		11/29/2010	MPN/100 mL		2
Fecal Coliforms		11/30/2010	MPN/100 mL		8
Fecal Coliforms	median	12/31/2010	MPN/100 mL	<	ND
Fecal Coliforms	max	12/31/2010	MPN/100 mL		7
Fecal Coliforms	median	12/31/2010	MPN/100 mL		2
Fecal Coliforms	max	12/31/2010	MPN/100 mL		17
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/1/2011	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/1/2011	MPN/100 mL		8
Fecal Coliforms		1/1/2011	MPN/100 mL		8
Fecal Coliforms		1/2/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/2/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/3/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/3/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/4/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/4/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/5/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/5/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/7/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/7/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/8/2011	MPN/100 mL		2
Fecal Coliforms		1/8/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/10/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/10/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/11/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/11/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/12/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/12/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/12/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/14/2011	MPN/100 mL	<	ND

2

2

2
2

2
2

2
2
2
2
2
2

2 BLENDING EVENT

BLENDING EVENT

2
2
2 2
2 2
2 2
2 2
2 2
2 2
2 2
2 2
2 2
2
2
2 2
2 2
2 2
2 2
2 2
2 2
2 2
2 2

Fecal Coliforms		1/14/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/16/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/16/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/17/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/17/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/18/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/18/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/20/2011	MPN/100 mL		2
Fecal Coliforms		1/20/2011	MPN/100 mL		2
Fecal Coliforms		1/21/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/21/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/24/2011	MPN/100 mL		2
Fecal Coliforms		1/24/2011	MPN/100 mL		2
Fecal Coliforms		1/26/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/26/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/27/2011	MPN/100 mL		2
Fecal Coliforms		1/27/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/29/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/29/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/31/2011	MPN/100 mL	<	ND
Fecal Coliforms		1/31/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/1/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/2/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/3/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/4/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/5/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/6/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/7/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/8/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/10/2011	MPN/100 mL		2
Fecal Coliforms		2/11/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/14/2011	MPN/100 mL		2
Fecal Coliforms		2/15/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/16/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/17/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/19/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/20/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/21/2011	MPN/100 mL		2
Fecal Coliforms		2/26/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/27/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/28/2011	MPN/100 mL	<	ND
Fecal Coliforms		2/28/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/1/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/2/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/4/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/6/2011	MPN/100 mL		7
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/7/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/8/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/10/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/12/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/14/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/15/2011	MPN/100 mL	<	ND

2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
	2
2	2
2	2
	2
	2
2	2
2	2
	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
	2
	2
2	2
2	2
	2
2	2
2	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/16/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/18/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/19/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/20/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/21/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/22/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/23/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/24/2011	MPN/100 mL		130
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/25/2011	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/26/2011	MPN/100 mL		7
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/27/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/28/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/29/2011	MPN/100 mL		50
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/30/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/31/2011	MPN/100 mL	<	ND
Fecal Coliforms		3/31/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/2/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/3/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/4/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/5/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/6/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/9/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/11/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/12/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/13/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/14/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/16/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/17/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/18/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/19/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/20/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/22/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/24/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/25/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/26/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/29/2011	MPN/100 mL	<	ND
Fecal Coliforms		4/30/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/1/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/2/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/3/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/4/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/5/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/9/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/10/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/11/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/12/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/13/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/16/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/17/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/18/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/19/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/21/2011	MPN/100 mL	<	ND

2	2
2	2
2	2
2	2
2	2
2	2
	2
	2
	2
	2
	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	
2	2
2	
2	
2	2
2	2
2	
2	2
2	2
2	2
2	2
2	2
2	2
2	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/24/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/26/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/27/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/28/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/31/2011	MPN/100 mL	<	ND
Fecal Coliforms		5/31/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/1/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/2/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/3/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/5/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/6/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/7/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/9/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/11/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/12/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/13/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/15/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/16/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/20/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/21/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/22/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/23/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/24/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/27/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/28/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/29/2011	MPN/100 mL	<	ND
Fecal Coliforms		6/30/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/1/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/2/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/3/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/5/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/6/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/8/2011	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/10/2011	MPN/100 mL		23
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/11/2011	MPN/100 mL		50
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/13/2011	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/14/2011	MPN/100 mL		17
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/16/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/18/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/20/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/21/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/22/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/25/2011	MPN/100 mL		13
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/26/2011	MPN/100 mL		13
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/27/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/29/2011	MPN/100 mL		13
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/30/2011	MPN/100 mL		14
Fecal Coliforms		7/31/2011	MPN/100 mL		3
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/1/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/2/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/3/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/4/2011	MPN/100 mL		4

2	2
2	
2	
2	
2	
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/6/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/7/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/9/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/10/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/12/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/13/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/15/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/16/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/19/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/21/2011	MPN/100 mL		900
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/22/2011	MPN/100 mL		30
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/24/2011	MPN/100 mL		30
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/25/2011	MPN/100 mL		80
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/27/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/29/2011	MPN/100 mL		22
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/30/2011	MPN/100 mL		13
Fecal Coliforms		8/31/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/1/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/2/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/3/2011	MPN/100 mL		80
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/5/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/6/2011	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/7/2011	MPN/100 mL		17
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/8/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/10/2011	MPN/100 mL		7
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/11/2011	MPN/100 mL		50
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/13/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/15/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/16/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/18/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/19/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/21/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/23/2011	MPN/100 mL		6
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/24/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/25/2011	MPN/100 mL		7
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/26/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/27/2011	MPN/100 mL	<	ND
Fecal Coliforms		9/30/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/2/2011	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/3/2011	MPN/100 mL		13
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/4/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/6/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/7/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/8/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/10/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/12/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/13/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/14/2011	MPN/100 mL		11
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/15/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/17/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/19/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/21/2011	MPN/100 mL		8

2	2
2	
2	
2	
2	
2	2
2	
2	
2	2
2	
2	2
2	
2	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
2	2
	2
	2
	2
	2
	2
2	2
	2
	2
	2
2	
2	
2	
	2
2	
	2
	2
	2
	2
	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/22/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/23/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/25/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/26/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/27/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/28/2011	MPN/100 mL	<	ND
Fecal Coliforms		10/31/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/1/2011	MPN/100 mL		17
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/2/2011	MPN/100 mL		26
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/3/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/5/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/6/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/7/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/9/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/10/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/11/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/14/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/15/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/17/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/18/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/19/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/21/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/22/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/23/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/26/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/27/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/28/2011	MPN/100 mL	<	ND
Fecal Coliforms		11/30/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/1/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/2/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/3/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/5/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/6/2011	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/8/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/9/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/11/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/13/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/14/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/16/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/17/2011	MPN/100 mL		500
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/20/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/21/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/22/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/24/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/25/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/26/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/28/2011	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/29/2011	MPN/100 mL		2
Fecal Coliforms		12/31/2011	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/3/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/4/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/5/2012	MPN/100 mL	<	ND

	2
2	
2	
2	
2	2
	2
	2
	2
	2
2	2
	2
2	2
2	2
2	2
2	2
	2
	2
2	2
2	2
	2
2	2
2	2
	2
2	2
2	2
2	
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
	2
2	2
	2
	2
2	
2	2
2	2
2	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/7/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/8/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/10/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/13/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/16/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/17/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/18/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/19/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/20/2012	MPN/100 mL		13
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/21/2012	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/22/2012	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/23/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/25/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/29/2012	MPN/100 mL		50
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/30/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/30/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/31/2012	MPN/100 mL	<	ND
Fecal Coliforms		1/31/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/2/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/3/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/4/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/6/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/7/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/9/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/10/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/11/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/13/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/14/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/15/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/16/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/17/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/19/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/20/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/21/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/22/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/25/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/26/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/28/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/29/2012	MPN/100 mL	<	ND
Fecal Coliforms		2/29/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/1/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/2/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/4/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/5/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/7/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/9/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/10/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/13/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/14/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/15/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/16/2012	MPN/100 mL	>=	1600
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/17/2012	MPN/100 mL		50

2	2
	2
2	2
2	2
2	2
2	2
2	2
	2
	2
	2
	2
2	2
2	2
	2
2	2
	2
2	2
2	
2	2
2	2
2	2
2	2
2	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/18/2012	MPN/100 mL		50
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/19/2012	MPN/100 mL		23
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/20/2012	MPN/100 mL		23
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/20/2012	MPN/100 mL		11
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/21/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/22/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/23/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/24/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/25/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/26/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/26/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/27/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/28/2012	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/29/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/29/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/30/2012	MPN/100 mL		110
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/30/2012	MPN/100 mL		110
Fecal Coliforms		3/31/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/31/2012	MPN/100 mL		50
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/1/2012	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/2/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/3/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/4/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/5/2012	MPN/100 mL		7
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/6/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/7/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/9/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/11/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/12/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/13/2012	MPN/100 mL		11
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/14/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/15/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/16/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/18/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/19/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/21/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/23/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/26/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/27/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/28/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/30/2012	MPN/100 mL	<	ND
Fecal Coliforms		4/30/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/1/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/2/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/3/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/5/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/6/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/7/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/9/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/10/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/11/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/13/2012	MPN/100 mL	<	ND

	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
2	2
	2
2	2
	2
	2
	2
	2
	2
2	2
2	2
	2
	2
	2
	2
2	2
2	2
	2
	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
2	
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/14/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/17/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/19/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/21/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/22/2012	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/23/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/26/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/28/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/29/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/30/2012	MPN/100 mL	<	ND
Fecal Coliforms		5/31/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/1/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/2/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/3/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/4/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/5/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/8/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/9/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/11/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/12/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/13/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/14/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/15/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/17/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/19/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/20/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/22/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/23/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/25/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/26/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/27/2012	MPN/100 mL	<	ND
Fecal Coliforms		6/30/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/1/2012	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/2/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/3/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/4/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/7/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/8/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/9/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/11/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/12/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/13/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/16/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/17/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/18/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/19/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/20/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/23/2012	MPN/100 mL		13
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/24/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/26/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/27/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/30/2012	MPN/100 mL		2

2	2
2	2
	2
	2
	2
2	2
2	2
2	2
2	2
2	2
2	
	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
	2
2	2
2	2
2	
	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
	2
	2
	2
	2
	2
	2

Fecal Coliforms		7/31/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/1/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/2/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/3/2012	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/4/2012	MPN/100 mL		13
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/7/2012	MPN/100 mL		50
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/8/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/9/2012	MPN/100 mL		30
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/10/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/12/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/13/2012	MPN/100 mL		23
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/15/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/17/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/18/2012	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/19/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/20/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/23/2012	MPN/100 mL		23
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/24/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/27/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/28/2012	MPN/100 mL		14
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/30/2012	MPN/100 mL		4
Fecal Coliforms		8/31/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/1/2012	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/2/2012	MPN/100 mL		30
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/4/2012	MPN/100 mL		50
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/5/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/6/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/7/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/10/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/11/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/13/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/14/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/15/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/17/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/18/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/20/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/22/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/23/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/24/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/25/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/27/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/28/2012	MPN/100 mL		4
Fecal Coliforms		9/30/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/1/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/2/2012	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/3/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/5/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/6/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/8/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/9/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/11/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/12/2012	MPN/100 mL	<	ND

2	
	2
2	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
	2
2	
	2
	2
2	2
	2
	2
	2
2	2
2	2
2	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/14/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/15/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/17/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/18/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/20/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/21/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/21/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/23/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/25/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/29/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/30/2012	MPN/100 mL		2
Fecal Coliforms		10/31/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/1/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/2/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/4/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/6/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/7/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/8/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/10/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/12/2012	MPN/100 mL		7
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/13/2012	MPN/100 mL		22
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/14/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/16/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/17/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/20/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/20/2012	MPN/100 mL		50
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/22/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/23/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/25/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/26/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/27/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/29/2012	MPN/100 mL		170
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/30/2012	MPN/100 mL		2
Fecal Coliforms		11/30/2012	MPN/100 mL		9.5
Fecal Coliforms		11/30/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/1/2012	MPN/100 mL		17
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/2/2012	MPN/100 mL		22
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/3/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/4/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/5/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/5/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/7/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/11/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/12/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/13/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/15/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/16/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/17/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/20/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/21/2012	MPN/100 mL		23
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/22/2012	MPN/100 mL		30
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/23/2012	MPN/100 mL		11

	2
2	2
	2
	2
	2
2	2
	2
2	2
2	2
	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
	2
2	2
2	2
2	2
	2
	2
2	2
	2
2	2
2	2
	2
	2
	2
2	
	2
	2
	2
	2
	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
	2
	2
	2
	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/24/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/25/2012	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/26/2012	MPN/100 mL		22
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/27/2012	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/28/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/29/2012	MPN/100 mL	<	ND
Fecal Coliforms		12/31/2012	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/2/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/3/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/4/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/7/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/8/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/10/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/11/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/12/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/14/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/15/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/17/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/18/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/20/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/22/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/24/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/25/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/26/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/27/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/29/2013	MPN/100 mL		6
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/30/2013	MPN/100 mL	<	ND
Fecal Coliforms		1/31/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/1/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/2/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/3/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/5/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/6/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/8/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/9/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/11/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/12/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/13/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/15/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/17/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/18/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/20/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/21/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/23/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/24/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/25/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/26/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/27/2013	MPN/100 mL	<	ND
Fecal Coliforms		2/28/2013	MPN/100 mL		0
Fecal Coliforms		2/28/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/1/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/3/2013	MPN/100 mL	<	ND

	2
	2
	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	
2	2
	2
2	2
	2
2	2
2	2
	2
2	2
2	2
	2
	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	
2	2
2	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/5/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/6/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/8/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/9/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/11/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/12/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/13/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/16/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/18/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/20/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/21/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/23/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/24/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/26/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/27/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/28/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/30/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/31/2013	MPN/100 mL	<	ND
Fecal Coliforms		3/31/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/1/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/2/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/3/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/5/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/6/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/8/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/9/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/11/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/12/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/15/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/16/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/17/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/19/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/21/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/22/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/24/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/26/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/27/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/29/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/30/2013	MPN/100 mL	<	ND
Fecal Coliforms		4/30/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/1/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/2/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/4/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/5/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/6/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/8/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/9/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/10/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/14/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/16/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/18/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/19/2013	MPN/100 mL		2

2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/21/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/23/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/24/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/25/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/27/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/29/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/30/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/31/2013	MPN/100 mL	<	ND
Fecal Coliforms		5/31/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/1/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/2/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/4/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/6/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/7/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/8/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/10/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/12/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/13/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/14/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/18/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/19/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/20/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/22/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/24/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/25/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/26/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/28/2013	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/29/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/30/2013	MPN/100 mL	<	ND
Fecal Coliforms		6/30/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/3/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/4/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/5/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/7/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/8/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/10/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/12/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/13/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/15/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/16/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/18/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/19/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/21/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/22/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/24/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/26/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/27/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/29/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/30/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/31/2013	MPN/100 mL		2
Fecal Coliforms		7/31/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/1/2013	MPN/100 mL		8

2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	
2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
	2
	2
2	2
2	2
	2
2	2
2	2
2	2
	2
2	2
2	2
2	
	2
	2
	2
	2
2	2
2	2
2	2
2	2
	2
	2
2	2
2	2
2	2
2	2
2	2
	2
	2
	2
	2
	2
	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/3/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/4/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/5/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/6/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/8/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/11/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/12/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/14/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/15/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/16/2013	MPN/100 mL		220
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/19/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/20/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/22/2013	MPN/100 mL		7
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/23/2013	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/24/2013	MPN/100 mL		17
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/26/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/27/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/29/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/30/2013	MPN/100 mL		4
Fecal Coliforms		8/31/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/1/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/2/2013	MPN/100 mL		13
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/3/2013	MPN/100 mL		50
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/5/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/6/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/8/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/10/2013	MPN/100 mL		14
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/11/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/13/2013	MPN/100 mL		23
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/14/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/16/2013	MPN/100 mL		11
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/17/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/18/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/20/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/21/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/23/2013	MPN/100 mL		17
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/25/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/27/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/28/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/29/2013	MPN/100 mL	<	ND
Fecal Coliforms		9/30/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/1/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/2/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/3/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/4/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/6/2013	MPN/100 mL		30
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/7/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/10/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/11/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/12/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/14/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/15/2013	MPN/100 mL		4

2	2
2	2
2	2
	2
	2
	2
2	2
	2
	2
	2
	2
2	2
	2
	2
	2
2	2
2	2
2	2
	2
	2
	2
	2
2	2
	2
	2
	2
	2
	2
	2
2	2
	2
2	2
2	2
2	2
	2
2	2
	2
	2
2	2
2	2
	2
2	2
	2
	2
	2
	2
	2
	2
2	2
	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/16/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/18/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/19/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/21/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/22/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/25/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/27/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/28/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/30/2013	MPN/100 mL	<	ND
Fecal Coliforms		10/31/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/1/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/2/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/3/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/5/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/6/2013	MPN/100 mL		6
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/8/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/9/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/11/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/13/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/14/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/15/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/17/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/18/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/20/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/21/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/23/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/25/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/26/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/27/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	11/29/2013	MPN/100 mL		4
Fecal Coliforms		11/30/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/1/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/3/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/5/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/6/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/8/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/9/2013	MPN/100 mL		30
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/11/2013	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/12/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/13/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/14/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/16/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/17/2013	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/18/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/20/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/23/2013	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/24/2013	MPN/100 mL	>=	1600
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/26/2013	MPN/100 mL		130
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/28/2013	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/29/2013	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	12/30/2013	MPN/100 mL		2
Fecal Coliforms		12/31/2013	MPN/100 mL	<	ND

2	2
2	2
2	2
	2
	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
	2
	2
	2
	2
	2
2	
2	2
2	2
2	2
2	2
2	2
	2
	2
2	2
	2
2	2
2	2
	2
2	2
2	2
2	2
	2
	2
	2
	2
	2
2	

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/1/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/2/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/3/2014	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/5/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/7/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/8/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/10/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/12/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/13/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/14/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/16/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/17/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/19/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/20/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/21/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/24/2014	MPN/100 mL		13
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/26/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/27/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/29/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	1/30/2014	MPN/100 mL	<	ND
Fecal Coliforms		1/31/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/2/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/3/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/4/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/5/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/8/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/9/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/10/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/12/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/13/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/14/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/17/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/18/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/19/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/21/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/22/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/23/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/24/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/25/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/27/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	2/28/2014	MPN/100 mL	<	ND
Fecal Coliforms		2/28/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/1/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/3/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/4/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/6/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/7/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/9/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/10/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/12/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/13/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/15/2014	MPN/100 mL	<	ND

	2
	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	
2	2
	2
	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/16/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/18/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/19/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/21/2014	MPN/100 mL		17
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/22/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/24/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/26/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/27/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/28/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	3/30/2014	MPN/100 mL	<	ND
Fecal Coliforms		3/31/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/1/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/3/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/4/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/6/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/7/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/9/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/10/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/12/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/14/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/15/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/18/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/19/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/20/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/22/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/25/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/26/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/27/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/28/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/29/2014	MPN/100 mL	<	ND
Fecal Coliforms		4/30/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	4/30/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/2/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/4/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/5/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/7/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/8/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/10/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/12/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/13/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/14/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/15/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/18/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/19/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/20/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/23/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/24/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/25/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/27/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/28/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/29/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	5/30/2014	MPN/100 mL	<	ND

2	2
2	2
2	2
	2
	2
2	2
2	2
	2
2	2
2	2
2	
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
2	2
2	2
2	2

Fecal Coliforms		5/31/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/2/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/3/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/4/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/6/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/7/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/8/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/10/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/11/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/12/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/15/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/17/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/19/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/20/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/22/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/23/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/24/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/26/2014	MPN/100 mL	>=	1600
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/28/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/29/2014	MPN/100 mL		2
Fecal Coliforms		6/30/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	6/30/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/2/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/3/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/5/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/6/2014	MPN/100 mL		22
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/8/2014	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/10/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/11/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/12/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/14/2014	MPN/100 mL		80
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/15/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/16/2014	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/18/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/20/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/21/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/22/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/24/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/25/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/26/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/28/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	7/30/2014	MPN/100 mL		4
Fecal Coliforms		7/31/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/1/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/2/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/3/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/5/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/6/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/8/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/10/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/11/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/14/2014	MPN/100 mL		4

2	
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
	2
2	
	2
2	2
	2
2	2
	2
	2
	2
2	2
2	2
	2
	2
	2
2	2
	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	
	2
	2
	2
	2
	2
2	2
2	2
2	2
	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/15/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/16/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/18/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/19/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/21/2014	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/22/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/23/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/25/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/26/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/27/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	8/29/2014	MPN/100 mL		4
Fecal Coliforms		8/31/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/1/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/2/2014	MPN/100 mL		80
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/3/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/5/2014	MPN/100 mL	>=	1600
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/6/2014	MPN/100 mL		300
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/7/2014	MPN/100 mL		130
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/9/2014	MPN/100 mL		27
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/10/2014	MPN/100 mL		80
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/11/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/12/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/13/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/14/2014	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/15/2014	MPN/100 mL		9
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/16/2014	MPN/100 mL		11
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/16/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/17/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/18/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/19/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/20/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/21/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/22/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/23/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/24/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/25/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/25/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/26/2014	MPN/100 mL		13
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/27/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/28/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/29/2014	MPN/100 mL	<	ND
Fecal Coliforms		9/30/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	9/30/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/1/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/3/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/4/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/6/2014	MPN/100 mL		8
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/7/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/9/2014	MPN/100 mL		11
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/10/2014	MPN/100 mL		4
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/12/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/14/2014	MPN/100 mL	<	ND

2	2
	2
2	2
2	2
	2
	2
	2
	2
2	2
	2
	2
2	2
	2
2	2
	2
	2
	2
	2
	2
	2
2	2
	2
	2
	2
	2
	2
2	2
2	2
	2
	2
2	
2	
2	
2	
2	
	2
2	2
2	2
	2
	2
	2
	2
	2
2	2
2	2

Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/15/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/16/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/18/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/19/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/20/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/22/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/24/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/25/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/27/2014	MPN/100 mL	<	ND
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/28/2014	MPN/100 mL		2
Fecal Coliforms	Standard Method 9221 B&E: Total & Fecal Coliform	10/30/2014	MPN/100 mL	<	ND
Fecal Coliforms		10/31/2014	MPN/100 mL	<	ND
Flow		8/1/2009	MGD		3.675
Flow		8/2/2009	MGD		3.723
Flow		8/3/2009	MGD		4.72
Flow		8/4/2009	MGD		4.228
Flow		8/5/2009	MGD		4.138
Flow		8/6/2009	MGD		4.053
Flow		8/7/2009	MGD		4.022
Flow		8/8/2009	MGD		3.768
Flow		8/9/2009	MGD		3.785
Flow		8/10/2009	MGD		4.114
Flow		8/11/2009	MGD		3.989
Flow		8/12/2009	MGD		4.05
Flow		8/13/2009	MGD		4.082
Flow		8/14/2009	MGD		3.845
Flow		8/15/2009	MGD		3.682
Flow		8/16/2009	MGD		3.63
Flow		8/17/2009	MGD		3.97
Flow		8/18/2009	MGD		3.986
Flow		8/19/2009	MGD		4.05
Flow		8/20/2009	MGD		4.082
Flow		8/21/2009	MGD		3.722
Flow		8/22/2009	MGD		3.85
Flow		8/23/2009	MGD		3.802
Flow		8/24/2009	MGD		4.002
Flow		8/25/2009	MGD		4.004
Flow		8/26/2009	MGD		3.881
Flow		8/27/2009	MGD		3.81
Flow		8/28/2009	MGD		3.832
Flow		8/29/2009	MGD		3.929
Flow		8/30/2009	MGD		3.92
Flow		8/31/2009	MGD		4.055
Flow		9/1/2009	MGD		3.932
Flow		9/2/2009	MGD		4.035
Flow		9/3/2009	MGD		3.73
Flow		9/4/2009	MGD		3.811
Flow		9/5/2009	MGD		3.765
Flow		9/6/2009	MGD		3.501
Flow		9/7/2009	MGD		3.919
Flow		9/8/2009	MGD		3.826
Flow		9/9/2009	MGD		4.084

2	2
2	2
2	2
2	2
2	2
2	2
2	2
	2
2	2
	2
2	2
2	

Flow	9/10/2009	MGD	3.714
Flow	9/11/2009	MGD	3.801
Flow	9/12/2009	MGD	3.872
Flow	9/13/2009	MGD	4.644
Flow	9/14/2009	MGD	4.218
Flow	9/15/2009	MGD	4.13
Flow	9/16/2009	MGD	4.285
Flow	9/17/2009	MGD	3.916
Flow	9/18/2009	MGD	3.807
Flow	9/19/2009	MGD	3.68
Flow	9/20/2009	MGD	3.96
Flow	9/21/2009	MGD	3.928
Flow	9/22/2009	MGD	3.85
Flow	9/23/2009	MGD	3.982
Flow	9/24/2009	MGD	3.717
Flow	9/25/2009	MGD	3.706
Flow	9/26/2009	MGD	3.647
Flow	9/27/2009	MGD	3.943
Flow	9/28/2009	MGD	3.878
Flow	9/29/2009	MGD	3.881
Flow	9/30/2009	MGD	3.932
Flow	10/1/2009	MGD	3.691
Flow	10/2/2009	MGD	3.69
Flow	10/3/2009	MGD	3.724
Flow	10/4/2009	MGD	3.911
Flow	10/5/2009	MGD	3.846
Flow	10/6/2009	MGD	3.784
Flow	10/7/2009	MGD	4.465
Flow	10/8/2009	MGD	3.71
Flow	10/9/2009	MGD	3.775
Flow	10/10/2009	MGD	3.795
Flow	10/11/2009	MGD	3.968
Flow	10/12/2009	MGD	3.961
Flow	10/13/2009	MGD	4.535
Flow	10/14/2009	MGD	4.395
Flow	10/15/2009	MGD	3.907
Flow	10/16/2009	MGD	3.774
Flow	10/17/2009	MGD	3.908
Flow	10/18/2009	MGD	4.04
Flow	10/19/2009	MGD	3.965
Flow	10/20/2009	MGD	3.944
Flow	10/21/2009	MGD	3.955
Flow	10/22/2009	MGD	3.723
Flow	10/23/2009	MGD	3.657
Flow	10/24/2009	MGD	3.692
Flow	10/25/2009	MGD	3.875
Flow	10/26/2009	MGD	3.958
Flow	10/27/2009	MGD	3.759
Flow	10/28/2009	MGD	3.868
Flow	10/29/2009	MGD	3.63
Flow	10/30/2009	MGD	3.605
Flow	10/31/2009	MGD	3.858

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	11/1/2009	MGD	3.817
Flow	11/2/2009	MGD	3.771
Flow	11/3/2009	MGD	3.839
Flow	11/4/2009	MGD	3.914
Flow	11/5/2009	MGD	4.015
Flow	11/6/2009	MGD	3.765
Flow	11/7/2009	MGD	3.819
Flow	11/8/2009	MGD	3.896
Flow	11/9/2009	MGD	4.007
Flow	11/10/2009	MGD	3.613
Flow	11/11/2009	MGD	4.063
Flow	11/12/2009	MGD	3.634
Flow	11/13/2009	MGD	3.778
Flow	11/14/2009	MGD	3.823
Flow	11/15/2009	MGD	3.905
Flow	11/16/2009	MGD	4.046
Flow	11/17/2009	MGD	5.492
Flow	11/18/2009	MGD	4.383
Flow	11/19/2009	MGD	4.23
Flow	11/20/2009	MGD	5.571
Flow	11/21/2009	MGD	4.738
Flow	11/22/2009	MGD	4.469
Flow	11/23/2009	MGD	4.256
Flow	11/24/2009	MGD	4.216
Flow	11/25/2009	MGD	4.25
Flow	11/26/2009	MGD	4.592
Flow	11/27/2009	MGD	4.326
Flow	11/28/2009	MGD	4.251
Flow	11/29/2009	MGD	4.371
Flow	11/30/2009	MGD	4.183
Flow	12/1/2009	MGD	4.242
Flow	12/2/2009	MGD	4.539
Flow	12/3/2009	MGD	4.199
Flow	12/4/2009	MGD	4.167
Flow	12/5/2009	MGD	4.278
Flow	12/6/2009	MGD	4.385
Flow	12/7/2009	MGD	4.166
Flow	12/8/2009	MGD	4.176
Flow	12/9/2009	MGD	4.385
Flow	12/10/2009	MGD	4.228
Flow	12/11/2009	MGD	4.223
Flow	12/12/2009	MGD	4.284
Flow	12/13/2009	MGD	4.387
Flow	12/14/2009	MGD	4.154
Flow	12/15/2009	MGD	5.999
Flow	12/16/2009	MGD	5.151
Flow	12/17/2009	MGD	4.559
Flow	12/18/2009	MGD	4.402
Flow	12/19/2009	MGD	4.745
Flow	12/20/2009	MGD	5.531
Flow	12/21/2009	MGD	7.136
Flow	12/22/2009	MGD	6.332

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow		12/23/2009	MGD	5.497
Flow		12/24/2009	MGD	4.92
Flow		12/25/2009	MGD	4.501
Flow		12/26/2009	MGD	4.965
Flow		12/27/2009	MGD	5.04
Flow		12/28/2009	MGD	4.873
Flow		12/29/2009	MGD	5.094
Flow		12/30/2009	MGD	4.946
Flow		12/31/2009	MGD	7.534
Flow		1/1/2010	MGD	9.098
Flow	BLENDING EVENT	1/1/2010	MGD	0.364
Flow		1/2/2010	MGD	6.831
Flow		1/3/2010	MGD	6.24
Flow		1/4/2010	MGD	5.88
Flow		1/5/2010	MGD	5.624
Flow		1/6/2010	MGD	6.355
Flow		1/7/2010	MGD	5.66
Flow		1/8/2010	MGD	5.808
Flow		1/9/2010	MGD	5.801
Flow		1/10/2010	MGD	5.891
Flow	BLENDING EVENT	1/10/2010	MGD	0.117
Flow		1/11/2010	MGD	6.615
Flow		1/12/2010	MGD	8.832
Flow		1/13/2010	MGD	7.701
Flow		1/14/2010	MGD	6.261
Flow		1/15/2010	MGD	6.106
Flow		1/16/2010	MGD	5.879
Flow		1/17/2010	MGD	5.956
Flow		1/18/2010	MGD	9.561
Flow		1/19/2010	MGD	12.79
Flow	BLENDING EVENT	1/19/2010	MGD	1.467
Flow		1/20/2010	MGD	15.021
Flow	BLENDING EVENT	1/20/2010	MGD	2.013
Flow		1/21/2010	MGD	11.181
Flow	BLENDING EVENT	1/21/2010	MGD	1.256
Flow		1/22/2010	MGD	9.265
Flow	BLENDING EVENT	1/22/2010	MGD	0.023
Flow		1/23/2010	MGD	9.053
Flow	BLENDING EVENT	1/23/2010	MGD	0.017
Flow		1/24/2010	MGD	8.966
Flow		1/25/2010	MGD	9.53
Flow		1/26/2010	MGD	8.85
Flow	BLENDING EVENT	1/26/2010	MGD	0.013
Flow		1/27/2010	MGD	8.02
Flow		1/28/2010	MGD	7.15
Flow		1/29/2010	MGD	7.43
Flow		1/30/2010	MGD	7.82
Flow		1/31/2010	MGD	7.16
Flow		2/1/2010	MGD	6.851
Flow		2/2/2010	MGD	6.806
Flow		2/3/2010	MGD	6.854
Flow		2/4/2010	MGD	7.158

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow		2/5/2010	MGD	6.942
Flow		2/6/2010	MGD	7.227
Flow		2/7/2010	MGD	6.578
Flow		2/8/2010	MGD	6.362
Flow		2/9/2010	MGD	6.155
Flow		2/10/2010	MGD	6.225
Flow		2/11/2010	MGD	5.892
Flow		2/12/2010	MGD	6.061
Flow		2/13/2010	MGD	6.756
Flow		2/14/2010	MGD	5.864
Flow		2/15/2010	MGD	6.606
Flow		2/16/2010	MGD	5.86
Flow		2/17/2010	MGD	5.764
Flow		2/18/2010	MGD	5.397
Flow		2/19/2010	MGD	5.354
Flow		2/20/2010	MGD	5.351
Flow		2/21/2010	MGD	5.28
Flow		2/22/2010	MGD	5.291
Flow		2/23/2010	MGD	5.759
Flow		2/24/2010	MGD	5.809
Flow		2/25/2010	MGD	6.024
Flow		2/26/2010	MGD	11.52
Flow		2/27/2010	MGD	8.453
Flow		2/28/2010	MGD	7.417
Flow		3/1/2010	MGD	7.401
Flow		3/2/2010	MGD	9.509
Flow		3/3/2010	MGD	9.178
Flow		3/4/2010	MGD	7.632
Flow		3/5/2010	MGD	7.027
Flow		3/6/2010	MGD	6.642
Flow		3/7/2010	MGD	7.039
Flow		3/8/2010	MGD	6.976
Flow		3/9/2010	MGD	7.495
Flow		3/10/2010	MGD	7.432
Flow		3/11/2010	MGD	6.646
Flow		3/12/2010	MGD	10.832
Flow	BLENDING EVENT	3/12/2010	MGD	0.535
Flow		3/13/2010	MGD	8.38
Flow		3/14/2010	MGD	7.6
Flow		3/15/2010	MGD	7.197
Flow		3/16/2010	MGD	6.674
Flow		3/17/2010	MGD	6.584
Flow		3/18/2010	MGD	6.011
Flow		3/19/2010	MGD	5.867
Flow		3/20/2010	MGD	5.915
Flow		3/21/2010	MGD	6.006
Flow		3/22/2010	MGD	5.543
Flow		3/23/2010	MGD	5.448
Flow		3/24/2010	MGD	6.31
Flow		3/25/2010	MGD	7.279
Flow		3/26/2010	MGD	6.527
Flow		3/27/2010	MGD	6.363

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow		3/28/2010	MGD	6.048
Flow		3/29/2010	MGD	7.247
Flow		3/30/2010	MGD	8.361
Flow		3/31/2010	MGD	8.24
Flow		4/1/2010	MGD	7.091
Flow		4/2/2010	MGD	9.003
Flow	BLENDING EVENT	4/2/2010	MGD	0.12
Flow		4/3/2010	MGD	8.3
Flow		4/4/2010	MGD	10.528
Flow		4/5/2010	MGD	9.311
Flow	BLENDING EVENT	4/5/2010	MGD	0.011
Flow		4/6/2010	MGD	8.301
Flow		4/7/2010	MGD	7.87
Flow		4/8/2010	MGD	6.921
Flow		4/9/2010	MGD	6.824
Flow		4/10/2010	MGD	6.556
Flow		4/11/2010	MGD	6.6
Flow		4/12/2010	MGD	7.25
Flow		4/13/2010	MGD	7.73
Flow		4/14/2010	MGD	7.583
Flow		4/15/2010	MGD	6.743
Flow		4/16/2010	MGD	6.463
Flow		4/17/2010	MGD	6.287
Flow		4/18/2010	MGD	6.03
Flow		4/19/2010	MGD	7.288
Flow		4/20/2010	MGD	9
Flow		4/21/2010	MGD	8.037
Flow		4/22/2010	MGD	6.88
Flow		4/23/2010	MGD	6.368
Flow		4/24/2010	MGD	6.049
Flow		4/25/2010	MGD	6.102
Flow		4/26/2010	MGD	9.029
Flow		4/27/2010	MGD	14.637
Flow	BLENDING EVENT	4/27/2010	MGD	1.93
Flow		4/28/2010	MGD	11.747
Flow	BLENDING EVENT	4/28/2010	MGD	0.48
Flow		4/29/2010	MGD	10.03
Flow	BLENDING EVENT	4/29/2010	MGD	0.11
Flow		4/30/2010	MGD	8.661
Flow		5/1/2010	MGD	8.23
Flow		5/2/2010	MGD	7.15
Flow		5/3/2010	MGD	6.99
Flow		5/4/2010	MGD	6.54
Flow		5/5/2010	MGD	6.48
Flow		5/6/2010	MGD	5.94
Flow		5/7/2010	MGD	5.88
Flow		5/8/2010	MGD	5.88
Flow		5/9/2010	MGD	5.71
Flow		5/10/2010	MGD	7.26
Flow		5/11/2010	MGD	6.24
Flow		5/12/2010	MGD	6.17
Flow		5/13/2010	MGD	5.64

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	5/14/2010	MGD	5.45
Flow	5/15/2010	MGD	5.49
Flow	5/16/2010	MGD	5.48
Flow	5/17/2010	MGD	5.59
Flow	5/18/2010	MGD	5.41
Flow	5/19/2010	MGD	5.5
Flow	5/20/2010	MGD	5.08
Flow	5/21/2010	MGD	5.67
Flow	5/22/2010	MGD	6.47
Flow	5/23/2010	MGD	5.81
Flow	5/24/2010	MGD	5.52
Flow	5/25/2010	MGD	7.18
Flow	5/26/2010	MGD	6.95
Flow	5/27/2010	MGD	7.19
Flow	5/28/2010	MGD	6.59
Flow	5/29/2010	MGD	6.21
Flow	5/30/2010	MGD	5.64
Flow	5/31/2010	MGD	5.82
Flow	6/1/2010	MGD	5.74
Flow	6/2/2010	MGD	7.84
Flow	6/3/2010	MGD	9.08
Flow	6/4/2010	MGD	9.03
Flow	6/5/2010	MGD	7.79
Flow	6/6/2010	MGD	7.07
Flow	6/7/2010	MGD	6.87
Flow	6/8/2010	MGD	6.4
Flow	6/9/2010	MGD	6.67
Flow	6/10/2010	MGD	6.2
Flow	6/11/2010	MGD	5.88
Flow	6/12/2010	MGD	5.74
Flow	6/13/2010	MGD	5.48
Flow	6/14/2010	MGD	5.41
Flow	6/15/2010	MGD	4.91
Flow	6/16/2010	MGD	5.55
Flow	6/17/2010	MGD	5.08
Flow	6/18/2010	MGD	5.03
Flow	6/19/2010	MGD	4.79
Flow	6/20/2010	MGD	4.99
Flow	6/21/2010	MGD	4.92
Flow	6/22/2010	MGD	5.01
Flow	6/23/2010	MGD	5.16
Flow	6/24/2010	MGD	4.61
Flow	6/25/2010	MGD	4.68
Flow	6/26/2010	MGD	4.68
Flow	6/27/2010	MGD	4.41
Flow	6/28/2010	MGD	4.76
Flow	6/29/2010	MGD	4.65
Flow	6/30/2010	MGD	4.65
Flow	7/1/2010	MGD	4.43
Flow	7/2/2010	MGD	4.25
Flow	7/3/2010	MGD	4.24
Flow	7/4/2010	MGD	4.16

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	7/5/2010	MGD	4.23
Flow	7/6/2010	MGD	4.43
Flow	7/7/2010	MGD	4.47
Flow	7/8/2010	MGD	4.3
Flow	7/9/2010	MGD	4.24
Flow	7/10/2010	MGD	4.35
Flow	7/11/2010	MGD	4.27
Flow	7/12/2010	MGD	4.48
Flow	7/13/2010	MGD	4.41
Flow	7/14/2010	MGD	4.24
Flow	7/15/2010	MGD	4.23
Flow	7/16/2010	MGD	4.14
Flow	7/17/2010	MGD	4.02
Flow	7/18/2010	MGD	4.11
Flow	7/19/2010	MGD	4.16
Flow	7/20/2010	MGD	4.18
Flow	7/21/2010	MGD	4.19
Flow	7/22/2010	MGD	4.2
Flow	7/23/2010	MGD	3.94
Flow	7/24/2010	MGD	3.97
Flow	7/25/2010	MGD	4.02
Flow	7/26/2010	MGD	4.21
Flow	7/27/2010	MGD	4.17
Flow	7/28/2010	MGD	4.55
Flow	7/29/2010	MGD	4.18
Flow	7/30/2010	MGD	4.03
Flow	7/31/2010	MGD	3.91
Flow	8/1/2010	MGD	4
Flow	8/2/2010	MGD	3.95
Flow	8/3/2010	MGD	4.11
Flow	8/4/2010	MGD	4.18
Flow	8/5/2010	MGD	4.03
Flow	8/6/2010	MGD	4.04
Flow	8/7/2010	MGD	4.07
Flow	8/8/2010	MGD	3.92
Flow	8/9/2010	MGD	4.1
Flow	8/10/2010	MGD	4.07
Flow	8/11/2010	MGD	4.18
Flow	8/12/2010	MGD	3.94
Flow	8/13/2010	MGD	3.97
Flow	8/14/2010	MGD	3.91
Flow	8/15/2010	MGD	4.02
Flow	8/16/2010	MGD	4.04
Flow	8/17/2010	MGD	4.66
Flow	8/18/2010	MGD	4.29
Flow	8/19/2010	MGD	4.11
Flow	8/20/2010	MGD	4.09
Flow	8/21/2010	MGD	4
Flow	8/22/2010	MGD	4.08
Flow	8/23/2010	MGD	4.19
Flow	8/24/2010	MGD	4.25
Flow	8/25/2010	MGD	4.34

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	8/26/2010	MGD	4.03
Flow	8/27/2010	MGD	4.01
Flow	8/28/2010	MGD	4.45
Flow	8/29/2010	MGD	4.27
Flow	8/30/2010	MGD	4.24
Flow	8/31/2010	MGD	4.02
Flow	9/1/2010	MGD	4.3
Flow	9/2/2010	MGD	4.12
Flow	9/3/2010	MGD	4.01
Flow	9/4/2010	MGD	4.06
Flow	9/5/2010	MGD	3.9
Flow	9/6/2010	MGD	3.98
Flow	9/7/2010	MGD	4.14
Flow	9/8/2010	MGD	4.24
Flow	9/9/2010	MGD	4.09
Flow	9/10/2010	MGD	4
Flow	9/11/2010	MGD	4.18
Flow	9/12/2010	MGD	4.22
Flow	9/13/2010	MGD	4.15
Flow	9/14/2010	MGD	4.13
Flow	9/15/2010	MGD	4.11
Flow	9/16/2010	MGD	3.95
Flow	9/17/2010	MGD	3.98
Flow	9/18/2010	MGD	4.86
Flow	9/19/2010	MGD	4.7
Flow	9/20/2010	MGD	4.18
Flow	9/21/2010	MGD	4.21
Flow	9/22/2010	MGD	4.11
Flow	9/23/2010	MGD	3.95
Flow	9/24/2010	MGD	3.95
Flow	9/25/2010	MGD	3.83
Flow	9/26/2010	MGD	4.08
Flow	9/27/2010	MGD	4.1
Flow	9/28/2010	MGD	4.09
Flow	9/29/2010	MGD	4.16
Flow	9/30/2010	MGD	3.95
Flow	10/1/2010	MGD	3.79
Flow	10/2/2010	MGD	3.98
Flow	10/3/2010	MGD	4.08
Flow	10/4/2010	MGD	3.99
Flow	10/5/2010	MGD	3.73
Flow	10/6/2010	MGD	4
Flow	10/7/2010	MGD	4.01
Flow	10/8/2010	MGD	3.54
Flow	10/9/2010	MGD	3.73
Flow	10/10/2010	MGD	3.79
Flow	10/11/2010	MGD	3.87
Flow	10/12/2010	MGD	3.84
Flow	10/13/2010	MGD	3.81
Flow	10/14/2010	MGD	3.77
Flow	10/15/2010	MGD	3.58
Flow	10/16/2010	MGD	3.72

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow		10/17/2010	MGD	3.78
Flow		10/18/2010	MGD	3.81
Flow		10/19/2010	MGD	3.73
Flow		10/20/2010	MGD	3.86
Flow		10/21/2010	MGD	3.62
Flow		10/22/2010	MGD	3.79
Flow		10/23/2010	MGD	5.82
Flow		10/24/2010	MGD	6.34
Flow	BLENDING EVENT	10/24/2010	MGD	0.094
Flow		10/25/2010	MGD	4.87
Flow		10/26/2010	MGD	4.47
Flow		10/27/2010	MGD	5.18
Flow		10/28/2010	MGD	5.09
Flow		10/29/2010	MGD	4.53
Flow		10/30/2010	MGD	4.33
Flow		10/31/2010	MGD	4.42
Flow		11/1/2010	MGD	4.11
Flow		11/2/2010	MGD	4.15
Flow		11/3/2010	MGD	4.51
Flow		11/4/2010	MGD	3.69
Flow		11/5/2010	MGD	3.98
Flow		11/6/2010	MGD	5.45
Flow		11/7/2010	MGD	5.26
Flow		11/8/2010	MGD	4.95
Flow		11/9/2010	MGD	4.61
Flow		11/10/2010	MGD	4.64
Flow		11/11/2010	MGD	4.54
Flow		11/12/2010	MGD	4.24
Flow		11/13/2010	MGD	4.76
Flow		11/14/2010	MGD	3.85
Flow		11/15/2010	MGD	4.2
Flow		11/16/2010	MGD	4.14
Flow		11/17/2010	MGD	4.28
Flow		11/18/2010	MGD	4.65
Flow		11/19/2010	MGD	4.77
Flow		11/20/2010	MGD	5.6
Flow		11/21/2010	MGD	5.62
Flow		11/22/2010	MGD	6.84
Flow		11/23/2010	MGD	6.31
Flow		11/24/2010	MGD	5.46
Flow		11/25/2010	MGD	5.01
Flow		11/26/2010	MGD	5.3
Flow		11/27/2010	MGD	6.23
Flow		11/28/2010	MGD	5.71
Flow		11/29/2010	MGD	5.47
Flow		11/30/2010	MGD	5.19
Flow	mean	12/31/2010	MGD	8.1
Flow	max	12/31/2010	MGD	24.9
Flow	mean	12/31/2010	MGD	1.11
Flow	max	12/31/2010	MGD	3.41
Flow	Data Unavailable	1/1/2011	MGD	8.524
Flow	Data Unavailable	1/1/2011	MGD	8.524

BLENDING EVENT
BLENDING EVENT

Flow	Data Unavailable	1/1/2011	MGD	0.029
Flow	Data Unavailable	1/2/2011	MGD	8.042
Flow	Data Unavailable	1/2/2011	MGD	8.042
Flow	Data Unavailable	1/3/2011	MGD	7.743
Flow	Data Unavailable	1/3/2011	MGD	7.743
Flow	Data Unavailable	1/4/2011	MGD	6.873
Flow	Data Unavailable	1/4/2011	MGD	6.873
Flow	Data Unavailable	1/5/2011	MGD	6.857
Flow	Data Unavailable	1/5/2011	MGD	6.857
Flow	Data Unavailable	1/6/2011	MGD	6.307
Flow	Data Unavailable	1/6/2011	MGD	6.307
Flow	Data Unavailable	1/7/2011	MGD	6.089
Flow	Data Unavailable	1/7/2011	MGD	6.089
Flow	Data Unavailable	1/8/2011	MGD	5.831
Flow	Data Unavailable	1/8/2011	MGD	5.831
Flow	Data Unavailable	1/9/2011	MGD	5.862
Flow	Data Unavailable	1/9/2011	MGD	5.862
Flow	Data Unavailable	1/10/2011	MGD	5.681
Flow	Data Unavailable	1/10/2011	MGD	5.681
Flow	Data Unavailable	1/11/2011	MGD	5.682
Flow	Data Unavailable	1/11/2011	MGD	5.682
Flow	Data Unavailable	1/12/2011	MGD	6.012
Flow	Data Unavailable	1/12/2011	MGD	6.012
Flow	Data Unavailable	1/12/2011	MGD	0.015
Flow	Data Unavailable	1/13/2011	MGD	6.95
Flow	Data Unavailable	1/13/2011	MGD	6.95
Flow	Data Unavailable	1/14/2011	MGD	6.094
Flow	Data Unavailable	1/14/2011	MGD	6.094
Flow	Data Unavailable	1/15/2011	MGD	6.437
Flow	Data Unavailable	1/15/2011	MGD	6.437
Flow	Data Unavailable	1/16/2011	MGD	6.896
Flow	Data Unavailable	1/16/2011	MGD	6.896
Flow	Data Unavailable	1/17/2011	MGD	7.217
Flow	Data Unavailable	1/17/2011	MGD	7.217
Flow	Data Unavailable	1/18/2011	MGD	6.342
Flow	Data Unavailable	1/18/2011	MGD	6.342
Flow	Data Unavailable	1/19/2011	MGD	6.302
Flow	Data Unavailable	1/19/2011	MGD	6.302
Flow	Data Unavailable	1/20/2011	MGD	5.754
Flow	Data Unavailable	1/20/2011	MGD	5.754
Flow	Data Unavailable	1/21/2011	MGD	5.527
Flow	Data Unavailable	1/21/2011	MGD	5.527
Flow	Data Unavailable	1/22/2011	MGD	5.534
Flow	Data Unavailable	1/22/2011	MGD	5.534
Flow	Data Unavailable	1/23/2011	MGD	5.411
Flow	Data Unavailable	1/23/2011	MGD	5.411
Flow	Data Unavailable	1/24/2011	MGD	5.413
Flow	Data Unavailable	1/24/2011	MGD	5.413
Flow	Data Unavailable	1/25/2011	MGD	4.738
Flow	Data Unavailable	1/25/2011	MGD	4.738
Flow	Data Unavailable	1/26/2011	MGD	5.699
Flow	Data Unavailable	1/26/2011	MGD	5.699

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	1/27/2011	MGD	4.858
Flow	Data Unavailable	1/27/2011	MGD	4.858
Flow	Data Unavailable	1/28/2011	MGD	4.824
Flow	Data Unavailable	1/28/2011	MGD	4.824
Flow	Data Unavailable	1/29/2011	MGD	5.352
Flow	Data Unavailable	1/29/2011	MGD	5.352
Flow	Data Unavailable	1/30/2011	MGD	5.463
Flow	Data Unavailable	1/30/2011	MGD	5.463
Flow	Data Unavailable	1/31/2011	MGD	5.049
Flow	Data Unavailable	1/31/2011	MGD	5.049
Flow	Data Unavailable	2/1/2011	MGD	4.837
Flow	Data Unavailable	2/2/2011	MGD	4.764
Flow	Data Unavailable	2/3/2011	MGD	4.869
Flow	Data Unavailable	2/4/2011	MGD	4.599
Flow	Data Unavailable	2/5/2011	MGD	4.654
Flow	Data Unavailable	2/6/2011	MGD	4.722
Flow	Data Unavailable	2/7/2011	MGD	4.878
Flow	Data Unavailable	2/8/2011	MGD	5.032
Flow	Data Unavailable	2/9/2011	MGD	4.888
Flow	Data Unavailable	2/10/2011	MGD	4.22
Flow	Data Unavailable	2/11/2011	MGD	4.419
Flow	Data Unavailable	2/12/2011	MGD	4.23
Flow	Data Unavailable	2/13/2011	MGD	4.577
Flow	Data Unavailable	2/14/2011	MGD	5.415
Flow	Data Unavailable	2/15/2011	MGD	7.604
Flow	Data Unavailable	2/16/2011	MGD	8.729
Flow	Data Unavailable	2/17/2011	MGD	7.34
Flow	Data Unavailable	2/18/2011	MGD	6.693
Flow	Data Unavailable	2/19/2011	MGD	6.211
Flow	Data Unavailable	2/20/2011	MGD	5.96
Flow	Data Unavailable	2/21/2011	MGD	5.749
Flow	Data Unavailable	2/22/2011	MGD	5.268
Flow	Data Unavailable	2/23/2011	MGD	5.593
Flow	Data Unavailable	2/24/2011	MGD	6.747
Flow	Data Unavailable	2/25/2011	MGD	6.765
Flow	Data Unavailable	2/26/2011	MGD	6.127
Flow	Data Unavailable	2/27/2011	MGD	6.143
Flow	Data Unavailable	2/28/2011	MGD	5.916
Flow	Data Unavailable	3/1/2011	MGD	5.648
Flow	Data Unavailable	3/2/2011	MGD	5.883
Flow	Data Unavailable	3/3/2011	MGD	6.787
Flow	Data Unavailable	3/4/2011	MGD	5.824
Flow	Data Unavailable	3/5/2011	MGD	9.606
Flow	Data Unavailable	3/6/2011	MGD	9.612
Flow	Data Unavailable	3/7/2011	MGD	8.954
Flow	Data Unavailable	3/8/2011	MGD	8.735
Flow	Data Unavailable	3/9/2011	MGD	7.957
Flow	Data Unavailable	3/10/2011	MGD	11.398
Flow	Data Unavailable	3/11/2011	MGD	5.388
Flow	Data Unavailable	3/12/2011	MGD	8.46
Flow	Data Unavailable	3/13/2011	MGD	6.624
Flow	Data Unavailable	3/14/2011	MGD	8.104

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	3/15/2011	MGD	10.929
Flow	Data Unavailable	3/16/2011	MGD	9.913
Flow	Data Unavailable	3/17/2011	MGD	9.363
Flow	Data Unavailable	3/18/2011	MGD	13.171
Flow	Data Unavailable	3/19/2011	MGD	13.83
Flow	Data Unavailable	3/20/2011	MGD	14.003
Flow	Data Unavailable	3/21/2011	MGD	11.999
Flow	Data Unavailable	3/22/2011	MGD	10.323
Flow	Data Unavailable	3/23/2011	MGD	11.7
Flow	Data Unavailable	3/24/2011	MGD	17.275
Flow	Data Unavailable	3/25/2011	MGD	18.756
Flow	Data Unavailable	3/26/2011	MGD	14.209
Flow	Data Unavailable	3/27/2011	MGD	14.405
Flow	Data Unavailable	3/28/2011	MGD	11.663
Flow	Data Unavailable	3/29/2011	MGD	10.185
Flow	Data Unavailable	3/30/2011	MGD	9.508
Flow	Data Unavailable	3/31/2011	MGD	8.427
Flow	Data Unavailable	4/1/2011	MGD	7.888
Flow	Data Unavailable	4/2/2011	MGD	8.203
Flow	Data Unavailable	4/3/2011	MGD	6.139
Flow	Data Unavailable	4/4/2011	MGD	6.758
Flow	Data Unavailable	4/5/2011	MGD	6.556
Flow	Data Unavailable	4/6/2011	MGD	6.741
Flow	Data Unavailable	4/7/2011	MGD	6.871
Flow	Data Unavailable	4/8/2011	MGD	6.065
Flow	Data Unavailable	4/9/2011	MGD	5.775
Flow	Data Unavailable	4/10/2011	MGD	6.04
Flow	Data Unavailable	4/11/2011	MGD	6.135
Flow	Data Unavailable	4/12/2011	MGD	6.033
Flow	Data Unavailable	4/13/2011	MGD	6.419
Flow	Data Unavailable	4/14/2011	MGD	5.777
Flow	Data Unavailable	4/15/2011	MGD	10.136
Flow	Data Unavailable	4/16/2011	MGD	9.18
Flow	Data Unavailable	4/17/2011	MGD	10.247
Flow	Data Unavailable	4/18/2011	MGD	9.967
Flow	Data Unavailable	4/19/2011	MGD	8.464
Flow	Data Unavailable	4/20/2011	MGD	7.909
Flow	Data Unavailable	4/21/2011	MGD	6.917
Flow	Data Unavailable	4/22/2011	MGD	6.615
Flow	Data Unavailable	4/23/2011	MGD	6.768
Flow	Data Unavailable	4/24/2011	MGD	6.272
Flow	Data Unavailable	4/25/2011	MGD	6.447
Flow	Data Unavailable	4/26/2011	MGD	5.889
Flow	Data Unavailable	4/27/2011	MGD	5.785
Flow	Data Unavailable	4/28/2011	MGD	5.441
Flow	Data Unavailable	4/29/2011	MGD	5.157
Flow	Data Unavailable	4/30/2011	MGD	5.156
Flow	Data Unavailable	5/1/2011	MGD	5.133
Flow	Data Unavailable	5/2/2011	MGD	5.06
Flow	Data Unavailable	5/3/2011	MGD	4.85
Flow	Data Unavailable	5/4/2011	MGD	4.859
Flow	Data Unavailable	5/5/2011	MGD	4.654

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	5/6/2011	MGD	4.526
Flow	Data Unavailable	5/7/2011	MGD	4.381
Flow	Data Unavailable	5/8/2011	MGD	4.625
Flow	Data Unavailable	5/9/2011	MGD	4.56
Flow	Data Unavailable	5/10/2011	MGD	4.477
Flow	Data Unavailable	5/11/2011	MGD	4.522
Flow	Data Unavailable	5/12/2011	MGD	4.252
Flow	Data Unavailable	5/13/2011	MGD	4.276
Flow	Data Unavailable	5/14/2011	MGD	4.315
Flow	Data Unavailable	5/15/2011	MGD	4.775
Flow	Data Unavailable	5/16/2011	MGD	4.661
Flow	Data Unavailable	5/17/2011	MGD	4.621
Flow	Data Unavailable	5/18/2011	MGD	4.497
Flow	Data Unavailable	5/19/2011	MGD	4.106
Flow	Data Unavailable	5/20/2011	MGD	4.028
Flow	Data Unavailable	5/21/2011	MGD	3.997
Flow	Data Unavailable	5/22/2011	MGD	4.093
Flow	Data Unavailable	5/23/2011	MGD	4.114
Flow	Data Unavailable	5/24/2011	MGD	4.074
Flow	Data Unavailable	5/25/2011	MGD	4.106
Flow	Data Unavailable	5/26/2011	MGD	4.127
Flow	Data Unavailable	5/27/2011	MGD	3.86
Flow	Data Unavailable	5/28/2011	MGD	3.872
Flow	Data Unavailable	5/29/2011	MGD	3.755
Flow	Data Unavailable	5/30/2011	MGD	3.948
Flow	Data Unavailable	5/31/2011	MGD	4.472
Flow	Data Unavailable	6/1/2011	MGD	4.087
Flow	Data Unavailable	6/2/2011	MGD	4.036
Flow	Data Unavailable	6/3/2011	MGD	4.501
Flow	Data Unavailable	6/4/2011	MGD	3.413
Flow	Data Unavailable	6/5/2011	MGD	3.982
Flow	Data Unavailable	6/6/2011	MGD	4.003
Flow	Data Unavailable	6/7/2011	MGD	3.911
Flow	Data Unavailable	6/8/2011	MGD	3.979
Flow	Data Unavailable	6/9/2011	MGD	3.695
Flow	Data Unavailable	6/10/2011	MGD	3.617
Flow	Data Unavailable	6/11/2011	MGD	3.721
Flow	Data Unavailable	6/12/2011	MGD	3.741
Flow	Data Unavailable	6/13/2011	MGD	4.162
Flow	Data Unavailable	6/14/2011	MGD	3.78
Flow	Data Unavailable	6/15/2011	MGD	3.926
Flow	Data Unavailable	6/16/2011	MGD	3.638
Flow	Data Unavailable	6/17/2011	MGD	3.691
Flow	Data Unavailable	6/18/2011	MGD	3.553
Flow	Data Unavailable	6/19/2011	MGD	3.596
Flow	Data Unavailable	6/20/2011	MGD	3.646
Flow	Data Unavailable	6/21/2011	MGD	3.685
Flow	Data Unavailable	6/22/2011	MGD	3.772
Flow	Data Unavailable	6/23/2011	MGD	3.457
Flow	Data Unavailable	6/24/2011	MGD	3.467
Flow	Data Unavailable	6/25/2011	MGD	3.705
Flow	Data Unavailable	6/26/2011	MGD	3.2

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	6/27/2011	MGD	4.097
Flow	Data Unavailable	6/28/2011	MGD	4.491
Flow	Data Unavailable	6/29/2011	MGD	4.292
Flow	Data Unavailable	6/30/2011	MGD	3.884
Flow	Data Unavailable	7/1/2011	MGD	3.789
Flow	Data Unavailable	7/2/2011	MGD	3.606
Flow	Data Unavailable	7/3/2011	MGD	3.422
Flow	Data Unavailable	7/4/2011	MGD	3.5
Flow	Data Unavailable	7/5/2011	MGD	3.734
Flow	Data Unavailable	7/6/2011	MGD	3.699
Flow	Data Unavailable	7/7/2011	MGD	3.637
Flow	Data Unavailable	7/8/2011	MGD	3.482
Flow	Data Unavailable	7/9/2011	MGD	3.405
Flow	Data Unavailable	7/10/2011	MGD	3.604
Flow	Data Unavailable	7/11/2011	MGD	3.484
Flow	Data Unavailable	7/12/2011	MGD	3.619
Flow	Data Unavailable	7/13/2011	MGD	3.755
Flow	Data Unavailable	7/14/2011	MGD	3.655
Flow	Data Unavailable	7/15/2011	MGD	3.527
Flow	Data Unavailable	7/16/2011	MGD	3.417
Flow	Data Unavailable	7/17/2011	MGD	3.585
Flow	Data Unavailable	7/18/2011	MGD	3.674
Flow	Data Unavailable	7/19/2011	MGD	3.675
Flow	Data Unavailable	7/20/2011	MGD	3.698
Flow	Data Unavailable	7/21/2011	MGD	3.541
Flow	Data Unavailable	7/22/2011	MGD	3.512
Flow	Data Unavailable	7/23/2011	MGD	3.461
Flow	Data Unavailable	7/24/2011	MGD	3.336
Flow	Data Unavailable	7/25/2011	MGD	3.611
Flow	Data Unavailable	7/26/2011	MGD	3.556
Flow	Data Unavailable	7/27/2011	MGD	3.642
Flow	Data Unavailable	7/28/2011	MGD	3.457
Flow	Data Unavailable	7/29/2011	MGD	3.432
Flow	Data Unavailable	7/30/2011	MGD	3.345
Flow	Data Unavailable	7/31/2011	MGD	3.337
Flow	Data Unavailable	8/1/2011	MGD	3.438
Flow	Data Unavailable	8/2/2011	MGD	3.558
Flow	Data Unavailable	8/3/2011	MGD	3.523
Flow	Data Unavailable	8/4/2011	MGD	3.442
Flow	Data Unavailable	8/5/2011	MGD	3.414
Flow	Data Unavailable	8/6/2011	MGD	3.385
Flow	Data Unavailable	8/7/2011	MGD	3.343
Flow	Data Unavailable	8/8/2011	MGD	3.551
Flow	Data Unavailable	8/9/2011	MGD	3.474
Flow	Data Unavailable	8/10/2011	MGD	3.481
Flow	Data Unavailable	8/11/2011	MGD	3.531
Flow	Data Unavailable	8/12/2011	MGD	3.31
Flow	Data Unavailable	8/13/2011	MGD	3.351
Flow	Data Unavailable	8/14/2011	MGD	3.285
Flow	Data Unavailable	8/15/2011	MGD	3.57
Flow	Data Unavailable	8/16/2011	MGD	3.538
Flow	Data Unavailable	8/17/2011	MGD	3.551

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	8/18/2011	MGD	3.492
Flow	Data Unavailable	8/19/2011	MGD	3.371
Flow	Data Unavailable	8/20/2011	MGD	3.189
Flow	Data Unavailable	8/21/2011	MGD	3.405
Flow	Data Unavailable	8/22/2011	MGD	3.536
Flow	Data Unavailable	8/23/2011	MGD	3.626
Flow	Data Unavailable	8/24/2011	MGD	3.421
Flow	Data Unavailable	8/25/2011	MGD	3.456
Flow	Data Unavailable	8/26/2011	MGD	3.405
Flow	Data Unavailable	8/27/2011	MGD	3.343
Flow	Data Unavailable	8/28/2011	MGD	3.555
Flow	Data Unavailable	8/29/2011	MGD	3.457
Flow	Data Unavailable	8/30/2011	MGD	3.396
Flow	Data Unavailable	8/31/2011	MGD	3.466
Flow	Data Unavailable	9/1/2011	MGD	3.212
Flow	Data Unavailable	9/2/2011	MGD	3.241
Flow	Data Unavailable	9/3/2011	MGD	3.062
Flow	Data Unavailable	9/4/2011	MGD	3.085
Flow	Data Unavailable	9/5/2011	MGD	3.272
Flow	Data Unavailable	9/6/2011	MGD	3.301
Flow	Data Unavailable	9/7/2011	MGD	3.424
Flow	Data Unavailable	9/8/2011	MGD	3.256
Flow	Data Unavailable	9/9/2011	MGD	3.238
Flow	Data Unavailable	9/10/2011	MGD	3.132
Flow	Data Unavailable	9/11/2011	MGD	3.429
Flow	Data Unavailable	9/12/2011	MGD	3.365
Flow	Data Unavailable	9/13/2011	MGD	3.299
Flow	Data Unavailable	9/14/2011	MGD	3.614
Flow	Data Unavailable	9/15/2011	MGD	3.267
Flow	Data Unavailable	9/16/2011	MGD	3.21
Flow	Data Unavailable	9/17/2011	MGD	3.155
Flow	Data Unavailable	9/18/2011	MGD	3.437
Flow	Data Unavailable	9/19/2011	MGD	3.368
Flow	Data Unavailable	9/20/2011	MGD	3.306
Flow	Data Unavailable	9/21/2011	MGD	3.366
Flow	Data Unavailable	9/22/2011	MGD	3.381
Flow	Data Unavailable	9/23/2011	MGD	3.297
Flow	Data Unavailable	9/24/2011	MGD	3.301
Flow	Data Unavailable	9/25/2011	MGD	3.428
Flow	Data Unavailable	9/26/2011	MGD	3.323
Flow	Data Unavailable	9/27/2011	MGD	3.304
Flow	Data Unavailable	9/28/2011	MGD	3.483
Flow	Data Unavailable	9/29/2011	MGD	3.152
Flow	Data Unavailable	9/30/2011	MGD	3.215
Flow	Data Unavailable	10/1/2011	MGD	3.164
Flow	Data Unavailable	10/2/2011	MGD	3.624
Flow	Data Unavailable	10/3/2011	MGD	3.999
Flow	Data Unavailable	10/4/2011	MGD	4.752
Flow	Data Unavailable	10/5/2011	MGD	5.23
Flow	Data Unavailable	10/6/2011	MGD	4.085
Flow	Data Unavailable	10/7/2011	MGD	3.587
Flow	Data Unavailable	10/8/2011	MGD	3.504

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	10/9/2011	MGD	4.02
Flow	Data Unavailable	10/10/2011	MGD	5.518
Flow	Data Unavailable	10/11/2011	MGD	4.248
Flow	Data Unavailable	10/12/2011	MGD	4.013
Flow	Data Unavailable	10/13/2011	MGD	3.846
Flow	Data Unavailable	10/14/2011	MGD	3.734
Flow	Data Unavailable	10/15/2011	MGD	3.797
Flow	Data Unavailable	10/16/2011	MGD	3.747
Flow	Data Unavailable	10/17/2011	MGD	3.613
Flow	Data Unavailable	10/18/2011	MGD	3.51
Flow	Data Unavailable	10/19/2011	MGD	3.609
Flow	Data Unavailable	10/20/2011	MGD	3.477
Flow	Data Unavailable	10/21/2011	MGD	3.365
Flow	Data Unavailable	10/22/2011	MGD	3.349
Flow	Data Unavailable	10/23/2011	MGD	3.525
Flow	Data Unavailable	10/24/2011	MGD	3.424
Flow	Data Unavailable	10/25/2011	MGD	3.39
Flow	Data Unavailable	10/26/2011	MGD	3.42
Flow	Data Unavailable	10/27/2011	MGD	3.37
Flow	Data Unavailable	10/28/2011	MGD	3.251
Flow	Data Unavailable	10/29/2011	MGD	3.349
Flow	Data Unavailable	10/30/2011	MGD	3.428
Flow	Data Unavailable	10/31/2011	MGD	3.242
Flow	Data Unavailable	11/1/2011	MGD	3.343
Flow	Data Unavailable	11/2/2011	MGD	3.507
Flow	Data Unavailable	11/3/2011	MGD	3.551
Flow	Data Unavailable	11/4/2011	MGD	3.235
Flow	Data Unavailable	11/5/2011	MGD	3.851
Flow	Data Unavailable	11/6/2011	MGD	4.216
Flow	Data Unavailable	11/7/2011	MGD	3.623
Flow	Data Unavailable	11/8/2011	MGD	3.522
Flow	Data Unavailable	11/9/2011	MGD	3.617
Flow	Data Unavailable	11/10/2011	MGD	3.192
Flow	Data Unavailable	11/11/2011	MGD	3.45
Flow	Data Unavailable	11/12/2011	MGD	3.285
Flow	Data Unavailable	11/13/2011	MGD	3.442
Flow	Data Unavailable	11/14/2011	MGD	3.329
Flow	Data Unavailable	11/15/2011	MGD	3.355
Flow	Data Unavailable	11/16/2011	MGD	3.461
Flow	Data Unavailable	11/17/2011	MGD	3.731
Flow	Data Unavailable	11/18/2011	MGD	3.871
Flow	Data Unavailable	11/19/2011	MGD	3.582
Flow	Data Unavailable	11/20/2011	MGD	3.584
Flow	Data Unavailable	11/21/2011	MGD	3.64
Flow	Data Unavailable	11/22/2011	MGD	4.027
Flow	Data Unavailable	11/23/2011	MGD	6.498
Flow	Data Unavailable	11/24/2011	MGD	4.805
Flow	Data Unavailable	11/25/2011	MGD	4.13
Flow	Data Unavailable	11/26/2011	MGD	3.978
Flow	Data Unavailable	11/27/2011	MGD	4.033
Flow	Data Unavailable	11/28/2011	MGD	3.942
Flow	Data Unavailable	11/29/2011	MGD	3.869

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	11/30/2011	MGD	3.913
Flow	Data Unavailable	12/1/2011	MGD	3.769
Flow	Data Unavailable	12/2/2011	MGD	3.585
Flow	Data Unavailable	12/3/2011	MGD	3.701
Flow	Data Unavailable	12/4/2011	MGD	3.856
Flow	Data Unavailable	12/5/2011	MGD	3.682
Flow	Data Unavailable	12/6/2011	MGD	3.856
Flow	Data Unavailable	12/7/2011	MGD	3.8
Flow	Data Unavailable	12/8/2011	MGD	3.694
Flow	Data Unavailable	12/9/2011	MGD	3.483
Flow	Data Unavailable	12/10/2011	MGD	3.723
Flow	Data Unavailable	12/11/2011	MGD	3.81
Flow	Data Unavailable	12/12/2011	MGD	3.857
Flow	Data Unavailable	12/13/2011	MGD	3.562
Flow	Data Unavailable	12/14/2011	MGD	4.114
Flow	Data Unavailable	12/15/2011	MGD	3.714
Flow	Data Unavailable	12/16/2011	MGD	3.621
Flow	Data Unavailable	12/17/2011	MGD	3.751
Flow	Data Unavailable	12/18/2011	MGD	3.456
Flow	Data Unavailable	12/19/2011	MGD	3.559
Flow	Data Unavailable	12/20/2011	MGD	3.475
Flow	Data Unavailable	12/21/2011	MGD	3.586
Flow	Data Unavailable	12/22/2011	MGD	3.647
Flow	Data Unavailable	12/23/2011	MGD	3.397
Flow	Data Unavailable	12/24/2011	MGD	3.348
Flow	Data Unavailable	12/25/2011	MGD	3.22
Flow	Data Unavailable	12/26/2011	MGD	3.465
Flow	Data Unavailable	12/27/2011	MGD	3.499
Flow	Data Unavailable	12/28/2011	MGD	3.912
Flow	Data Unavailable	12/29/2011	MGD	4.835
Flow	Data Unavailable	12/30/2011	MGD	5.047
Flow	Data Unavailable	12/31/2011	MGD	4.336
Flow	Data Unavailable	1/1/2012	MGD	3.899
Flow	Data Unavailable	1/2/2012	MGD	4.111
Flow	Data Unavailable	1/3/2012	MGD	3.902
Flow	Data Unavailable	1/4/2012	MGD	3.933
Flow	Data Unavailable	1/5/2012	MGD	3.826
Flow	Data Unavailable	1/6/2012	MGD	3.644
Flow	Data Unavailable	1/7/2012	MGD	3.633
Flow	Data Unavailable	1/8/2012	MGD	3.79
Flow	Data Unavailable	1/9/2012	MGD	3.701
Flow	Data Unavailable	1/10/2012	MGD	3.6
Flow	Data Unavailable	1/11/2012	MGD	3.668
Flow	Data Unavailable	1/12/2012	MGD	3.469
Flow	Data Unavailable	1/13/2012	MGD	3.483
Flow	Data Unavailable	1/14/2012	MGD	3.424
Flow	Data Unavailable	1/15/2012	MGD	3.651
Flow	Data Unavailable	1/16/2012	MGD	4.016
Flow	Data Unavailable	1/17/2012	MGD	3.918
Flow	Data Unavailable	1/18/2012	MGD	6.239
Flow	Data Unavailable	1/19/2012	MGD	11.733
Flow	Data Unavailable	1/20/2012	MGD	13.809

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	1/21/2012	MGD	11.247
Flow	Data Unavailable	1/22/2012	MGD	9.929
Flow	Data Unavailable	1/23/2012	MGD	7.737
Flow	Data Unavailable	1/24/2012	MGD	8.226
Flow	Data Unavailable	1/25/2012	MGD	10.676
Flow	Data Unavailable	1/26/2012	MGD	9.783
Flow	Data Unavailable	1/27/2012	MGD	7.809
Flow	Data Unavailable	1/28/2012	MGD	6.5
Flow	Data Unavailable	1/29/2012	MGD	5.699
Flow	Data Unavailable	1/30/2012	MGD	6.262
Flow	Data Unavailable	1/31/2012	MGD	6.415
Flow	Data Unavailable	2/1/2012	MGD	6.304
Flow	Data Unavailable	2/2/2012	MGD	5.931
Flow	Data Unavailable	2/3/2012	MGD	5.387
Flow	Data Unavailable	2/4/2012	MGD	5.267
Flow	Data Unavailable	2/5/2012	MGD	5.293
Flow	Data Unavailable	2/6/2012	MGD	5.348
Flow	Data Unavailable	2/7/2012	MGD	4.824
Flow	Data Unavailable	2/8/2012	MGD	4.848
Flow	Data Unavailable	2/9/2012	MGD	4.776
Flow	Data Unavailable	2/10/2012	MGD	5.097
Flow	Data Unavailable	2/11/2012	MGD	4.908
Flow	Data Unavailable	2/12/2012	MGD	5.979
Flow	Data Unavailable	2/13/2012	MGD	6.012
Flow	Data Unavailable	2/14/2012	MGD	5.341
Flow	Data Unavailable	2/15/2012	MGD	5.015
Flow	Data Unavailable	2/16/2012	MGD	4.82
Flow	Data Unavailable	2/17/2012	MGD	4.761
Flow	Data Unavailable	2/18/2012	MGD	4.891
Flow	Data Unavailable	2/19/2012	MGD	4.609
Flow	Data Unavailable	2/20/2012	MGD	4.551
Flow	Data Unavailable	2/21/2012	MGD	4.331
Flow	Data Unavailable	2/22/2012	MGD	4.393
Flow	Data Unavailable	2/23/2012	MGD	4.238
Flow	Data Unavailable	2/24/2012	MGD	4.154
Flow	Data Unavailable	2/25/2012	MGD	4.159
Flow	Data Unavailable	2/26/2012	MGD	4.232
Flow	Data Unavailable	2/27/2012	MGD	4.174
Flow	Data Unavailable	2/28/2012	MGD	5.259
Flow	Data Unavailable	2/29/2012	MGD	7.363
Flow	Data Unavailable	3/1/2012	MGD	7.038
Flow	Data Unavailable	3/2/2012	MGD	5.903
Flow	Data Unavailable	3/3/2012	MGD	5.662
Flow	Data Unavailable	3/4/2012	MGD	5.368
Flow	Data Unavailable	3/5/2012	MGD	5.259
Flow	Data Unavailable	3/6/2012	MGD	5.002
Flow	Data Unavailable	3/7/2012	MGD	4.919
Flow	Data Unavailable	3/8/2012	MGD	4.569
Flow	Data Unavailable	3/9/2012	MGD	4.324
Flow	Data Unavailable	3/10/2012	MGD	4.633
Flow	Data Unavailable	3/11/2012	MGD	5.213
Flow	Data Unavailable	3/12/2012	MGD	7.543

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	3/13/2012	MGD	8.395
Flow	Data Unavailable	3/14/2012	MGD	6.945
Flow	Data Unavailable	3/15/2012	MGD	10.061
Flow	Data Unavailable	3/16/2012	MGD	12.778
Flow	Data Unavailable	3/17/2012	MGD	9.827
Flow	Data Unavailable	3/18/2012	MGD	8.795
Flow	Data Unavailable	3/19/2012	MGD	7.561
Flow	Data Unavailable	3/20/2012	MGD	7.027
Flow	Data Unavailable	3/21/2012	MGD	8.692
Flow	Data Unavailable	3/22/2012	MGD	8.28
Flow	Data Unavailable	3/23/2012	MGD	7.537
Flow	Data Unavailable	3/24/2012	MGD	7.593
Flow	Data Unavailable	3/25/2012	MGD	7.006
Flow	Data Unavailable	3/26/2012	MGD	7.376
Flow	Data Unavailable	3/27/2012	MGD	11.093
Flow	Data Unavailable	3/28/2012	MGD	9.992
Flow	Data Unavailable	3/29/2012	MGD	20.588
Flow	Data Unavailable	3/30/2012	MGD	21.065
Flow	Data Unavailable	3/31/2012	MGD	18.252
Flow	Data Unavailable	4/1/2012	MGD	13.059
Flow	Data Unavailable	4/2/2012	MGD	10.993
Flow	Data Unavailable	4/3/2012	MGD	10.89
Flow	Data Unavailable	4/4/2012	MGD	12.103
Flow	Data Unavailable	4/5/2012	MGD	9.747
Flow	Data Unavailable	4/6/2012	MGD	8.718
Flow	Data Unavailable	4/7/2012	MGD	7.813
Flow	Data Unavailable	4/8/2012	MGD	7.947
Flow	Data Unavailable	4/9/2012	MGD	7.363
Flow	Data Unavailable	4/10/2012	MGD	7.588
Flow	Data Unavailable	4/11/2012	MGD	8.703
Flow	Data Unavailable	4/12/2012	MGD	12.008
Flow	Data Unavailable	4/13/2012	MGD	10.267
Flow	Data Unavailable	4/14/2012	MGD	8.436
Flow	Data Unavailable	4/15/2012	MGD	7.903
Flow	Data Unavailable	4/16/2012	MGD	7.384
Flow	Data Unavailable	4/17/2012	MGD	7.05
Flow	Data Unavailable	4/18/2012	MGD	7.826
Flow	Data Unavailable	4/19/2012	MGD	6.981
Flow	Data Unavailable	4/20/2012	MGD	6.696
Flow	Data Unavailable	4/21/2012	MGD	6.59
Flow	Data Unavailable	4/22/2012	MGD	6.292
Flow	Data Unavailable	4/23/2012	MGD	5.87
Flow	Data Unavailable	4/24/2012	MGD	5.85
Flow	Data Unavailable	4/25/2012	MGD	6.332
Flow	Data Unavailable	4/26/2012	MGD	6.807
Flow	Data Unavailable	4/27/2012	MGD	5.959
Flow	Data Unavailable	4/28/2012	MGD	5.76
Flow	Data Unavailable	4/29/2012	MGD	5.993
Flow	Data Unavailable	4/30/2012	MGD	5.113
Flow	Data Unavailable	5/1/2012	MGD	5.296
Flow	Data Unavailable	5/2/2012	MGD	5.365
Flow	Data Unavailable	5/3/2012	MGD	5.499

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	5/4/2012	MGD	5.096
Flow	Data Unavailable	5/5/2012	MGD	5.035
Flow	Data Unavailable	5/6/2012	MGD	4.95
Flow	Data Unavailable	5/7/2012	MGD	4.905
Flow	Data Unavailable	5/8/2012	MGD	4.705
Flow	Data Unavailable	5/9/2012	MGD	4.554
Flow	Data Unavailable	5/10/2012	MGD	4.512
Flow	Data Unavailable	5/11/2012	MGD	4.449
Flow	Data Unavailable	5/12/2012	MGD	4.339
Flow	Data Unavailable	5/13/2012	MGD	4.311
Flow	Data Unavailable	5/14/2012	MGD	4.247
Flow	Data Unavailable	5/15/2012	MGD	4.287
Flow	Data Unavailable	5/16/2012	MGD	4.457
Flow	Data Unavailable	5/17/2012	MGD	4.162
Flow	Data Unavailable	5/18/2012	MGD	4.017
Flow	Data Unavailable	5/19/2012	MGD	4.064
Flow	Data Unavailable	5/20/2012	MGD	4.002
Flow	Data Unavailable	5/21/2012	MGD	4.123
Flow	Data Unavailable	5/22/2012	MGD	4.497
Flow	Data Unavailable	5/23/2012	MGD	4.078
Flow	Data Unavailable	5/24/2012	MGD	4.092
Flow	Data Unavailable	5/25/2012	MGD	3.987
Flow	Data Unavailable	5/26/2012	MGD	3.783
Flow	Data Unavailable	5/27/2012	MGD	3.69
Flow	Data Unavailable	5/28/2012	MGD	3.965
Flow	Data Unavailable	5/29/2012	MGD	3.823
Flow	Data Unavailable	5/30/2012	MGD	3.951
Flow	Data Unavailable	5/31/2012	MGD	3.841
Flow	Data Unavailable	6/1/2012	MGD	3.76
Flow	Data Unavailable	6/2/2012	MGD	3.681
Flow	Data Unavailable	6/3/2012	MGD	4.275
Flow	Data Unavailable	6/4/2012	MGD	5.061
Flow	Data Unavailable	6/5/2012	MGD	4.492
Flow	Data Unavailable	6/6/2012	MGD	4.298
Flow	Data Unavailable	6/7/2012	MGD	4.101
Flow	Data Unavailable	6/8/2012	MGD	4.311
Flow	Data Unavailable	6/9/2012	MGD	3.583
Flow	Data Unavailable	6/10/2012	MGD	3.819
Flow	Data Unavailable	6/11/2012	MGD	3.974
Flow	Data Unavailable	6/12/2012	MGD	3.759
Flow	Data Unavailable	6/13/2012	MGD	3.89
Flow	Data Unavailable	6/14/2012	MGD	3.619
Flow	Data Unavailable	6/15/2012	MGD	3.687
Flow	Data Unavailable	6/16/2012	MGD	3.593
Flow	Data Unavailable	6/17/2012	MGD	3.6
Flow	Data Unavailable	6/18/2012	MGD	3.634
Flow	Data Unavailable	6/19/2012	MGD	3.598
Flow	Data Unavailable	6/20/2012	MGD	3.669
Flow	Data Unavailable	6/21/2012	MGD	3.653
Flow	Data Unavailable	6/22/2012	MGD	4.454
Flow	Data Unavailable	6/23/2012	MGD	3.456
Flow	Data Unavailable	6/24/2012	MGD	3.797

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	6/25/2012	MGD	4.045
Flow	Data Unavailable	6/26/2012	MGD	3.845
Flow	Data Unavailable	6/27/2012	MGD	3.903
Flow	Data Unavailable	6/28/2012	MGD	3.653
Flow	Data Unavailable	6/29/2012	MGD	3.64
Flow	Data Unavailable	6/30/2012	MGD	4.017
Flow	Data Unavailable	7/1/2012	MGD	3.248
Flow	Data Unavailable	7/2/2012	MGD	3.711
Flow	Data Unavailable	7/3/2012	MGD	3.658
Flow	Data Unavailable	7/4/2012	MGD	3.489
Flow	Data Unavailable	7/5/2012	MGD	3.537
Flow	Data Unavailable	7/6/2012	MGD	3.473
Flow	Data Unavailable	7/7/2012	MGD	3.146
Flow	Data Unavailable	7/8/2012	MGD	3.393
Flow	Data Unavailable	7/9/2012	MGD	3.611
Flow	Data Unavailable	7/10/2012	MGD	3.503
Flow	Data Unavailable	7/11/2012	MGD	3.497
Flow	Data Unavailable	7/12/2012	MGD	3.421
Flow	Data Unavailable	7/13/2012	MGD	3.347
Flow	Data Unavailable	7/14/2012	MGD	3.381
Flow	Data Unavailable	7/15/2012	MGD	3.473
Flow	Data Unavailable	7/16/2012	MGD	3.597
Flow	Data Unavailable	7/17/2012	MGD	3.817
Flow	Data Unavailable	7/18/2012	MGD	3.648
Flow	Data Unavailable	7/19/2012	MGD	3.627
Flow	Data Unavailable	7/20/2012	MGD	3.31
Flow	Data Unavailable	7/21/2012	MGD	3.342
Flow	Data Unavailable	7/22/2012	MGD	3.317
Flow	Data Unavailable	7/23/2012	MGD	3.549
Flow	Data Unavailable	7/24/2012	MGD	3.392
Flow	Data Unavailable	7/25/2012	MGD	4.003
Flow	Data Unavailable	7/26/2012	MGD	3.44
Flow	Data Unavailable	7/27/2012	MGD	3.496
Flow	Data Unavailable	7/28/2012	MGD	3.437
Flow	Data Unavailable	7/29/2012	MGD	3.378
Flow	Data Unavailable	7/30/2012	MGD	3.7
Flow	Data Unavailable	7/31/2012	MGD	3.656
Flow	Data Unavailable	8/1/2012	MGD	3.659
Flow	Data Unavailable	8/2/2012	MGD	3.427
Flow	Data Unavailable	8/3/2012	MGD	3.431
Flow	Data Unavailable	8/4/2012	MGD	3.433
Flow	Data Unavailable	8/5/2012	MGD	3.39
Flow	Data Unavailable	8/6/2012	MGD	3.426
Flow	Data Unavailable	8/7/2012	MGD	3.489
Flow	Data Unavailable	8/8/2012	MGD	3.428
Flow	Data Unavailable	8/9/2012	MGD	3.536
Flow	Data Unavailable	8/10/2012	MGD	3.457
Flow	Data Unavailable	8/11/2012	MGD	3.384
Flow	Data Unavailable	8/12/2012	MGD	3.41
Flow	Data Unavailable	8/13/2012	MGD	3.536
Flow	Data Unavailable	8/14/2012	MGD	3.575
Flow	Data Unavailable	8/15/2012	MGD	3.441

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	8/16/2012	MGD	3.328
Flow	Data Unavailable	8/17/2012	MGD	3.419
Flow	Data Unavailable	8/18/2012	MGD	3.256
Flow	Data Unavailable	8/19/2012	MGD	3.305
Flow	Data Unavailable	8/20/2012	MGD	3.509
Flow	Data Unavailable	8/21/2012	MGD	3.416
Flow	Data Unavailable	8/22/2012	MGD	3.521
Flow	Data Unavailable	8/23/2012	MGD	3.394
Flow	Data Unavailable	8/24/2012	MGD	3.395
Flow	Data Unavailable	8/25/2012	MGD	3.329
Flow	Data Unavailable	8/26/2012	MGD	3.418
Flow	Data Unavailable	8/27/2012	MGD	3.46
Flow	Data Unavailable	8/28/2012	MGD	3.398
Flow	Data Unavailable	8/29/2012	MGD	3.572
Flow	Data Unavailable	8/30/2012	MGD	3.217
Flow	Data Unavailable	8/31/2012	MGD	3.15
Flow	Data Unavailable	9/1/2012	MGD	3.042
Flow	Data Unavailable	9/2/2012	MGD	3.053
Flow	Data Unavailable	9/3/2012	MGD	3.326
Flow	Data Unavailable	9/4/2012	MGD	3.319
Flow	Data Unavailable	9/5/2012	MGD	3.441
Flow	Data Unavailable	9/6/2012	MGD	3.29
Flow	Data Unavailable	9/7/2012	MGD	3.271
Flow	Data Unavailable	9/8/2012	MGD	3.281
Flow	Data Unavailable	9/9/2012	MGD	3.418
Flow	Data Unavailable	9/10/2012	MGD	3.288
Flow	Data Unavailable	9/11/2012	MGD	3.236
Flow	Data Unavailable	9/12/2012	MGD	3.312
Flow	Data Unavailable	9/13/2012	MGD	3.091
Flow	Data Unavailable	9/14/2012	MGD	3.03
Flow	Data Unavailable	9/15/2012	MGD	2.982
Flow	Data Unavailable	9/16/2012	MGD	3.063
Flow	Data Unavailable	9/17/2012	MGD	3.396
Flow	Data Unavailable	9/18/2012	MGD	3.266
Flow	Data Unavailable	9/19/2012	MGD	3.313
Flow	Data Unavailable	9/20/2012	MGD	3.052
Flow	Data Unavailable	9/21/2012	MGD	3.094
Flow	Data Unavailable	9/22/2012	MGD	2.952
Flow	Data Unavailable	9/23/2012	MGD	3.13
Flow	Data Unavailable	9/24/2012	MGD	3.121
Flow	Data Unavailable	9/25/2012	MGD	3.247
Flow	Data Unavailable	9/26/2012	MGD	3.093
Flow	Data Unavailable	9/27/2012	MGD	2.927
Flow	Data Unavailable	9/28/2012	MGD	2.846
Flow	Data Unavailable	9/29/2012	MGD	2.923
Flow	Data Unavailable	9/30/2012	MGD	3.222
Flow	Data Unavailable	10/1/2012	MGD	3.241
Flow	Data Unavailable	10/2/2012	MGD	3.216
Flow	Data Unavailable	10/3/2012	MGD	3.39
Flow	Data Unavailable	10/4/2012	MGD	3.118
Flow	Data Unavailable	10/5/2012	MGD	2.953
Flow	Data Unavailable	10/6/2012	MGD	2.989

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	10/7/2012	MGD	3.098
Flow	Data Unavailable	10/8/2012	MGD	3.337
Flow	Data Unavailable	10/9/2012	MGD	3.286
Flow	Data Unavailable	10/10/2012	MGD	3.278
Flow	Data Unavailable	10/11/2012	MGD	3.168
Flow	Data Unavailable	10/12/2012	MGD	3.116
Flow	Data Unavailable	10/13/2012	MGD	3.131
Flow	Data Unavailable	10/14/2012	MGD	3.303
Flow	Data Unavailable	10/15/2012	MGD	3.734
Flow	Data Unavailable	10/16/2012	MGD	3.62
Flow	Data Unavailable	10/17/2012	MGD	3.382
Flow	Data Unavailable	10/18/2012	MGD	3.143
Flow	Data Unavailable	10/19/2012	MGD	3.052
Flow	Data Unavailable	10/20/2012	MGD	3.108
Flow	Data Unavailable	10/21/2012	MGD	3.906
Flow	Data Unavailable	10/22/2012	MGD	3.916
Flow	Data Unavailable	10/23/2012	MGD	3.595
Flow	Data Unavailable	10/24/2012	MGD	3.48
Flow	Data Unavailable	10/25/2012	MGD	3.374
Flow	Data Unavailable	10/26/2012	MGD	3.413
Flow	Data Unavailable	10/27/2012	MGD	3.368
Flow	Data Unavailable	10/28/2012	MGD	3.41
Flow	Data Unavailable	10/29/2012	MGD	3.408
Flow	Data Unavailable	10/30/2012	MGD	3.493
Flow	Data Unavailable	10/31/2012	MGD	3.927
Flow	Data Unavailable	11/1/2012	MGD	3.534
Flow	Data Unavailable	11/2/2012	MGD	3.411
Flow	Data Unavailable	11/3/2012	MGD	3.445
Flow	Data Unavailable	11/4/2012	MGD	3.332
Flow	Data Unavailable	11/5/2012	MGD	3.393
Flow	Data Unavailable	11/6/2012	MGD	3.298
Flow	Data Unavailable	11/7/2012	MGD	3.564
Flow	Data Unavailable	11/8/2012	MGD	3.706
Flow	Data Unavailable	11/9/2012	MGD	3.796
Flow	Data Unavailable	11/10/2012	MGD	3.523
Flow	Data Unavailable	11/11/2012	MGD	3.359
Flow	Data Unavailable	11/12/2012	MGD	3.652
Flow	Data Unavailable	11/13/2012	MGD	3.446
Flow	Data Unavailable	11/14/2012	MGD	3.791
Flow	Data Unavailable	11/15/2012	MGD	3.095
Flow	Data Unavailable	11/16/2012	MGD	3.44
Flow	Data Unavailable	11/17/2012	MGD	4.618
Flow	Data Unavailable	11/18/2012	MGD	3.893
Flow	Data Unavailable	11/19/2012	MGD	4.131
Flow	Data Unavailable	11/20/2012	MGD	6.405
Flow	Data Unavailable	11/21/2012	MGD	4.498
Flow	Data Unavailable	11/22/2012	MGD	3.887
Flow	Data Unavailable	11/23/2012	MGD	3.697
Flow	Data Unavailable	11/24/2012	MGD	3.769
Flow	Data Unavailable	11/25/2012	MGD	3.848
Flow	Data Unavailable	11/26/2012	MGD	3.584
Flow	Data Unavailable	11/27/2012	MGD	4.047

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	11/28/2012	MGD	5.226
Flow	Data Unavailable	11/29/2012	MGD	11.023
Flow	Data Unavailable	11/30/2012	MGD	8.793
Flow	Data Unavailable	12/1/2012	MGD	15.901
Flow	Data Unavailable	12/2/2012	MGD	12.903
Flow	Data Unavailable	12/3/2012	MGD	8.927
Flow	Data Unavailable	12/4/2012	MGD	9.2
Flow	Data Unavailable	12/5/2012	MGD	8.094
Flow	Data Unavailable	12/6/2012	MGD	6.607
Flow	Data Unavailable	12/7/2012	MGD	6.085
Flow	Data Unavailable	12/8/2012	MGD	5.624
Flow	Data Unavailable	12/9/2012	MGD	5.411
Flow	Data Unavailable	12/10/2012	MGD	5.2
Flow	Data Unavailable	12/11/2012	MGD	6.685
Flow	Data Unavailable	12/12/2012	MGD	5.512
Flow	Data Unavailable	12/13/2012	MGD	5.401
Flow	Data Unavailable	12/14/2012	MGD	5.109
Flow	Data Unavailable	12/15/2012	MGD	5.128
Flow	Data Unavailable	12/16/2012	MGD	6.056
Flow	Data Unavailable	12/17/2012	MGD	6.231
Flow	Data Unavailable	12/18/2012	MGD	6.632
Flow	Data Unavailable	12/19/2012	MGD	6.196
Flow	Data Unavailable	12/20/2012	MGD	12.897
Flow	Data Unavailable	12/21/2012	MGD	14.713
Flow	Data Unavailable	12/22/2012	MGD	16.764
Flow	Data Unavailable	12/23/2012	MGD	10.126
Flow	Data Unavailable	12/24/2012	MGD	9.273
Flow	Data Unavailable	12/25/2012	MGD	11.104
Flow	Data Unavailable	12/26/2012	MGD	13.565
Flow	Data Unavailable	12/27/2012	MGD	10.503
Flow	Data Unavailable	12/28/2012	MGD	8.843
Flow	Data Unavailable	12/29/2012	MGD	7.506
Flow	Data Unavailable	12/30/2012	MGD	7.036
Flow	Data Unavailable	12/31/2012	MGD	6.733
Flow	Data Unavailable	1/1/2013	MGD	6.16
Flow	Data Unavailable	1/2/2013	MGD	6.023
Flow	Data Unavailable	1/3/2013	MGD	5.831
Flow	Data Unavailable	1/4/2013	MGD	5.607
Flow	Data Unavailable	1/5/2013	MGD	5.552
Flow	Data Unavailable	1/6/2013	MGD	5.5
Flow	Data Unavailable	1/7/2013	MGD	5.255
Flow	Data Unavailable	1/8/2013	MGD	5.281
Flow	Data Unavailable	1/9/2013	MGD	6.156
Flow	Data Unavailable	1/10/2013	MGD	6.241
Flow	Data Unavailable	1/11/2013	MGD	6.162
Flow	Data Unavailable	1/12/2013	MGD	5.646
Flow	Data Unavailable	1/13/2013	MGD	5.489
Flow	Data Unavailable	1/14/2013	MGD	5.062
Flow	Data Unavailable	1/15/2013	MGD	5.081
Flow	Data Unavailable	1/16/2013	MGD	5.22
Flow	Data Unavailable	1/17/2013	MGD	4.89
Flow	Data Unavailable	1/18/2013	MGD	4.719

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	1/19/2013	MGD	4.772
Flow	Data Unavailable	1/20/2013	MGD	4.755
Flow	Data Unavailable	1/21/2013	MGD	4.81
Flow	Data Unavailable	1/22/2013	MGD	4.779
Flow	Data Unavailable	1/23/2013	MGD	5.603
Flow	Data Unavailable	1/24/2013	MGD	4.992
Flow	Data Unavailable	1/25/2013	MGD	5.243
Flow	Data Unavailable	1/26/2013	MGD	5.269
Flow	Data Unavailable	1/27/2013	MGD	5.565
Flow	Data Unavailable	1/28/2013	MGD	5.505
Flow	Data Unavailable	1/29/2013	MGD	5.29
Flow	Data Unavailable	1/30/2013	MGD	5.193
Flow	Data Unavailable	1/31/2013	MGD	4.544
Flow	Data Unavailable	2/1/2013	MGD	4.65
Flow	Data Unavailable	2/2/2013	MGD	4.66
Flow	Data Unavailable	2/3/2013	MGD	4.729
Flow	Data Unavailable	2/4/2013	MGD	4.445
Flow	Data Unavailable	2/5/2013	MGD	4.409
Flow	Data Unavailable	2/6/2013	MGD	5.041
Flow	Data Unavailable	2/7/2013	MGD	5.117
Flow	Data Unavailable	2/8/2013	MGD	4.831
Flow	Data Unavailable	2/9/2013	MGD	4.499
Flow	Data Unavailable	2/10/2013	MGD	4.549
Flow	Data Unavailable	2/11/2013	MGD	4.307
Flow	Data Unavailable	2/12/2013	MGD	4.189
Flow	Data Unavailable	2/13/2013	MGD	4.14
Flow	Data Unavailable	2/14/2013	MGD	4.106
Flow	Data Unavailable	2/15/2013	MGD	3.858
Flow	Data Unavailable	2/16/2013	MGD	4.055
Flow	Data Unavailable	2/17/2013	MGD	3.993
Flow	Data Unavailable	2/18/2013	MGD	4.326
Flow	Data Unavailable	2/19/2013	MGD	4.913
Flow	Data Unavailable	2/20/2013	MGD	4.527
Flow	Data Unavailable	2/21/2013	MGD	4.051
Flow	Data Unavailable	2/22/2013	MGD	4.416
Flow	Data Unavailable	2/23/2013	MGD	4.266
Flow	Data Unavailable	2/24/2013	MGD	4.319
Flow	Data Unavailable	2/25/2013	MGD	4.158
Flow	Data Unavailable	2/26/2013	MGD	4.027
Flow	Data Unavailable	2/27/2013	MGD	4.513
Flow	Data Unavailable	2/28/2013	MGD	4.261
Flow	Data Unavailable	3/1/2013	MGD	4.109
Flow	Data Unavailable	3/2/2013	MGD	4.16
Flow	Data Unavailable	3/3/2013	MGD	4.196
Flow	Data Unavailable	3/4/2013	MGD	4.047
Flow	Data Unavailable	3/5/2013	MGD	6.679
Flow	Data Unavailable	3/6/2013	MGD	7.642
Flow	Data Unavailable	3/7/2013	MGD	5.911
Flow	Data Unavailable	3/8/2013	MGD	5.312
Flow	Data Unavailable	3/9/2013	MGD	4.892
Flow	Data Unavailable	3/10/2013	MGD	4.875
Flow	Data Unavailable	3/11/2013	MGD	4.827

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	3/12/2013	MGD	4.592
Flow	Data Unavailable	3/13/2013	MGD	4.491
Flow	Data Unavailable	3/14/2013	MGD	4.271
Flow	Data Unavailable	3/15/2013	MGD	4.176
Flow	Data Unavailable	3/16/2013	MGD	4.149
Flow	Data Unavailable	3/17/2013	MGD	4.233
Flow	Data Unavailable	3/18/2013	MGD	4.077
Flow	Data Unavailable	3/19/2013	MGD	4.237
Flow	Data Unavailable	3/20/2013	MGD	4.942
Flow	Data Unavailable	3/21/2013	MGD	4.344
Flow	Data Unavailable	3/22/2013	MGD	3.983
Flow	Data Unavailable	3/23/2013	MGD	4.015
Flow	Data Unavailable	3/24/2013	MGD	4.141
Flow	Data Unavailable	3/25/2013	MGD	4.135
Flow	Data Unavailable	3/26/2013	MGD	4.01
Flow	Data Unavailable	3/27/2013	MGD	4.155
Flow	Data Unavailable	3/28/2013	MGD	3.739
Flow	Data Unavailable	3/29/2013	MGD	3.799
Flow	Data Unavailable	3/30/2013	MGD	4.085
Flow	Data Unavailable	3/31/2013	MGD	4.156
Flow	Data Unavailable	4/1/2013	MGD	4.008
Flow	Data Unavailable	4/2/2013	MGD	3.835
Flow	Data Unavailable	4/3/2013	MGD	4.284
Flow	Data Unavailable	4/4/2013	MGD	5.222
Flow	Data Unavailable	4/5/2013	MGD	4.832
Flow	Data Unavailable	4/6/2013	MGD	4.865
Flow	Data Unavailable	4/7/2013	MGD	6.451
Flow	Data Unavailable	4/8/2013	MGD	5.717
Flow	Data Unavailable	4/9/2013	MGD	5.069
Flow	Data Unavailable	4/10/2013	MGD	4.867
Flow	Data Unavailable	4/11/2013	MGD	4.63
Flow	Data Unavailable	4/12/2013	MGD	4.313
Flow	Data Unavailable	4/13/2013	MGD	4.27
Flow	Data Unavailable	4/14/2013	MGD	4.388
Flow	Data Unavailable	4/15/2013	MGD	4.294
Flow	Data Unavailable	4/16/2013	MGD	4.001
Flow	Data Unavailable	4/17/2013	MGD	4.02
Flow	Data Unavailable	4/18/2013	MGD	3.849
Flow	Data Unavailable	4/19/2013	MGD	3.693
Flow	Data Unavailable	4/20/2013	MGD	3.698
Flow	Data Unavailable	4/21/2013	MGD	3.883
Flow	Data Unavailable	4/22/2013	MGD	3.978
Flow	Data Unavailable	4/23/2013	MGD	3.824
Flow	Data Unavailable	4/24/2013	MGD	3.907
Flow	Data Unavailable	4/25/2013	MGD	3.442
Flow	Data Unavailable	4/26/2013	MGD	3.618
Flow	Data Unavailable	4/27/2013	MGD	3.681
Flow	Data Unavailable	4/28/2013	MGD	3.858
Flow	Data Unavailable	4/29/2013	MGD	4.153
Flow	Data Unavailable	4/30/2013	MGD	3.254
Flow	Data Unavailable	5/1/2013	MGD	3.687
Flow	Data Unavailable	5/2/2013	MGD	3.333

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	5/3/2013	MGD	3.265
Flow	Data Unavailable	5/4/2013	MGD	3.455
Flow	Data Unavailable	5/5/2013	MGD	3.59
Flow	Data Unavailable	5/6/2013	MGD	3.798
Flow	Data Unavailable	5/7/2013	MGD	3.619
Flow	Data Unavailable	5/8/2013	MGD	3.648
Flow	Data Unavailable	5/9/2013	MGD	3.511
Flow	Data Unavailable	5/10/2013	MGD	3.408
Flow	Data Unavailable	5/11/2013	MGD	3.503
Flow	Data Unavailable	5/12/2013	MGD	3.559
Flow	Data Unavailable	5/13/2013	MGD	3.553
Flow	Data Unavailable	5/14/2013	MGD	3.869
Flow	Data Unavailable	5/15/2013	MGD	3.616
Flow	Data Unavailable	5/16/2013	MGD	3.476
Flow	Data Unavailable	5/17/2013	MGD	3.489
Flow	Data Unavailable	5/18/2013	MGD	3.343
Flow	Data Unavailable	5/19/2013	MGD	3.667
Flow	Data Unavailable	5/20/2013	MGD	3.129
Flow	Data Unavailable	5/21/2013	MGD	3.549
Flow	Data Unavailable	5/22/2013	MGD	3.455
Flow	Data Unavailable	5/23/2013	MGD	3.14
Flow	Data Unavailable	5/24/2013	MGD	3.29
Flow	Data Unavailable	5/25/2013	MGD	3.237
Flow	Data Unavailable	5/26/2013	MGD	3.467
Flow	Data Unavailable	5/27/2013	MGD	3.925
Flow	Data Unavailable	5/28/2013	MGD	3.836
Flow	Data Unavailable	5/29/2013	MGD	3.83
Flow	Data Unavailable	5/30/2013	MGD	3.476
Flow	Data Unavailable	5/31/2013	MGD	3.366
Flow	Data Unavailable	6/1/2013	MGD	3.349
Flow	Data Unavailable	6/2/2013	MGD	3.411
Flow	Data Unavailable	6/3/2013	MGD	3.399
Flow	Data Unavailable	6/4/2013	MGD	3.291
Flow	Data Unavailable	6/5/2013	MGD	3.978
Flow	Data Unavailable	6/6/2013	MGD	3.347
Flow	Data Unavailable	6/7/2013	MGD	3.401
Flow	Data Unavailable	6/8/2013	MGD	3.383
Flow	Data Unavailable	6/9/2013	MGD	3.461
Flow	Data Unavailable	6/10/2013	MGD	3.422
Flow	Data Unavailable	6/11/2013	MGD	3.389
Flow	Data Unavailable	6/12/2013	MGD	3.423
Flow	Data Unavailable	6/13/2013	MGD	3.253
Flow	Data Unavailable	6/14/2013	MGD	3.426
Flow	Data Unavailable	6/15/2013	MGD	3.326
Flow	Data Unavailable	6/16/2013	MGD	3.253
Flow	Data Unavailable	6/17/2013	MGD	3.475
Flow	Data Unavailable	6/18/2013	MGD	3.363
Flow	Data Unavailable	6/19/2013	MGD	3.547
Flow	Data Unavailable	6/20/2013	MGD	3.439
Flow	Data Unavailable	6/21/2013	MGD	3.351
Flow	Data Unavailable	6/22/2013	MGD	3.259
Flow	Data Unavailable	6/23/2013	MGD	3.537

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	6/24/2013	MGD	3.598
Flow	Data Unavailable	6/25/2013	MGD	3.586
Flow	Data Unavailable	6/26/2013	MGD	3.576
Flow	Data Unavailable	6/27/2013	MGD	3.444
Flow	Data Unavailable	6/28/2013	MGD	3.379
Flow	Data Unavailable	6/29/2013	MGD	3.292
Flow	Data Unavailable	6/30/2013	MGD	3.343
Flow	Data Unavailable	7/1/2013	MGD	3.736
Flow	Data Unavailable	7/2/2013	MGD	3.574
Flow	Data Unavailable	7/3/2013	MGD	3.407
Flow	Data Unavailable	7/4/2013	MGD	3.283
Flow	Data Unavailable	7/5/2013	MGD	3.33
Flow	Data Unavailable	7/6/2013	MGD	3.183
Flow	Data Unavailable	7/7/2013	MGD	3.343
Flow	Data Unavailable	7/8/2013	MGD	3.248
Flow	Data Unavailable	7/9/2013	MGD	3.177
Flow	Data Unavailable	7/10/2013	MGD	3.392
Flow	Data Unavailable	7/11/2013	MGD	3.296
Flow	Data Unavailable	7/12/2013	MGD	3.244
Flow	Data Unavailable	7/13/2013	MGD	3.067
Flow	Data Unavailable	7/14/2013	MGD	3.156
Flow	Data Unavailable	7/15/2013	MGD	3.404
Flow	Data Unavailable	7/16/2013	MGD	3.403
Flow	Data Unavailable	7/17/2013	MGD	3.389
Flow	Data Unavailable	7/18/2013	MGD	3.292
Flow	Data Unavailable	7/19/2013	MGD	3.29
Flow	Data Unavailable	7/20/2013	MGD	3.19
Flow	Data Unavailable	7/21/2013	MGD	3.338
Flow	Data Unavailable	7/22/2013	MGD	3.293
Flow	Data Unavailable	7/23/2013	MGD	3.322
Flow	Data Unavailable	7/24/2013	MGD	3.345
Flow	Data Unavailable	7/25/2013	MGD	3.207
Flow	Data Unavailable	7/26/2013	MGD	3.126
Flow	Data Unavailable	7/27/2013	MGD	2.923
Flow	Data Unavailable	7/28/2013	MGD	3.071
Flow	Data Unavailable	7/29/2013	MGD	3.164
Flow	Data Unavailable	7/30/2013	MGD	3.128
Flow	Data Unavailable	7/31/2013	MGD	3.215
Flow	Data Unavailable	8/1/2013	MGD	3.231
Flow	Data Unavailable	8/2/2013	MGD	3.301
Flow	Data Unavailable	8/3/2013	MGD	3.101
Flow	Data Unavailable	8/4/2013	MGD	3.086
Flow	Data Unavailable	8/5/2013	MGD	3.259
Flow	Data Unavailable	8/6/2013	MGD	3.359
Flow	Data Unavailable	8/7/2013	MGD	3.388
Flow	Data Unavailable	8/8/2013	MGD	3.289
Flow	Data Unavailable	8/9/2013	MGD	3.234
Flow	Data Unavailable	8/10/2013	MGD	3.143
Flow	Data Unavailable	8/11/2013	MGD	3.202
Flow	Data Unavailable	8/12/2013	MGD	3.3
Flow	Data Unavailable	8/13/2013	MGD	3.273
Flow	Data Unavailable	8/14/2013	MGD	3.473

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	8/15/2013	MGD	3.357
Flow	Data Unavailable	8/16/2013	MGD	3.279
Flow	Data Unavailable	8/17/2013	MGD	3.15
Flow	Data Unavailable	8/18/2013	MGD	3.146
Flow	Data Unavailable	8/19/2013	MGD	3.346
Flow	Data Unavailable	8/20/2013	MGD	3.31
Flow	Data Unavailable	8/21/2013	MGD	3.323
Flow	Data Unavailable	8/22/2013	MGD	3.097
Flow	Data Unavailable	8/23/2013	MGD	3.066
Flow	Data Unavailable	8/24/2013	MGD	3.057
Flow	Data Unavailable	8/25/2013	MGD	3.385
Flow	Data Unavailable	8/26/2013	MGD	3.293
Flow	Data Unavailable	8/27/2013	MGD	3.276
Flow	Data Unavailable	8/28/2013	MGD	3.357
Flow	Data Unavailable	8/29/2013	MGD	3.184
Flow	Data Unavailable	8/30/2013	MGD	3.148
Flow	Data Unavailable	8/31/2013	MGD	3.103
Flow	Data Unavailable	9/1/2013	MGD	2.947
Flow	Data Unavailable	9/2/2013	MGD	3.259
Flow	Data Unavailable	9/3/2013	MGD	3.357
Flow	Data Unavailable	9/4/2013	MGD	3.347
Flow	Data Unavailable	9/5/2013	MGD	3.187
Flow	Data Unavailable	9/6/2013	MGD	3.117
Flow	Data Unavailable	9/7/2013	MGD	3.112
Flow	Data Unavailable	9/8/2013	MGD	3.235
Flow	Data Unavailable	9/9/2013	MGD	3.3
Flow	Data Unavailable	9/10/2013	MGD	3.247
Flow	Data Unavailable	9/11/2013	MGD	3.22
Flow	Data Unavailable	9/12/2013	MGD	3.136
Flow	Data Unavailable	9/13/2013	MGD	3.163
Flow	Data Unavailable	9/14/2013	MGD	3.18
Flow	Data Unavailable	9/15/2013	MGD	3.189
Flow	Data Unavailable	9/16/2013	MGD	3.277
Flow	Data Unavailable	9/17/2013	MGD	3.287
Flow	Data Unavailable	9/18/2013	MGD	3.235
Flow	Data Unavailable	9/19/2013	MGD	3.115
Flow	Data Unavailable	9/20/2013	MGD	3.515
Flow	Data Unavailable	9/21/2013	MGD	3.301
Flow	Data Unavailable	9/22/2013	MGD	3.305
Flow	Data Unavailable	9/23/2013	MGD	3.437
Flow	Data Unavailable	9/24/2013	MGD	3.448
Flow	Data Unavailable	9/25/2013	MGD	3.39
Flow	Data Unavailable	9/26/2013	MGD	3.205
Flow	Data Unavailable	9/27/2013	MGD	3.104
Flow	Data Unavailable	9/28/2013	MGD	3.358
Flow	Data Unavailable	9/29/2013	MGD	4.838
Flow	Data Unavailable	9/30/2013	MGD	3.902
Flow	Data Unavailable	10/1/2013	MGD	3.46
Flow	Data Unavailable	10/2/2013	MGD	3.521
Flow	Data Unavailable	10/3/2013	MGD	3.149
Flow	Data Unavailable	10/4/2013	MGD	3.169
Flow	Data Unavailable	10/5/2013	MGD	3.145

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	10/6/2013	MGD	3.492
Flow	Data Unavailable	10/7/2013	MGD	3.36
Flow	Data Unavailable	10/8/2013	MGD	3.5
Flow	Data Unavailable	10/9/2013	MGD	3.365
Flow	Data Unavailable	10/10/2013	MGD	3.168
Flow	Data Unavailable	10/11/2013	MGD	3.024
Flow	Data Unavailable	10/12/2013	MGD	3.082
Flow	Data Unavailable	10/13/2013	MGD	3.204
Flow	Data Unavailable	10/14/2013	MGD	3.204
Flow	Data Unavailable	10/15/2013	MGD	3.293
Flow	Data Unavailable	10/16/2013	MGD	3.386
Flow	Data Unavailable	10/17/2013	MGD	2.925
Flow	Data Unavailable	10/18/2013	MGD	2.953
Flow	Data Unavailable	10/19/2013	MGD	3.063
Flow	Data Unavailable	10/20/2013	MGD	3.079
Flow	Data Unavailable	10/21/2013	MGD	3.165
Flow	Data Unavailable	10/22/2013	MGD	3.179
Flow	Data Unavailable	10/23/2013	MGD	3.149
Flow	Data Unavailable	10/24/2013	MGD	3.093
Flow	Data Unavailable	10/25/2013	MGD	3.02
Flow	Data Unavailable	10/26/2013	MGD	3.049
Flow	Data Unavailable	10/27/2013	MGD	3.135
Flow	Data Unavailable	10/28/2013	MGD	3.156
Flow	Data Unavailable	10/29/2013	MGD	3.144
Flow	Data Unavailable	10/30/2013	MGD	3.197
Flow	Data Unavailable	10/31/2013	MGD	2.943
Flow	Data Unavailable	11/1/2013	MGD	2.98
Flow	Data Unavailable	11/2/2013	MGD	3.243
Flow	Data Unavailable	11/3/2013	MGD	3.246
Flow	Data Unavailable	11/4/2013	MGD	3.169
Flow	Data Unavailable	11/5/2013	MGD	3.11
Flow	Data Unavailable	11/6/2013	MGD	3.008
Flow	Data Unavailable	11/7/2013	MGD	2.993
Flow	Data Unavailable	11/8/2013	MGD	2.879
Flow	Data Unavailable	11/9/2013	MGD	2.94
Flow	Data Unavailable	11/10/2013	MGD	3.013
Flow	Data Unavailable	11/11/2013	MGD	3.297
Flow	Data Unavailable	11/12/2013	MGD	3.166
Flow	Data Unavailable	11/13/2013	MGD	3.083
Flow	Data Unavailable	11/14/2013	MGD	2.852
Flow	Data Unavailable	11/15/2013	MGD	2.934
Flow	Data Unavailable	11/16/2013	MGD	2.93
Flow	Data Unavailable	11/17/2013	MGD	3.186
Flow	Data Unavailable	11/18/2013	MGD	3.374
Flow	Data Unavailable	11/19/2013	MGD	3.535
Flow	Data Unavailable	11/20/2013	MGD	4.018
Flow	Data Unavailable	11/21/2013	MGD	2.92
Flow	Data Unavailable	11/22/2013	MGD	3.159
Flow	Data Unavailable	11/23/2013	MGD	3.142
Flow	Data Unavailable	11/24/2013	MGD	3.87
Flow	Data Unavailable	11/25/2013	MGD	2.221
Flow	Data Unavailable	11/26/2013	MGD	3.149

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	11/27/2013	MGD	3.305
Flow	Data Unavailable	11/28/2013	MGD	2.944
Flow	Data Unavailable	11/29/2013	MGD	2.836
Flow	Data Unavailable	11/30/2013	MGD	2.924
Flow	Data Unavailable	12/1/2013	MGD	3.602
Flow	Data Unavailable	12/2/2013	MGD	3.381
Flow	Data Unavailable	12/3/2013	MGD	7.063
Flow	Data Unavailable	12/5/2013	MGD	4.229
Flow	Data Unavailable	12/6/2013	MGD	4.463
Flow	Data Unavailable	12/7/2013	MGD	4.392
Flow	Data Unavailable	12/8/2013	MGD	4.535
Flow	Data Unavailable	12/9/2013	MGD	4.471
Flow	Data Unavailable	12/10/2013	MGD	2.995
Flow	Data Unavailable	12/11/2013	MGD	3.117
Flow	Data Unavailable	12/12/2013	MGD	2.9
Flow	Data Unavailable	12/13/2013	MGD	2.88
Flow	Data Unavailable	12/14/2013	MGD	2.994
Flow	Data Unavailable	12/15/2013	MGD	3.31
Flow	Data Unavailable	12/16/2013	MGD	3.26
Flow	Data Unavailable	12/17/2013	MGD	3.178
Flow	Data Unavailable	12/18/2013	MGD	3.312
Flow	Data Unavailable	12/19/2013	MGD	3.143
Flow	Data Unavailable	12/20/2013	MGD	3.109
Flow	Data Unavailable	12/21/2013	MGD	3.071
Flow	Data Unavailable	12/22/2013	MGD	3.041
Flow	Data Unavailable	12/23/2013	MGD	3.359
Flow	Data Unavailable	12/24/2013	MGD	2.977
Flow	Data Unavailable	12/25/2013	MGD	2.71
Flow	Data Unavailable	12/26/2013	MGD	2.994
Flow	Data Unavailable	12/27/2013	MGD	3.004
Flow	Data Unavailable	12/28/2013	MGD	3.073
Flow	Data Unavailable	12/29/2013	MGD	2.992
Flow	Data Unavailable	12/30/2013	MGD	3.116
Flow	Data Unavailable	12/31/2013	MGD	3.128
Flow	Data Unavailable	1/1/2014	MGD	2.961
Flow	Data Unavailable	1/2/2014	MGD	3.06
Flow	Data Unavailable	1/3/2014	MGD	3.085
Flow	Data Unavailable	1/4/2014	MGD	3.009
Flow	Data Unavailable	1/5/2014	MGD	3.122
Flow	Data Unavailable	1/6/2014	MGD	3.042
Flow	Data Unavailable	1/7/2014	MGD	3.212
Flow	Data Unavailable	1/8/2014	MGD	3.225
Flow	Data Unavailable	1/9/2014	MGD	3.182
Flow	Data Unavailable	1/10/2014	MGD	3.127
Flow	Data Unavailable	1/11/2014	MGD	3.346
Flow	Data Unavailable	1/12/2014	MGD	3.214
Flow	Data Unavailable	1/13/2014	MGD	3.201
Flow	Data Unavailable	1/14/2014	MGD	3.009
Flow	Data Unavailable	1/15/2014	MGD	3.12
Flow	Data Unavailable	1/16/2014	MGD	3.112
Flow	Data Unavailable	1/17/2014	MGD	3.04
Flow	Data Unavailable	1/18/2014	MGD	2.936

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	1/19/2014	MGD	2.994
Flow	Data Unavailable	1/20/2014	MGD	3.233
Flow	Data Unavailable	1/21/2014	MGD	3.091
Flow	Data Unavailable	1/22/2014	MGD	3.049
Flow	Data Unavailable	1/23/2014	MGD	2.953
Flow	Data Unavailable	1/24/2014	MGD	2.928
Flow	Data Unavailable	1/25/2014	MGD	2.962
Flow	Data Unavailable	1/26/2014	MGD	3.17
Flow	Data Unavailable	1/27/2014	MGD	2.979
Flow	Data Unavailable	1/28/2014	MGD	3.13
Flow	Data Unavailable	1/29/2014	MGD	3.722
Flow	Data Unavailable	1/30/2014	MGD	3.094
Flow	Data Unavailable	1/31/2014	MGD	3.095
Flow	Data Unavailable	2/1/2014	MGD	3.162
Flow	Data Unavailable	2/2/2014	MGD	3.264
Flow	Data Unavailable	2/3/2014	MGD	2.969
Flow	Data Unavailable	2/4/2014	MGD	3.025
Flow	Data Unavailable	2/5/2014	MGD	3.121
Flow	Data Unavailable	2/6/2014	MGD	3.139
Flow	Data Unavailable	2/7/2014	MGD	3.66
Flow	Data Unavailable	2/8/2014	MGD	3.621
Flow	Data Unavailable	2/9/2014	MGD	4.268
Flow	Data Unavailable	2/10/2014	MGD	3.569
Flow	Data Unavailable	2/11/2014	MGD	3.414
Flow	Data Unavailable	2/12/2014	MGD	4.023
Flow	Data Unavailable	2/13/2014	MGD	4.582
Flow	Data Unavailable	2/14/2014	MGD	6.784
Flow	Data Unavailable	2/15/2014	MGD	6.151
Flow	Data Unavailable	2/16/2014	MGD	4.752
Flow	Data Unavailable	2/17/2014	MGD	4.329
Flow	Data Unavailable	2/18/2014	MGD	4.832
Flow	Data Unavailable	2/19/2014	MGD	4.465
Flow	Data Unavailable	2/20/2014	MGD	3.959
Flow	Data Unavailable	2/21/2014	MGD	3.806
Flow	Data Unavailable	2/22/2014	MGD	3.722
Flow	Data Unavailable	2/23/2014	MGD	3.803
Flow	Data Unavailable	2/24/2014	MGD	3.612
Flow	Data Unavailable	2/25/2014	MGD	3.559
Flow	Data Unavailable	2/26/2014	MGD	4.115
Flow	Data Unavailable	2/27/2014	MGD	4.212
Flow	Data Unavailable	2/28/2014	MGD	3.91
Flow	Data Unavailable	3/1/2014	MGD	3.799
Flow	Data Unavailable	3/2/2014	MGD	4.18
Flow	Data Unavailable	3/3/2014	MGD	4.571
Flow	Data Unavailable	3/4/2014	MGD	4.265
Flow	Data Unavailable	3/5/2014	MGD	4.243
Flow	Data Unavailable	3/6/2014	MGD	4.001
Flow	Data Unavailable	3/7/2014	MGD	3.713
Flow	Data Unavailable	3/8/2014	MGD	4.042
Flow	Data Unavailable	3/9/2014	MGD	10.059
Flow	Data Unavailable	3/10/2014	MGD	7.326
Flow	Data Unavailable	3/11/2014	MGD	5.827

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	3/12/2014	MGD	4.577
Flow	Data Unavailable	3/13/2014	MGD	5.86
Flow	Data Unavailable	3/14/2014	MGD	4.475
Flow	Data Unavailable	3/15/2014	MGD	4.289
Flow	Data Unavailable	3/16/2014	MGD	4.676
Flow	Data Unavailable	3/17/2014	MGD	4.404
Flow	Data Unavailable	3/18/2014	MGD	4.288
Flow	Data Unavailable	3/19/2014	MGD	4.226
Flow	Data Unavailable	3/20/2014	MGD	3.945
Flow	Data Unavailable	3/21/2014	MGD	3.695
Flow	Data Unavailable	3/22/2014	MGD	3.71
Flow	Data Unavailable	3/23/2014	MGD	3.768
Flow	Data Unavailable	3/24/2014	MGD	3.852
Flow	Data Unavailable	3/25/2014	MGD	4.44
Flow	Data Unavailable	3/26/2014	MGD	4.828
Flow	Data Unavailable	3/27/2014	MGD	4.211
Flow	Data Unavailable	3/28/2014	MGD	5.639
Flow	Data Unavailable	3/29/2014	MGD	5.204
Flow	Data Unavailable	3/30/2014	MGD	4.992
Flow	Data Unavailable	3/31/2014	MGD	5.905
Flow	Data Unavailable	4/1/2014	MGD	5.521
Flow	Data Unavailable	4/2/2014	MGD	5.024
Flow	Data Unavailable	4/3/2014	MGD	4.391
Flow	Data Unavailable	4/4/2014	MGD	4.395
Flow	Data Unavailable	4/5/2014	MGD	4.332
Flow	Data Unavailable	4/6/2014	MGD	4.304
Flow	Data Unavailable	4/7/2014	MGD	4.151
Flow	Data Unavailable	4/8/2014	MGD	3.894
Flow	Data Unavailable	4/9/2014	MGD	4.095
Flow	Data Unavailable	4/10/2014	MGD	3.812
Flow	Data Unavailable	4/11/2014	MGD	3.77
Flow	Data Unavailable	4/12/2014	MGD	3.693
Flow	Data Unavailable	4/13/2014	MGD	3.778
Flow	Data Unavailable	4/14/2014	MGD	3.564
Flow	Data Unavailable	4/15/2014	MGD	3.555
Flow	Data Unavailable	4/16/2014	MGD	3.649
Flow	Data Unavailable	4/17/2014	MGD	3.56
Flow	Data Unavailable	4/18/2014	MGD	3.344
Flow	Data Unavailable	4/19/2014	MGD	3.387
Flow	Data Unavailable	4/20/2014	MGD	3.477
Flow	Data Unavailable	4/21/2014	MGD	3.972
Flow	Data Unavailable	4/22/2014	MGD	3.826
Flow	Data Unavailable	4/23/2014	MGD	4.209
Flow	Data Unavailable	4/24/2014	MGD	3.997
Flow	Data Unavailable	4/25/2014	MGD	3.93
Flow	Data Unavailable	4/26/2014	MGD	3.732
Flow	Data Unavailable	4/27/2014	MGD	3.8
Flow	Data Unavailable	4/28/2014	MGD	3.716
Flow	Data Unavailable	4/29/2014	MGD	3.632
Flow	Data Unavailable	4/30/2014	MGD	3.642
Flow	Data Unavailable	5/1/2014	MGD	3.847
Flow	Data Unavailable	5/2/2014	MGD	3.398

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	5/3/2014	MGD	3.513
Flow	Data Unavailable	5/4/2014	MGD	3.685
Flow	Data Unavailable	5/5/2014	MGD	3.631
Flow	Data Unavailable	5/6/2014	MGD	3.527
Flow	Data Unavailable	5/7/2014	MGD	3.596
Flow	Data Unavailable	5/8/2014	MGD	3.586
Flow	Data Unavailable	5/9/2014	MGD	3.38
Flow	Data Unavailable	5/10/2014	MGD	3.493
Flow	Data Unavailable	5/11/2014	MGD	3.586
Flow	Data Unavailable	5/12/2014	MGD	3.35
Flow	Data Unavailable	5/13/2014	MGD	3.428
Flow	Data Unavailable	5/14/2014	MGD	3.513
Flow	Data Unavailable	5/15/2014	MGD	3.354
Flow	Data Unavailable	5/16/2014	MGD	3.271
Flow	Data Unavailable	5/17/2014	MGD	3.373
Flow	Data Unavailable	5/18/2014	MGD	3.364
Flow	Data Unavailable	5/19/2014	MGD	3.418
Flow	Data Unavailable	5/20/2014	MGD	3.342
Flow	Data Unavailable	5/21/2014	MGD	3.39
Flow	Data Unavailable	5/22/2014	MGD	3.258
Flow	Data Unavailable	5/23/2014	MGD	3.178
Flow	Data Unavailable	5/24/2014	MGD	2.933
Flow	Data Unavailable	5/25/2014	MGD	2.893
Flow	Data Unavailable	5/26/2014	MGD	3.277
Flow	Data Unavailable	5/27/2014	MGD	3.305
Flow	Data Unavailable	5/28/2014	MGD	3.383
Flow	Data Unavailable	5/29/2014	MGD	3.193
Flow	Data Unavailable	5/30/2014	MGD	3.096
Flow	Data Unavailable	5/31/2014	MGD	3.114
Flow	Data Unavailable	6/1/2014	MGD	3.11
Flow	Data Unavailable	6/2/2014	MGD	3.135
Flow	Data Unavailable	6/3/2014	MGD	3.155
Flow	Data Unavailable	6/4/2014	MGD	3.105
Flow	Data Unavailable	6/5/2014	MGD	3.038
Flow	Data Unavailable	6/6/2014	MGD	2.826
Flow	Data Unavailable	6/7/2014	MGD	3.016
Flow	Data Unavailable	6/8/2014	MGD	3.141
Flow	Data Unavailable	6/9/2014	MGD	3.538
Flow	Data Unavailable	6/10/2014	MGD	2.601
Flow	Data Unavailable	6/11/2014	MGD	2.988
Flow	Data Unavailable	6/12/2014	MGD	4.038
Flow	Data Unavailable	6/13/2014	MGD	3.557
Flow	Data Unavailable	6/14/2014	MGD	2.64
Flow	Data Unavailable	6/15/2014	MGD	3.832
Flow	Data Unavailable	6/16/2014	MGD	4.066
Flow	Data Unavailable	6/17/2014	MGD	4.327
Flow	Data Unavailable	6/18/2014	MGD	3.999
Flow	Data Unavailable	6/19/2014	MGD	3.782
Flow	Data Unavailable	6/20/2014	MGD	3.311
Flow	Data Unavailable	6/21/2014	MGD	3.734
Flow	Data Unavailable	6/22/2014	MGD	3.915
Flow	Data Unavailable	6/23/2014	MGD	3.955

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	6/24/2014	MGD	3.99
Flow	Data Unavailable	6/25/2014	MGD	4.265
Flow	Data Unavailable	6/26/2014	MGD	3.989
Flow	Data Unavailable	6/27/2014	MGD	4.155
Flow	Data Unavailable	6/28/2014	MGD	3.814
Flow	Data Unavailable	6/29/2014	MGD	3.844
Flow	Data Unavailable	6/30/2014	MGD	3.914
Flow	Data Unavailable	7/1/2014	MGD	3.923
Flow	Data Unavailable	7/2/2014	MGD	4.088
Flow	Data Unavailable	7/3/2014	MGD	3.608
Flow	Data Unavailable	7/4/2014	MGD	3.413
Flow	Data Unavailable	7/5/2014	MGD	3.468
Flow	Data Unavailable	7/6/2014	MGD	3.702
Flow	Data Unavailable	7/7/2014	MGD	3.951
Flow	Data Unavailable	7/8/2014	MGD	3.941
Flow	Data Unavailable	7/9/2014	MGD	3.998
Flow	Data Unavailable	7/10/2014	MGD	3.912
Flow	Data Unavailable	7/11/2014	MGD	3.86
Flow	Data Unavailable	7/12/2014	MGD	3.573
Flow	Data Unavailable	7/13/2014	MGD	3.828
Flow	Data Unavailable	7/14/2014	MGD	3.978
Flow	Data Unavailable	7/15/2014	MGD	3.838
Flow	Data Unavailable	7/16/2014	MGD	3.914
Flow	Data Unavailable	7/17/2014	MGD	3.862
Flow	Data Unavailable	7/18/2014	MGD	3.711
Flow	Data Unavailable	7/19/2014	MGD	3.831
Flow	Data Unavailable	7/20/2014	MGD	3.349
Flow	Data Unavailable	7/21/2014	MGD	4.124
Flow	Data Unavailable	7/22/2014	MGD	3.724
Flow	Data Unavailable	7/23/2014	MGD	3.656
Flow	Data Unavailable	7/24/2014	MGD	3.898
Flow	Data Unavailable	7/25/2014	MGD	3.772
Flow	Data Unavailable	7/26/2014	MGD	3.639
Flow	Data Unavailable	7/27/2014	MGD	3.682
Flow	Data Unavailable	7/28/2014	MGD	3.708
Flow	Data Unavailable	7/29/2014	MGD	3.784
Flow	Data Unavailable	7/30/2014	MGD	4.08
Flow	Data Unavailable	7/31/2014	MGD	3.876
Flow	Data Unavailable	8/1/2014	MGD	3.85
Flow	Data Unavailable	8/2/2014	MGD	3.795
Flow	Data Unavailable	8/3/2014	MGD	3.685
Flow	Data Unavailable	8/4/2014	MGD	4.202
Flow	Data Unavailable	8/5/2014	MGD	3.633
Flow	Data Unavailable	8/6/2014	MGD	3.939
Flow	Data Unavailable	8/7/2014	MGD	3.794
Flow	Data Unavailable	8/8/2014	MGD	3.601
Flow	Data Unavailable	8/9/2014	MGD	3.903
Flow	Data Unavailable	8/10/2014	MGD	3.393
Flow	Data Unavailable	8/11/2014	MGD	3.847
Flow	Data Unavailable	8/12/2014	MGD	3.78
Flow	Data Unavailable	8/13/2014	MGD	3.793
Flow	Data Unavailable	8/14/2014	MGD	3.814

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	8/15/2014	MGD	3.77
Flow	Data Unavailable	8/16/2014	MGD	4.072
Flow	Data Unavailable	8/17/2014	MGD	4.26
Flow	Data Unavailable	8/18/2014	MGD	3.536
Flow	Data Unavailable	8/19/2014	MGD	3.8889
Flow	Data Unavailable	8/20/2014	MGD	3.201
Flow	Data Unavailable	8/21/2014	MGD	3.6
Flow	Data Unavailable	8/22/2014	MGD	5.622
Flow	Data Unavailable	8/23/2014	MGD	3.58
Flow	Data Unavailable	8/24/2014	MGD	3.97
Flow	Data Unavailable	8/25/2014	MGD	3.77
Flow	Data Unavailable	8/26/2014	MGD	3.652
Flow	Data Unavailable	8/27/2014	MGD	3.823
Flow	Data Unavailable	8/28/2014	MGD	3.378
Flow	Data Unavailable	8/29/2014	MGD	3.916
Flow	Data Unavailable	8/30/2014	MGD	3.508
Flow	Data Unavailable	8/31/2014	MGD	3.472
Flow	Data Unavailable	9/1/2014	MGD	4.196
Flow	Data Unavailable	9/2/2014	MGD	3.27
Flow	Data Unavailable	9/3/2014	MGD	4.414
Flow	Data Unavailable	9/4/2014	MGD	3.014
Flow	Data Unavailable	9/5/2014	MGD	3.694
Flow	Data Unavailable	9/6/2014	MGD	3.679
Flow	Data Unavailable	9/7/2014	MGD	4.212
Flow	Data Unavailable	9/8/2014	MGD	4.048
Flow	Data Unavailable	9/9/2014	MGD	3.813
Flow	Data Unavailable	9/10/2014	MGD	4.042
Flow	Data Unavailable	9/11/2014	MGD	3.303
Flow	Data Unavailable	9/12/2014	MGD	3.776
Flow	Data Unavailable	9/13/2014	MGD	3.568
Flow	Data Unavailable	9/14/2014	MGD	4.257
Flow	Data Unavailable	9/15/2014	MGD	3.79
Flow	Data Unavailable	9/16/2014	MGD	3.361
Flow	Data Unavailable	9/17/2014	MGD	4.637
Flow	Data Unavailable	9/18/2014	MGD	3.406
Flow	Data Unavailable	9/19/2014	MGD	3.932
Flow	Data Unavailable	9/20/2014	MGD	3.661
Flow	Data Unavailable	9/21/2014	MGD	4.186
Flow	Data Unavailable	9/22/2014	MGD	3.52
Flow	Data Unavailable	9/23/2014	MGD	5.073
Flow	Data Unavailable	9/24/2014	MGD	6.565
Flow	Data Unavailable	9/25/2014	MGD	4.322
Flow	Data Unavailable	9/26/2014	MGD	3.766
Flow	Data Unavailable	9/27/2014	MGD	4.635
Flow	Data Unavailable	9/28/2014	MGD	3.976
Flow	Data Unavailable	9/29/2014	MGD	3.878
Flow	Data Unavailable	9/30/2014	MGD	3.336
Flow	Data Unavailable	10/1/2014	MGD	4.452
Flow	Data Unavailable	10/2/2014	MGD	3.352
Flow	Data Unavailable	10/3/2014	MGD	3.973
Flow	Data Unavailable	10/4/2014	MGD	3.494
Flow	Data Unavailable	10/5/2014	MGD	4.271

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Flow	Data Unavailable	10/6/2014	MGD		3.946
Flow	Data Unavailable	10/7/2014	MGD		3.711
Flow	Data Unavailable	10/8/2014	MGD		4.205
Flow	Data Unavailable	10/9/2014	MGD		4.113
Flow	Data Unavailable	10/10/2014	MGD		4.101
Flow	Data Unavailable	10/11/2014	MGD		3.915
Flow	Data Unavailable	10/12/2014	MGD		4.605
Flow	Data Unavailable	10/13/2014	MGD		3.764
Flow	Data Unavailable	10/14/2014	MGD		4.351
Flow	Data Unavailable	10/15/2014	MGD		4.232
Flow	Data Unavailable	10/16/2014	MGD		3.253
Flow	Data Unavailable	10/17/2014	MGD		3.902
Flow	Data Unavailable	10/18/2014	MGD		3.899
Flow	Data Unavailable	10/19/2014	MGD		4.846
Flow	Data Unavailable	10/20/2014	MGD		4.128
Flow	Data Unavailable	10/21/2014	MGD		3.594
Flow	Data Unavailable	10/22/2014	MGD		5.114
Flow	Data Unavailable	10/23/2014	MGD		5.169
Flow	Data Unavailable	10/24/2014	MGD		5.019
Flow	Data Unavailable	10/25/2014	MGD		4.996
Flow	Data Unavailable	10/26/2014	MGD		4.855
Flow	Data Unavailable	10/27/2014	MGD		4.354
Flow	Data Unavailable	10/28/2014	MGD		4.846
Flow	Data Unavailable	10/29/2014	MGD		4.076
Flow	Data Unavailable	10/30/2014	MGD		4.384
Flow	Data Unavailable	10/31/2014	MGD		4.802
Flow	BLENDING EVENT	3/3/2010	MGD		0.038
Halomethanes, Sum	Volatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
Halomethanes, Sum	Volatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
Halomethanes, Sum	Volatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
Hexachloro-1,3-Butadiene	EPA 8270C	12/11/2012	ug/L	<	ND
Hexachloro-1,3-Butadiene		12/10/2013	ug/L	<	ND
Isopropylbenzene		12/14/2009	ug/L	<	ND
Isopropylbenzene		12/11/2012	ug/L	<	ND
Isopropylbenzene		12/10/2013	ug/L	<	ND
m,p-Xyelene		12/10/2013	ug/L	<	ND
m,p-Xylene		12/14/2009	ug/L	<	ND
m,p-Xylene	EPA 8260B	12/31/2010	ug/L	<	ND
m,p-Xylene	EPA 8260B	11/16/2011	ug/L	<	ND
m,p-Xylene		12/11/2012	ug/L	<	ND
Methly acrylate		12/10/2013	ug/L	<	ND
Methoxychlor		12/14/2009	ug/L	<	ND
Methoxychlor	EPA 608	12/31/2010	ug/L	<	ND
Methoxychlor	EPA 608	11/16/2011	ug/L	<	ND
Methoxychlor		12/11/2012	ug/L	<	ND
Methoxychlor		12/10/2013	ug/L	<	ND
Methyl acrylate		12/14/2009	ug/L	<	ND
Methyl acrylate		12/11/2012	ug/L	<	ND
Methyl ethyl ketone		12/14/2009	ug/L	<	ND
Methyl ethyl ketone	EPA 8260B	12/31/2010	ug/L	<	ND
Methyl ethyl ketone	EPA 8260B	11/16/2011	ug/L	<	ND
Methyl ethyl ketone		12/11/2012	ug/L	<	ND

1.5	
1.5	
0.3	1.5
10	10
10	10
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	0.5
0.5	
0.5	
0.5	0.5
0.5	0.5
0.1	0.1
0.1	
0.1	
0.1	0.1
0.1	0.1
0.5	0.5
0.5	0.5
0.5	0.5
5	
5	
5	5

Methyl ethyl ketone		12/10/2013	ug/L	<	ND
Methyl iodide		12/14/2009	ug/L	<	ND
Methyl iodide		12/11/2012	ug/L	<	ND
Methyl iodide		12/10/2013	ug/L	<	ND
Methyl isobutyl keton	EPA 8260B	11/16/2011	ug/L	<	ND
Methyl isobutyl ketone		12/14/2009	ug/L	<	ND
Methyl isobutyl ketone	EPA 8260B	12/31/2010	ug/L	<	ND
Methyl isobutyl ketone		12/11/2012	ug/L	<	ND
Methyl isobutyl ketone		12/10/2013	ug/L	<	ND
Methyl methacrylate		12/14/2009	ug/L	<	ND
Methyl Methacrylate		12/10/2013	ug/L	<	ND
Methyl tert-butyl ether		12/11/2012	ug/L	<	ND
Methyl tert-butyl ether (MTBE)		12/14/2009	ug/L	<	ND
Methyl tert-butyl ether (MTBE)		12/10/2013	ug/L	<	ND
n-Butylbenzene		12/14/2009	ug/L	<	ND
n-Butylbenzene		12/11/2012	ug/L	<	ND
n-Butylbenzene		12/10/2013	ug/L	<	ND
N-Nitrosodiethylamine	EPA 8270C	12/11/2012	ug/L	<	ND
N-Nitrosodiethylamine		12/10/2013	ug/L	<	ND
n-Propylbenzene		12/14/2009	ug/L	<	ND
n-Propylbenzene		12/11/2012	ug/L	<	ND
n-Propylbenzene		12/10/2013	ug/L	<	ND
Oil and Grease		8/10/2009	mg/L	<	ND
Oil and Grease	BLENDING EVENT	8/20/2009	mg/L	<	ND
Oil and Grease		9/7/2009	mg/L	<	ND
Oil and Grease		10/13/2009	mg/L	<	ND
Oil and Grease		11/2/2009	mg/L	<	ND
Oil and Grease		12/3/2009	mg/L	<	ND
Oil and Grease		12/3/2009	mg/L	<	ND
Oil and Grease		1/2/2010	mg/L	<	ND
Oil and Grease		1/5/2010	mg/L	<	ND
Oil and Grease		1/31/2010	mg/L	<	ND
Oil and Grease		2/9/2010	mg/L	<	ND
Oil and Grease	BLENDING EVENT	3/3/2010	mg/L	<	ND
Oil and Grease		3/3/2010	mg/L	<	ND
Oil and Grease	BLENDING EVENT	4/2/2010	mg/L	<	ND
Oil and Grease		4/2/2010	mg/L	<	ND
Oil and Grease	BLENDING EVENT	5/2/2010	mg/L	<	ND
Oil and Grease		5/2/2010	mg/L	<	ND
Oil and Grease	BLENDING EVENT	6/4/2010	mg/L	<	ND
Oil and Grease		6/4/2010	mg/L	<	ND
Oil and Grease		7/2/2010	mg/L	<	ND
Oil and Grease		8/10/2010	mg/L	<	ND
Oil and Grease		9/2/2010	mg/L	<	ND
Oil and Grease		10/7/2010	mg/L	<	ND
Oil and Grease	BLENDING EVENT	10/24/2010	mg/L	<	ND
Oil and Grease		11/17/2010	mg/L	<	ND
Oil and Grease		12/31/2010	mg/L	<	ND
Oil and Grease	mean	12/31/2010	mg/L	<	ND
Oil and Grease	max	12/31/2010	mg/L	<	ND
Oil and Grease		1/1/2011	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	1/1/2011	mg/L	<	ND

5	5	
2	2	
2	2	
2	2	
5		
5	5	
5		
5		
5	5	
2	2	
2	2	
0.5	0.5	
0.5	0.5	
0.5	0.5	
0.5	0.5	
0.5	0.5	
0.5	0.5	
10		
10		
0.5	0.5	
0.5	0.5	
0.5		
5		
5		
5		
1	5	
5		
5		
5		
5		
5		
5		
5		
5		
5		
5		
5		
5		
5		
5		
5		
5		BLENDING EVENT
5		BLENDING EVENT
1	5	
1	5	

Oil and Grease		1/1/2011	mg/L	<	ND
Oil and Grease		1/1/2011	mg/L	<	ND
Oil and Grease		1/31/2011	mg/L	<	ND
Oil and Grease		2/2/2011	mg/L	<	ND
Oil and Grease		2/2/2011	mg/L	<	ND
Oil and Grease		2/2/2011	mg/L	<	ND
Oil and Grease		3/2/2011	mg/L	<	ND
Oil and Grease		3/2/2011	mg/L	<	ND
Oil and Grease		3/2/2011	mg/L	<	ND
Oil and Grease		4/5/2011	mg/L	<	ND
Oil and Grease		4/5/2011	mg/L	<	ND
Oil and Grease		4/5/2011	mg/L	<	ND
Oil and Grease		5/10/2011	mg/L	<	ND
Oil and Grease		5/12/2011	mg/L	<	ND
Oil and Grease		5/12/2011	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	6/2/2011	mg/L	<	ND
Oil and Grease		6/4/2011	mg/L	<	ND
Oil and Grease		6/30/2011	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	7/14/2011	mg/L	<	ND
Oil and Grease		7/16/2011	mg/L	<	ND
Oil and Grease		7/31/2011	mg/L	<	ND
Oil and Grease		8/2/2011	mg/L	<	ND
Oil and Grease		8/2/2011	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	8/2/2011	mg/L	<	ND
Oil and Grease		9/12/2011	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	9/12/2011	mg/L	<	ND
Oil and Grease		9/12/2011	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	10/6/2011	mg/L	<	ND
Oil and Grease		10/6/2011	mg/L	<	ND
Oil and Grease		10/6/2011	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	11/3/2011	mg/L	<	ND
Oil and Grease		11/5/2011	mg/L	<	ND
Oil and Grease		11/30/2011	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	12/13/2011	mg/L	<	ND
Oil and Grease		12/17/2011	mg/L	<	ND
Oil and Grease		12/31/2011	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	1/10/2012	mg/L	<	ND
Oil and Grease		1/14/2012	mg/L	<	ND
Oil and Grease		1/31/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	2/9/2012	mg/L	<	ND
Oil and Grease		2/11/2012	mg/L	<	ND
Oil and Grease		2/29/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	3/1/2012	mg/L	<	ND
Oil and Grease		3/10/2012	mg/L	<	ND
Oil and Grease		3/31/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	4/1/2012	mg/L	<	ND
Oil and Grease		4/1/2012	mg/L	<	ND
Oil and Grease		4/30/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	5/7/2012	mg/L	<	ND
Oil and Grease		5/12/2012	mg/L	<	ND
Oil and Grease		5/31/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	6/3/2012	mg/L	<	ND

1	5
1	5
1	5

Oil and Grease		6/9/2012	mg/L	<	ND
Oil and Grease		6/30/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	7/12/2012	mg/L	<	ND
Oil and Grease		7/14/2012	mg/L	<	ND
Oil and Grease		7/31/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	8/2/2012	mg/L	<	ND
Oil and Grease		8/4/2012	mg/L	<	ND
Oil and Grease		8/31/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	9/12/2012	mg/L	<	ND
Oil and Grease		9/22/2012	mg/L	<	ND
Oil and Grease		9/30/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	10/4/2012	mg/L	<	ND
Oil and Grease		10/6/2012	mg/L	<	ND
Oil and Grease		10/31/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	11/14/2012	mg/L	<	ND
Oil and Grease		11/17/2012	mg/L	<	ND
Oil and Grease		11/30/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	12/11/2012	mg/L	<	ND
Oil and Grease		12/15/2012	mg/L	<	ND
Oil and Grease		12/31/2012	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	1/8/2013	mg/L	<	ND
Oil and Grease		1/12/2013	mg/L	<	ND
Oil and Grease		1/31/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	2/7/2013	mg/L	<	ND
Oil and Grease		2/9/2013	mg/L	<	ND
Oil and Grease		2/28/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	3/6/2013	mg/L	<	ND
Oil and Grease		3/9/2013	mg/L	<	ND
Oil and Grease		3/31/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	4/8/2013	mg/L	<	ND
Oil and Grease		4/13/2013	mg/L	<	ND
Oil and Grease		4/30/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	5/14/2013	mg/L	<	ND
Oil and Grease		5/18/2013	mg/L	<	ND
Oil and Grease		5/31/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	6/12/2013	mg/L	<	ND
Oil and Grease		6/15/2013	mg/L	<	ND
Oil and Grease		6/30/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	7/24/2013	mg/L	<	ND
Oil and Grease		7/27/2013	mg/L	<	ND
Oil and Grease		7/31/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	8/5/2013	mg/L	<	ND
Oil and Grease		8/10/2013	mg/L	<	ND
Oil and Grease		8/31/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	9/10/2013	mg/L	<	ND
Oil and Grease		9/14/2013	mg/L	<	ND
Oil and Grease		9/30/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	10/7/2013	mg/L	<	ND
Oil and Grease		10/12/2013	mg/L	<	ND
Oil and Grease		10/31/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	11/12/2013	mg/L	<	ND
Oil and Grease		11/16/2013	mg/L	<	ND

5
5
5

Oil and Grease		11/30/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	12/10/2013	mg/L	<	ND
Oil and Grease		12/10/2013	mg/L	<	ND
Oil and Grease		12/14/2013	mg/L	<	ND
Oil and Grease		12/31/2013	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	1/14/2014	mg/L	<	ND
Oil and Grease		1/18/2014	mg/L	<	ND
Oil and Grease		1/31/2014	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	2/11/2014	mg/L	<	ND
Oil and Grease		2/15/2014	mg/L	<	ND
Oil and Grease		2/28/2014	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	3/10/2014	mg/L	<	ND
Oil and Grease		3/15/2014	mg/L	<	ND
Oil and Grease		3/31/2014	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	4/8/2014	mg/L	<	ND
Oil and Grease		4/12/2014	mg/L	<	ND
Oil and Grease		4/30/2014	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	5/12/2014	mg/L	<	ND
Oil and Grease		5/17/2014	mg/L	<	ND
Oil and Grease		5/31/2014	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	6/10/2014	mg/L	<	ND
Oil and Grease		6/14/2014	mg/L	<	ND
Oil and Grease		6/30/2014	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	7/8/2014	mg/L	<	ND
Oil and Grease		7/12/2014	mg/L	<	ND
Oil and Grease		7/31/2014	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	8/12/2014	mg/L	<	ND
Oil and Grease		8/16/2014	mg/L	<	ND
Oil and Grease		8/31/2014	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	9/8/2014	mg/L	<	ND
Oil and Grease		9/13/2014	mg/L	<	ND
Oil and Grease		9/30/2014	mg/L	<	ND
Oil and Grease	HEM and SGT-HEM by Extraction and Gravimetry, Rev. A	10/14/2014	mg/L	<	ND
Oil and Grease		10/18/2014	mg/L	<	ND
Oil and Grease		10/31/2014	mg/L	<	ND
Oil and Grease		12/11/2012	ug/L	<	ND
o-Xylene		12/14/2009	ug/L	<	ND
o-Xylene	EPA 8260B	12/31/2010	ug/L	<	ND
o-Xylene	EPA 8260B	11/16/2011	ug/L	<	ND
o-Xylene		12/11/2012	ug/L	<	ND
o-Xylene		12/10/2013	ug/L	<	ND
PCB 1016	EPA 608	11/16/2011	ug/L	<	ND
PCB Aroclor 1016		12/14/2009	ug/L	<	ND
PCB Aroclor 1016	EPA 608	12/31/2010	ug/L	<	ND
PCB Aroclor 1016		12/11/2012	ug/L	<	ND
PCB Aroclor 1016		12/10/2013	ug/L	<	ND
PCB Aroclor 1221		12/14/2009	ug/L	<	ND
PCB Aroclor 1221	EPA 608	12/31/2010	ug/L	<	ND
PCB Aroclor 1221	EPA 608	11/16/2011	ug/L	<	ND
PCB Aroclor 1221		12/11/2012	ug/L	<	ND
PCB Aroclor 1221		12/10/2013	ug/L	<	ND
PCB Aroclor 1232		12/14/2009	ug/L	<	ND

5	
5	
5	

PCB Aroclor 1232	EPA 608	12/31/2010	ug/L	<	ND
PCB Aroclor 1232	EPA 608	11/16/2011	ug/L	<	ND
PCB Aroclor 1232		12/11/2012	ug/L	<	ND
PCB Aroclor 1232		12/10/2013	ug/L	<	ND
PCB Aroclor 1242		12/14/2009	ug/L	<	ND
PCB Aroclor 1242	EPA 608	12/31/2010	ug/L	<	ND
PCB Aroclor 1242		12/11/2012	ug/L	<	ND
PCB Aroclor 1242		12/10/2013	ug/L	<	ND
PCB Aroclor 1248		12/14/2009	ug/L	<	ND
PCB Aroclor 1248	EPA 608	12/31/2010	ug/L	<	ND
PCB Aroclor 1248	EPA 608	11/16/2011	ug/L	<	ND
PCB Aroclor 1248		12/11/2012	ug/L	<	ND
PCB Aroclor 1248		12/10/2013	ug/L	<	ND
PCB Aroclor 1254		12/14/2009	ug/L	<	ND
PCB Aroclor 1254	EPA 608	12/31/2010	ug/L	<	ND
PCB Aroclor 1254	EPA 608	11/16/2011	ug/L	<	ND
PCB Aroclor 1254		12/11/2012	ug/L	<	ND
PCB Aroclor 1254		12/10/2013	ug/L	<	ND
PCB Aroclor 1260		12/14/2009	ug/L	<	ND
PCB Aroclor 1260	EPA 608	12/31/2010	ug/L	<	ND
PCB Aroclor 1260	EPA 608	11/16/2011	ug/L	<	ND
PCB Aroclor 1260		12/11/2012	ug/L	<	ND
PCB Aroclor 1260		12/10/2013	ug/L	<	ND
Pentachloroethane		12/14/2009	ug/L	<	ND
Pentachloroethane		12/11/2012	ug/L	<	ND
Pentachloroethane		12/10/2013	ug/L	<	ND
pH		8/1/2009	SU		6.9
pH		8/2/2009	SU		6.9
pH		8/3/2009	SU		6.9
pH		8/4/2009	SU		6.9
pH		8/5/2009	SU		6.9
pH		8/6/2009	SU		6.9
pH		8/7/2009	SU		6.9
pH		8/8/2009	SU		6.8
pH		8/9/2009	SU		6.9
pH		8/10/2009	SU		6.9
pH		8/11/2009	SU		6.9
pH		8/12/2009	SU		6.9
pH		8/13/2009	SU		6.9
pH		8/14/2009	SU		7
pH		8/15/2009	SU		7
pH		8/16/2009	SU		6.8
pH		8/17/2009	SU		6.7
pH		8/18/2009	SU		6.7
pH		8/19/2009	SU		6.7
pH		8/20/2009	SU		6.8
pH	BLENDING EVENT	8/20/2009	SU		6.8
pH		8/21/2009	SU		6.8
pH		8/22/2009	SU		6.8
pH		8/23/2009	SU		6.6
pH		8/24/2009	SU		6.7
pH		8/25/2009	SU		6.8

1	
1	
1	1
1	1
1	1
1	
1	1
1	1
1	1
1	
1	
1	1
1	1
1	1
1	
1	
1	1
1	1
1	1
1	
1	
1	1
1	1
1	1
0	
1	1

pH	8/26/2009	SU	6.9
pH	8/27/2009	SU	6.9
pH	8/28/2009	SU	7
pH	8/29/2009	SU	6.7
pH	8/30/2009	SU	6.8
pH	8/31/2009	SU	6.8
pH	9/1/2009	SU	6.7
pH	9/2/2009	SU	6.7
pH	9/3/2009	SU	6.8
pH	9/4/2009	SU	6.8
pH	9/5/2009	SU	6.8
pH	9/6/2009	SU	6.9
pH	9/7/2009	SU	6.7
pH	9/8/2009	SU	6.7
pH	9/9/2009	SU	6.7
pH	9/10/2009	SU	6.9
pH	9/11/2009	SU	6.9
pH	9/12/2009	SU	6.9
pH	9/13/2009	SU	6.9
pH	9/14/2009	SU	7
pH	9/15/2009	SU	6.8
pH	9/16/2009	SU	6.9
pH	9/17/2009	SU	7
pH	9/18/2009	SU	6.8
pH	9/19/2009	SU	6.8
pH	9/20/2009	SU	6.8
pH	9/21/2009	SU	6.7
pH	9/22/2009	SU	6.7
pH	9/23/2009	SU	6.6
pH	9/24/2009	SU	6.7
pH	9/25/2009	SU	6.7
pH	9/26/2009	SU	6.7
pH	9/27/2009	SU	6.6
pH	9/28/2009	SU	6.8
pH	9/29/2009	SU	6.7
pH	9/30/2009	SU	6.6
pH	10/1/2009	SU	6.6
pH	10/2/2009	SU	6.8
pH	10/3/2009	SU	6.8
pH	10/4/2009	SU	6.7
pH	10/5/2009	SU	6.7
pH	10/6/2009	SU	6.3
pH	10/7/2009	SU	6.7
pH	10/8/2009	SU	6.7
pH	10/9/2009	SU	6.6
pH	10/10/2009	SU	6.8
pH	10/11/2009	SU	6.8
pH	10/12/2009	SU	6.9
pH	10/13/2009	SU	7
pH	10/14/2009	SU	7
pH	10/15/2009	SU	6.8
pH	10/16/2009	SU	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	10/17/2009	SU	6.8
pH	10/18/2009	SU	6.6
pH	10/19/2009	SU	6.6
pH	10/20/2009	SU	6.7
pH	10/21/2009	SU	6.7
pH	10/22/2009	SU	6.8
pH	10/23/2009	SU	6.8
pH	10/24/2009	SU	6.8
pH	10/25/2009	SU	6.8
pH	10/26/2009	SU	6.8
pH	10/27/2009	SU	6.8
pH	10/28/2009	SU	6.8
pH	10/29/2009	SU	6.9
pH	10/30/2009	SU	6.8
pH	10/31/2009	SU	6.8
pH	11/1/2009	SU	6.7
pH	11/2/2009	SU	6.6
pH	11/3/2009	SU	6.7
pH	11/4/2009	SU	6.7
pH	11/5/2009	SU	6.6
pH	11/6/2009	SU	6.7
pH	11/7/2009	SU	6.7
pH	11/8/2009	SU	6.7
pH	11/9/2009	SU	6.7
pH	11/10/2009	SU	6.8
pH	11/11/2009	SU	6.8
pH	11/12/2009	SU	6.8
pH	11/13/2009	SU	6.9
pH	11/14/2009	SU	6.8
pH	11/15/2009	SU	6.7
pH	11/16/2009	SU	6.6
pH	11/17/2009	SU	6.8
pH	11/18/2009	SU	6.8
pH	11/19/2009	SU	6.7
pH	11/20/2009	SU	6.8
pH	11/21/2009	SU	6.7
pH	11/22/2009	SU	6.7
pH	11/23/2009	SU	6.7
pH	11/24/2009	SU	6.8
pH	11/25/2009	SU	6.9
pH	11/26/2009	SU	6.9
pH	11/27/2009	SU	6.8
pH	11/28/2009	SU	6.9
pH	11/29/2009	SU	6.7
pH	11/30/2009	SU	6.7
pH	12/1/2009	SU	6.8
pH	12/2/2009	SU	6.8
pH	12/3/2009	SU	6.8
pH	12/4/2009	SU	6.8
pH	12/5/2009	SU	6.8
pH	12/6/2009	SU	6.8
pH	12/7/2009	SU	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	12/8/2009	SU	6.9
pH	12/9/2009	SU	6.9
pH	12/10/2009	SU	6.8
pH	12/11/2009	SU	7
pH	12/12/2009	SU	6.9
pH	12/13/2009	SU	6.7
pH	12/14/2009	SU	6.8
pH	12/15/2009	SU	7
pH	12/16/2009	SU	6.9
pH	12/17/2009	SU	6.8
pH	12/18/2009	SU	7
pH	12/19/2009	SU	6.7
pH	12/20/2009	SU	6.8
pH	12/21/2009	SU	6.8
pH	12/22/2009	SU	6.9
pH	12/23/2009	SU	6.8
pH	12/24/2009	SU	6.8
pH	12/25/2009	SU	6.7
pH	12/26/2009	SU	6.8
pH	12/27/2009	SU	6.6
pH	12/28/2009	SU	6.6
pH	12/29/2009	SU	6.6
pH	12/30/2009	SU	6.7
pH	12/31/2009	SU	6.7
pH	1/1/2010	su	6.8
pH	1/1/2010	su	6.8
pH	1/2/2010	su	6.2
pH	1/3/2010	su	6.3
pH	1/4/2010	su	6.6
pH	1/5/2010	su	6.6
pH	1/6/2010	su	6.6
pH	1/7/2010	su	6.6
pH	1/8/2010	su	6.7
pH	1/9/2010	su	6.6
pH	1/10/2010	su	6.4
pH	1/10/2010	su	6.4
pH	1/11/2010	su	6.6
pH	1/12/2010	su	6.7
pH	1/13/2010	su	6.6
pH	1/14/2010	su	6.5
pH	1/15/2010	su	6.6
pH	1/16/2010	su	6.8
pH	1/17/2010	su	6.6
pH	1/18/2010	su	6.6
pH	1/19/2010	su	6.6
pH	1/19/2010	su	6.6
pH	1/20/2010	su	6.5
pH	1/20/2010	su	6.5
pH	1/21/2010	su	6.4
pH	1/21/2010	su	6.4
pH	1/22/2010	su	6.4
pH	1/22/2010	su	6.4

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH		1/23/2010	su	6.6
pH		1/23/2010	su	6.6
pH		1/24/2010	su	6.5
pH		1/25/2010	su	6.4
pH		1/26/2010	su	6.5
pH		1/26/2010	su	6.5
pH		1/27/2010	su	6.5
pH		1/28/2010	su	6.7
pH		1/29/2010	su	6.5
pH		1/30/2010	su	6.5
pH		1/31/2010	su	6.4
pH		2/1/2010	su	6.6
pH		2/2/2010	su	6.6
pH		2/3/2010	su	6.6
pH		2/4/2010	su	6.7
pH		2/5/2010	su	6.6
pH		2/6/2010	su	6.5
pH		2/7/2010	su	6.5
pH		2/8/2010	su	6.5
pH		2/9/2010	su	6.6
pH		2/10/2010	su	6.5
pH		2/11/2010	su	6.7
pH		2/12/2010	su	6.6
pH		2/13/2010	su	6.5
pH		2/14/2010	su	6.6
pH		2/15/2010	su	6.5
pH		2/16/2010	su	6.6
pH		2/17/2010	su	6.6
pH		2/18/2010	su	6.5
pH		2/19/2010	su	6.6
pH		2/20/2010	su	6.7
pH		2/21/2010	su	6.6
pH		2/22/2010	su	6.6
pH		2/23/2010	su	6.7
pH		2/24/2010	su	6.8
pH		2/25/2010	su	6.7
pH		2/26/2010	su	6.7
pH	BLENDING EVENT	2/26/2010	su	6.7
pH	BLENDING EVENT	2/27/2010	su	6.5
pH		2/27/2010	su	6.5
pH		2/28/2010	su	6.3
pH		3/1/2010	su	6.5
pH		3/2/2010	su	6.6
pH	BLENDING EVENT	3/3/2010	su	6.3
pH		3/3/2010	su	6.3
pH		3/4/2010	su	6.5
pH	BLENDING EVENT	3/4/2010	su	6.5
pH		3/5/2010	su	6.5
pH		3/6/2010	su	6.5
pH		3/7/2010	su	6.7
pH		3/8/2010	su	6.5
pH		3/9/2010	su	6.5

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH		3/10/2010	su	6.6
pH		3/11/2010	su	6.5
pH		3/12/2010	su	6.6
pH	BLENDING EVENT	3/12/2010	su	6.6
pH	BLENDING EVENT	3/13/2010	su	6.5
pH		3/13/2010	su	6.5
pH		3/14/2010	su	6.5
pH		3/14/2010	su	6.5
pH		3/15/2010	su	6.5
pH		3/16/2010	su	6.7
pH		3/17/2010	su	6.5
pH		3/18/2010	su	6.6
pH		3/19/2010	su	6.6
pH		3/20/2010	su	7.1
pH		3/21/2010	su	6.6
pH	BLENDING EVENT	3/21/2010	su	6.6
pH		3/22/2010	su	6.7
pH		3/23/2010	su	6.8
pH		3/24/2010	su	6.6
pH		3/25/2010	su	6.6
pH		3/26/2010	su	6.5
pH		3/27/2010	su	6.6
pH		3/28/2010	su	6.4
pH		3/29/2010	su	6.6
pH		3/30/2010	su	6.6
pH		3/31/2010	su	6.5
pH	BLENDING EVENT	3/31/2010	su	6.5
pH		4/1/2010	su	6.5
pH		4/2/2010	su	6.6
pH	BLENDING EVENT	4/2/2010	su	6.6
pH		4/3/2010	su	6.6
pH		4/4/2010	su	6.5
pH		4/5/2010	su	6.5
pH	BLENDING EVENT	4/5/2010	su	6.5
pH		4/6/2010	su	6.5
pH	BLENDING EVENT	4/6/2010	su	6.5
pH		4/7/2010	su	6.6
pH		4/8/2010	su	6.7
pH		4/9/2010	su	6.8
pH		4/10/2010	su	6.6
pH		4/11/2010	su	6.5
pH		4/12/2010	su	6.6
pH		4/13/2010	su	6.6
pH		4/14/2010	su	6.7
pH		4/15/2010	su	6.6
pH		4/16/2010	su	6.6
pH		4/17/2010	su	6.7
pH		4/18/2010	su	6.6
pH		4/19/2010	su	6.7
pH		4/20/2010	su	6.8
pH		4/21/2010	su	6.6
pH		4/22/2010	su	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH		4/23/2010	su	6.7
pH		4/24/2010	su	6.8
pH		4/25/2010	su	6.6
pH		4/26/2010	su	6.5
pH		4/27/2010	su	6.8
pH	BLENDING EVENT	4/27/2010	su	6.8
pH	BLENDING EVENT	4/28/2010	su	6.4
pH		4/28/2010	su	6.4
pH		4/29/2010	su	6.5
pH	BLENDING EVENT	4/29/2010	su	6.5
pH		4/30/2010	su	6.5
pH		5/1/2010	su	6.5
pH		5/2/2010	su	6.6
pH	BLENDING EVENT	5/2/2010	su	6.6
pH		5/3/2010	su	6.6
pH		5/4/2010	su	6.6
pH		5/5/2010	su	6.6
pH		5/6/2010	su	6.6
pH		5/7/2010	su	6.8
pH		5/8/2010	su	6.6
pH		5/9/2010	su	6.6
pH		5/10/2010	su	6.6
pH		5/11/2010	su	6.6
pH		5/12/2010	su	6.6
pH		5/13/2010	su	6.7
pH		5/14/2010	su	6.7
pH		5/15/2010	su	6.8
pH		5/16/2010	su	6.6
pH		5/17/2010	su	6.8
pH		5/18/2010	su	6.9
pH		5/19/2010	su	6.8
pH		5/20/2010	su	6.8
pH		5/21/2010	su	6.7
pH		5/22/2010	su	6.9
pH		5/23/2010	su	6.7
pH		5/24/2010	su	6.8
pH		5/25/2010	su	6.6
pH		5/26/2010	su	6.7
pH		5/27/2010	su	6.6
pH		5/28/2010	su	6.6
pH		5/29/2010	su	6.6
pH		5/30/2010	su	6.6
pH		5/31/2010	su	6.6
pH		6/1/2010	su	6.6
pH		6/2/2010	su	6.7
pH		6/3/2010	su	6.8
pH	BLENDING EVENT	6/4/2010	su	6.8
pH		6/4/2010	su	6.8
pH		6/5/2010	su	6.6
pH		6/6/2010	su	6.5
pH		6/7/2010	su	6.5
pH		6/8/2010	su	6.6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	6/9/2010	su	6.6
pH	6/10/2010	su	6.6
pH	6/11/2010	su	6.7
pH	6/12/2010	su	6.6
pH	6/13/2010	su	6.6
pH	6/14/2010	su	6.6
pH	6/15/2010	su	6.6
pH	6/16/2010	su	6.6
pH	6/17/2010	su	6.8
pH	6/18/2010	su	6.7
pH	6/19/2010	su	6.7
pH	6/20/2010	su	7
pH	6/21/2010	su	6.7
pH	6/22/2010	su	6.8
pH	6/23/2010	su	6.7
pH	6/24/2010	su	6.7
pH	6/25/2010	su	6.7
pH	6/26/2010	su	6.7
pH	6/27/2010	su	6.7
pH	6/28/2010	su	6.6
pH	6/29/2010	su	6.7
pH	6/30/2010	su	7
pH	7/1/2010	su	6.8
pH	7/2/2010	su	7
pH	7/3/2010	su	6.8
pH	7/4/2010	su	6.8
pH	7/5/2010	su	6.7
pH	7/6/2010	su	6.7
pH	7/7/2010	su	6.8
pH	7/8/2010	su	6.8
pH	7/9/2010	su	6.8
pH	7/10/2010	su	6.8
pH	7/11/2010	su	6.8
pH	7/12/2010	su	6.8
pH	7/13/2010	su	6.8
pH	7/14/2010	su	6.8
pH	7/15/2010	su	6.9
pH	7/16/2010	su	6.9
pH	7/17/2010	su	7
pH	7/18/2010	su	6.8
pH	7/19/2010	su	6.8
pH	7/20/2010	su	6.8
pH	7/21/2010	su	6.9
pH	7/22/2010	su	6.9
pH	7/23/2010	su	6.9
pH	7/24/2010	su	6.8
pH	7/25/2010	su	6.7
pH	7/26/2010	su	6.7
pH	7/27/2010	su	6.8
pH	7/28/2010	su	6.7
pH	7/29/2010	su	6.8
pH	7/30/2010	su	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	7/31/2010	su	6.9
pH	8/1/2010	su	6.9
pH	8/2/2010	su	6.7
pH	8/3/2010	su	7
pH	8/4/2010	su	6.9
pH	8/5/2010	su	6.9
pH	8/6/2010	su	6.9
pH	8/7/2010	su	6.8
pH	8/8/2010	su	6.8
pH	8/9/2010	su	6.8
pH	8/10/2010	su	6.8
pH	8/11/2010	su	6.7
pH	8/12/2010	su	6.6
pH	8/13/2010	su	6.6
pH	8/14/2010	su	6.9
pH	8/15/2010	su	6.9
pH	8/16/2010	su	6.9
pH	8/17/2010	su	6.9
pH	8/18/2010	su	6.8
pH	8/19/2010	su	6.9
pH	8/20/2010	su	6.8
pH	8/21/2010	su	6.8
pH	8/22/2010	su	6.7
pH	8/23/2010	su	6.7
pH	8/24/2010	su	6.7
pH	8/25/2010	su	6.7
pH	8/26/2010	su	6.8
pH	8/27/2010	su	6.8
pH	8/28/2010	su	6.8
pH	8/29/2010	su	6.8
pH	8/30/2010	su	6.8
pH	8/31/2010	su	6.9
pH	9/1/2010	su	6.8
pH	9/2/2010	su	6.8
pH	9/3/2010	su	7.1
pH	9/4/2010	su	6.9
pH	9/5/2010	su	6.8
pH	9/6/2010	su	6.7
pH	9/7/2010	su	6.7
pH	9/8/2010	su	6.7
pH	9/9/2010	su	6.7
pH	9/10/2010	su	6.7
pH	9/11/2010	su	6.6
pH	9/12/2010	su	6.7
pH	9/13/2010	su	6.8
pH	9/14/2010	su	6.9
pH	9/15/2010	su	6.8
pH	9/16/2010	su	6.8
pH	9/17/2010	su	6.8
pH	9/18/2010	su	6.9
pH	9/19/2010	su	6.6
pH	9/20/2010	su	6.5

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH		9/21/2010	su	6.8
pH		9/22/2010	su	6.8
pH		9/23/2010	su	6.7
pH		9/24/2010	su	6.7
pH		9/25/2010	su	6.7
pH		9/26/2010	su	6.6
pH		9/27/2010	su	6.7
pH		9/28/2010	su	6.7
pH		9/29/2010	su	7
pH		9/30/2010	su	6.9
pH		10/1/2010	su	7.2
pH		10/2/2010	su	7.1
pH		10/3/2010	su	7
pH		10/4/2010	su	7.1
pH		10/5/2010	su	7.1
pH		10/6/2010	su	7.1
pH		10/7/2010	su	7.1
pH		10/8/2010	su	7.1
pH		10/9/2010	su	7
pH		10/10/2010	su	7
pH		10/11/2010	su	7.1
pH		10/12/2010	su	7
pH		10/13/2010	su	7
pH		10/14/2010	su	7.2
pH		10/15/2010	su	7.2
pH		10/16/2010	su	7
pH		10/17/2010	su	7
pH		10/18/2010	su	7.1
pH		10/19/2010	su	7
pH		10/20/2010	su	7.1
pH		10/21/2010	su	7.1
pH		10/22/2010	su	7.1
pH		10/23/2010	su	7
pH		10/24/2010	su	7.1
pH	BLENDING EVENT	10/24/2010	SU	6.9
pH		10/25/2010	su	7.1
pH		10/26/2010	su	7
pH		10/27/2010	su	7
pH		10/28/2010	su	7.3
pH		10/29/2010	su	7
pH		10/30/2010	su	6.9
pH		10/31/2010	su	7
pH		11/1/2010	su	6.7
pH		11/2/2010	su	6.8
pH		11/3/2010	su	6.7
pH		11/4/2010	su	6.5
pH		11/5/2010	su	6.4
pH		11/6/2010	su	6.6
pH		11/7/2010	su	6.8
pH		11/8/2010	su	6.6
pH		11/9/2010	su	6.7
pH		11/10/2010	su	6.7

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH		11/11/2010	su	6.7
pH		11/12/2010	su	6.8
pH		11/13/2010	su	6.8
pH		11/14/2010	su	6.8
pH		11/15/2010	su	6.8
pH		11/16/2010	su	6.7
pH		11/17/2010	su	6.8
pH		11/18/2010	su	6.8
pH		11/19/2010	su	6.4
pH		11/20/2010	su	6.6
pH		11/21/2010	su	6.5
pH		11/22/2010	su	6.6
pH		11/23/2010	su	6.7
pH		11/24/2010	su	6.6
pH		11/25/2010	su	6.7
pH		11/26/2010	su	6.7
pH		11/27/2010	su	6.6
pH		11/28/2010	su	6.6
pH		11/29/2010	su	6.6
pH		11/30/2010	su	6.6
pH	max	12/31/2010	su	7.5
pH	min	12/31/2010	su	7.1
pH	max	12/31/2010	su	6.7
pH	min	12/31/2010	su	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/1/2011	SU	6.7
pH		1/1/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/2/2011	SU	6.6
pH		1/2/2011	SU	6.6
pH		1/3/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/3/2011	SU	6.6
pH		1/4/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/4/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/5/2011	SU	6.6
pH		1/5/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/6/2011	SU	6.6
pH		1/6/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/7/2011	SU	6.6
pH		1/7/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/8/2011	SU	6.6
pH		1/8/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/9/2011	SU	6.7
pH		1/9/2011	SU	6.7
pH		1/10/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/10/2011	SU	6.6
pH		1/11/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/11/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/12/2011	SU	6.5
pH		1/12/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/12/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/13/2011	SU	6.7
pH		1/13/2011	SU	6.7
pH		1/14/2011	SU	6.5

BLENDING EVENT
BLENDING EVENT

pH	Standard Method (19th) 4500-H+: pH Value	1/14/2011	SU	6.5
pH		1/15/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/15/2011	SU	6.6
pH		1/16/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/16/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/17/2011	SU	6.6
pH		1/17/2011	SU	6.6
pH		1/18/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/18/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/19/2011	SU	6.7
pH		1/19/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/20/2011	SU	6.6
pH		1/20/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/21/2011	SU	6.5
pH		1/21/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/22/2011	SU	6.5
pH		1/22/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/23/2011	SU	6.6
pH		1/23/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/24/2011	SU	6.6
pH		1/24/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/25/2011	SU	6.6
pH		1/25/2011	SU	6.6
pH		1/26/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/26/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/27/2011	SU	6.7
pH		1/27/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/28/2011	SU	6.7
pH		1/28/2011	SU	6.7
pH		1/29/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/29/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/30/2011	SU	6.5
pH		1/30/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/31/2011	SU	6.5
pH		1/31/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/1/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/2/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/3/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/4/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/5/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/6/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/7/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/8/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/9/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/10/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/11/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/12/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/13/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/14/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/15/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/16/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/17/2011	SU	6.5

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	2/18/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/19/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/20/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/21/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/22/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/23/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/24/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/25/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/26/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/27/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/28/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/1/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/2/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/3/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/4/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/5/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/6/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/7/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/8/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/9/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/10/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/11/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/12/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/13/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/14/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/15/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/16/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/17/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/18/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/19/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/20/2011	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/21/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/22/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/23/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/24/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/25/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/26/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/27/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/28/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/29/2011	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/30/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/31/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/1/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/2/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/3/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/4/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/5/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/6/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/7/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/8/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/9/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/10/2011	SU	6.5

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	4/11/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/12/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/13/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/14/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/15/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/16/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/17/2011	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	4/18/2011	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	4/19/2011	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	4/20/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/21/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/22/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/23/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/24/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/25/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/26/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/27/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/28/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/29/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/30/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/1/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/2/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/3/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/4/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/5/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/6/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/7/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/8/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/9/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/10/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/11/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/12/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/13/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/14/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/15/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/16/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/17/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/18/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/19/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/20/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/21/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/22/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/23/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/24/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/25/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/26/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/27/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/28/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/29/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/30/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/31/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	6/1/2011	SU	6.6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	6/2/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/3/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/4/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/5/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/6/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/7/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/8/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/9/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/10/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/11/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/12/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/13/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/14/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/15/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/16/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/17/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/18/2011	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	6/19/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/20/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/21/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/22/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/23/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/24/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/25/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/26/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/27/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/28/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/29/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/30/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/1/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	7/2/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	7/3/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/4/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	7/5/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	7/6/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	7/7/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/8/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/9/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/10/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	7/11/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	7/12/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/13/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/14/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	7/15/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/16/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/17/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/18/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	7/19/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/20/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/21/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/22/2011	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	7/23/2011	SU	7

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	7/24/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/25/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/26/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/27/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/28/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/29/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/30/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/31/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/1/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/2/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/3/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/4/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/5/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/6/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/7/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/8/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/9/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/10/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/11/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/12/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/13/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/14/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/15/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/16/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/17/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/18/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/19/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	8/20/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/21/2011	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	8/22/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/23/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/24/2011	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	8/25/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/26/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/27/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/28/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/29/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/30/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/31/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/1/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/2/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/3/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/4/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/5/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	9/6/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/7/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	9/8/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/9/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/10/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/11/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/12/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/13/2011	SU	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	9/14/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/15/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/16/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/17/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/18/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/19/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/20/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/21/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/22/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/23/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/24/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/25/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	9/26/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	9/27/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	9/28/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	9/29/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/30/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/1/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/2/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/3/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/4/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/5/2011	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	10/6/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/7/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/8/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/9/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/10/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/11/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/12/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/13/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/14/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/15/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/16/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/17/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/18/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/19/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/20/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/21/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/22/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/23/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	10/24/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	10/25/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/26/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/27/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	10/28/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/29/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	10/30/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	10/31/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/1/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/2/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/3/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/4/2011	SU	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	11/5/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/6/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/7/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/8/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	11/9/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/10/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/11/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	11/12/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/13/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/14/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/15/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/16/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/17/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/18/2011	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	11/19/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/20/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/21/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/22/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/23/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/24/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/25/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	11/26/2011	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	11/27/2011	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	11/28/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	11/29/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	11/30/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/1/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/2/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/3/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/4/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/5/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/6/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/7/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/8/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/9/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/10/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/11/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/12/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/13/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/14/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/15/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/16/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/17/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/18/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/19/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/20/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/21/2011	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/22/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/23/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/24/2011	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	12/25/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/26/2011	SU	6.6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	12/27/2011	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/28/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/29/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/30/2011	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/31/2011	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/1/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/2/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/3/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/4/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/5/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/6/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/7/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/8/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/9/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/10/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/11/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/12/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/13/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/14/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/15/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/16/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/17/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/18/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/19/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	1/20/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/21/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/22/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	1/23/2012	SU	6.3
pH	Standard Method (19th) 4500-H+: pH Value	1/24/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/25/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/26/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/27/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	1/28/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	1/29/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/30/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/31/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/1/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/2/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/3/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/4/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/5/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/6/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/7/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/8/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/9/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/10/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/11/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/12/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/13/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/14/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/15/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/16/2012	SU	6.6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	2/17/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/18/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/19/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/20/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/21/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/22/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/23/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/24/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/25/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/26/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/27/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/28/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/29/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/1/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/2/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/3/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/4/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/5/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/6/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/7/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/8/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/9/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/10/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/11/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/12/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/13/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/14/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/15/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/16/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	3/17/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/18/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/19/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/20/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/21/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/22/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/23/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/24/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/25/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/26/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/27/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/28/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/29/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/30/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/31/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/1/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	4/2/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	4/3/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/4/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/5/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/6/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/7/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/8/2012	SU	6.6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	4/9/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/10/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/11/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/12/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/13/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/14/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/15/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/16/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/17/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/18/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/19/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/20/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/21/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/22/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/23/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/24/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/25/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/26/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/27/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/28/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	4/29/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/30/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/1/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/2/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/3/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/4/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/5/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/6/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/7/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/8/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/9/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/10/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/11/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	5/12/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/13/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/14/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/15/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/16/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/17/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/18/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/19/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/20/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/21/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/22/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/23/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/24/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	5/25/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/26/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/27/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/28/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/29/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/30/2012	SU	6.6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	5/31/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/1/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/2/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/3/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/4/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/5/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/6/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/7/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/8/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/9/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	6/10/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/11/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/12/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/13/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/14/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/15/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/16/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/17/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/18/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/19/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/20/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/21/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/22/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/23/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/24/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/25/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/26/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/27/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/28/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	6/29/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	6/30/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/1/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/2/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/3/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/4/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/5/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/6/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/7/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	7/8/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/9/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/10/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/11/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	7/12/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/13/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/14/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	7/15/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/16/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/17/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/18/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/19/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/20/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/21/2012	SU	7

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	7/22/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/23/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/24/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/25/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/26/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	7/27/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/28/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	7/29/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/30/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/31/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/1/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/2/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/3/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/4/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/5/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/6/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/7/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/8/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	8/9/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	8/10/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/11/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/12/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/13/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/14/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/15/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/16/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/17/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/18/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/19/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/20/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	8/21/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/22/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	8/23/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/24/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	8/25/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	8/26/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/27/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/28/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	8/29/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/30/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/31/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	9/1/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/2/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/3/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/4/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/5/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	9/6/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/7/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/8/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/9/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/10/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/11/2012	SU	7

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	9/12/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	9/13/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/14/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/15/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	9/16/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/17/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/18/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	9/19/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/20/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/21/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	9/22/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	9/23/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/24/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/25/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/26/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	9/27/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/28/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/29/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/30/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/1/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/2/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/3/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/4/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/5/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	10/6/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/7/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/8/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/9/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/10/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	10/11/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	10/12/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	10/13/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/14/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/15/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/16/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/17/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/18/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/19/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/20/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	10/21/2012	SU	7.5
pH	Standard Method (19th) 4500-H+: pH Value	10/22/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	10/23/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	10/24/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/25/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	10/26/2012	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	10/27/2012	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	10/28/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/29/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/30/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/31/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	11/1/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	11/2/2012	SU	7

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	11/3/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	11/4/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/5/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/6/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/7/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/8/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/9/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/10/2012	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/11/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	11/12/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	11/13/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	11/14/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/15/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	11/16/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	11/17/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/18/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/19/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/20/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/21/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/22/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/23/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/24/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/25/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/26/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	11/27/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	11/28/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	11/29/2012	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	11/30/2012	SU	6.3
pH	Standard Method (19th) 4500-H+: pH Value	12/1/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/2/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	12/3/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	12/4/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/5/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	12/6/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/7/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/8/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/9/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	12/10/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/11/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/12/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/13/2012	SU	6.1
pH	Standard Method (19th) 4500-H+: pH Value	12/14/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/15/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/16/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/17/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/18/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/19/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/20/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/21/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/22/2012	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/23/2012	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	12/24/2012	SU	6.5

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	12/25/2012	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/26/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/27/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	12/28/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	12/29/2012	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/30/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	12/31/2012	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/1/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/2/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/3/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/4/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	1/5/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/6/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/7/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/8/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/9/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/10/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/11/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/12/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/13/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/14/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/15/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	1/16/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/17/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/18/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/19/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/20/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/21/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/22/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/23/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/24/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/25/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/26/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/27/2013	SU	6.3
pH	Standard Method (19th) 4500-H+: pH Value	1/28/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	1/29/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	1/30/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/31/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/1/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/2/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/3/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/4/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/5/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/6/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/7/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/8/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/9/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/10/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/11/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/12/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/13/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/14/2013	SU	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	2/15/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/16/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/17/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	2/18/2013	SU	6.3
pH	Standard Method (19th) 4500-H+: pH Value	2/19/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/20/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/21/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/22/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/23/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/24/2013	SU	6.3
pH	Standard Method (19th) 4500-H+: pH Value	2/25/2013	SU	6.3
pH	Standard Method (19th) 4500-H+: pH Value	2/26/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/27/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/28/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/1/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/2/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/3/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/4/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/5/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/6/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/7/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/8/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/9/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/10/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/11/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/12/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/13/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/14/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/15/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/16/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/17/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/18/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/19/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/20/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/21/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/22/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/23/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/24/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/25/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/26/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/27/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/28/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/29/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/30/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/31/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/1/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/2/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/3/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/4/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/5/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/6/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/7/2013	SU	6.5

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	4/8/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/9/2013	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	4/10/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/11/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/12/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/13/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/14/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/15/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	4/16/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/17/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/18/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/19/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/20/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/21/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/22/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/23/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/24/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/25/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/26/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/27/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/28/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/29/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/30/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/1/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/2/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/3/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/4/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/5/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/6/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/7/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/8/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/9/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/10/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/11/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/12/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/13/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/14/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/15/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/16/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/17/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/18/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/19/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/20/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/21/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/22/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/23/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/24/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/25/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/26/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/27/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/28/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/29/2013	SU	6.9

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	5/30/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/31/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	6/1/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	6/2/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/3/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/4/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/5/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/6/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/7/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/8/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/9/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/10/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/11/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/12/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	6/13/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/14/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/15/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/16/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/17/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/18/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/19/2013	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	6/20/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/21/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	6/22/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	6/23/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	6/24/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/25/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/26/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/27/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/28/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	6/29/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/30/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/1/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/2/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/3/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	7/4/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/5/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	7/6/2013	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	7/7/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/8/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	7/9/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/10/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/11/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/12/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	7/13/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/14/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/15/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/16/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/17/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/18/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/19/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/20/2013	SU	7

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	7/21/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/22/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/23/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/24/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/25/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/26/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/27/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/28/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/29/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/30/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/31/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/1/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/2/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/3/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/4/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/5/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/6/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/7/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/8/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/9/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/10/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/11/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/12/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/13/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/14/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/15/2013	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	8/16/2013	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	8/17/2013	SU	7.3
pH	Standard Method (19th) 4500-H+: pH Value	8/18/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/19/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/20/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/21/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/22/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/23/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/24/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/25/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/26/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/27/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/28/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/29/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/30/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/31/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/1/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/2/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/3/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	9/4/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/5/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/6/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/7/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/8/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/9/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/10/2013	SU	6.9

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	9/11/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/12/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/13/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/14/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/15/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/16/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/17/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/18/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/19/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/20/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/21/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/22/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/23/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/24/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/25/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/26/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/27/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/28/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/29/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/30/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/1/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/2/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/3/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/4/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/5/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/6/2013	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	10/7/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	10/8/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/9/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/10/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/11/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/12/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/13/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/14/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/15/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/16/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/17/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/18/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/19/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/20/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/21/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/22/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/23/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/24/2013	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	10/25/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/26/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/27/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/28/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/29/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/30/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	10/31/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	11/1/2013	SU	6.9

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	11/2/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/3/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/4/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/5/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/6/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/7/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/8/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/9/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	11/10/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/11/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/12/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/13/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/14/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/15/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/16/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/17/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/18/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/19/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/20/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/21/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/22/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	11/23/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/24/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/25/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/26/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/27/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/28/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	11/29/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	11/30/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/1/2013	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	12/2/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/3/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/5/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/6/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/7/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/8/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/9/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/10/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/11/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/12/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/13/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/14/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/15/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/16/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/17/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/18/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/19/2013	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	12/20/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/21/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/22/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/23/2013	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	12/24/2013	SU	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	12/25/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/26/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/27/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/28/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	12/29/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/30/2013	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	12/31/2013	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	1/1/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	1/2/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	1/3/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	1/4/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/5/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/6/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/7/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/8/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/9/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/10/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/11/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	1/12/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/13/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/14/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/15/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/16/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/17/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/18/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/19/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/20/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/21/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/22/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/23/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/24/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	1/25/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	1/26/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/27/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/28/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/29/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	1/30/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	1/31/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/1/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/2/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/3/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	2/4/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	2/5/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	2/6/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	2/7/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	2/8/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	2/9/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/10/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/11/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/12/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/13/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/14/2014	SU	6.7

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	2/15/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/16/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	2/17/2014	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	2/18/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/19/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/20/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/21/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/22/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/23/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/24/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/25/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/26/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	2/27/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	2/28/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/1/2014	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/2/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/3/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/4/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/5/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/6/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/7/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/8/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	3/9/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/10/2014	SU	6.4
pH	Standard Method (19th) 4500-H+: pH Value	3/11/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/12/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/13/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/14/2014	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/15/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/16/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/17/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/18/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/19/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/20/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	3/21/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	3/22/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	3/23/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/24/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/25/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/26/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/27/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/28/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	3/29/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	3/30/2014	SU	6.5
pH	Standard Method (19th) 4500-H+: pH Value	3/31/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/1/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/2/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	4/3/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/4/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/5/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/6/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/7/2014	SU	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	4/8/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/9/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/10/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/11/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/12/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	4/13/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/14/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/15/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	4/16/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	4/17/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	4/18/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	4/19/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/20/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	4/21/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/22/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	4/23/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	4/24/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	4/25/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	4/26/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	4/27/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/28/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	4/29/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	4/30/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/1/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/2/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/3/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/4/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/5/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/6/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/7/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/8/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/9/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/10/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/11/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/12/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/13/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/14/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/15/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/16/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/17/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/18/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/19/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/20/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/21/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/22/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/23/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/24/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	5/25/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	5/26/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/27/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/28/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	5/29/2014	SU	6.9

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	5/30/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	5/31/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/1/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/2/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/3/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/4/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/5/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/6/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/7/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/8/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/9/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/10/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/11/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/12/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/13/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/14/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	6/15/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/16/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/17/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	6/18/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/19/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/20/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/21/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/22/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/23/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	6/24/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/25/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/26/2014	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	6/27/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/28/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/29/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	6/30/2014	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	7/1/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/2/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/3/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/4/2014	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	7/5/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/6/2014	SU	6.6
pH	Standard Method (19th) 4500-H+: pH Value	7/7/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	7/8/2014	SU	6.7
pH	Standard Method (19th) 4500-H+: pH Value	7/9/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/10/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/11/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/12/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/13/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/14/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/15/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/16/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/17/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/18/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/19/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/20/2014	SU	7

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	7/21/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/22/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	7/23/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	7/24/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/25/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/26/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/27/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/28/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/29/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	7/30/2014	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	7/31/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/1/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/2/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/3/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/4/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/5/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/6/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/7/2014	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	8/8/2014	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	8/9/2014	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	8/10/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/11/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/12/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/13/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	8/14/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/15/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/16/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/17/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/18/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/19/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/20/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/21/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/22/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/23/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/24/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	8/25/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/26/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/27/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/28/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/29/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/30/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	8/31/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/1/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/2/2014	SU	6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/3/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/4/2014	SU	7.2
pH	Standard Method (19th) 4500-H+: pH Value	9/5/2014	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	9/6/2014	SU	7.1
pH	Standard Method (19th) 4500-H+: pH Value	9/7/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/8/2014	SU	7
pH	Standard Method (19th) 4500-H+: pH Value	9/9/2014	SU	6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/10/2014	SU	6.9

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

pH	Standard Method (19th) 4500-H+: pH Value	9/11/2014	SU		6.7
pH	Standard Method (19th) 4500-H+: pH Value	9/12/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/13/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/14/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/15/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/16/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/17/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/18/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/19/2014	SU		7
pH	Standard Method (19th) 4500-H+: pH Value	9/20/2014	SU		7
pH	Standard Method (19th) 4500-H+: pH Value	9/21/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/22/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	9/23/2014	SU		7
pH	Standard Method (19th) 4500-H+: pH Value	9/24/2014	SU		7.1
pH	Standard Method (19th) 4500-H+: pH Value	9/25/2014	SU		7
pH	Standard Method (19th) 4500-H+: pH Value	9/26/2014	SU		7
pH	Standard Method (19th) 4500-H+: pH Value	9/27/2014	SU		7.1
pH	Standard Method (19th) 4500-H+: pH Value	9/28/2014	SU		7
pH	Standard Method (19th) 4500-H+: pH Value	9/29/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	9/30/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/1/2014	SU		6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/2/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/3/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/4/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/5/2014	SU		6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/6/2014	SU		6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/7/2014	SU		6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/8/2014	SU		6.7
pH	Standard Method (19th) 4500-H+: pH Value	10/9/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/10/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/11/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/12/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/13/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/14/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/15/2014	SU		7.1
pH	Standard Method (19th) 4500-H+: pH Value	10/16/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/17/2014	SU		7
pH	Standard Method (19th) 4500-H+: pH Value	10/18/2014	SU		7
pH	Standard Method (19th) 4500-H+: pH Value	10/19/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/20/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/21/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/22/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/23/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/24/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/25/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/26/2014	SU		6.5
pH	Standard Method (19th) 4500-H+: pH Value	10/27/2014	SU		6.8
pH	Standard Method (19th) 4500-H+: pH Value	10/28/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/29/2014	SU		7
pH	Standard Method (19th) 4500-H+: pH Value	10/30/2014	SU		6.9
pH	Standard Method (19th) 4500-H+: pH Value	10/31/2014	SU		6.9
Phenol	EPA 8270C	12/11/2012	ug/L	<	ND

10 10

Phenols		12/11/2012	ug/L	<	ND
Phenols		12/10/2013	ug/L	<	ND
Phenols		12/10/2013	ug/L	<	ND
Polychlorinated Biphenyls (PCBs), Sum	Organochlorine Pesticides and PCBs	11/16/2011	ug/L	<	ND
Polychlorinated Biphenyls (PCBs), Sum	Organochlorine Pesticides and PCBs	12/11/2012	ug/L	<	ND
Polychlorinated Biphenyls (PCBs), Sum	Organochlorine Pesticides and PCBs	12/10/2013	ug/L	<	ND
Polynuclear Aromatic Hydrocarbons (PAHs)	Semivolatile Organic Compounds by GC/MS	11/16/2011	ug/L	<	ND
Polynuclear Aromatic Hydrocarbons (PAHs)	Semivolatile Organic Compounds by GC/MS	12/11/2012	ug/L	<	ND
Polynuclear Aromatic Hydrocarbons (PAHs)	Semivolatile Organic Compounds by GC/MS	12/10/2013	ug/L	<	ND
Pyridine	EPA 8270C	12/11/2012	ug/L	<	ND
Pyridine		12/10/2013	ug/L	<	ND
sec-Butylbenzene		12/14/2009	ug/L	<	ND
sec-Butylbenzene		12/11/2012	ug/L	<	ND
sec-Butylbenzene		12/10/2013	ug/L	<	ND
Settleable Solids		8/1/2009	mg/L	<	ND
Settleable Solids		8/2/2009	mg/L	<	ND
Settleable Solids		8/3/2009	mg/L	<	ND
Settleable Solids		8/4/2009	mg/L	<	ND
Settleable Solids		8/5/2009	mg/L	<	ND
Settleable Solids		8/6/2009	mg/L	<	ND
Settleable Solids		8/7/2009	mg/L	<	ND
Settleable Solids		8/8/2009	mg/L	<	ND
Settleable Solids		8/9/2009	mg/L	<	ND
Settleable Solids		8/10/2009	mg/L	<	ND
Settleable Solids		8/11/2009	mg/L		0.1
Settleable Solids		8/12/2009	mg/L	<	ND
Settleable Solids		8/13/2009	mg/L	<	ND
Settleable Solids		8/14/2009	mg/L	<	ND
Settleable Solids		8/15/2009	mg/L	<	ND
Settleable Solids		8/16/2009	mg/L	<	ND
Settleable Solids		8/17/2009	mg/L	<	ND
Settleable Solids		8/18/2009	mg/L	<	ND
Settleable Solids		8/19/2009	mg/L	<	ND
Settleable Solids		8/20/2009	mg/L	<	ND
Settleable Solids	BLENDING EVENT	8/20/2009	mg/L	<	ND
Settleable Solids		8/21/2009	mg/L	<	ND
Settleable Solids		8/22/2009	mg/L	<	ND
Settleable Solids		8/23/2009	mg/L	<	ND
Settleable Solids		8/24/2009	mg/L	<	ND
Settleable Solids		8/25/2009	mg/L	<	ND
Settleable Solids		8/26/2009	mg/L	<	ND
Settleable Solids		8/27/2009	mg/L	<	ND
Settleable Solids		8/28/2009	mg/L	<	ND
Settleable Solids		8/29/2009	mg/L	<	ND
Settleable Solids		8/30/2009	mg/L	<	ND
Settleable Solids		8/31/2009	mg/L	<	ND
Settleable Solids		9/1/2009	mg/L	<	ND
Settleable Solids		9/2/2009	mg/L	<	ND
Settleable Solids		9/3/2009	mg/L	<	ND
Settleable Solids		9/4/2009	mg/L	<	ND
Settleable Solids		9/5/2009	mg/L	<	ND
Settleable Solids		9/6/2009	mg/L	<	ND

0.1	
0.1	0.1
10	10
7	
7	
1.4	7
100	
130	
26	130
10	10
10	10
0.5	0.5
0.5	0.5
0.5	0.5

Settleable Solids	9/7/2009	mg/L	<	ND
Settleable Solids	9/8/2009	mg/L	<	ND
Settleable Solids	9/9/2009	mg/L	<	ND
Settleable Solids	9/10/2009	mg/L	<	ND
Settleable Solids	9/11/2009	mg/L	<	ND
Settleable Solids	9/12/2009	mg/L	<	ND
Settleable Solids	9/13/2009	mg/L	<	ND
Settleable Solids	9/14/2009	mg/L	<	ND
Settleable Solids	9/15/2009	mg/L	<	ND
Settleable Solids	9/16/2009	mg/L	<	ND
Settleable Solids	9/17/2009	mg/L	<	ND
Settleable Solids	9/18/2009	mg/L	<	ND
Settleable Solids	9/19/2009	mg/L	<	ND
Settleable Solids	9/20/2009	mg/L	<	ND
Settleable Solids	9/21/2009	mg/L	<	ND
Settleable Solids	9/22/2009	mg/L	<	ND
Settleable Solids	9/23/2009	mg/L	<	ND
Settleable Solids	9/24/2009	mg/L	<	ND
Settleable Solids	9/25/2009	mg/L	<	ND
Settleable Solids	9/26/2009	mg/L	<	ND
Settleable Solids	9/27/2009	mg/L	<	ND
Settleable Solids	9/28/2009	mg/L	<	ND
Settleable Solids	9/29/2009	mg/L	<	ND
Settleable Solids	9/30/2009	mg/L	<	ND
Settleable Solids	10/1/2009	mg/L	<	ND
Settleable Solids	10/2/2009	mg/L	<	ND
Settleable Solids	10/3/2009	mg/L	<	ND
Settleable Solids	10/4/2009	mg/L	<	ND
Settleable Solids	10/5/2009	mg/L	<	ND
Settleable Solids	10/6/2009	mg/L	<	ND
Settleable Solids	10/7/2009	mg/L	<	ND
Settleable Solids	10/8/2009	mg/L	<	ND
Settleable Solids	10/9/2009	mg/L	<	ND
Settleable Solids	10/10/2009	mg/L	<	ND
Settleable Solids	10/11/2009	mg/L	<	ND
Settleable Solids	10/12/2009	mg/L	<	ND
Settleable Solids	10/13/2009	mg/L	<	ND
Settleable Solids	10/14/2009	mg/L	<	ND
Settleable Solids	10/15/2009	mg/L	<	ND
Settleable Solids	10/16/2009	mg/L	<	ND
Settleable Solids	10/17/2009	mg/L	<	ND
Settleable Solids	10/18/2009	mg/L	<	ND
Settleable Solids	10/19/2009	mg/L	<	ND
Settleable Solids	10/20/2009	mg/L	<	ND
Settleable Solids	10/21/2009	mg/L	<	ND
Settleable Solids	10/22/2009	mg/L	<	ND
Settleable Solids	10/23/2009	mg/L	<	ND
Settleable Solids	10/24/2009	mg/L	<	ND
Settleable Solids	10/25/2009	mg/L	<	ND
Settleable Solids	10/26/2009	mg/L	<	ND
Settleable Solids	10/27/2009	mg/L	<	ND
Settleable Solids	10/28/2009	mg/L	<	ND

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Settleable Solids	10/29/2009	mg/L	<	ND
Settleable Solids	10/30/2009	mg/L	<	ND
Settleable Solids	10/31/2009	mg/L	<	ND
Settleable Solids	11/1/2009	mg/L	<	ND
Settleable Solids	11/2/2009	mg/L	<	ND
Settleable Solids	11/3/2009	mg/L	<	ND
Settleable Solids	11/4/2009	mg/L	<	ND
Settleable Solids	11/5/2009	mg/L	<	ND
Settleable Solids	11/6/2009	mg/L	<	ND
Settleable Solids	11/7/2009	mg/L	<	ND
Settleable Solids	11/8/2009	mg/L	<	ND
Settleable Solids	11/9/2009	mg/L	<	ND
Settleable Solids	11/10/2009	mg/L	<	ND
Settleable Solids	11/11/2009	mg/L	<	ND
Settleable Solids	11/12/2009	mg/L	<	ND
Settleable Solids	11/13/2009	mg/L	<	ND
Settleable Solids	11/14/2009	mg/L	<	ND
Settleable Solids	11/15/2009	mg/L	<	ND
Settleable Solids	11/16/2009	mg/L	<	ND
Settleable Solids	11/17/2009	mg/L	<	ND
Settleable Solids	11/18/2009	mg/L	<	ND
Settleable Solids	11/19/2009	mg/L	<	ND
Settleable Solids	11/20/2009	mg/L	<	ND
Settleable Solids	11/21/2009	mg/L	<	ND
Settleable Solids	11/22/2009	mg/L	<	ND
Settleable Solids	11/23/2009	mg/L	<	ND
Settleable Solids	11/24/2009	mg/L	<	ND
Settleable Solids	11/25/2009	mg/L	<	ND
Settleable Solids	11/26/2009	mg/L	<	ND
Settleable Solids	11/27/2009	mg/L	<	ND
Settleable Solids	11/28/2009	mg/L	<	ND
Settleable Solids	11/29/2009	mg/L	<	ND
Settleable Solids	11/30/2009	mg/L	<	ND
Settleable Solids	12/1/2009	mg/L	<	ND
Settleable Solids	12/2/2009	mg/L	<	ND
Settleable Solids	12/3/2009	mg/L	<	ND
Settleable Solids	12/4/2009	mg/L	<	ND
Settleable Solids	12/5/2009	mg/L	<	ND
Settleable Solids	12/6/2009	mg/L	<	ND
Settleable Solids	12/7/2009	mg/L	<	ND
Settleable Solids	12/8/2009	mg/L	<	ND
Settleable Solids	12/9/2009	mg/L	<	ND
Settleable Solids	12/10/2009	mg/L	<	ND
Settleable Solids	12/11/2009	mg/L	<	ND
Settleable Solids	12/12/2009	mg/L	<	ND
Settleable Solids	12/13/2009	mg/L	<	ND
Settleable Solids	12/14/2009	mg/L	<	ND
Settleable Solids	12/15/2009	mg/L	<	ND
Settleable Solids	12/16/2009	mg/L	<	ND
Settleable Solids	12/17/2009	mg/L	<	ND
Settleable Solids	12/18/2009	mg/L	<	ND
Settleable Solids	12/19/2009	mg/L	<	ND

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Settleable Solids		12/20/2009	mg/L	<	ND
Settleable Solids		12/21/2009	mg/L	<	ND
Settleable Solids		12/22/2009	mg/L	<	ND
Settleable Solids		12/23/2009	mg/L	<	ND
Settleable Solids		12/24/2009	mg/L	<	ND
Settleable Solids		12/25/2009	mg/L	<	ND
Settleable Solids		12/26/2009	mg/L	<	ND
Settleable Solids		12/27/2009	mg/L	<	ND
Settleable Solids		12/28/2009	mg/L	<	ND
Settleable Solids		12/29/2009	mg/L	<	ND
Settleable Solids		12/30/2009	mg/L	<	ND
Settleable Solids		12/31/2009	mg/L	<	ND
Settleable Solids		1/1/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	1/1/2010	mg/L	<	ND
Settleable Solids		1/2/2010	mg/L	<	ND
Settleable Solids		1/3/2010	mg/L	<	ND
Settleable Solids		1/4/2010	mg/L	<	ND
Settleable Solids		1/5/2010	mg/L	<	ND
Settleable Solids		1/6/2010	mg/L	<	ND
Settleable Solids		1/7/2010	mg/L	<	ND
Settleable Solids		1/8/2010	mg/L	<	ND
Settleable Solids		1/9/2010	mg/L	<	ND
Settleable Solids		1/10/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	1/10/2010	mg/L	<	ND
Settleable Solids		1/11/2010	mg/L	<	ND
Settleable Solids		1/12/2010	mg/L	<	ND
Settleable Solids		1/13/2010	mg/L	<	ND
Settleable Solids		1/14/2010	mg/L	<	ND
Settleable Solids		1/15/2010	mg/L	<	ND
Settleable Solids		1/16/2010	mg/L	<	ND
Settleable Solids		1/17/2010	mg/L	<	ND
Settleable Solids		1/18/2010	mg/L	<	ND
Settleable Solids		1/19/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	1/19/2010	mg/L	<	ND
Settleable Solids		1/20/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	1/20/2010	mg/L	<	ND
Settleable Solids		1/21/2010	mg/L	<	ND
Settleable Solids		1/21/2010	mg/L	<	ND
Settleable Solids		1/22/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	1/22/2010	mg/L	<	ND
Settleable Solids		1/23/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	1/23/2010	mg/L	<	ND
Settleable Solids		1/24/2010	mg/L	<	ND
Settleable Solids		1/25/2010	mg/L	<	ND
Settleable Solids		1/26/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	1/26/2010	mg/L	<	ND
Settleable Solids		1/27/2010	mg/L	<	ND
Settleable Solids		1/28/2010	mg/L	<	ND
Settleable Solids		1/29/2010	mg/L	<	ND
Settleable Solids		1/30/2010	mg/L	<	ND
Settleable Solids		1/31/2010	mg/L	<	ND
Settleable Solids		2/1/2010	mg/L	<	ND

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

Settleable Solids		2/2/2010	mg/L	<	ND
Settleable Solids		2/3/2010	mg/L	<	ND
Settleable Solids		2/4/2010	mg/L	<	ND
Settleable Solids		2/5/2010	mg/L	<	ND
Settleable Solids		2/6/2010	mg/L	<	ND
Settleable Solids		2/7/2010	mg/L	<	ND
Settleable Solids		2/8/2010	mg/L	<	ND
Settleable Solids		2/9/2010	mg/L	<	ND
Settleable Solids		2/10/2010	mg/L	<	ND
Settleable Solids		2/11/2010	mg/L	<	ND
Settleable Solids		2/12/2010	mg/L	<	ND
Settleable Solids		2/13/2010	mg/L	<	ND
Settleable Solids		2/14/2010	mg/L	<	ND
Settleable Solids		2/15/2010	mg/L	<	ND
Settleable Solids		2/16/2010	mg/L	<	ND
Settleable Solids		2/17/2010	mg/L	<	ND
Settleable Solids		2/18/2010	mg/L	<	ND
Settleable Solids		2/19/2010	mg/L	<	ND
Settleable Solids		2/20/2010	mg/L	<	ND
Settleable Solids		2/21/2010	mg/L	<	ND
Settleable Solids		2/22/2010	mg/L	<	ND
Settleable Solids		2/23/2010	mg/L	<	ND
Settleable Solids		2/24/2010	mg/L	<	ND
Settleable Solids		2/25/2010	mg/L	<	ND
Settleable Solids		2/26/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	2/26/2010	mg/L	<	ND
Settleable Solids		2/27/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	2/27/2010	mg/L	<	ND
Settleable Solids		2/28/2010	mg/L	<	ND
Settleable Solids		3/1/2010	mg/L	<	ND
Settleable Solids		3/2/2010	mg/L	<	ND
Settleable Solids		3/3/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	3/3/2010	mg/L	<	ND
Settleable Solids		3/4/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	3/4/2010	mg/L	<	ND
Settleable Solids		3/5/2010	mg/L	<	ND
Settleable Solids		3/6/2010	mg/L	<	ND
Settleable Solids		3/7/2010	mg/L	<	ND
Settleable Solids		3/8/2010	mg/L	<	ND
Settleable Solids		3/9/2010	mg/L	<	ND
Settleable Solids		3/10/2010	mg/L	<	ND
Settleable Solids		3/11/2010	mg/L	<	ND
Settleable Solids		3/12/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	3/12/2010	mg/L	<	ND
Settleable Solids		3/13/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	3/13/2010	mg/L	<	ND
Settleable Solids		3/14/2010	mg/L	<	ND
Settleable Solids		3/14/2010	mg/L	<	ND
Settleable Solids		3/15/2010	mg/L	<	ND
Settleable Solids		3/16/2010	mg/L	<	ND
Settleable Solids		3/17/2010	mg/L	<	ND
Settleable Solids		3/18/2010	mg/L	<	ND

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

Settleable Solids		3/19/2010	mg/L	<	ND
Settleable Solids		3/20/2010	mg/L	<	ND
Settleable Solids		3/21/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	3/21/2010	mg/L	<	ND
Settleable Solids		3/22/2010	mg/L	<	ND
Settleable Solids		3/23/2010	mg/L	<	ND
Settleable Solids		3/24/2010	mg/L	<	ND
Settleable Solids		3/25/2010	mg/L	<	ND
Settleable Solids		3/26/2010	mg/L	<	ND
Settleable Solids		3/27/2010	mg/L	<	ND
Settleable Solids		3/28/2010	mg/L	<	ND
Settleable Solids		3/29/2010	mg/L	<	ND
Settleable Solids		3/30/2010	mg/L	<	ND
Settleable Solids		3/31/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	3/31/2010	mg/L	<	ND
Settleable Solids		4/1/2010	mg/L	<	ND
Settleable Solids		4/2/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	4/2/2010	mg/L	<	ND
Settleable Solids		4/3/2010	mg/L	<	ND
Settleable Solids		4/4/2010	mg/L	<	ND
Settleable Solids		4/5/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	4/5/2010	mg/L	<	ND
Settleable Solids		4/6/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	4/6/2010	mg/L	<	ND
Settleable Solids		4/7/2010	mg/L	<	ND
Settleable Solids		4/8/2010	mg/L	<	ND
Settleable Solids		4/9/2010	mg/L	<	ND
Settleable Solids		4/10/2010	mg/L	<	ND
Settleable Solids		4/11/2010	mg/L	<	ND
Settleable Solids		4/12/2010	mg/L	<	ND
Settleable Solids		4/13/2010	mg/L	<	ND
Settleable Solids		4/14/2010	mg/L	<	ND
Settleable Solids		4/15/2010	mg/L	<	ND
Settleable Solids		4/16/2010	mg/L	<	ND
Settleable Solids		4/17/2010	mg/L	<	ND
Settleable Solids		4/18/2010	mg/L	<	ND
Settleable Solids		4/19/2010	mg/L	<	ND
Settleable Solids		4/20/2010	mg/L	<	ND
Settleable Solids		4/21/2010	mg/L	<	ND
Settleable Solids		4/22/2010	mg/L	<	ND
Settleable Solids		4/23/2010	mg/L	<	ND
Settleable Solids		4/24/2010	mg/L	<	ND
Settleable Solids		4/25/2010	mg/L	<	ND
Settleable Solids		4/26/2010	mg/L	<	ND
Settleable Solids		4/27/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	4/27/2010	mg/L	<	ND
Settleable Solids		4/28/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	4/28/2010	mg/L	<	ND
Settleable Solids		4/29/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	4/29/2010	mg/L	<	ND
Settleable Solids		4/30/2010	mg/L	<	ND
Settleable Solids		5/1/2010	mg/L	<	ND

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

Settleable Solids		5/2/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	5/2/2010	mg/L	<	ND
Settleable Solids		5/3/2010	mg/L	<	ND
Settleable Solids		5/4/2010	mg/L	<	ND
Settleable Solids		5/5/2010	mg/L	<	ND
Settleable Solids		5/6/2010	mg/L	<	ND
Settleable Solids		5/7/2010	mg/L	<	ND
Settleable Solids		5/8/2010	mg/L	<	ND
Settleable Solids		5/9/2010	mg/L	<	ND
Settleable Solids		5/10/2010	mg/L	<	ND
Settleable Solids		5/11/2010	mg/L	<	ND
Settleable Solids		5/12/2010	mg/L	<	ND
Settleable Solids		5/13/2010	mg/L	<	ND
Settleable Solids		5/14/2010	mg/L	<	ND
Settleable Solids		5/15/2010	mg/L	<	ND
Settleable Solids		5/16/2010	mg/L	<	ND
Settleable Solids		5/17/2010	mg/L	<	ND
Settleable Solids		5/18/2010	mg/L	<	ND
Settleable Solids		5/19/2010	mg/L	<	ND
Settleable Solids		5/20/2010	mg/L	<	ND
Settleable Solids		5/21/2010	mg/L	<	ND
Settleable Solids		5/22/2010	mg/L	<	ND
Settleable Solids		5/23/2010	mg/L	<	ND
Settleable Solids		5/24/2010	mg/L	<	ND
Settleable Solids		5/25/2010	mg/L	<	ND
Settleable Solids		5/26/2010	mg/L	<	ND
Settleable Solids		5/27/2010	mg/L	<	ND
Settleable Solids		5/28/2010	mg/L	<	ND
Settleable Solids		5/29/2010	mg/L	<	ND
Settleable Solids		5/30/2010	mg/L	<	ND
Settleable Solids		5/31/2010	mg/L	<	ND
Settleable Solids		6/1/2010	mg/L	<	ND
Settleable Solids		6/2/2010	mg/L	<	ND
Settleable Solids		6/3/2010	mg/L	<	ND
Settleable Solids		6/4/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	6/4/2010	mg/L	<	ND
Settleable Solids		6/5/2010	mg/L	<	ND
Settleable Solids		6/6/2010	mg/L	<	ND
Settleable Solids		6/7/2010	mg/L	<	ND
Settleable Solids		6/8/2010	mg/L	<	ND
Settleable Solids		6/9/2010	mg/L	<	ND
Settleable Solids		6/10/2010	mg/L	<	ND
Settleable Solids		6/11/2010	mg/L	<	ND
Settleable Solids		6/12/2010	mg/L	<	ND
Settleable Solids		6/13/2010	mg/L	<	ND
Settleable Solids		6/14/2010	mg/L	<	ND
Settleable Solids		6/15/2010	mg/L	<	ND
Settleable Solids		6/16/2010	mg/L	<	ND
Settleable Solids		6/17/2010	mg/L	<	ND
Settleable Solids		6/18/2010	mg/L		0.1
Settleable Solids		6/19/2010	mg/L	<	ND
Settleable Solids		6/20/2010	mg/L	<	ND

0.1

0.1

Settleable Solids	6/21/2010	mg/L		0.1
Settleable Solids	6/22/2010	mg/L	<	ND
Settleable Solids	6/23/2010	mg/L	<	ND
Settleable Solids	6/24/2010	mg/L	<	ND
Settleable Solids	6/25/2010	mg/L	<	ND
Settleable Solids	6/26/2010	mg/L	<	ND
Settleable Solids	6/27/2010	mg/L	<	ND
Settleable Solids	6/28/2010	mg/L	<	ND
Settleable Solids	6/29/2010	mg/L	<	ND
Settleable Solids	6/30/2010	mg/L		0.1
Settleable Solids	7/1/2010	mg/L	<	ND
Settleable Solids	7/2/2010	mg/L	<	ND
Settleable Solids	7/3/2010	mg/L	<	ND
Settleable Solids	7/4/2010	mg/L	<	ND
Settleable Solids	7/5/2010	mg/L	<	ND
Settleable Solids	7/6/2010	mg/L	<	ND
Settleable Solids	7/7/2010	mg/L	<	ND
Settleable Solids	7/8/2010	mg/L	<	ND
Settleable Solids	7/9/2010	mg/L	<	ND
Settleable Solids	7/10/2010	mg/L	<	ND
Settleable Solids	7/11/2010	mg/L	<	ND
Settleable Solids	7/12/2010	mg/L	<	ND
Settleable Solids	7/13/2010	mg/L	<	ND
Settleable Solids	7/14/2010	mg/L	<	ND
Settleable Solids	7/15/2010	mg/L	<	ND
Settleable Solids	7/16/2010	mg/L	<	ND
Settleable Solids	7/17/2010	mg/L	<	ND
Settleable Solids	7/18/2010	mg/L	<	ND
Settleable Solids	7/19/2010	mg/L	<	ND
Settleable Solids	7/20/2010	mg/L	<	ND
Settleable Solids	7/21/2010	mg/L	<	ND
Settleable Solids	7/22/2010	mg/L	<	ND
Settleable Solids	7/23/2010	mg/L	<	ND
Settleable Solids	7/24/2010	mg/L	<	ND
Settleable Solids	7/25/2010	mg/L	<	ND
Settleable Solids	7/26/2010	mg/L	<	ND
Settleable Solids	7/27/2010	mg/L	<	ND
Settleable Solids	7/28/2010	mg/L	<	ND
Settleable Solids	7/29/2010	mg/L	<	ND
Settleable Solids	7/30/2010	mg/L	<	ND
Settleable Solids	7/31/2010	mg/L	<	ND
Settleable Solids	8/1/2010	mg/L	<	ND
Settleable Solids	8/2/2010	mg/L		0.1
Settleable Solids	8/3/2010	mg/L	<	ND
Settleable Solids	8/4/2010	mg/L	<	ND
Settleable Solids	8/5/2010	mg/L	<	ND
Settleable Solids	8/6/2010	mg/L	<	ND
Settleable Solids	8/7/2010	mg/L	<	ND
Settleable Solids	8/8/2010	mg/L	<	ND
Settleable Solids	8/9/2010	mg/L	<	ND
Settleable Solids	8/10/2010	mg/L	<	ND
Settleable Solids	8/11/2010	mg/L	<	ND

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Settleable Solids	8/12/2010	mg/L	<	ND
Settleable Solids	8/13/2010	mg/L	<	ND
Settleable Solids	8/14/2010	mg/L	<	ND
Settleable Solids	8/15/2010	mg/L	<	ND
Settleable Solids	8/16/2010	mg/L	<	ND
Settleable Solids	8/17/2010	mg/L	<	ND
Settleable Solids	8/18/2010	mg/L	<	ND
Settleable Solids	8/19/2010	mg/L	<	ND
Settleable Solids	8/20/2010	mg/L	<	ND
Settleable Solids	8/21/2010	mg/L	<	ND
Settleable Solids	8/22/2010	mg/L	<	ND
Settleable Solids	8/23/2010	mg/L	<	ND
Settleable Solids	8/24/2010	mg/L	<	ND
Settleable Solids	8/25/2010	mg/L	<	ND
Settleable Solids	8/26/2010	mg/L	<	ND
Settleable Solids	8/27/2010	mg/L	<	ND
Settleable Solids	8/28/2010	mg/L	<	ND
Settleable Solids	8/29/2010	mg/L	<	ND
Settleable Solids	8/30/2010	mg/L	<	ND
Settleable Solids	8/31/2010	mg/L	<	ND
Settleable Solids	9/1/2010	mg/L	<	ND
Settleable Solids	9/2/2010	mg/L	<	ND
Settleable Solids	9/3/2010	mg/L	<	ND
Settleable Solids	9/4/2010	mg/L	<	ND
Settleable Solids	9/5/2010	mg/L	<	ND
Settleable Solids	9/6/2010	mg/L	<	ND
Settleable Solids	9/7/2010	mg/L	<	ND
Settleable Solids	9/8/2010	mg/L	<	ND
Settleable Solids	9/9/2010	mg/L	<	ND
Settleable Solids	9/10/2010	mg/L	<	ND
Settleable Solids	9/11/2010	mg/L	<	ND
Settleable Solids	9/12/2010	mg/L	<	ND
Settleable Solids	9/13/2010	mg/L	<	ND
Settleable Solids	9/14/2010	mg/L	<	ND
Settleable Solids	9/15/2010	mg/L	<	ND
Settleable Solids	9/16/2010	mg/L	<	ND
Settleable Solids	9/17/2010	mg/L	<	ND
Settleable Solids	9/18/2010	mg/L	<	ND
Settleable Solids	9/19/2010	mg/L	<	ND
Settleable Solids	9/20/2010	mg/L	<	ND
Settleable Solids	9/21/2010	mg/L	<	ND
Settleable Solids	9/22/2010	mg/L	<	ND
Settleable Solids	9/23/2010	mg/L	<	ND
Settleable Solids	9/24/2010	mg/L	<	ND
Settleable Solids	9/25/2010	mg/L	<	ND
Settleable Solids	9/26/2010	mg/L	<	ND
Settleable Solids	9/27/2010	mg/L	<	ND
Settleable Solids	9/28/2010	mg/L	<	ND
Settleable Solids	9/29/2010	mg/L	<	ND
Settleable Solids	9/30/2010	mg/L	<	ND
Settleable Solids	10/1/2010	mg/L	<	ND
Settleable Solids	10/2/2010	mg/L	<	ND

0.1
0.1

Settleable Solids		10/3/2010	mg/L	<	ND
Settleable Solids		10/4/2010	mg/L	<	ND
Settleable Solids		10/5/2010	mg/L	<	ND
Settleable Solids		10/6/2010	mg/L	<	ND
Settleable Solids		10/7/2010	mg/L	<	ND
Settleable Solids		10/8/2010	mg/L	<	ND
Settleable Solids		10/9/2010	mg/L	<	ND
Settleable Solids		10/10/2010	mg/L	<	ND
Settleable Solids		10/11/2010	mg/L	<	ND
Settleable Solids		10/12/2010	mg/L	<	ND
Settleable Solids		10/13/2010	mg/L	<	ND
Settleable Solids		10/14/2010	mg/L	<	ND
Settleable Solids		10/15/2010	mg/L	<	ND
Settleable Solids		10/16/2010	mg/L	<	ND
Settleable Solids		10/17/2010	mg/L	<	ND
Settleable Solids		10/18/2010	mg/L	<	ND
Settleable Solids		10/19/2010	mg/L	<	ND
Settleable Solids		10/20/2010	mg/L	<	ND
Settleable Solids		10/21/2010	mg/L	<	ND
Settleable Solids		10/22/2010	mg/L	<	ND
Settleable Solids		10/23/2010	mg/L	<	ND
Settleable Solids		10/24/2010	mg/L	<	ND
Settleable Solids	BLENDING EVENT	10/24/2010	mg/L	<	ND
Settleable Solids		10/25/2010	mg/L	<	ND
Settleable Solids		10/26/2010	mg/L	<	ND
Settleable Solids		10/27/2010	mg/L	<	ND
Settleable Solids		10/28/2010	mg/L	<	ND
Settleable Solids		10/29/2010	mg/L	<	ND
Settleable Solids		10/30/2010	mg/L	<	ND
Settleable Solids		10/31/2010	mg/L	<	ND
Settleable Solids		11/1/2010	mg/L	<	ND
Settleable Solids		11/2/2010	mg/L	<	ND
Settleable Solids		11/3/2010	mg/L	<	ND
Settleable Solids		11/4/2010	mg/L	<	ND
Settleable Solids		11/5/2010	mg/L	<	ND
Settleable Solids		11/6/2010	mg/L	<	ND
Settleable Solids		11/7/2010	mg/L	<	ND
Settleable Solids		11/8/2010	mg/L	<	ND
Settleable Solids		11/9/2010	mg/L	<	ND
Settleable Solids		11/10/2010	mg/L	<	ND
Settleable Solids		11/11/2010	mg/L	<	ND
Settleable Solids		11/12/2010	mg/L	<	ND
Settleable Solids		11/13/2010	mg/L	<	ND
Settleable Solids		11/14/2010	mg/L	<	ND
Settleable Solids		11/15/2010	mg/L	<	ND
Settleable Solids		11/16/2010	mg/L	<	ND
Settleable Solids		11/17/2010	mg/L	<	ND
Settleable Solids		11/18/2010	mg/L	<	ND
Settleable Solids		11/19/2010	mg/L	<	ND
Settleable Solids		11/20/2010	mg/L	<	ND
Settleable Solids		11/21/2010	mg/L	<	ND
Settleable Solids		11/22/2010	mg/L	<	ND

0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1

Settleable Solids		11/23/2010	mg/L	<	ND
Settleable Solids		11/24/2010	mg/L	<	ND
Settleable Solids		11/25/2010	mg/L	<	ND
Settleable Solids		11/26/2010	mg/L	<	ND
Settleable Solids		11/27/2010	mg/L	<	ND
Settleable Solids		11/28/2010	mg/L	<	ND
Settleable Solids		11/29/2010	mg/L	<	ND
Settleable Solids		11/30/2010	mg/L	<	ND
Settleable Solids	mean	12/31/2010	ml/L	<	ND
Settleable Solids	mean	12/31/2010	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/1/2011	ml/L	<	ND
Settleable Solids		1/1/2011	ml/L	<	ND
Settleable Solids		1/2/2011	ml/L	<	ND
Settleable Solids		1/3/2011	ml/L	<	ND
Settleable Solids		1/4/2011	ml/L	<	ND
Settleable Solids		1/5/2011	ml/L	<	ND
Settleable Solids		1/6/2011	ml/L	<	ND
Settleable Solids		1/7/2011	ml/L	<	ND
Settleable Solids		1/8/2011	ml/L	<	ND
Settleable Solids		1/9/2011	ml/L	<	ND
Settleable Solids		1/10/2011	ml/L	<	ND
Settleable Solids		1/11/2011	ml/L	<	ND
Settleable Solids		1/12/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/12/2011	ml/L	<	ND
Settleable Solids		1/13/2011	ml/L	<	ND
Settleable Solids		1/14/2011	ml/L	<	ND
Settleable Solids		1/15/2011	ml/L	<	ND
Settleable Solids		1/16/2011	ml/L	<	ND
Settleable Solids		1/17/2011	ml/L	<	ND
Settleable Solids		1/18/2011	ml/L	<	ND
Settleable Solids		1/19/2011	ml/L	<	ND
Settleable Solids		1/20/2011	ml/L	<	ND
Settleable Solids		1/21/2011	ml/L	<	ND
Settleable Solids		1/22/2011	ml/L	<	ND
Settleable Solids		1/23/2011	ml/L	<	ND
Settleable Solids		1/24/2011	ml/L	<	ND
Settleable Solids		1/25/2011	ml/L	<	ND
Settleable Solids		1/26/2011	ml/L	<	ND
Settleable Solids		1/27/2011	ml/L	<	ND
Settleable Solids		1/28/2011	ml/L	<	ND
Settleable Solids		1/29/2011	ml/L	<	ND
Settleable Solids		1/30/2011	ml/L	<	ND
Settleable Solids		1/31/2011	ml/L	<	ND
Settleable Solids		1/31/2011	ml/L	<	ND
Settleable Solids		2/1/2011	ml/L	<	ND
Settleable Solids		2/2/2011	ml/L	<	ND
Settleable Solids		2/3/2011	ml/L	<	ND
Settleable Solids		2/4/2011	ml/L	<	ND
Settleable Solids		2/5/2011	ml/L	<	ND
Settleable Solids		2/6/2011	ml/L	<	ND
Settleable Solids		2/7/2011	ml/L	<	ND
Settleable Solids		2/8/2011	ml/L	<	ND

0.1		BLENDING EVENT
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	
0.1	0.1	

Settleable Solids	2/9/2011	ml/L	<	ND
Settleable Solids	2/10/2011	ml/L	<	ND
Settleable Solids	2/11/2011	ml/L	<	ND
Settleable Solids	2/12/2011	ml/L	<	ND
Settleable Solids	2/13/2011	ml/L	<	ND
Settleable Solids	2/14/2011	ml/L	<	ND
Settleable Solids	2/15/2011	ml/L	<	ND
Settleable Solids	2/16/2011	ml/L	<	ND
Settleable Solids	2/17/2011	ml/L	<	ND
Settleable Solids	2/18/2011	ml/L	<	ND
Settleable Solids	2/19/2011	ml/L	<	ND
Settleable Solids	2/20/2011	ml/L	<	ND
Settleable Solids	2/21/2011	ml/L	<	ND
Settleable Solids	2/22/2011	ml/L	<	ND
Settleable Solids	2/23/2011	ml/L	<	ND
Settleable Solids	2/24/2011	ml/L	<	ND
Settleable Solids	2/25/2011	ml/L	<	ND
Settleable Solids	2/26/2011	ml/L	<	ND
Settleable Solids	2/27/2011	ml/L	<	ND
Settleable Solids	2/28/2011	ml/L	<	ND
Settleable Solids	2/28/2011	ml/L	<	ND
Settleable Solids	3/1/2011	ml/L	<	ND
Settleable Solids	3/2/2011	ml/L	<	ND
Settleable Solids	3/3/2011	ml/L	<	ND
Settleable Solids	3/4/2011	ml/L	<	ND
Settleable Solids	3/5/2011	ml/L	<	ND
Settleable Solids	3/6/2011	ml/L	<	ND
Settleable Solids	3/7/2011	ml/L	<	ND
Settleable Solids	3/8/2011	ml/L	<	ND
Settleable Solids	3/9/2011	ml/L	<	ND
Settleable Solids	3/10/2011	ml/L	<	ND
Settleable Solids	3/11/2011	ml/L	<	ND
Settleable Solids	3/12/2011	ml/L	<	ND
Settleable Solids	3/13/2011	ml/L	<	ND
Settleable Solids	3/14/2011	ml/L	<	ND
Settleable Solids	3/15/2011	ml/L	<	ND
Settleable Solids	3/16/2011	ml/L	<	ND
Settleable Solids	3/17/2011	ml/L	<	ND
Settleable Solids	3/18/2011	ml/L	<	ND
Settleable Solids	3/19/2011	ml/L	<	ND
Settleable Solids	3/20/2011	ml/L	<	ND
Settleable Solids	3/21/2011	ml/L	<	ND
Settleable Solids	3/22/2011	ml/L	<	ND
Settleable Solids	3/23/2011	ml/L	<	ND
Settleable Solids	3/24/2011	ml/L	<	ND
Settleable Solids	3/25/2011	ml/L	<	ND
Settleable Solids	3/26/2011	ml/L	<	ND
Settleable Solids	3/27/2011	ml/L	<	ND
Settleable Solids	3/28/2011	ml/L	<	ND
Settleable Solids	3/29/2011	ml/L	<	ND
Settleable Solids	3/30/2011	ml/L	<	ND
Settleable Solids	3/31/2011	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	3/31/2011	ml/L	<	ND
Settleable Solids	4/1/2011	ml/L	<	ND
Settleable Solids	4/2/2011	ml/L	<	ND
Settleable Solids	4/3/2011	ml/L	<	ND
Settleable Solids	4/4/2011	ml/L	<	ND
Settleable Solids	4/5/2011	ml/L	<	ND
Settleable Solids	4/6/2011	ml/L	<	ND
Settleable Solids	4/7/2011	ml/L	<	ND
Settleable Solids	4/8/2011	ml/L	<	ND
Settleable Solids	4/9/2011	ml/L	<	ND
Settleable Solids	4/10/2011	ml/L	<	ND
Settleable Solids	4/11/2011	ml/L	<	ND
Settleable Solids	4/12/2011	ml/L	<	ND
Settleable Solids	4/13/2011	ml/L	<	ND
Settleable Solids	4/14/2011	ml/L	<	ND
Settleable Solids	4/15/2011	ml/L	<	ND
Settleable Solids	4/16/2011	ml/L	<	ND
Settleable Solids	4/17/2011	ml/L	<	ND
Settleable Solids	4/18/2011	ml/L	<	ND
Settleable Solids	4/19/2011	ml/L	<	ND
Settleable Solids	4/20/2011	ml/L	<	ND
Settleable Solids	4/21/2011	ml/L	<	ND
Settleable Solids	4/22/2011	ml/L	<	ND
Settleable Solids	4/23/2011	ml/L	<	ND
Settleable Solids	4/24/2011	ml/L	<	ND
Settleable Solids	4/25/2011	ml/L	<	ND
Settleable Solids	4/26/2011	ml/L	<	ND
Settleable Solids	4/27/2011	ml/L	<	ND
Settleable Solids	4/28/2011	ml/L	<	ND
Settleable Solids	4/29/2011	ml/L	<	ND
Settleable Solids	4/30/2011	ml/L	<	ND
Settleable Solids	4/30/2011	ml/L	<	ND
Settleable Solids	5/1/2011	ml/L	<	ND
Settleable Solids	5/2/2011	ml/L	<	ND
Settleable Solids	5/3/2011	ml/L	<	ND
Settleable Solids	5/4/2011	ml/L	<	ND
Settleable Solids	5/5/2011	ml/L	<	ND
Settleable Solids	5/6/2011	ml/L	<	ND
Settleable Solids	5/7/2011	ml/L	<	ND
Settleable Solids	5/8/2011	ml/L	<	ND
Settleable Solids	5/9/2011	ml/L	<	ND
Settleable Solids	5/10/2011	ml/L	<	ND
Settleable Solids	5/11/2011	ml/L	<	ND
Settleable Solids	5/12/2011	ml/L	<	ND
Settleable Solids	5/13/2011	ml/L	<	ND
Settleable Solids	5/14/2011	ml/L	<	ND
Settleable Solids	5/15/2011	ml/L	<	ND
Settleable Solids	5/16/2011	ml/L	<	ND
Settleable Solids	5/17/2011	ml/L	<	ND
Settleable Solids	5/18/2011	ml/L	<	ND
Settleable Solids	5/19/2011	ml/L	<	ND
Settleable Solids	5/20/2011	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids		5/21/2011	ml/L	<	ND
Settleable Solids		5/22/2011	ml/L	<	ND
Settleable Solids		5/23/2011	ml/L	<	ND
Settleable Solids		5/24/2011	ml/L	<	ND
Settleable Solids		5/25/2011	ml/L	<	ND
Settleable Solids		5/26/2011	ml/L	<	ND
Settleable Solids		5/27/2011	ml/L	<	ND
Settleable Solids		5/28/2011	ml/L	<	ND
Settleable Solids		5/29/2011	ml/L	<	ND
Settleable Solids		5/30/2011	ml/L	<	ND
Settleable Solids		5/31/2011	ml/L	<	ND
Settleable Solids		5/31/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/1/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/2/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/3/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/4/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/5/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/6/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/7/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/8/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/9/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/10/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/11/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/12/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/13/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/14/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/15/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/16/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/17/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/18/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/19/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/20/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/21/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/22/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/23/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/24/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/25/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/26/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/27/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/28/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/29/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/30/2011	ml/L	<	ND
Settleable Solids		6/30/2011	ml/L	<	ND
Settleable Solids		6/30/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/1/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/2/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/3/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/4/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/5/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/6/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/7/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/8/2011	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/9/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/10/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/11/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/12/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/13/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/14/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/15/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/16/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/17/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/18/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/19/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/20/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/21/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/22/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/23/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/24/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/25/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/26/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/27/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/28/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/29/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/30/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/31/2011	ml/L	<	ND
Settleable Solids		7/31/2011	ml/L	<	ND
Settleable Solids		7/31/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/1/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/2/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/3/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/4/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/5/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/6/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/7/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/8/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/9/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/10/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/11/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/12/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/13/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/14/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/15/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/16/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/17/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/18/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/19/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/20/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/21/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/22/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/23/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/24/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/25/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/26/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/27/2011	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/28/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/29/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/30/2011	ml/L	<	ND
Settleable Solids		8/31/2011	ml/L	<	ND
Settleable Solids		8/31/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/31/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/1/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/2/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/3/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/4/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/5/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/6/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/7/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/8/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/9/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/10/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/11/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/12/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/13/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/14/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/15/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/16/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/17/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/18/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/19/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/20/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/21/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/22/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/23/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/24/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/25/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/26/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/27/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/28/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/29/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/30/2011	ml/L	<	ND
Settleable Solids		9/30/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/1/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/2/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/3/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/4/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/5/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/6/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/7/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/8/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/9/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/10/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/11/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/12/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/13/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/14/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/15/2011	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/16/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/17/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/18/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/19/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/20/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/21/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/22/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/23/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/24/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/25/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/26/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/27/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/28/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/29/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/30/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/31/2011	ml/L	<	ND
Settleable Solids		10/31/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/1/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/2/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/3/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/4/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/5/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/6/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/7/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/8/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/9/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/10/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/11/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/12/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/13/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/14/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/15/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/16/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/17/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/18/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/19/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/20/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/21/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/22/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/23/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/24/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/25/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/26/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/27/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/28/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/29/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/30/2011	ml/L	<	ND
Settleable Solids		11/30/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/1/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/2/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/3/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/4/2011	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/5/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/6/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/7/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/8/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/9/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/10/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/11/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/12/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/13/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/14/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/15/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/16/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/17/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/18/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/19/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/20/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/21/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/22/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/23/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/24/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/25/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/26/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/27/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/28/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/29/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/30/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/31/2011	ml/L	<	ND
Settleable Solids		12/31/2011	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/12/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/18/2012	ml/L		0.1
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/24/2012	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/30/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/31/2012	ml/L	<	ND
Settleable Solids		1/31/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/12/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/18/2012	ml/L		0.1
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/28/2012	ml/L	<	ND
Settleable Solids		2/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/12/2012	ml/L		0.1
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/14/2012	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/18/2012	ml/L		0.1
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/30/2012	ml/L	<	ND
Settleable Solids		3/31/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/31/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/12/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/18/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/30/2012	ml/L	<	ND
Settleable Solids		4/30/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/3/2012	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1
	0.1
0.1	0.1
0.1	0.1
0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/12/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/18/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/30/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/31/2012	ml/L	<	ND
Settleable Solids		5/31/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/12/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/18/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/23/2012	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/30/2012	ml/L	<	ND
Settleable Solids		6/30/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/12/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/18/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/30/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/31/2012	ml/L	<	ND
Settleable Solids		7/31/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/12/2012	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/18/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/30/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/31/2012	ml/L	<	ND
Settleable Solids		8/31/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/12/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/18/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/30/2012	ml/L	<	ND
Settleable Solids		9/30/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/1/2012	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/12/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/18/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/30/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/31/2012	ml/L	<	ND
Settleable Solids		10/31/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/12/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/18/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/20/2012	ml/L		1.5
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/21/2012	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/29/2012	ml/L	<	ND
Settleable Solids		11/30/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/30/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/1/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/2/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/3/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/4/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/5/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/6/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/7/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/8/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/9/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/10/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/11/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/12/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/13/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/14/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/15/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/16/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/17/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/18/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/19/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/20/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/21/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/22/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/23/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/24/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/25/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/26/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/27/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/28/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/29/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/30/2012	ml/L	<	ND
Settleable Solids		12/31/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/31/2012	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/10/2013	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/19/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/29/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/30/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/31/2013	ml/L	<	ND
Settleable Solids		1/31/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/10/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/19/2013	ml/L		0.1
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/27/2013	ml/L	<	ND
Settleable Solids		2/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/1/2013	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/10/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/19/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/29/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/30/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/31/2013	ml/L	<	ND
Settleable Solids		3/31/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/10/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/19/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/21/2013	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/29/2013	ml/L	<	ND
Settleable Solids		4/30/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/30/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/10/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/19/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/29/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/30/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/31/2013	ml/L	<	ND
Settleable Solids		5/31/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/10/2013	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/19/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/29/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/30/2013	ml/L	<	ND
Settleable Solids		6/30/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/10/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/19/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/29/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/30/2013	ml/L	<	ND
Settleable Solids		7/31/2013	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/31/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/10/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/19/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/29/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/30/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/31/2013	ml/L	<	ND
Settleable Solids		8/31/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/10/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/19/2013	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/29/2013	ml/L	<	ND
Settleable Solids		9/30/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/30/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/10/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/19/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/29/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/30/2013	ml/L	<	ND
Settleable Solids		10/31/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/31/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/4/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/8/2013	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/10/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/19/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/29/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	11/30/2013	ml/L	<	ND
Settleable Solids		11/30/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/1/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/2/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/3/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/5/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/6/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/7/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/8/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/9/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/10/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/11/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/12/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/13/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/14/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/15/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/16/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/17/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/18/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/19/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/20/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/21/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/22/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/23/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/24/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/25/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/26/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/27/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/28/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/29/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/30/2013	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	12/31/2013	ml/L	<	ND
Settleable Solids		12/31/2013	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/1/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/2/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/3/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/4/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/5/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/6/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/7/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/8/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/9/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/10/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/11/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/12/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/13/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/14/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/15/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/16/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/17/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/18/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/19/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/20/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/21/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/22/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/23/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/24/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/25/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/26/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/27/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/28/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/29/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/30/2014	ml/L	<	ND
Settleable Solids		1/31/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	1/31/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/1/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/2/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/3/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/4/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/5/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/6/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/7/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/8/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/9/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/10/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/11/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/12/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/13/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/14/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/15/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/16/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/17/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/18/2014	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/19/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/20/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/21/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/22/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/23/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/24/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/25/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/26/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/27/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	2/28/2014	ml/L	<	ND
Settleable Solids		2/28/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/1/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/2/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/3/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/4/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/5/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/6/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/7/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/8/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/9/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/10/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/11/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/12/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/13/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/14/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/15/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/16/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/17/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/18/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/19/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/20/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/21/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/22/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/23/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/24/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/25/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/26/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/27/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/28/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/29/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/30/2014	ml/L	<	ND
Settleable Solids		3/31/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	3/31/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/1/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/2/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/3/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/4/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/5/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/6/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/7/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/8/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/9/2014	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/10/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/11/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/12/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/13/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/14/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/15/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/16/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/17/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/18/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/19/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/20/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/21/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/22/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/23/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/24/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/25/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/26/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/27/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/28/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/29/2014	ml/L	<	ND
Settleable Solids		4/30/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	4/30/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/1/2014	ml/L		0.2
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/2/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/3/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/4/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/5/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/6/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/7/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/8/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/9/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/10/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/11/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/12/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/13/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/14/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/15/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/16/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/17/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/18/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/19/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/20/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/21/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/22/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/23/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/24/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/25/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/26/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/27/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/28/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/29/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/30/2014	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids		5/31/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	5/31/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/1/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/2/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/3/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/4/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/5/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/6/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/7/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/8/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/9/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/10/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/11/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/12/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/13/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/14/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/15/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/16/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/17/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/18/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/19/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/20/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/21/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/22/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/23/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/24/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/25/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/26/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/27/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/28/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/29/2014	ml/L	<	ND
Settleable Solids		6/30/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	6/30/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/1/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/2/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/3/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/4/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/5/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/6/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/7/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/8/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/9/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/10/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/11/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/12/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/13/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/14/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/15/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/16/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/17/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/18/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/19/2014	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/20/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/21/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/22/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/23/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/24/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/25/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/26/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/27/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/28/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/29/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/30/2014	ml/L	<	ND
Settleable Solids		7/31/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	7/31/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/1/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/2/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/3/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/4/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/5/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/6/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/7/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/8/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/9/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/10/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/11/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/12/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/13/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/14/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/15/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/16/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/17/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/18/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/19/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/20/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/21/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/22/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/23/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/24/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/25/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/26/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/27/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/28/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/29/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/30/2014	ml/L	<	ND
Settleable Solids		8/31/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	8/31/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/1/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/2/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/3/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/4/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/5/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/6/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/7/2014	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/8/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/9/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/10/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/11/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/12/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/13/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/14/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/15/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/16/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/17/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/18/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/19/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/20/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/21/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/22/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/23/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/24/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/25/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/26/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/27/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/28/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/29/2014	ml/L	<	ND
Settleable Solids		9/30/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	9/30/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/1/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/2/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/3/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/4/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/5/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/6/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/7/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/8/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/9/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/10/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/11/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/12/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/13/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/14/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/15/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/16/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/17/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/18/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/19/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/20/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/21/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/22/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/23/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/24/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/25/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/26/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/27/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/28/2014	ml/L	<	ND

0.1	0.1
0.1	0.1
0.1	0.1

Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/29/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/30/2014	ml/L	<	ND
Settleable Solids	Standard Method (19th) 2540 F: Settleable Solids	10/31/2014	ml/L	<	ND
Settleable Solids		10/31/2014	ml/L	<	ND
Styrene		12/14/2009	ug/L	<	ND
Styrene	EPA 8260B	12/31/2010	ug/L	<	ND
Styrene	EPA 8260B	11/16/2011	ug/L	<	ND
Styrene		12/11/2012	ug/L	<	ND
Styrene		12/10/2013	ug/L	<	ND
TCDD Equivalents	SW 846 8290	12/31/2010	pg/L	<	ND
TCDD Equivalents	Polychlorinated Dibenzodioxins/Polychlorinated Dibenzofurans	11/16/2011	pg/L	<	ND
TCDD Equivalents	Polychlorinated Dibenzodioxins/Polychlorinated Dibenzofurans	12/11/2012	pg/L	<	ND
TCDD Equivalents	Polychlorinated Dibenzodioxins/Polychlorinated Dibenzofurans	12/10/2013	pg/L	<	ND
Tert amyl methyl ether		12/10/2013	ug/L	<	ND
Tert-amyl methyl ether (TAME)		12/14/2009	ug/L	<	ND
Tert-butyl alcohol		12/11/2012	ug/L	<	ND
Tert-butyl alcohol		12/10/2013	ug/L	<	ND
Tert-butyl alcohol (TBA)		12/14/2009	ug/L	<	ND
tert-Butylbenzene		12/14/2009	ug/L	<	ND
tert-Butylbenzene		12/11/2012	ug/L	<	ND
tert-Butylbenzene		12/10/2013	ug/L	<	ND
Tetrachloroethene		12/10/2013	ug/L	<	ND
Total Suspended Solids (TSS)		8/6/2009	% removal		98
Total Suspended Solids (TSS)		8/13/2009	% removal		96
Total Suspended Solids (TSS)		8/20/2009	% removal		96
Total Suspended Solids (TSS)		8/27/2009	% removal		95
Total Suspended Solids (TSS)		9/3/2009	% removal		97
Total Suspended Solids (TSS)		9/10/2009	% removal		97
Total Suspended Solids (TSS)		9/17/2009	% removal		97
Total Suspended Solids (TSS)		9/24/2009	% removal		97
Total Suspended Solids (TSS)		12/3/2009	% removal		97
Total Suspended Solids (TSS)		12/10/2009	% removal		92
Total Suspended Solids (TSS)		12/17/2009	% removal		92
Total Suspended Solids (TSS)		12/24/2009	% removal		92
Total Suspended Solids (TSS)		12/31/2009	% removal		95
Total Suspended Solids (TSS)		1/7/2010	% Removal		95
Total Suspended Solids (TSS)		1/14/2010	% Removal		91
Total Suspended Solids (TSS)		1/20/2010	% Removal		88
Total Suspended Solids (TSS)		1/27/2010	% Removal		93
Total Suspended Solids (TSS)		2/4/2010	% Removal		93
Total Suspended Solids (TSS)		2/11/2010	% Removal		92
Total Suspended Solids (TSS)		2/18/2010	% Removal		96
Total Suspended Solids (TSS)		2/25/2010	% Removal		95
Total Suspended Solids (TSS)		3/4/2010	% Removal		93
Total Suspended Solids (TSS)		3/11/2010	% Removal		97
Total Suspended Solids (TSS)		3/18/2010	% Removal		95
Total Suspended Solids (TSS)		3/25/2010	% Removal		96
Total Suspended Solids (TSS)		4/1/2010	% Removal		93
Total Suspended Solids (TSS)		4/6/2010	% Removal		91
Total Suspended Solids (TSS)		4/15/2010	% Removal		93
Total Suspended Solids (TSS)		4/22/2010	% Removal		92
Total Suspended Solids (TSS)		4/29/2010	% Removal		86

0.1	0.1
0.1	0.1
0.1	0.1
0.1	0.1
0.5	0.5
0.5	
0.5	
0.5	0.5
0.5	0.5
0.62	
0.84	
10	
1.9	9.5
0.5	0.5
0.5	0.5
10	10
10	10
10	10
0.5	0.5
0.5	0.5
0.5	0.5
0.5	

Total Suspended Solids (TSS)	5/4/2010	% Removal	96
Total Suspended Solids (TSS)	5/13/2010	% Removal	95
Total Suspended Solids (TSS)	5/20/2010	% Removal	95
Total Suspended Solids (TSS)	5/27/2010	% Removal	96
Total Suspended Solids (TSS)	6/3/2010	% Removal	93
Total Suspended Solids (TSS)	6/10/2010	% Removal	96
Total Suspended Solids (TSS)	6/17/2010	% Removal	97
Total Suspended Solids (TSS)	6/23/2010	% Removal	90
Total Suspended Solids (TSS)	7/2/2010	% Removal	95
Total Suspended Solids (TSS)	7/7/2010	% Removal	95
Total Suspended Solids (TSS)	7/14/2010	% Removal	95
Total Suspended Solids (TSS)	7/22/2010	% Removal	96
Total Suspended Solids (TSS)	7/30/2010	% Removal	97
Total Suspended Solids (TSS)	8/5/2010	% Removal	95
Total Suspended Solids (TSS)	8/12/2010	% Removal	97
Total Suspended Solids (TSS)	8/20/2010	% Removal	97
Total Suspended Solids (TSS)	8/26/2010	% Removal	96
Total Suspended Solids (TSS)	9/2/2010	% Removal	96
Total Suspended Solids (TSS)	9/9/2010	% Removal	97
Total Suspended Solids (TSS)	9/16/2010	% Removal	97
Total Suspended Solids (TSS)	9/22/2010	% Removal	96
Total Suspended Solids (TSS)	9/30/2010	% Removal	98
Total Suspended Solids (TSS)	10/7/2010	% Removal	97
Total Suspended Solids (TSS)	10/14/2010	% Removal	98
Total Suspended Solids (TSS)	10/22/2010	% Removal	98
Total Suspended Solids (TSS)	10/29/2010	% Removal	95
Total Suspended Solids (TSS)	11/4/2010	% Removal	97
Total Suspended Solids (TSS)	11/10/2010	% Removal	95
Total Suspended Solids (TSS)	11/17/2010	% Removal	96
Total Suspended Solids (TSS)	11/24/2010	% Removal	94
Total Suspended Solids (TSS)	12/31/2010	% Removal	91
Total Suspended Solids (TSS)	8/6/2009	lb/day	311
Total Suspended Solids (TSS)	8/13/2009	lb/day	409
Total Suspended Solids (TSS)	8/20/2009	lb/day	409
Total Suspended Solids (TSS)	8/27/2009	lb/day	350
Total Suspended Solids (TSS)	9/3/2009	lb/day	274
Total Suspended Solids (TSS)	9/10/2009	lb/day	372
Total Suspended Solids (TSS)	9/17/2009	lb/day	327
Total Suspended Solids (TSS)	9/24/2009	lb/day	254
Total Suspended Solids (TSS)	10/1/2009	lb/day	215
Total Suspended Solids (TSS)	10/8/2009	lb/day	266
Total Suspended Solids (TSS)	10/14/2009	lb/day	337
Total Suspended Solids (TSS)	10/22/2009	lb/day	217
Total Suspended Solids (TSS)	10/29/2009	lb/day	248
Total Suspended Solids (TSS)	11/4/2009	lb/day	176
Total Suspended Solids (TSS)	11/11/2009	lb/day	312
Total Suspended Solids (TSS)	11/19/2009	lb/day	282
Total Suspended Solids (TSS)	11/25/2009	lb/day	305
Total Suspended Solids (TSS)	12/3/2009	lb/day	217
Total Suspended Solids (TSS)	12/10/2009	lb/day	599
Total Suspended Solids (TSS)	12/17/2009	lb/day	532
Total Suspended Solids (TSS)	12/24/2009	lb/day	410

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		12/31/2009	lb/day	547
Total Suspended Solids (TSS)		1/7/2010	lb/day	368
Total Suspended Solids (TSS)		1/14/2010	lb/day	470
Total Suspended Solids (TSS)		1/20/2010	lb/day	2130
Total Suspended Solids (TSS)		1/27/2010	lb/day	629
Total Suspended Solids (TSS)		2/4/2010	lb/day	490
Total Suspended Solids (TSS)		2/11/2010	lb/day	383
Total Suspended Solids (TSS)		2/18/2010	lb/day	315
Total Suspended Solids (TSS)		2/25/2010	lb/day	472
Total Suspended Solids (TSS)	BLENDING EVENT	3/3/2010	lb/day	2.66
Total Suspended Solids (TSS)		3/4/2010	lb/day	560
Total Suspended Solids (TSS)		3/11/2010	lb/day	377
Total Suspended Solids (TSS)	BLENDING EVENT	3/12/2010	lb/day	38.4
Total Suspended Solids (TSS)		3/18/2010	lb/day	341
Total Suspended Solids (TSS)		3/25/2010	lb/day	474
Total Suspended Solids (TSS)		4/1/2010	lb/day	520
Total Suspended Solids (TSS)	BLENDING EVENT	4/2/2010	lb/day	13.12
Total Suspended Solids (TSS)	BLENDING EVENT	4/5/2010	lb/day	0.84
Total Suspended Solids (TSS)		4/6/2010	lb/day	582
Total Suspended Solids (TSS)		4/15/2010	lb/day	416
Total Suspended Solids (TSS)		4/22/2010	lb/day	631
Total Suspended Solids (TSS)	BLENDING EVENT	4/27/2010	lb/day	289.58
Total Suspended Solids (TSS)	BLENDING EVENT	4/28/2010	lb/day	4028
Total Suspended Solids (TSS)		4/29/2010	lb/day	920
Total Suspended Solids (TSS)	BLENDING EVENT	4/29/2010	lb/day	6.61
Total Suspended Solids (TSS)	BLENDING EVENT	5/2/2010	lb/day	0
Total Suspended Solids (TSS)		5/4/2010	lb/day	360
Total Suspended Solids (TSS)		5/13/2010	lb/day	301
Total Suspended Solids (TSS)		5/20/2010	lb/day	288
Total Suspended Solids (TSS)		5/27/2010	lb/day	384
Total Suspended Solids (TSS)		6/3/2010	lb/day	757
Total Suspended Solids (TSS)		6/10/2010	lb/day	279
Total Suspended Solids (TSS)		6/17/2010	lb/day	237
Total Suspended Solids (TSS)		6/23/2010	lb/day	292
Total Suspended Solids (TSS)		7/2/2010	lb/day	283
Total Suspended Solids (TSS)		7/7/2010	lb/day	306
Total Suspended Solids (TSS)		7/14/2010	lb/day	325
Total Suspended Solids (TSS)		7/22/2010	lb/day	350
Total Suspended Solids (TSS)		7/30/2010	lb/day	275
Total Suspended Solids (TSS)		8/5/2010	lb/day	269
Total Suspended Solids (TSS)		8/12/2010	lb/day	269
Total Suspended Solids (TSS)		8/20/2010	lb/day	259
Total Suspended Solids (TSS)		8/26/2010	lb/day	322
Total Suspended Solids (TSS)		9/2/2010	lb/day	316
Total Suspended Solids (TSS)		9/9/2010	lb/day	225
Total Suspended Solids (TSS)		9/16/2010	lb/day	217
Total Suspended Solids (TSS)		9/22/2010	lb/day	288
Total Suspended Solids (TSS)		9/30/2010	lb/day	217
Total Suspended Solids (TSS)		10/7/2010	lb/day	248
Total Suspended Solids (TSS)		10/14/2010	lb/day	208
Total Suspended Solids (TSS)		10/22/2010	lb/day	183
Total Suspended Solids (TSS)	BLENDING EVENT	10/24/2010	lb/day	7.2

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		10/29/2010	lb/day	347
Total Suspended Solids (TSS)		11/4/2010	lb/day	252
Total Suspended Solids (TSS)		11/10/2010	lb/day	341
Total Suspended Solids (TSS)		11/17/2010	lb/day	393
Total Suspended Solids (TSS)		11/24/2010	lb/day	455
Total Suspended Solids (TSS)		12/29/2010	lb/day	2658
Total Suspended Solids (TSS)	mean	12/31/2010	lb/day	1094
Total Suspended Solids (TSS)	max	12/31/2010	lb/day	2658
Total Suspended Solids (TSS)	mean	12/31/2010	lb/day	140.18
Total Suspended Solids (TSS)	max	12/31/2010	lb/day	511.61
Total Suspended Solids (TSS)		1/1/2011	lb/day	2658
Total Suspended Solids (TSS)		1/6/2011	lb/day	494
Total Suspended Solids (TSS)		1/8/2011	lb/day	494
Total Suspended Solids (TSS)		1/13/2011	lb/day	580
Total Suspended Solids (TSS)		1/15/2011	lb/day	580
Total Suspended Solids (TSS)		1/18/2011	lb/day	688
Total Suspended Solids (TSS)		1/18/2011	lb/day	688
Total Suspended Solids (TSS)		1/18/2011	lb/day	688
Total Suspended Solids (TSS)		1/22/2011	lb/day	688
Total Suspended Solids (TSS)		1/27/2011	lb/day	405
Total Suspended Solids (TSS)		1/29/2011	lb/day	405
Total Suspended Solids (TSS)		1/31/2011	lb/day	542
Total Suspended Solids (TSS)		1/31/2011	lb/day	542
Total Suspended Solids (TSS)		2/5/2011	lb/day	374
Total Suspended Solids (TSS)		2/12/2011	lb/day	387
Total Suspended Solids (TSS)		2/17/2011	lb/day	465
Total Suspended Solids (TSS)		2/19/2011	lb/day	465
Total Suspended Solids (TSS)		2/26/2011	lb/day	383
Total Suspended Solids (TSS)		2/28/2011	lb/day	402
Total Suspended Solids (TSS)		3/2/2011	lb/day	334
Total Suspended Solids (TSS)		3/8/2011	lb/day	714
Total Suspended Solids (TSS)		3/16/2011	lb/day	612
Total Suspended Solids (TSS)		3/24/2011	lb/day	1153
Total Suspended Solids (TSS)		3/24/2011	lb/day	1153
Total Suspended Solids (TSS)		3/31/2011	lb/day	703
Total Suspended Solids (TSS)		3/31/2011	lb/day	562
Total Suspended Solids (TSS)		4/7/2011	lb/day	332
Total Suspended Solids (TSS)		4/7/2011	lb/day	332
Total Suspended Solids (TSS)		4/14/2011	lb/day	251
Total Suspended Solids (TSS)		4/21/2011	lb/day	323
Total Suspended Solids (TSS)		4/28/2011	lb/day	236
Total Suspended Solids (TSS)		4/30/2011	lb/day	286
Total Suspended Solids (TSS)		5/7/2011	lb/day	241
Total Suspended Solids (TSS)		5/12/2011	lb/day	284
Total Suspended Solids (TSS)		5/14/2011	lb/day	284
Total Suspended Solids (TSS)		5/21/2011	lb/day	216
Total Suspended Solids (TSS)		5/28/2011	lb/day	258
Total Suspended Solids (TSS)		5/31/2011	lb/day	250
Total Suspended Solids (TSS)		6/4/2011	lb/day	296
Total Suspended Solids (TSS)		6/11/2011	lb/day	265
Total Suspended Solids (TSS)		6/18/2011	lb/day	334
Total Suspended Solids (TSS)		6/23/2011	lb/day	346

BLENDING EVENT
BLENDING EVENT

Total Suspended Solids (TSS)		6/25/2011	lb/day	346
Total Suspended Solids (TSS)		6/30/2011	lb/day	310
Total Suspended Solids (TSS)		7/2/2011	lb/day	311
Total Suspended Solids (TSS)		7/9/2011	lb/day	182
Total Suspended Solids (TSS)		7/16/2011	lb/day	256
Total Suspended Solids (TSS)		7/23/2011	lb/day	254
Total Suspended Solids (TSS)		7/27/2011	lb/day	516
Total Suspended Solids (TSS)		7/30/2011	lb/day	516
Total Suspended Solids (TSS)		7/31/2011	lb/day	302
Total Suspended Solids (TSS)		8/4/2011	lb/day	316
Total Suspended Solids (TSS)		8/4/2011	lb/day	316
Total Suspended Solids (TSS)		8/11/2011	lb/day	247
Total Suspended Solids (TSS)		8/18/2011	lb/day	268
Total Suspended Solids (TSS)		8/25/2011	lb/day	277
Total Suspended Solids (TSS)		8/31/2011	lb/day	277
Total Suspended Solids (TSS)		9/1/2011	lb/day	204
Total Suspended Solids (TSS)		9/8/2011	lb/day	196
Total Suspended Solids (TSS)		9/14/2011	lb/day	199
Total Suspended Solids (TSS)		9/22/2011	lb/day	242
Total Suspended Solids (TSS)		9/22/2011	lb/day	242
Total Suspended Solids (TSS)		9/29/2011	lb/day	189
Total Suspended Solids (TSS)		9/30/2011	lb/day	206
Total Suspended Solids (TSS)		10/6/2011	lb/day	259
Total Suspended Solids (TSS)		10/13/2011	lb/day	353
Total Suspended Solids (TSS)		10/20/2011	lb/day	232
Total Suspended Solids (TSS)		10/27/2011	lb/day	393
Total Suspended Solids (TSS)		10/31/2011	lb/day	285
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/3/2011	lb/day	444
Total Suspended Solids (TSS)		11/5/2011	lb/day	444
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/10/2011	lb/day	293
Total Suspended Solids (TSS)		11/12/2011	lb/day	293
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/16/2011	lb/day	318
Total Suspended Solids (TSS)		11/19/2011	lb/day	318
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/23/2011	lb/day	596
Total Suspended Solids (TSS)		11/26/2011	lb/day	596
Total Suspended Solids (TSS)		11/26/2011	lb/day	596
Total Suspended Solids (TSS)		11/30/2011	lb/day	413
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/1/2011	lb/day	409
Total Suspended Solids (TSS)		12/3/2011	lb/day	409
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/8/2011	lb/day	339
Total Suspended Solids (TSS)		12/10/2011	lb/day	339
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/15/2011	lb/day	403
Total Suspended Solids (TSS)		12/17/2011	lb/day	403
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/22/2011	lb/day	426
Total Suspended Solids (TSS)		12/24/2011	lb/day	426
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/29/2011	lb/day	565
Total Suspended Solids (TSS)		12/29/2011	lb/day	565
Total Suspended Solids (TSS)		12/31/2011	lb/day	565
Total Suspended Solids (TSS)		12/31/2011	lb/day	428
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/5/2012	lb/day	415
Total Suspended Solids (TSS)		1/7/2012	lb/day	415

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/12/2012	lb/day	434
Total Suspended Solids (TSS)		1/14/2012	lb/day	434
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/18/2012	lb/day	989
Total Suspended Solids (TSS)		1/21/2012	lb/day	989
Total Suspended Solids (TSS)		1/21/2012	lb/day	989
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/26/2012	lb/day	979
Total Suspended Solids (TSS)		1/28/2012	lb/day	979
Total Suspended Solids (TSS)		1/31/2012	lb/day	704
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/2/2012	lb/day	465
Total Suspended Solids (TSS)		2/4/2012	lb/day	465
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/9/2012	lb/day	319
Total Suspended Solids (TSS)		2/11/2012	lb/day	319
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/16/2012	lb/day	482
Total Suspended Solids (TSS)		2/16/2012	lb/day	482
Total Suspended Solids (TSS)		2/18/2012	lb/day	482
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/23/2012	lb/day	325
Total Suspended Solids (TSS)		2/25/2012	lb/day	325
Total Suspended Solids (TSS)		2/29/2012	lb/day	398
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/1/2012	lb/day	939
Total Suspended Solids (TSS)		3/3/2012	lb/day	939
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/8/2012	lb/day	419
Total Suspended Solids (TSS)		3/10/2012	lb/day	419
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/14/2012	lb/day	985
Total Suspended Solids (TSS)		3/17/2012	lb/day	985
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/22/2012	lb/day	649
Total Suspended Solids (TSS)		3/24/2012	lb/day	649
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/29/2012	lb/day	2060
Total Suspended Solids (TSS)		3/29/2012	lb/day	2060
Total Suspended Solids (TSS)		3/31/2012	lb/day	1011
Total Suspended Solids (TSS)		3/31/2012	lb/day	2060
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/5/2012	lb/day	780
Total Suspended Solids (TSS)		4/5/2012	lb/day	780
Total Suspended Solids (TSS)		4/7/2012	lb/day	780
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/12/2012	lb/day	735
Total Suspended Solids (TSS)		4/14/2012	lb/day	735
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/19/2012	lb/day	396
Total Suspended Solids (TSS)		4/21/2012	lb/day	396
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/26/2012	lb/day	500
Total Suspended Solids (TSS)		4/28/2012	lb/day	500
Total Suspended Solids (TSS)		4/30/2012	lb/day	603
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/3/2012	lb/day	294
Total Suspended Solids (TSS)		5/5/2012	lb/day	294
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/9/2012	lb/day	228
Total Suspended Solids (TSS)		5/12/2012	lb/day	228
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/16/2012	lb/day	297
Total Suspended Solids (TSS)		5/19/2012	lb/day	297
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/24/2012	lb/day	334
Total Suspended Solids (TSS)		5/24/2012	lb/day	334
Total Suspended Solids (TSS)		5/26/2012	lb/day	334
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/31/2012	lb/day	295
Total Suspended Solids (TSS)		5/31/2012	lb/day	295
Total Suspended Solids (TSS)		6/2/2012	lb/day	334

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/7/2012	lb/day	328
Total Suspended Solids (TSS)		6/9/2012	lb/day	328
Total Suspended Solids (TSS)		6/14/2012	lb/day	332
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/14/2012	lb/day	332
Total Suspended Solids (TSS)		6/16/2012	lb/day	332
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/21/2012	lb/day	250
Total Suspended Solids (TSS)		6/23/2012	lb/day	250
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/28/2012	lb/day	274
Total Suspended Solids (TSS)		6/30/2012	lb/day	296
Total Suspended Solids (TSS)		6/30/2012	lb/day	274
Total Suspended Solids (TSS)		7/4/2012	lb/day	279
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/4/2012	lb/day	279
Total Suspended Solids (TSS)		7/7/2012	lb/day	279
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/12/2012	lb/day	228
Total Suspended Solids (TSS)		7/14/2012	lb/day	228
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/18/2012	lb/day	231
Total Suspended Solids (TSS)		7/21/2012	lb/day	231
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/24/2012	lb/day	238
Total Suspended Solids (TSS)		7/28/2012	lb/day	238
Total Suspended Solids (TSS)		7/31/2012	lb/day	244
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/2/2012	lb/day	277
Total Suspended Solids (TSS)		8/4/2012	lb/day	277
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/9/2012	lb/day	283
Total Suspended Solids (TSS)		8/11/2012	lb/day	283
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/16/2012	lb/day	278
Total Suspended Solids (TSS)		8/18/2012	lb/day	278
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/23/2012	lb/day	283
Total Suspended Solids (TSS)		8/25/2012	lb/day	283
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/30/2012	lb/day	295
Total Suspended Solids (TSS)		8/30/2012	lb/day	295
Total Suspended Solids (TSS)		8/31/2012	lb/day	283
Total Suspended Solids (TSS)		9/1/2012	lb/day	295
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/5/2012	lb/day	209
Total Suspended Solids (TSS)		9/8/2012	lb/day	209
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/14/2012	lb/day	215
Total Suspended Solids (TSS)		9/15/2012	lb/day	215
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/20/2012	lb/day	132
Total Suspended Solids (TSS)		9/22/2012	lb/day	132
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/27/2012	lb/day	269
Total Suspended Solids (TSS)		9/27/2012	lb/day	269
Total Suspended Solids (TSS)		9/29/2012	lb/day	269
Total Suspended Solids (TSS)		9/30/2012	lb/day	283
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/4/2012	lb/day	226
Total Suspended Solids (TSS)		10/6/2012	lb/day	226
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/11/2012	lb/day	317
Total Suspended Solids (TSS)		10/13/2012	lb/day	317
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/18/2012	lb/day	183
Total Suspended Solids (TSS)		10/20/2012	lb/day	183
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/25/2012	lb/day	338
Total Suspended Solids (TSS)		10/25/2012	lb/day	338
Total Suspended Solids (TSS)		10/27/2012	lb/day	338
Total Suspended Solids (TSS)		10/31/2012	lb/day	266

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/1/2012	lb/day	248
Total Suspended Solids (TSS)		11/3/2012	lb/day	248
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/7/2012	lb/day	357
Total Suspended Solids (TSS)		11/10/2012	lb/day	357
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/15/2012	lb/day	284
Total Suspended Solids (TSS)		11/17/2012	lb/day	284
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/21/2012	lb/day	334
Total Suspended Solids (TSS)		11/24/2012	lb/day	334
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/29/2012	lb/day	883
Total Suspended Solids (TSS)		11/29/2012	lb/day	883
Total Suspended Solids (TSS)		11/30/2012	lb/day	421
Total Suspended Solids (TSS)		12/1/2012	lb/day	883
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/6/2012	lb/day	419
Total Suspended Solids (TSS)		12/8/2012	lb/day	419
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/13/2012	lb/day	450
Total Suspended Solids (TSS)		12/15/2012	lb/day	450
Total Suspended Solids (TSS)		12/20/2012	lb/day	1291
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/20/2012	lb/day	1291
Total Suspended Solids (TSS)		12/22/2012	lb/day	1291
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/27/2012	lb/day	1226
Total Suspended Solids (TSS)		12/29/2012	lb/day	1226
Total Suspended Solids (TSS)		12/31/2012	lb/day	847
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/3/2013	lb/day	486
Total Suspended Solids (TSS)		1/5/2013	lb/day	486
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/10/2013	lb/day	520
Total Suspended Solids (TSS)		1/12/2013	lb/day	520
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/17/2013	lb/day	449
Total Suspended Solids (TSS)		1/19/2013	lb/day	449
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/23/2013	lb/day	607
Total Suspended Solids (TSS)		1/23/2013	lb/day	607
Total Suspended Solids (TSS)		1/26/2013	lb/day	607
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/31/2013	lb/day	417
Total Suspended Solids (TSS)		1/31/2013	lb/day	496
Total Suspended Solids (TSS)		2/2/2013	lb/day	417
Total Suspended Solids (TSS)		2/7/2013	lb/day	512
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/7/2013	lb/day	512
Total Suspended Solids (TSS)		2/9/2013	lb/day	512
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/14/2013	lb/day	411
Total Suspended Solids (TSS)		2/16/2013	lb/day	411
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/21/2013	lb/day	439
Total Suspended Solids (TSS)		2/23/2013	lb/day	439
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/28/2013	lb/day	426
Total Suspended Solids (TSS)		2/28/2013	lb/day	447
Total Suspended Solids (TSS)		3/2/2013	lb/day	426
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/6/2013	lb/day	765
Total Suspended Solids (TSS)		3/6/2013	lb/day	765
Total Suspended Solids (TSS)		3/9/2013	lb/day	765
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/12/2013	lb/day	352
Total Suspended Solids (TSS)		3/16/2013	lb/day	352
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/21/2013	lb/day	341
Total Suspended Solids (TSS)		3/23/2013	lb/day	341
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/28/2013	lb/day	312

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		3/30/2013	lb/day	312
Total Suspended Solids (TSS)		3/31/2013	lb/day	447
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/4/2013	lb/day	436
Total Suspended Solids (TSS)		4/4/2013	lb/day	436
Total Suspended Solids (TSS)		4/6/2013	lb/day	436
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/11/2013	lb/day	293
Total Suspended Solids (TSS)		4/13/2013	lb/day	293
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/18/2013	lb/day	228
Total Suspended Solids (TSS)		4/20/2013	lb/day	228
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/25/2013	lb/day	212
Total Suspended Solids (TSS)		4/27/2013	lb/day	212
Total Suspended Solids (TSS)		4/30/2013	lb/day	292
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/2/2013	lb/day	261
Total Suspended Solids (TSS)		5/4/2013	lb/day	261
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/8/2013	lb/day	335
Total Suspended Solids (TSS)		5/11/2013	lb/day	335
Total Suspended Solids (TSS)		5/17/2013	lb/day	378
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/17/2013	lb/day	378
Total Suspended Solids (TSS)		5/18/2013	lb/day	378
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/23/2013	lb/day	288
Total Suspended Solids (TSS)		5/25/2013	lb/day	288
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/30/2013	lb/day	348
Total Suspended Solids (TSS)		5/31/2013	lb/day	322
Total Suspended Solids (TSS)		6/1/2013	lb/day	348
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/6/2013	lb/day	246
Total Suspended Solids (TSS)		6/8/2013	lb/day	246
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/13/2013	lb/day	228
Total Suspended Solids (TSS)		6/15/2013	lb/day	228
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/20/2013	lb/day	315
Total Suspended Solids (TSS)		6/22/2013	lb/day	315
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/26/2013	lb/day	358
Total Suspended Solids (TSS)		6/26/2013	lb/day	358
Total Suspended Solids (TSS)		6/29/2013	lb/day	358
Total Suspended Solids (TSS)		6/30/2013	lb/day	287
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/4/2013	lb/day	356
Total Suspended Solids (TSS)		7/4/2013	lb/day	356
Total Suspended Solids (TSS)		7/6/2013	lb/day	356
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/11/2013	lb/day	302
Total Suspended Solids (TSS)		7/13/2013	lb/day	302
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/17/2013	lb/day	283
Total Suspended Solids (TSS)		7/20/2013	lb/day	283
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/24/2013	lb/day	307
Total Suspended Solids (TSS)		7/27/2013	lb/day	307
Total Suspended Solids (TSS)		7/31/2013	lb/day	303
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/31/2013	lb/day	268
Total Suspended Solids (TSS)		8/3/2013	lb/day	268
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/7/2013	lb/day	181
Total Suspended Solids (TSS)		8/10/2013	lb/day	181
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/15/2013	lb/day	238
Total Suspended Solids (TSS)		8/17/2013	lb/day	238
Total Suspended Solids (TSS)		8/22/2013	lb/day	258
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/22/2013	lb/day	258

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		8/24/2013	lb/day	258
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/29/2013	lb/day	252
Total Suspended Solids (TSS)		8/31/2013	lb/day	232
Total Suspended Solids (TSS)		8/31/2013	lb/day	252
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/5/2013	lb/day	247
Total Suspended Solids (TSS)		9/7/2013	lb/day	247
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/11/2013	lb/day	234
Total Suspended Solids (TSS)		9/14/2013	lb/day	234
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/19/2013	lb/day	286
Total Suspended Solids (TSS)		9/19/2013	lb/day	249
Total Suspended Solids (TSS)		9/21/2013	lb/day	286
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/26/2013	lb/day	249
Total Suspended Solids (TSS)		9/28/2013	lb/day	249
Total Suspended Solids (TSS)		9/30/2013	lb/day	254
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/3/2013	lb/day	197
Total Suspended Solids (TSS)		10/5/2013	lb/day	197
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/10/2013	lb/day	159
Total Suspended Solids (TSS)		10/12/2013	lb/day	159
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/17/2013	lb/day	244
Total Suspended Solids (TSS)		10/19/2013	lb/day	244
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/24/2013	lb/day	310
Total Suspended Solids (TSS)		10/26/2013	lb/day	310
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/31/2013	lb/day	344
Total Suspended Solids (TSS)		10/31/2013	lb/day	344
Total Suspended Solids (TSS)		10/31/2013	lb/day	251
Total Suspended Solids (TSS)		11/2/2013	lb/day	344
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/7/2013	lb/day	374
Total Suspended Solids (TSS)		11/7/2013	lb/day	374
Total Suspended Solids (TSS)		11/9/2013	lb/day	374
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/14/2013	lb/day	262
Total Suspended Solids (TSS)		11/16/2013	lb/day	262
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/20/2013	lb/day	369
Total Suspended Solids (TSS)		11/23/2013	lb/day	369
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/28/2013	lb/day	246
Total Suspended Solids (TSS)		11/30/2013	lb/day	313
Total Suspended Solids (TSS)		11/30/2013	lb/day	246
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/6/2013	lb/day	596
Total Suspended Solids (TSS)		12/7/2013	lb/day	596
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/12/2013	lb/day	339
Total Suspended Solids (TSS)		12/14/2013	lb/day	339
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/19/2013	lb/day	393
Total Suspended Solids (TSS)		12/21/2013	lb/day	393
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/26/2013	lb/day	699
Total Suspended Solids (TSS)		12/26/2013	lb/day	699
Total Suspended Solids (TSS)		12/28/2013	lb/day	699
Total Suspended Solids (TSS)		12/31/2013	lb/day	507
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/2/2014	lb/day	459
Total Suspended Solids (TSS)		1/4/2014	lb/day	459
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/9/2014	lb/day	451
Total Suspended Solids (TSS)		1/11/2014	lb/day	451
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/15/2014	lb/day	364
Total Suspended Solids (TSS)		1/18/2014	lb/day	364

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/23/2014	lb/day	419
Total Suspended Solids (TSS)		1/25/2014	lb/day	419
Total Suspended Solids (TSS)		1/30/2014	lb/day	516
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/30/2014	lb/day	516
Total Suspended Solids (TSS)		1/31/2014	lb/day	442
Total Suspended Solids (TSS)		2/1/2014	lb/day	516
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/6/2014	lb/day	314
Total Suspended Solids (TSS)		2/8/2014	lb/day	314
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/13/2014	lb/day	363
Total Suspended Solids (TSS)		2/15/2014	lb/day	363
Total Suspended Solids (TSS)		2/20/2014	lb/day	495
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/20/2014	lb/day	495
Total Suspended Solids (TSS)		2/22/2014	lb/day	495
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/27/2014	lb/day	386
Total Suspended Solids (TSS)		2/28/2014	lb/day	390
Total Suspended Solids (TSS)		3/1/2014	lb/day	386
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/5/2014	lb/day	354
Total Suspended Solids (TSS)		3/8/2014	lb/day	354
Total Suspended Solids (TSS)		3/13/2014	lb/day	391
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/13/2014	lb/day	391
Total Suspended Solids (TSS)		3/15/2014	lb/day	391
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/20/2014	lb/day	280
Total Suspended Solids (TSS)		3/22/2014	lb/day	280
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/27/2014	lb/day	323
Total Suspended Solids (TSS)		3/29/2014	lb/day	323
Total Suspended Solids (TSS)		3/31/2014	lb/day	337
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/3/2014	lb/day	337
Total Suspended Solids (TSS)		4/3/2014	lb/day	337
Total Suspended Solids (TSS)		4/5/2014	lb/day	337
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/10/2014	lb/day	242
Total Suspended Solids (TSS)		4/12/2014	lb/day	242
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/17/2014	lb/day	214
Total Suspended Solids (TSS)		4/19/2014	lb/day	214
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/24/2014	lb/day	213
Total Suspended Solids (TSS)		4/26/2014	lb/day	213
Total Suspended Solids (TSS)		4/30/2014	lb/day	251
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/1/2014	lb/day	270
Total Suspended Solids (TSS)		5/3/2014	lb/day	270
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/8/2014	lb/day	275
Total Suspended Solids (TSS)		5/10/2014	lb/day	275
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/14/2014	lb/day	199
Total Suspended Solids (TSS)		5/17/2014	lb/day	199
Total Suspended Solids (TSS)		5/22/2014	lb/day	353
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/22/2014	lb/day	353
Total Suspended Solids (TSS)		5/24/2014	lb/day	353
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/29/2014	lb/day	245
Total Suspended Solids (TSS)		5/31/2014	lb/day	245
Total Suspended Solids (TSS)		5/31/2014	lb/day	268
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/5/2014	lb/day	253
Total Suspended Solids (TSS)		6/7/2014	lb/day	253
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/12/2014	lb/day	606
Total Suspended Solids (TSS)		6/12/2014	lb/day	606

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		6/14/2014	lb/day	606
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/19/2014	lb/day	410
Total Suspended Solids (TSS)		6/21/2014	lb/day	410
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/26/2014	lb/day	432
Total Suspended Solids (TSS)		6/28/2014	lb/day	432
Total Suspended Solids (TSS)		6/30/2014	lb/day	426
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/3/2014	lb/day	361
Total Suspended Solids (TSS)		7/5/2014	lb/day	361
Total Suspended Solids (TSS)		7/10/2014	lb/day	489
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/10/2014	lb/day	489
Total Suspended Solids (TSS)		7/12/2014	lb/day	489
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/17/2014	lb/day	354
Total Suspended Solids (TSS)		7/19/2014	lb/day	354
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/23/2014	lb/day	457
Total Suspended Solids (TSS)		7/26/2014	lb/day	457
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/31/2014	lb/day	453
Total Suspended Solids (TSS)		7/31/2014	lb/day	423
Total Suspended Solids (TSS)		8/2/2014	lb/day	453
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/8/2014	lb/day	330
Total Suspended Solids (TSS)		8/9/2014	lb/day	330
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/14/2014	lb/day	350
Total Suspended Solids (TSS)		8/16/2014	lb/day	350
Total Suspended Solids (TSS)		8/21/2014	lb/day	360
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/21/2014	lb/day	360
Total Suspended Solids (TSS)		8/23/2014	lb/day	360
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/28/2014	lb/day	338
Total Suspended Solids (TSS)		8/30/2014	lb/day	338
Total Suspended Solids (TSS)		8/31/2014	lb/day	345
Total Suspended Solids (TSS)		9/3/2014	lb/day	552
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/3/2014	lb/day	552
Total Suspended Solids (TSS)		9/6/2014	lb/day	552
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/11/2014	lb/day	331
Total Suspended Solids (TSS)		9/13/2014	lb/day	331
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/17/2014	lb/day	325
Total Suspended Solids (TSS)		9/20/2014	lb/day	325
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/25/2014	lb/day	469
Total Suspended Solids (TSS)		9/27/2014	lb/day	469
Total Suspended Solids (TSS)		9/30/2014	lb/day	419
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/2/2014	lb/day	168
Total Suspended Solids (TSS)		10/4/2014	lb/day	168
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/9/2014	lb/day	247
Total Suspended Solids (TSS)		10/11/2014	lb/day	247
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/16/2014	lb/day	174
Total Suspended Solids (TSS)		10/18/2014	lb/day	174
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/23/2014	lb/day	414
Total Suspended Solids (TSS)		10/25/2014	lb/day	414
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/30/2014	lb/day	512
Total Suspended Solids (TSS)		10/30/2014	lb/day	512
Total Suspended Solids (TSS)		10/31/2014	lb/day	303
Total Suspended Solids (TSS)		8/6/2009	mg/L	9.2
Total Suspended Solids (TSS)		8/13/2009	mg/L	12
Total Suspended Solids (TSS)		8/20/2009	mg/L	12

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		8/27/2009	mg/L	11
Total Suspended Solids (TSS)		9/3/2009	mg/L	8.8
Total Suspended Solids (TSS)		9/10/2009	mg/L	12
Total Suspended Solids (TSS)		9/17/2009	mg/L	10
Total Suspended Solids (TSS)		9/24/2009	mg/L	8.2
Total Suspended Solids (TSS)		10/1/2009	mg/L	7
Total Suspended Solids (TSS)		10/8/2009	mg/L	8.6
Total Suspended Solids (TSS)		10/14/2009	mg/L	9.2
Total Suspended Solids (TSS)		10/22/2009	mg/L	7
Total Suspended Solids (TSS)		10/29/2009	mg/L	8.2
Total Suspended Solids (TSS)		11/4/2009	mg/L	5.4
Total Suspended Solids (TSS)		11/11/2009	mg/L	9.2
Total Suspended Solids (TSS)		11/19/2009	mg/L	8
Total Suspended Solids (TSS)		11/25/2009	mg/L	8.6
Total Suspended Solids (TSS)		12/3/2009	mg/L	9.2
Total Suspended Solids (TSS)		12/10/2009	mg/L	14
Total Suspended Solids (TSS)		12/17/2009	mg/L	13
Total Suspended Solids (TSS)		12/24/2009	mg/L	14
Total Suspended Solids (TSS)		12/31/2009	mg/L	9.6
Total Suspended Solids (TSS)	BLENDING EVENT	1/1/2010	mg/L	11
Total Suspended Solids (TSS)		1/7/2010	mg/L	7.8
Total Suspended Solids (TSS)	BLENDING EVENT	1/10/2010	mg/L	6.4
Total Suspended Solids (TSS)		1/14/2010	mg/L	9
Total Suspended Solids (TSS)		1/19/2010	mg/L	15
Total Suspended Solids (TSS)		1/20/2010	mg/L	17
Total Suspended Solids (TSS)	BLENDING EVENT	1/20/2010	mg/L	14
Total Suspended Solids (TSS)	BLENDING EVENT	1/21/2010	mg/L	16
Total Suspended Solids (TSS)	BLENDING EVENT	1/22/2010	mg/L	9
Total Suspended Solids (TSS)	BLENDING EVENT	1/23/2010	mg/L	7.8
Total Suspended Solids (TSS)	BLENDING EVENT	1/26/2010	mg/L	8.8
Total Suspended Solids (TSS)		1/27/2010	mg/L	9.4
Total Suspended Solids (TSS)		2/4/2010	mg/L	8.2
Total Suspended Solids (TSS)		2/11/2010	mg/L	7.8
Total Suspended Solids (TSS)		2/18/2010	mg/L	7
Total Suspended Solids (TSS)		2/25/2010	mg/L	9.4
Total Suspended Solids (TSS)	BLENDING EVENT	2/26/2010	mg/L	9.2
Total Suspended Solids (TSS)	BLENDING EVENT	2/27/2010	mg/L	14
Total Suspended Solids (TSS)	BLENDING EVENT	3/3/2010	mg/L	8.4
Total Suspended Solids (TSS)		3/4/2010	mg/L	8.8
Total Suspended Solids (TSS)	BLENDING EVENT	3/4/2010	mg/L	8.4
Total Suspended Solids (TSS)		3/11/2010	mg/L	6.8
Total Suspended Solids (TSS)	BLENDING EVENT	3/12/2010	mg/L	8.6
Total Suspended Solids (TSS)	BLENDING EVENT	3/13/2010	mg/L	10
Total Suspended Solids (TSS)	BLENDING EVENT	3/14/2010	mg/L	9.6
Total Suspended Solids (TSS)		3/18/2010	mg/L	6.8
Total Suspended Solids (TSS)		3/21/2010	mg/L	6
Total Suspended Solids (TSS)		3/25/2010	mg/L	7.8
Total Suspended Solids (TSS)	BLENDING EVENT	3/31/2010	mg/L	8.2
Total Suspended Solids (TSS)		4/1/2010	mg/L	8.8
Total Suspended Solids (TSS)	BLENDING EVENT	4/2/2010	mg/L	13
Total Suspended Solids (TSS)		4/5/2010	mg/L	9.2
Total Suspended Solids (TSS)		4/6/2010	mg/L	8.4

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)	BLENDING EVENT	4/6/2010	mg/L	7.2
Total Suspended Solids (TSS)		4/15/2010	mg/L	7.4
Total Suspended Solids (TSS)		4/22/2010	mg/L	11
Total Suspended Solids (TSS)	BLENDING EVENT	4/27/2010	mg/L	18
Total Suspended Solids (TSS)	BLENDING EVENT	4/28/2010	mg/L	10
Total Suspended Solids (TSS)		4/29/2010	mg/L	11
Total Suspended Solids (TSS)	BLENDING EVENT	4/29/2010	mg/L	7.2
Total Suspended Solids (TSS)	BLENDING EVENT	5/2/2010	mg/L	5
Total Suspended Solids (TSS)		5/4/2010	mg/L	6.6
Total Suspended Solids (TSS)		5/13/2010	mg/L	6.4
Total Suspended Solids (TSS)		5/20/2010	mg/L	6.8
Total Suspended Solids (TSS)		5/27/2010	mg/L	6.4
Total Suspended Solids (TSS)		6/3/2010	mg/L	10
Total Suspended Solids (TSS)	BLENDING EVENT	6/4/2010	mg/L	11
Total Suspended Solids (TSS)		6/10/2010	mg/L	5.4
Total Suspended Solids (TSS)		6/17/2010	mg/L	5.6
Total Suspended Solids (TSS)		6/23/2010	mg/L	6.8
Total Suspended Solids (TSS)		7/2/2010	mg/L	8
Total Suspended Solids (TSS)		7/7/2010	mg/L	8.2
Total Suspended Solids (TSS)		7/14/2010	mg/L	9.2
Total Suspended Solids (TSS)		7/22/2010	mg/L	10
Total Suspended Solids (TSS)		7/30/2010	mg/L	8.2
Total Suspended Solids (TSS)		8/5/2010	mg/L	8
Total Suspended Solids (TSS)		8/12/2010	mg/L	8.2
Total Suspended Solids (TSS)		8/20/2010	mg/L	7.6
Total Suspended Solids (TSS)		8/26/2010	mg/L	9.6
Total Suspended Solids (TSS)		9/2/2010	mg/L	9.2
Total Suspended Solids (TSS)		9/9/2010	mg/L	6.6
Total Suspended Solids (TSS)		9/16/2010	mg/L	6.6
Total Suspended Solids (TSS)		9/22/2010	mg/L	8.4
Total Suspended Solids (TSS)		9/30/2010	mg/L	6.6
Total Suspended Solids (TSS)		10/7/2010	mg/L	7.4
Total Suspended Solids (TSS)		10/14/2010	mg/L	6.6
Total Suspended Solids (TSS)		10/22/2010	mg/L	5.8
Total Suspended Solids (TSS)	BLENDING EVENT	10/24/2010	mg/L	9.2
Total Suspended Solids (TSS)		10/29/2010	mg/L	9.2
Total Suspended Solids (TSS)		11/4/2010	mg/L	8.2
Total Suspended Solids (TSS)		11/10/2010	mg/L	8.8
Total Suspended Solids (TSS)		11/17/2010	mg/L	11
Total Suspended Solids (TSS)		11/24/2010	mg/L	10
Total Suspended Solids (TSS)		12/29/2010	mg/L	22
Total Suspended Solids (TSS)	mean	12/31/2010	mg/L	13.6
Total Suspended Solids (TSS)	max	12/31/2010	mg/L	22
Total Suspended Solids (TSS)	mean	12/31/2010	mg/L	13
Total Suspended Solids (TSS)	max	12/31/2010	mg/L	18
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/1/2011	mg/L	13
Total Suspended Solids (TSS)		1/1/2011	mg/L	22
Total Suspended Solids (TSS)		1/6/2011	mg/L	9.4
Total Suspended Solids (TSS)		1/8/2011	mg/L	9.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/12/2011	mg/L	8.6
Total Suspended Solids (TSS)		1/13/2011	mg/L	10
Total Suspended Solids (TSS)		1/15/2011	mg/L	10

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

BLENDING EVENT
BLENDING EVENT

Total Suspended Solids (TSS)	1/18/2011	mg/L	13
Total Suspended Solids (TSS)	1/18/2011	mg/L	13
Total Suspended Solids (TSS)	1/18/2011	mg/L	13
Total Suspended Solids (TSS)	1/22/2011	mg/L	13
Total Suspended Solids (TSS)	1/27/2011	mg/L	10
Total Suspended Solids (TSS)	1/29/2011	mg/L	10
Total Suspended Solids (TSS)	1/31/2011	mg/L	10.6
Total Suspended Solids (TSS)	1/31/2011	mg/L	10.6
Total Suspended Solids (TSS)	2/5/2011	mg/L	9.2
Total Suspended Solids (TSS)	2/10/2011	mg/L	11
Total Suspended Solids (TSS)	2/12/2011	mg/L	11
Total Suspended Solids (TSS)	2/19/2011	mg/L	7.6
Total Suspended Solids (TSS)	2/26/2011	mg/L	6.8
Total Suspended Solids (TSS)	2/28/2011	mg/L	8.65
Total Suspended Solids (TSS)	3/2/2011	mg/L	6.8
Total Suspended Solids (TSS)	3/8/2011	mg/L	9.8
Total Suspended Solids (TSS)	3/8/2011	mg/L	9.8
Total Suspended Solids (TSS)	3/16/2011	mg/L	7.4
Total Suspended Solids (TSS)	3/24/2011	mg/L	8
Total Suspended Solids (TSS)	3/31/2011	mg/L	8
Total Suspended Solids (TSS)	3/31/2011	mg/L	8
Total Suspended Solids (TSS)	4/7/2011	mg/L	5.8
Total Suspended Solids (TSS)	4/7/2011	mg/L	5.8
Total Suspended Solids (TSS)	4/14/2011	mg/L	5.2
Total Suspended Solids (TSS)	4/21/2011	mg/L	5.6
Total Suspended Solids (TSS)	4/28/2011	mg/L	5.2
Total Suspended Solids (TSS)	4/30/2011	mg/L	5.45
Total Suspended Solids (TSS)	5/7/2011	mg/L	6.2
Total Suspended Solids (TSS)	5/12/2011	mg/L	8
Total Suspended Solids (TSS)	5/14/2011	mg/L	8
Total Suspended Solids (TSS)	5/21/2011	mg/L	5.6
Total Suspended Solids (TSS)	5/28/2011	mg/L	8
Total Suspended Solids (TSS)	5/31/2011	mg/L	6.95
Total Suspended Solids (TSS)	6/4/2011	mg/L	8.8
Total Suspended Solids (TSS)	6/11/2011	mg/L	8.6
Total Suspended Solids (TSS)	6/18/2011	mg/L	11
Total Suspended Solids (TSS)	6/23/2011	mg/L	12
Total Suspended Solids (TSS)	6/25/2011	mg/L	12
Total Suspended Solids (TSS)	6/30/2011	mg/L	10
Total Suspended Solids (TSS)	7/2/2011	mg/L	9.6
Total Suspended Solids (TSS)	7/9/2011	mg/L	6
Total Suspended Solids (TSS)	7/16/2011	mg/L	8.4
Total Suspended Solids (TSS)	7/23/2011	mg/L	8.6
Total Suspended Solids (TSS)	7/27/2011	mg/L	17
Total Suspended Solids (TSS)	7/30/2011	mg/L	17
Total Suspended Solids (TSS)	7/31/2011	mg/L	10
Total Suspended Solids (TSS)	8/4/2011	mg/L	11
Total Suspended Solids (TSS)	8/4/2011	mg/L	11
Total Suspended Solids (TSS)	8/11/2011	mg/L	8.4
Total Suspended Solids (TSS)	8/18/2011	mg/L	9.2
Total Suspended Solids (TSS)	8/25/2011	mg/L	9.6
Total Suspended Solids (TSS)	8/31/2011	mg/L	9.55

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		9/1/2011	mg/L	7.6
Total Suspended Solids (TSS)		9/8/2011	mg/L	7.2
Total Suspended Solids (TSS)		9/14/2011	mg/L	6.6
Total Suspended Solids (TSS)		9/22/2011	mg/L	8.6
Total Suspended Solids (TSS)		9/22/2011	mg/L	8.6
Total Suspended Solids (TSS)		9/29/2011	mg/L	7.2
Total Suspended Solids (TSS)		9/30/2011	mg/L	7.44
Total Suspended Solids (TSS)		10/6/2011	mg/L	7.6
Total Suspended Solids (TSS)		10/13/2011	mg/L	11
Total Suspended Solids (TSS)		10/20/2011	mg/L	8
Total Suspended Solids (TSS)		10/27/2011	mg/L	14
Total Suspended Solids (TSS)		10/27/2011	mg/L	14
Total Suspended Solids (TSS)		10/31/2011	mg/L	10.2
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/3/2011	mg/L	15
Total Suspended Solids (TSS)		11/3/2011	mg/L	15
Total Suspended Solids (TSS)		11/5/2011	mg/L	15
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/10/2011	mg/L	11
Total Suspended Solids (TSS)		11/12/2011	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/16/2011	mg/L	11
Total Suspended Solids (TSS)		11/19/2011	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/23/2011	mg/L	11
Total Suspended Solids (TSS)		11/26/2011	mg/L	11
Total Suspended Solids (TSS)		11/30/2011	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/1/2011	mg/L	13
Total Suspended Solids (TSS)		12/3/2011	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/8/2011	mg/L	11
Total Suspended Solids (TSS)		12/10/2011	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/15/2011	mg/L	13
Total Suspended Solids (TSS)		12/17/2011	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/22/2011	mg/L	14
Total Suspended Solids (TSS)		12/24/2011	mg/L	14
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/29/2011	mg/L	14
Total Suspended Solids (TSS)		12/29/2011	mg/L	14
Total Suspended Solids (TSS)		12/31/2011	mg/L	13
Total Suspended Solids (TSS)		12/31/2011	mg/L	14
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/5/2012	mg/L	13
Total Suspended Solids (TSS)		1/7/2012	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/12/2012	mg/L	15
Total Suspended Solids (TSS)		1/14/2012	mg/L	15
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/18/2012	mg/L	19
Total Suspended Solids (TSS)		1/21/2012	mg/L	19
Total Suspended Solids (TSS)		1/21/2012	mg/L	19
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/26/2012	mg/L	12
Total Suspended Solids (TSS)		1/28/2012	mg/L	12
Total Suspended Solids (TSS)		1/31/2012	mg/L	14.8
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/2/2012	mg/L	9.4
Total Suspended Solids (TSS)		2/4/2012	mg/L	9.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/9/2012	mg/L	8
Total Suspended Solids (TSS)		2/11/2012	mg/L	8
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/16/2012	mg/L	12
Total Suspended Solids (TSS)		2/16/2012	mg/L	12
Total Suspended Solids (TSS)		2/18/2012	mg/L	12

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/23/2012	mg/L	9.2
Total Suspended Solids (TSS)		2/25/2012	mg/L	9.2
Total Suspended Solids (TSS)		2/29/2012	mg/L	9.65
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/1/2012	mg/L	16
Total Suspended Solids (TSS)		3/3/2012	mg/L	16
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/8/2012	mg/L	11
Total Suspended Solids (TSS)		3/10/2012	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/14/2012	mg/L	17
Total Suspended Solids (TSS)		3/14/2012	mg/L	17
Total Suspended Solids (TSS)		3/17/2012	mg/L	17
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/22/2012	mg/L	9.4
Total Suspended Solids (TSS)		3/24/2012	mg/L	9.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/29/2012	mg/L	12
Total Suspended Solids (TSS)		3/31/2012	mg/L	13.1
Total Suspended Solids (TSS)		3/31/2012	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/5/2012	mg/L	9.6
Total Suspended Solids (TSS)		4/5/2012	mg/L	9.6
Total Suspended Solids (TSS)		4/7/2012	mg/L	9.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/12/2012	mg/L	7.6
Total Suspended Solids (TSS)		4/14/2012	mg/L	7.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/19/2012	mg/L	6.8
Total Suspended Solids (TSS)		4/21/2012	mg/L	6.8
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/26/2012	mg/L	8.8
Total Suspended Solids (TSS)		4/28/2012	mg/L	8.8
Total Suspended Solids (TSS)		4/30/2012	mg/L	8.2
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/3/2012	mg/L	6.4
Total Suspended Solids (TSS)		5/5/2012	mg/L	6.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/9/2012	mg/L	6
Total Suspended Solids (TSS)		5/12/2012	mg/L	6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/16/2012	mg/L	8
Total Suspended Solids (TSS)		5/19/2012	mg/L	8
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/24/2012	mg/L	9.8
Total Suspended Solids (TSS)		5/26/2012	mg/L	9.8
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/31/2012	mg/L	9.2
Total Suspended Solids (TSS)		5/31/2012	mg/L	9.9
Total Suspended Solids (TSS)		5/31/2012	mg/L	7.9
Total Suspended Solids (TSS)		6/2/2012	mg/L	9.2
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/7/2012	mg/L	9.6
Total Suspended Solids (TSS)		6/9/2012	mg/L	9.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/14/2012	mg/L	11
Total Suspended Solids (TSS)		6/14/2012	mg/L	11
Total Suspended Solids (TSS)		6/16/2012	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/21/2012	mg/L	8.2
Total Suspended Solids (TSS)		6/23/2012	mg/L	8.2
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/28/2012	mg/L	9
Total Suspended Solids (TSS)		6/30/2012	mg/L	9
Total Suspended Solids (TSS)		6/30/2012	mg/L	9.5
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/4/2012	mg/L	9.6
Total Suspended Solids (TSS)		7/4/2012	mg/L	9.6
Total Suspended Solids (TSS)		7/7/2012	mg/L	9.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/12/2012	mg/L	8
Total Suspended Solids (TSS)		7/14/2012	mg/L	8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/18/2012	mg/L	7.6
Total Suspended Solids (TSS)		7/21/2012	mg/L	7.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/24/2012	mg/L	8.4
Total Suspended Solids (TSS)		7/28/2012	mg/L	8.4
Total Suspended Solids (TSS)		7/31/2012	mg/L	8.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/2/2012	mg/L	9.7
Total Suspended Solids (TSS)		8/4/2012	mg/L	9.7
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/9/2012	mg/L	9.6
Total Suspended Solids (TSS)		8/11/2012	mg/L	9.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/16/2012	mg/L	10
Total Suspended Solids (TSS)		8/18/2012	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/23/2012	mg/L	10
Total Suspended Solids (TSS)		8/25/2012	mg/L	10
Total Suspended Solids (TSS)		8/30/2012	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/30/2012	mg/L	11
Total Suspended Solids (TSS)		8/31/2012	mg/L	10
Total Suspended Solids (TSS)		9/1/2012	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/5/2012	mg/L	7.3
Total Suspended Solids (TSS)		9/8/2012	mg/L	7.3
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/14/2012	mg/L	8.5
Total Suspended Solids (TSS)		9/15/2012	mg/L	8.5
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/20/2012	mg/L	5.2
Total Suspended Solids (TSS)		9/22/2012	mg/L	5.2
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/27/2012	mg/L	11
Total Suspended Solids (TSS)		9/27/2012	mg/L	11
Total Suspended Solids (TSS)		9/29/2012	mg/L	11
Total Suspended Solids (TSS)		9/30/2012	mg/L	8
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/4/2012	mg/L	8.7
Total Suspended Solids (TSS)		10/6/2012	mg/L	8.7
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/11/2012	mg/L	12
Total Suspended Solids (TSS)		10/13/2012	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/18/2012	mg/L	7
Total Suspended Solids (TSS)		10/20/2012	mg/L	7
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/25/2012	mg/L	12
Total Suspended Solids (TSS)		10/25/2012	mg/L	12
Total Suspended Solids (TSS)		10/27/2012	mg/L	12
Total Suspended Solids (TSS)		10/31/2012	mg/L	9.9
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/1/2012	mg/L	8.4
Total Suspended Solids (TSS)		11/3/2012	mg/L	8.4
Total Suspended Solids (TSS)		11/7/2012	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/7/2012	mg/L	12
Total Suspended Solids (TSS)		11/10/2012	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/15/2012	mg/L	11
Total Suspended Solids (TSS)		11/17/2012	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/21/2012	mg/L	8.9
Total Suspended Solids (TSS)		11/24/2012	mg/L	8.9
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/29/2012	mg/L	9.6
Total Suspended Solids (TSS)		11/30/2012	mg/L	10
Total Suspended Solids (TSS)		12/1/2012	mg/L	9.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/6/2012	mg/L	7.6
Total Suspended Solids (TSS)		12/8/2012	mg/L	7.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/13/2012	mg/L	10

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		12/15/2012	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/20/2012	mg/L	12
Total Suspended Solids (TSS)		12/22/2012	mg/L	12
Total Suspended Solids (TSS)		12/27/2012	mg/L	14
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/27/2012	mg/L	14
Total Suspended Solids (TSS)		12/29/2012	mg/L	14
Total Suspended Solids (TSS)		12/31/2012	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/3/2013	mg/L	10
Total Suspended Solids (TSS)		1/5/2013	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/10/2013	mg/L	10
Total Suspended Solids (TSS)		1/12/2013	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/17/2013	mg/L	11
Total Suspended Solids (TSS)		1/19/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/23/2013	mg/L	13
Total Suspended Solids (TSS)		1/23/2013	mg/L	13
Total Suspended Solids (TSS)		1/26/2013	mg/L	13
Total Suspended Solids (TSS)		1/31/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/31/2013	mg/L	11
Total Suspended Solids (TSS)		2/2/2013	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/7/2013	mg/L	12
Total Suspended Solids (TSS)		2/9/2013	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/14/2013	mg/L	12
Total Suspended Solids (TSS)		2/16/2013	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/21/2013	mg/L	13
Total Suspended Solids (TSS)		2/21/2013	mg/L	13
Total Suspended Solids (TSS)		2/23/2013	mg/L	12
Total Suspended Solids (TSS)		2/28/2013	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/28/2013	mg/L	12
Total Suspended Solids (TSS)		3/2/2013	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/6/2013	mg/L	12
Total Suspended Solids (TSS)		3/6/2013	mg/L	12
Total Suspended Solids (TSS)		3/9/2013	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/12/2013	mg/L	9.2
Total Suspended Solids (TSS)		3/16/2013	mg/L	9.2
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/21/2013	mg/L	9.4
Total Suspended Solids (TSS)		3/23/2013	mg/L	9.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/28/2013	mg/L	10
Total Suspended Solids (TSS)		3/30/2013	mg/L	10
Total Suspended Solids (TSS)		3/31/2013	mg/L	10.2
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/4/2013	mg/L	10
Total Suspended Solids (TSS)		4/4/2013	mg/L	10
Total Suspended Solids (TSS)		4/6/2013	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/11/2013	mg/L	7.6
Total Suspended Solids (TSS)		4/13/2013	mg/L	7.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/18/2013	mg/L	7.1
Total Suspended Solids (TSS)		4/20/2013	mg/L	7.1
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/25/2013	mg/L	7.4
Total Suspended Solids (TSS)		4/27/2013	mg/L	7.4
Total Suspended Solids (TSS)		4/30/2013	mg/L	8
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/2/2013	mg/L	9.4
Total Suspended Solids (TSS)		5/4/2013	mg/L	9.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/8/2013	mg/L	11

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		5/11/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/17/2013	mg/L	13
Total Suspended Solids (TSS)		5/17/2013	mg/L	13
Total Suspended Solids (TSS)		5/18/2013	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/23/2013	mg/L	11
Total Suspended Solids (TSS)		5/25/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/30/2013	mg/L	12
Total Suspended Solids (TSS)		5/31/2013	mg/L	11
Total Suspended Solids (TSS)		6/1/2013	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/6/2013	mg/L	8.8
Total Suspended Solids (TSS)		6/8/2013	mg/L	8.8
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/13/2013	mg/L	8.4
Total Suspended Solids (TSS)		6/15/2013	mg/L	8.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/20/2013	mg/L	11
Total Suspended Solids (TSS)		6/22/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/26/2013	mg/L	12
Total Suspended Solids (TSS)		6/26/2013	mg/L	12
Total Suspended Solids (TSS)		6/29/2013	mg/L	12
Total Suspended Solids (TSS)		6/30/2013	mg/L	10
Total Suspended Solids (TSS)		7/4/2013	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/4/2013	mg/L	13
Total Suspended Solids (TSS)		7/6/2013	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/11/2013	mg/L	11
Total Suspended Solids (TSS)		7/13/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/17/2013	mg/L	10
Total Suspended Solids (TSS)		7/20/2013	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/24/2013	mg/L	11
Total Suspended Solids (TSS)		7/27/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/31/2013	mg/L	10
Total Suspended Solids (TSS)		7/31/2013	mg/L	11
Total Suspended Solids (TSS)		8/3/2013	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/7/2013	mg/L	6.4
Total Suspended Solids (TSS)		8/10/2013	mg/L	6.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/15/2013	mg/L	8.5
Total Suspended Solids (TSS)		8/17/2013	mg/L	8.5
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/22/2013	mg/L	10
Total Suspended Solids (TSS)		8/22/2013	mg/L	10
Total Suspended Solids (TSS)		8/24/2013	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/29/2013	mg/L	9.5
Total Suspended Solids (TSS)		8/31/2013	mg/L	9.5
Total Suspended Solids (TSS)		8/31/2013	mg/L	8.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/5/2013	mg/L	9.3
Total Suspended Solids (TSS)		9/7/2013	mg/L	9.3
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/11/2013	mg/L	8.7
Total Suspended Solids (TSS)		9/14/2013	mg/L	8.7
Total Suspended Solids (TSS)		9/19/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/19/2013	mg/L	11
Total Suspended Solids (TSS)		9/21/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/26/2013	mg/L	9.3
Total Suspended Solids (TSS)		9/28/2013	mg/L	9.3
Total Suspended Solids (TSS)		9/30/2013	mg/L	9.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/3/2013	mg/L	7.5

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		10/5/2013	mg/L	7.5
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/10/2013	mg/L	6
Total Suspended Solids (TSS)		10/12/2013	mg/L	6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/17/2013	mg/L	10
Total Suspended Solids (TSS)		10/19/2013	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/24/2013	mg/L	12
Total Suspended Solids (TSS)		10/26/2013	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/31/2013	mg/L	14
Total Suspended Solids (TSS)		10/31/2013	mg/L	9.9
Total Suspended Solids (TSS)		10/31/2013	mg/L	14
Total Suspended Solids (TSS)		11/2/2013	mg/L	14
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/7/2013	mg/L	15
Total Suspended Solids (TSS)		11/7/2013	mg/L	15
Total Suspended Solids (TSS)		11/9/2013	mg/L	15
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/14/2013	mg/L	11
Total Suspended Solids (TSS)		11/16/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/20/2013	mg/L	11
Total Suspended Solids (TSS)		11/23/2013	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	11/28/2013	mg/L	10
Total Suspended Solids (TSS)		11/30/2013	mg/L	10
Total Suspended Solids (TSS)		11/30/2013	mg/L	11.8
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/6/2013	mg/L	16
Total Suspended Solids (TSS)		12/7/2013	mg/L	16
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/12/2013	mg/L	14
Total Suspended Solids (TSS)		12/14/2013	mg/L	14
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/19/2013	mg/L	15
Total Suspended Solids (TSS)		12/21/2013	mg/L	15
Total Suspended Solids (TSS)		12/26/2013	mg/L	28
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	12/26/2013	mg/L	28
Total Suspended Solids (TSS)		12/28/2013	mg/L	28
Total Suspended Solids (TSS)		12/31/2013	mg/L	18
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/2/2014	mg/L	18
Total Suspended Solids (TSS)		1/4/2014	mg/L	18
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/9/2014	mg/L	17
Total Suspended Solids (TSS)		1/11/2014	mg/L	17
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/15/2014	mg/L	14
Total Suspended Solids (TSS)		1/18/2014	mg/L	14
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/23/2014	mg/L	17
Total Suspended Solids (TSS)		1/25/2014	mg/L	17
Total Suspended Solids (TSS)		1/30/2014	mg/L	20
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	1/30/2014	mg/L	20
Total Suspended Solids (TSS)		1/31/2014	mg/L	17
Total Suspended Solids (TSS)		2/1/2014	mg/L	20
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/6/2014	mg/L	12
Total Suspended Solids (TSS)		2/8/2014	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/13/2014	mg/L	9.5
Total Suspended Solids (TSS)		2/15/2014	mg/L	10
Total Suspended Solids (TSS)		2/20/2014	mg/L	15
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/20/2014	mg/L	15
Total Suspended Solids (TSS)		2/22/2014	mg/L	15
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	2/27/2014	mg/L	11
Total Suspended Solids (TSS)		2/28/2014	mg/L	12

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		3/1/2014	mg/L	11
Total Suspended Solids (TSS)		3/5/2014	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/5/2014	mg/L	10
Total Suspended Solids (TSS)		3/8/2014	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/13/2014	mg/L	8
Total Suspended Solids (TSS)		3/15/2014	mg/L	8
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/20/2014	mg/L	8.5
Total Suspended Solids (TSS)		3/22/2014	mg/L	8.5
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	3/27/2014	mg/L	9.2
Total Suspended Solids (TSS)		3/29/2014	mg/L	9.2
Total Suspended Solids (TSS)		3/31/2014	mg/L	8.9
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/3/2014	mg/L	9.2
Total Suspended Solids (TSS)		4/3/2014	mg/L	9.2
Total Suspended Solids (TSS)		4/5/2014	mg/L	9.2
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/10/2014	mg/L	7.6
Total Suspended Solids (TSS)		4/12/2014	mg/L	7.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/17/2014	mg/L	7.21
Total Suspended Solids (TSS)		4/19/2014	mg/L	7.21
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	4/24/2014	mg/L	6.4
Total Suspended Solids (TSS)		4/26/2014	mg/L	6.4
Total Suspended Solids (TSS)		4/30/2014	mg/L	7.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/1/2014	mg/L	8.4
Total Suspended Solids (TSS)		5/3/2014	mg/L	8.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/8/2014	mg/L	9.2
Total Suspended Solids (TSS)		5/10/2014	mg/L	9.2
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/14/2014	mg/L	6.8
Total Suspended Solids (TSS)		5/17/2014	mg/L	6.8
Total Suspended Solids (TSS)		5/22/2014	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/22/2014	mg/L	13
Total Suspended Solids (TSS)		5/24/2014	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	5/29/2014	mg/L	9.2
Total Suspended Solids (TSS)		5/31/2014	mg/L	9.2
Total Suspended Solids (TSS)		5/31/2014	mg/L	9.3
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/5/2014	mg/L	10
Total Suspended Solids (TSS)		6/7/2014	mg/L	10
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/12/2014	mg/L	18
Total Suspended Solids (TSS)		6/12/2014	mg/L	18
Total Suspended Solids (TSS)		6/14/2014	mg/L	18
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/19/2014	mg/L	13
Total Suspended Solids (TSS)		6/21/2014	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	6/26/2014	mg/L	13
Total Suspended Solids (TSS)		6/28/2014	mg/L	13
Total Suspended Solids (TSS)		6/30/2014	mg/L	14
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/3/2014	mg/L	12
Total Suspended Solids (TSS)		7/5/2014	mg/L	12
Total Suspended Solids (TSS)		7/10/2014	mg/L	15
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/10/2014	mg/L	15
Total Suspended Solids (TSS)		7/12/2014	mg/L	15
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/17/2014	mg/L	11
Total Suspended Solids (TSS)		7/19/2014	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/23/2014	mg/L	15
Total Suspended Solids (TSS)		7/26/2014	mg/L	15

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS)		7/31/2014	mg/L	13
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	7/31/2014	mg/L	14
Total Suspended Solids (TSS)		8/2/2014	mg/L	14
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/8/2014	mg/L	11
Total Suspended Solids (TSS)		8/9/2014	mg/L	11
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/14/2014	mg/L	11
Total Suspended Solids (TSS)		8/16/2014	mg/L	11
Total Suspended Solids (TSS)		8/21/2014	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/21/2014	mg/L	12
Total Suspended Solids (TSS)		8/23/2014	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	8/28/2014	mg/L	12
Total Suspended Solids (TSS)		8/30/2014	mg/L	12
Total Suspended Solids (TSS)		8/31/2014	mg/L	12
Total Suspended Solids (TSS)		9/3/2014	mg/L	15
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/3/2014	mg/L	15
Total Suspended Solids (TSS)		9/6/2014	mg/L	15
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/11/2014	mg/L	12
Total Suspended Solids (TSS)		9/13/2014	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/17/2014	mg/L	8.4
Total Suspended Solids (TSS)		9/20/2014	mg/L	8.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	9/25/2014	mg/L	13
Total Suspended Solids (TSS)		9/27/2014	mg/L	13
Total Suspended Solids (TSS)		9/30/2014	mg/L	12
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/2/2014	mg/L	6
Total Suspended Solids (TSS)		10/4/2014	mg/L	6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/9/2014	mg/L	7.2
Total Suspended Solids (TSS)		10/11/2014	mg/L	7.2
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/16/2014	mg/L	6.4
Total Suspended Solids (TSS)		10/18/2014	mg/L	6.4
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/23/2014	mg/L	9.6
Total Suspended Solids (TSS)		10/25/2014	mg/L	9.6
Total Suspended Solids (TSS)	Standard Method (19th) 2540 D: Tot. Sus. Solids Dried 103-105C	10/30/2014	mg/L	14
Total Suspended Solids (TSS)		10/30/2014	mg/L	14
Total Suspended Solids (TSS)		10/31/2014	mg/L	8.6
Total Suspended Solids (TSS), Percent Removal		1/31/2011	%	95.4
Total Suspended Solids (TSS), Percent Removal		1/31/2011	%	95.4
Total Suspended Solids (TSS), Percent Removal		2/28/2011	%	95.4
Total Suspended Solids (TSS), Percent Removal		3/31/2011	%	93.3
Total Suspended Solids (TSS), Percent Removal		4/30/2011	%	96.3
Total Suspended Solids (TSS), Percent Removal		5/31/2011	%	96.5
Total Suspended Solids (TSS), Percent Removal		6/30/2011	%	95.5
Total Suspended Solids (TSS), Percent Removal		7/31/2011	%	96.4
Total Suspended Solids (TSS), Percent Removal		8/31/2011	%	96.4
Total Suspended Solids (TSS), Percent Removal		9/30/2011	%	97.2
Total Suspended Solids (TSS), Percent Removal		10/31/2011	%	95.9
Total Suspended Solids (TSS), Percent Removal		11/30/2011	%	94.8
Total Suspended Solids (TSS), Percent Removal		12/31/2011	%	94.8
Total Suspended Solids (TSS), Percent Removal		1/31/2012	%	92.7
Total Suspended Solids (TSS), Percent Removal		2/29/2012	%	94.6
Total Suspended Solids (TSS), Percent Removal		3/31/2012	%	91
Total Suspended Solids (TSS), Percent Removal		4/30/2012	%	93.7
Total Suspended Solids (TSS), Percent Removal		5/31/2012	%	96.1

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Total Suspended Solids (TSS), Percent Removal		6/30/2012	%		96.3
Total Suspended Solids (TSS), Percent Removal		7/31/2012	%		96.7
Total Suspended Solids (TSS), Percent Removal		8/31/2012	%		96.4
Total Suspended Solids (TSS), Percent Removal		9/30/2012	%		96.9
Total Suspended Solids (TSS), Percent Removal		10/31/2012	%		95.9
Total Suspended Solids (TSS), Percent Removal		11/30/2012	%		95.5
Total Suspended Solids (TSS), Percent Removal		12/31/2012	%		93.8
Total Suspended Solids (TSS), Percent Removal		1/31/2013	%		93.6
Total Suspended Solids (TSS), Percent Removal		2/28/2013	%		94
Total Suspended Solids (TSS), Percent Removal		3/31/2013	%		95.5
Total Suspended Solids (TSS), Percent Removal		4/30/2013	%		96.1
Total Suspended Solids (TSS), Percent Removal		5/31/2013	%		96
Total Suspended Solids (TSS), Percent Removal		6/30/2013	%		96.5
Total Suspended Solids (TSS), Percent Removal		7/31/2013	%		96.3
Total Suspended Solids (TSS), Percent Removal		8/31/2013	%		97.5
Total Suspended Solids (TSS), Percent Removal		9/30/2013	%		96.7
Total Suspended Solids (TSS), Percent Removal		10/31/2013	%		96.7
Total Suspended Solids (TSS), Percent Removal		11/30/2013	%		95.5
Total Suspended Solids (TSS), Percent Removal		12/31/2013	%		93.1
Total Suspended Solids (TSS), Percent Removal		1/31/2014	%		93.5
Total Suspended Solids (TSS), Percent Removal		2/28/2014	%		95
Total Suspended Solids (TSS), Percent Removal		3/31/2014	%		95.5
Total Suspended Solids (TSS), Percent Removal		4/30/2014	%		96
Total Suspended Solids (TSS), Percent Removal		5/31/2014	%		96.4
Total Suspended Solids (TSS), Percent Removal		6/30/2014	%		95
Total Suspended Solids (TSS), Percent Removal		7/31/2014	%		95
Total Suspended Solids (TSS), Percent Removal		8/31/2014	%		96
Total Suspended Solids (TSS), Percent Removal		9/30/2014	%		96
Total Suspended Solids (TSS), Percent Removal		10/31/2014	%		96.9
Total Suspended Solids (TSS), Percent Removal		10/1/2009	% removal		98
Total Suspended Solids (TSS), Percent Removal		10/8/2009	% removal		97
Total Suspended Solids (TSS), Percent Removal		10/14/2009	% removal		96
Total Suspended Solids (TSS), Percent Removal		10/22/2009	% removal		97
Total Suspended Solids (TSS), Percent Removal		10/29/2009	% removal		97
Total Suspended Solids (TSS), Percent Removal		11/4/2009	% removal		97
Total Suspended Solids (TSS), Percent Removal		11/11/2009	% removal		96
Total Suspended Solids (TSS), Percent Removal		11/19/2009	% removal		96
Total Suspended Solids (TSS), Percent Removal		11/25/2009	% removal		95
Total Suspended Solids (TSS), Percent Removal	BLENDING EVENT	8/20/2009	mg/L		16
trans-1,2-Dichloroethene		12/14/2009	ug/L	<	ND
trans-1,2-Dichloroethene	EPA 8260B	12/31/2010	ug/L	<	ND
trans-1,2-Dichloroethene	EPA 8260B	11/16/2011	ug/L	<	ND
trans-1,2-Dichloroethene		12/11/2012	ug/L	<	ND
trans-1,2-Dichloroethene		12/10/2013	ug/L	<	ND
trans-1,4-Dichloro-2-butene		12/14/2009	ug/L	<	ND
trans-1,4-Dichloro-2-butene		12/11/2012	ug/L	<	ND
trans-1,4-Dichloro-2-butene		12/10/2013	ug/L	<	ND
Tributyltin (TBT)		12/14/2009	ng/L	<	ND
Tributyltin (TBT)	Data Unavailable	12/11/2012	ng/L	<	ND
Tributyltin (TBT)	Data Unavailable	12/26/2013	ng/L	<	ND
Tributyltin (TBT)		12/31/2010	ug/L	<	ND
Tributyltin (TBT)	Data Unavailable	11/16/2011	ug/L	<	ND

0.5	0.5
0.5	
0.5	
0.5	0.5
0.5	0.5
10	10
10	10
10	10
3	3
3	
0.6	3
0.05	
0.05	

Tributyltin (TBT)	EPA 3510C	12/11/2012	ug/L	<	ND
Trichlorofluoromethane		12/14/2009	ug/L		1.3
Trichlorofluoromethane		12/11/2012	ug/L	<	ND
Trichlorofluoromethane		12/10/2013	ug/L	<	ND
Turbidity		8/1/2009	NTU		7.8
Turbidity		8/2/2009	NTU		8.2
Turbidity		8/3/2009	NTU		8.3
Turbidity		8/4/2009	NTU		8
Turbidity		8/5/2009	NTU		8.2
Turbidity		8/6/2009	NTU		7.3
Turbidity		8/7/2009	NTU		8.5
Turbidity		8/8/2009	NTU		8.3
Turbidity		8/9/2009	NTU		12
Turbidity		8/10/2009	NTU		8.2
Turbidity		8/11/2009	NTU		15
Turbidity		8/12/2009	NTU		8.8
Turbidity		8/13/2009	NTU		9.2
Turbidity		8/14/2009	NTU		13
Turbidity		8/15/2009	NTU		7.9
Turbidity		8/16/2009	NTU		8.8
Turbidity		8/17/2009	NTU		8.4
Turbidity		8/18/2009	NTU		7.6
Turbidity		8/19/2009	NTU		7.1
Turbidity		8/20/2009	NTU		11
Turbidity	BLENDING EVENT	8/20/2009	NTU		11
Turbidity		8/21/2009	NTU		7.7
Turbidity		8/22/2009	NTU		6.6
Turbidity		8/23/2009	NTU		6.7
Turbidity		8/24/2009	NTU		7
Turbidity		8/25/2009	NTU		7.2
Turbidity		8/26/2009	NTU		8.4
Turbidity		8/27/2009	NTU		7.2
Turbidity		8/28/2009	NTU		7.1
Turbidity		8/29/2009	NTU		6.4
Turbidity		8/30/2009	NTU		6.6
Turbidity		8/31/2009	NTU		5.6
Turbidity		9/1/2009	NTU		6
Turbidity		9/2/2009	NTU		9.6
Turbidity		9/3/2009	NTU		7.5
Turbidity		9/4/2009	NTU		8
Turbidity		9/5/2009	NTU		8.2
Turbidity		9/6/2009	NTU		8
Turbidity		9/7/2009	NTU		6.2
Turbidity		9/8/2009	NTU		6.7
Turbidity		9/9/2009	NTU		6.3
Turbidity		9/10/2009	NTU		13
Turbidity		9/11/2009	NTU		14
Turbidity		9/12/2009	NTU		9.4
Turbidity		9/13/2009	NTU		8.5
Turbidity		9/14/2009	NTU		7.5
Turbidity		9/15/2009	NTU		10
Turbidity		9/16/2009	NTU		9.6

3	
0.5	0.5
0.5	0.5
0.5	0.5

Turbidity	9/17/2009	NTU	8.6
Turbidity	9/18/2009	NTU	8
Turbidity	9/19/2009	NTU	7
Turbidity	9/20/2009	NTU	6.2
Turbidity	9/21/2009	NTU	5.4
Turbidity	9/22/2009	NTU	6.6
Turbidity	9/23/2009	NTU	6.8
Turbidity	9/24/2009	NTU	6.9
Turbidity	9/25/2009	NTU	6.4
Turbidity	9/26/2009	NTU	6.9
Turbidity	9/27/2009	NTU	6.4
Turbidity	9/28/2009	NTU	6.8
Turbidity	9/29/2009	NTU	6.4
Turbidity	9/30/2009	NTU	6.6
Turbidity	10/1/2009	NTU	6.2
Turbidity	10/2/2009	NTU	5.9
Turbidity	10/3/2009	NTU	6.9
Turbidity	10/4/2009	NTU	6.3
Turbidity	10/5/2009	NTU	6.1
Turbidity	10/6/2009	NTU	5.9
Turbidity	10/7/2009	NTU	5.6
Turbidity	10/8/2009	NTU	6.7
Turbidity	10/9/2009	NTU	6.7
Turbidity	10/10/2009	NTU	6.9
Turbidity	10/11/2009	NTU	6.9
Turbidity	10/12/2009	NTU	7.2
Turbidity	10/13/2009	NTU	6.8
Turbidity	10/14/2009	NTU	7.2
Turbidity	10/15/2009	NTU	6.8
Turbidity	10/16/2009	NTU	6.1
Turbidity	10/17/2009	NTU	5.2
Turbidity	10/18/2009	NTU	5.8
Turbidity	10/19/2009	NTU	5.3
Turbidity	10/20/2009	NTU	5.4
Turbidity	10/21/2009	NTU	6
Turbidity	10/22/2009	NTU	5.4
Turbidity	10/23/2009	NTU	5.9
Turbidity	10/24/2009	NTU	5.4
Turbidity	10/25/2009	NTU	5.5
Turbidity	10/26/2009	NTU	6.5
Turbidity	10/27/2009	NTU	5.5
Turbidity	10/28/2009	NTU	11
Turbidity	10/29/2009	NTU	6
Turbidity	10/30/2009	NTU	6.6
Turbidity	10/31/2009	NTU	8
Turbidity	11/1/2009	NTU	7.1
Turbidity	11/2/2009	NTU	5.4
Turbidity	11/3/2009	NTU	5.2
Turbidity	11/4/2009	NTU	5.9
Turbidity	11/5/2009	NTU	6.1
Turbidity	11/6/2009	NTU	5.8
Turbidity	11/7/2009	NTU	NR

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	11/8/2009	NTU	6.4
Turbidity	11/9/2009	NTU	5.9
Turbidity	11/10/2009	NTU	6.3
Turbidity	11/11/2009	NTU	5.7
Turbidity	11/12/2009	NTU	6.1
Turbidity	11/13/2009	NTU	6.5
Turbidity	11/14/2009	NTU	6.9
Turbidity	11/15/2009	NTU	8.3
Turbidity	11/16/2009	NTU	6.1
Turbidity	11/17/2009	NTU	7.6
Turbidity	11/18/2009	NTU	6.4
Turbidity	11/19/2009	NTU	6.4
Turbidity	11/20/2009	NTU	7.1
Turbidity	11/21/2009	NTU	8.1
Turbidity	11/22/2009	NTU	6.4
Turbidity	11/23/2009	NTU	6.6
Turbidity	11/24/2009	NTU	6.2
Turbidity	11/25/2009	NTU	6.3
Turbidity	11/26/2009	NTU	6.6
Turbidity	11/27/2009	NTU	6.4
Turbidity	11/28/2009	NTU	6.1
Turbidity	11/29/2009	NTU	7.8
Turbidity	11/30/2009	NTU	8.5
Turbidity	12/1/2009	NTU	8.8
Turbidity	12/2/2009	NTU	8.7
Turbidity	12/3/2009	NTU	9
Turbidity	12/4/2009	NTU	9.5
Turbidity	12/5/2009	NTU	12
Turbidity	12/6/2009	NTU	12
Turbidity	12/7/2009	NTU	11
Turbidity	12/8/2009	NTU	10
Turbidity	12/9/2009	NTU	11
Turbidity	12/10/2009	NTU	10
Turbidity	12/11/2009	NTU	12
Turbidity	12/12/2009	NTU	12
Turbidity	12/13/2009	NTU	13
Turbidity	12/14/2009	NTU	12
Turbidity	12/15/2009	NTU	14
Turbidity	12/16/2009	NTU	14
Turbidity	12/17/2009	NTU	12
Turbidity	12/18/2009	NTU	12
Turbidity	12/19/2009	NTU	11
Turbidity	12/20/2009	NTU	12
Turbidity	12/21/2009	NTU	10
Turbidity	12/22/2009	NTU	12
Turbidity	12/23/2009	NTU	10
Turbidity	12/24/2009	NTU	11
Turbidity	12/25/2009	NTU	8.7
Turbidity	12/26/2009	NTU	8.3
Turbidity	12/27/2009	NTU	7.1
Turbidity	12/28/2009	NTU	6.9
Turbidity	12/29/2009	NTU	7.4

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	12/30/2009	NTU	8
Turbidity	12/31/2009	NTU	9.5
Turbidity	1/1/2010	NTU	11
Turbidity	1/1/2010	NTU	11
Turbidity	1/2/2010	NTU	9.2
Turbidity	1/3/2010	NTU	7.5
Turbidity	1/4/2010	NTU	6.6
Turbidity	1/5/2010	NTU	7.4
Turbidity	1/6/2010	NTU	6.5
Turbidity	1/7/2010	NTU	7.5
Turbidity	1/8/2010	NTU	6.3
Turbidity	1/9/2010	NTU	6.5
Turbidity	1/10/2010	NTU	7
Turbidity	1/10/2010	NTU	6.5
Turbidity	1/11/2010	NTU	7.6
Turbidity	1/12/2010	NTU	5.6
Turbidity	1/13/2010	NTU	6.5
Turbidity	1/14/2010	NTU	6.9
Turbidity	1/15/2010	NTU	6.6
Turbidity	1/16/2010	NTU	6.2
Turbidity	1/17/2010	NTU	6.6
Turbidity	1/18/2010	NTU	7.1
Turbidity	1/19/2010	NTU	7.9
Turbidity	1/19/2010	NTU	7.9
Turbidity	1/20/2010	NTU	15
Turbidity	1/20/2010	NTU	15
Turbidity	1/21/2010	NTU	14
Turbidity	1/21/2010	NTU	14
Turbidity	1/22/2010	NTU	9.3
Turbidity	1/22/2010	NTU	9.3
Turbidity	1/23/2010	NTU	6.8
Turbidity	1/23/2010	NTU	6.8
Turbidity	1/24/2010	NTU	6.9
Turbidity	1/25/2010	NTU	7.1
Turbidity	1/26/2010	NTU	8.9
Turbidity	1/26/2010	NTU	8.9
Turbidity	1/27/2010	NTU	7.1
Turbidity	1/28/2010	NTU	7.6
Turbidity	1/29/2010	NTU	6.8
Turbidity	1/30/2010	NTU	7.1
Turbidity	1/31/2010	NTU	7.2
Turbidity	2/1/2010	NTU	5.4
Turbidity	2/2/2010	NTU	7.6
Turbidity	2/3/2010	NTU	7.6
Turbidity	2/4/2010	NTU	8
Turbidity	2/5/2010	NTU	8.2
Turbidity	2/6/2010	NTU	5.9
Turbidity	2/7/2010	NTU	8
Turbidity	2/8/2010	NTU	7.2
Turbidity	2/9/2010	NTU	6.9
Turbidity	2/10/2010	NTU	6.1
Turbidity	2/11/2010	NTU	7.1

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity		2/12/2010	NTU	7.5
Turbidity		2/13/2010	NTU	7.6
Turbidity		2/14/2010	NTU	8.2
Turbidity		2/15/2010	NTU	7.6
Turbidity		2/16/2010	NTU	7.9
Turbidity		2/17/2010	NTU	7.4
Turbidity		2/18/2010	NTU	7.1
Turbidity		2/19/2010	NTU	7.4
Turbidity		2/20/2010	NTU	7.8
Turbidity		2/21/2010	NTU	7.5
Turbidity		2/22/2010	NTU	8.2
Turbidity		2/23/2010	NTU	6.9
Turbidity		2/24/2010	NTU	7.8
Turbidity		2/25/2010	NTU	7.2
Turbidity		2/26/2010	NTU	6.5
Turbidity	BLENDING EVENT	2/26/2010	NTU	6.5
Turbidity	BLENDING EVENT	2/27/2010	NTU	14
Turbidity		2/27/2010	NTU	14
Turbidity		2/28/2010	NTU	8.5
Turbidity		3/1/2010	NTU	8.1
Turbidity		3/2/2010	NTU	8
Turbidity		3/3/2010	NTU	10
Turbidity	BLENDING EVENT	3/3/2010	NTU	10
Turbidity		3/4/2010	NTU	8.4
Turbidity	BLENDING EVENT	3/4/2010	NTU	8.4
Turbidity		3/5/2010	NTU	7.7
Turbidity		3/6/2010	NTU	6.7
Turbidity		3/7/2010	NTU	7
Turbidity		3/8/2010	NTU	7.4
Turbidity		3/9/2010	NTU	7.8
Turbidity		3/10/2010	NTU	8.1
Turbidity		3/11/2010	NTU	7.1
Turbidity		3/12/2010	NTU	8.2
Turbidity	BLENDING EVENT	3/12/2010	NTU	8.2
Turbidity	BLENDING EVENT	3/13/2010	NTU	11
Turbidity		3/13/2010	NTU	11
Turbidity		3/14/2010	NTU	8.8
Turbidity	BLENDING EVENT	3/14/2010	NTU	8.8
Turbidity		3/15/2010	NTU	7.8
Turbidity		3/16/2010	NTU	9.9
Turbidity		3/17/2010	NTU	6.2
Turbidity		3/18/2010	NTU	6.3
Turbidity		3/19/2010	NTU	7
Turbidity		3/20/2010	NTU	6.8
Turbidity		3/21/2010	NTU	7.8
Turbidity	BLENDING EVENT	3/21/2010	NTU	7.8
Turbidity		3/22/2010	NTU	7.1
Turbidity		3/23/2010	NTU	6.7
Turbidity		3/24/2010	NTU	7
Turbidity		3/25/2010	NTU	6.9
Turbidity		3/26/2010	NTU	8.3
Turbidity		3/27/2010	NTU	7.4

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity		3/28/2010	NTU	7.4
Turbidity		3/29/2010	NTU	6.4
Turbidity		3/30/2010	NTU	8.4
Turbidity		3/31/2010	NTU	8.3
Turbidity	BLENDING EVENT	3/31/2010	NTU	8.3
Turbidity		4/1/2010	NTU	7.9
Turbidity		4/2/2010	NTU	10
Turbidity	BLENDING EVENT	4/2/2010	NTU	10
Turbidity		4/3/2010	NTU	11
Turbidity		4/4/2010	NTU	7.3
Turbidity	BLENDING EVENT	4/5/2010	NTU	9.6
Turbidity		4/5/2010	NTU	9.6
Turbidity		4/6/2010	NTU	7.6
Turbidity	BLENDING EVENT	4/6/2010	NTU	7.6
Turbidity		4/7/2010	NTU	7.3
Turbidity		4/8/2010	NTU	6.9
Turbidity		4/9/2010	NTU	7.8
Turbidity		4/10/2010	NTU	7.2
Turbidity		4/11/2010	NTU	6.1
Turbidity		4/12/2010	NTU	6.3
Turbidity		4/13/2010	NTU	6.8
Turbidity		4/14/2010	NTU	6.8
Turbidity		4/15/2010	NTU	7.4
Turbidity		4/16/2010	NTU	6.8
Turbidity		4/17/2010	NTU	7
Turbidity		4/18/2010	NTU	6.8
Turbidity		4/19/2010	NTU	6.3
Turbidity		4/20/2010	NTU	7.8
Turbidity		4/21/2010	NTU	11
Turbidity		4/22/2010	NTU	6.6
Turbidity		4/23/2010	NTU	6.1
Turbidity		4/24/2010	NTU	5.5
Turbidity		4/25/2010	NTU	6.4
Turbidity		4/26/2010	NTU	5.5
Turbidity		4/27/2010	NTU	17
Turbidity	BLENDING EVENT	4/27/2010	NTU	17
Turbidity		4/28/2010	NTU	11
Turbidity	BLENDING EVENT	4/28/2010	NTU	11
Turbidity		4/29/2010	NTU	7.7
Turbidity	BLENDING EVENT	4/29/2010	NTU	7.7
Turbidity		4/30/2010	NTU	7
Turbidity		5/1/2010	NTU	5.9
Turbidity	BLENDING EVENT	5/2/2010	NTU	5.8
Turbidity		5/2/2010	NTU	5.8
Turbidity		5/3/2010	NTU	6
Turbidity		5/4/2010	NTU	6.5
Turbidity		5/5/2010	NTU	5.7
Turbidity		5/6/2010	NTU	5.3
Turbidity		5/7/2010	NTU	5.5
Turbidity		5/8/2010	NTU	6.2
Turbidity		5/9/2010	NTU	5.9
Turbidity		5/10/2010	NTU	5.7

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity		5/11/2010	NTU	6.9
Turbidity		5/12/2010	NTU	6.2
Turbidity		5/13/2010	NTU	6.7
Turbidity		5/14/2010	NTU	6.3
Turbidity		5/15/2010	NTU	6.3
Turbidity		5/16/2010	NTU	6.7
Turbidity		5/17/2010	NTU	4.5
Turbidity		5/18/2010	NTU	6.2
Turbidity		5/19/2010	NTU	6.7
Turbidity		5/20/2010	NTU	7.2
Turbidity		5/21/2010	NTU	7.2
Turbidity		5/22/2010	NTU	7.8
Turbidity		5/23/2010	NTU	7.4
Turbidity		5/24/2010	NTU	6.1
Turbidity		5/25/2010	NTU	6
Turbidity		5/26/2010	NTU	6.6
Turbidity		5/27/2010	NTU	6.4
Turbidity		5/28/2010	NTU	6.2
Turbidity		5/29/2010	NTU	6.4
Turbidity		5/30/2010	NTU	6.7
Turbidity		5/31/2010	NTU	6.2
Turbidity		6/1/2010	NTU	5.4
Turbidity		6/2/2010	NTU	6
Turbidity		6/3/2010	NTU	8.2
Turbidity		6/4/2010	NTU	9.1
Turbidity	BLENDING EVENT	6/4/2010	NTU	9.1
Turbidity		6/5/2010	NTU	7
Turbidity		6/6/2010	NTU	5.6
Turbidity		6/7/2010	NTU	5.9
Turbidity		6/8/2010	NTU	4.9
Turbidity		6/9/2010	NTU	5.4
Turbidity		6/10/2010	NTU	6.4
Turbidity		6/11/2010	NTU	6.2
Turbidity		6/12/2010	NTU	6
Turbidity		6/13/2010	NTU	5.6
Turbidity		6/14/2010	NTU	4.8
Turbidity		6/15/2010	NTU	4.8
Turbidity		6/16/2010	NTU	4.5
Turbidity		6/17/2010	NTU	5.1
Turbidity		6/18/2010	NTU	5
Turbidity		6/19/2010	NTU	5.1
Turbidity		6/20/2010	NTU	5.1
Turbidity		6/21/2010	NTU	5.4
Turbidity		6/22/2010	NTU	6.1
Turbidity		6/23/2010	NTU	6.1
Turbidity		6/24/2010	NTU	6.6
Turbidity		6/25/2010	NTU	7.7
Turbidity		6/26/2010	NTU	7.3
Turbidity		6/27/2010	NTU	6.1
Turbidity		6/28/2010	NTU	6
Turbidity		6/29/2010	NTU	5.8
Turbidity		6/30/2010	NTU	5.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	7/1/2010	NTU	5.6
Turbidity	7/2/2010	NTU	5.5
Turbidity	7/3/2010	NTU	6.6
Turbidity	7/4/2010	NTU	8.3
Turbidity	7/5/2010	NTU	7.5
Turbidity	7/6/2010	NTU	6
Turbidity	7/7/2010	NTU	5.8
Turbidity	7/8/2010	NTU	5.9
Turbidity	7/9/2010	NTU	5.7
Turbidity	7/10/2010	NTU	5.5
Turbidity	7/11/2010	NTU	4.6
Turbidity	7/12/2010	NTU	4.9
Turbidity	7/13/2010	NTU	5.3
Turbidity	7/14/2010	NTU	6.2
Turbidity	7/15/2010	NTU	6.4
Turbidity	7/16/2010	NTU	6.2
Turbidity	7/17/2010	NTU	6.8
Turbidity	7/18/2010	NTU	6.6
Turbidity	7/19/2010	NTU	5.9
Turbidity	7/20/2010	NTU	6.2
Turbidity	7/21/2010	NTU	7.2
Turbidity	7/22/2010	NTU	8.1
Turbidity	7/23/2010	NTU	8.5
Turbidity	7/24/2010	NTU	7.7
Turbidity	7/25/2010	NTU	6.8
Turbidity	7/26/2010	NTU	6.4
Turbidity	7/27/2010	NTU	6.4
Turbidity	7/28/2010	NTU	6.5
Turbidity	7/29/2010	NTU	7.1
Turbidity	7/30/2010	NTU	6.3
Turbidity	7/31/2010	NTU	6.7
Turbidity	8/1/2010	NTU	7.1
Turbidity	8/2/2010	NTU	6.7
Turbidity	8/3/2010	NTU	6.1
Turbidity	8/4/2010	NTU	5.8
Turbidity	8/5/2010	NTU	6.6
Turbidity	8/6/2010	NTU	7
Turbidity	8/7/2010	NTU	7.4
Turbidity	8/8/2010	NTU	6.4
Turbidity	8/9/2010	NTU	6.6
Turbidity	8/10/2010	NTU	7.4
Turbidity	8/11/2010	NTU	6.8
Turbidity	8/12/2010	NTU	7.3
Turbidity	8/13/2010	NTU	6.7
Turbidity	8/14/2010	NTU	6.1
Turbidity	8/15/2010	NTU	5.7
Turbidity	8/16/2010	NTU	7
Turbidity	8/17/2010	NTU	5.4
Turbidity	8/18/2010	NTU	6.2
Turbidity	8/19/2010	NTU	6
Turbidity	8/20/2010	NTU	6.2
Turbidity	8/21/2010	NTU	6.3

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	8/22/2010	NTU	6.2
Turbidity	8/23/2010	NTU	6.4
Turbidity	8/24/2010	NTU	6.4
Turbidity	8/25/2010	NTU	6.7
Turbidity	8/26/2010	NTU	7
Turbidity	8/27/2010	NTU	7.2
Turbidity	8/28/2010	NTU	7
Turbidity	8/29/2010	NTU	7.4
Turbidity	8/30/2010	NTU	6.8
Turbidity	8/31/2010	NTU	6.6
Turbidity	9/1/2010	NTU	6.1
Turbidity	9/2/2010	NTU	6.6
Turbidity	9/3/2010	NTU	6.6
Turbidity	9/4/2010	NTU	6.6
Turbidity	9/5/2010	NTU	6.6
Turbidity	9/6/2010	NTU	6.9
Turbidity	9/7/2010	NTU	5.7
Turbidity	9/8/2010	NTU	6.8
Turbidity	9/9/2010	NTU	6.3
Turbidity	9/10/2010	NTU	7.3
Turbidity	9/11/2010	NTU	6.9
Turbidity	9/12/2010	NTU	7
Turbidity	9/13/2010	NTU	6.8
Turbidity	9/14/2010	NTU	5.9
Turbidity	9/15/2010	NTU	5.9
Turbidity	9/16/2010	NTU	5.3
Turbidity	9/17/2010	NTU	5.7
Turbidity	9/18/2010	NTU	4.8
Turbidity	9/19/2010	NTU	5.8
Turbidity	9/20/2010	NTU	5.4
Turbidity	9/21/2010	NTU	7.2
Turbidity	9/22/2010	NTU	5.9
Turbidity	9/23/2010	NTU	5.1
Turbidity	9/24/2010	NTU	5.9
Turbidity	9/25/2010	NTU	5
Turbidity	9/26/2010	NTU	4.8
Turbidity	9/27/2010	NTU	4.5
Turbidity	9/28/2010	NTU	4.4
Turbidity	9/29/2010	NTU	4.5
Turbidity	9/30/2010	NTU	5.2
Turbidity	10/1/2010	NTU	4.9
Turbidity	10/2/2010	NTU	4.9
Turbidity	10/3/2010	NTU	5.3
Turbidity	10/4/2010	NTU	5
Turbidity	10/5/2010	NTU	4.7
Turbidity	10/6/2010	NTU	4.9
Turbidity	10/7/2010	NTU	5.9
Turbidity	10/8/2010	NTU	nr
Turbidity	10/9/2010	NTU	5.2
Turbidity	10/10/2010	NTU	4.6
Turbidity	10/11/2010	NTU	5.1
Turbidity	10/12/2010	NTU	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity		10/13/2010	NTU	6.2
Turbidity		10/14/2010	NTU	6.7
Turbidity		10/15/2010	NTU	6.9
Turbidity		10/16/2010	NTU	5.4
Turbidity		10/17/2010	NTU	5.5
Turbidity		10/18/2010	NTU	5.2
Turbidity		10/19/2010	NTU	5.4
Turbidity		10/20/2010	NTU	6.4
Turbidity		10/21/2010	NTU	5.4
Turbidity		10/22/2010	NTU	6.5
Turbidity		10/23/2010	NTU	5.7
Turbidity	BLENDING EVENT	10/24/2010	NTU	9.5
Turbidity		10/24/2010	NTU	9.5
Turbidity		10/25/2010	NTU	5.6
Turbidity		10/26/2010	NTU	4.4
Turbidity		10/27/2010	NTU	4.9
Turbidity		10/28/2010	NTU	7.8
Turbidity		10/29/2010	NTU	7.1
Turbidity		10/30/2010	NTU	5.4
Turbidity		10/31/2010	NTU	5.4
Turbidity		11/1/2010	NTU	5.3
Turbidity		11/2/2010	NTU	4.5
Turbidity		11/3/2010	NTU	5.8
Turbidity		11/4/2010	NTU	4.7
Turbidity		11/5/2010	NTU	4.6
Turbidity		11/6/2010	NTU	4.9
Turbidity		11/7/2010	NTU	5.2
Turbidity		11/8/2010	NTU	4.9
Turbidity		11/9/2010	NTU	4.7
Turbidity		11/10/2010	NTU	5.5
Turbidity		11/11/2010	NTU	7.1
Turbidity		11/12/2010	NTU	6.5
Turbidity		11/13/2010	NTU	7.1
Turbidity		11/14/2010	NTU	6.2
Turbidity		11/15/2010	NTU	5.4
Turbidity		11/16/2010	NTU	7.2
Turbidity		11/17/2010	NTU	10
Turbidity		11/18/2010	NTU	11
Turbidity		11/19/2010	NTU	6.8
Turbidity		11/20/2010	NTU	8.9
Turbidity		11/21/2010	NTU	7.7
Turbidity		11/22/2010	NTU	5.8
Turbidity		11/23/2010	NTU	7.7
Turbidity		11/24/2010	NTU	7.7
Turbidity		11/25/2010	NTU	6.9
Turbidity		11/26/2010	NTU	5.4
Turbidity		11/27/2010	NTU	6.6
Turbidity		11/28/2010	NTU	6
Turbidity		11/29/2010	NTU	5.9
Turbidity		11/30/2010	NTU	6.1
Turbidity	mean	12/31/2010	NTU	9.5
Turbidity	max	12/31/2010	NTU	14

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	mean	12/31/2010	NTU	10.2
Turbidity	max	12/31/2010	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/1/2011	NTU	9.7
Turbidity		1/1/2011	NTU	11.8
Turbidity		1/1/2011	NTU	9.7
Turbidity		1/1/2011	NTU	11.8
Turbidity		1/2/2011	NTU	7
Turbidity		1/3/2011	NTU	7
Turbidity		1/4/2011	NTU	8.5
Turbidity		1/5/2011	NTU	6.6
Turbidity		1/6/2011	NTU	6.5
Turbidity		1/7/2011	NTU	8
Turbidity		1/8/2011	NTU	7.42
Turbidity		1/8/2011	NTU	8.4
Turbidity		1/9/2011	NTU	7.5
Turbidity		1/10/2011	NTU	6.5
Turbidity		1/11/2011	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/12/2011	NTU	6.6
Turbidity		1/12/2011	NTU	6.6
Turbidity		1/13/2011	NTU	7.6
Turbidity		1/14/2011	NTU	7.4
Turbidity		1/15/2011	NTU	7.5
Turbidity		1/15/2011	NTU	6.97
Turbidity		1/16/2011	NTU	7.2
Turbidity		1/17/2011	NTU	7.9
Turbidity		1/18/2011	NTU	7.8
Turbidity		1/19/2011	NTU	7.3
Turbidity		1/20/2011	NTU	7.1
Turbidity		1/21/2011	NTU	6.8
Turbidity		1/22/2011	NTU	7.29
Turbidity		1/22/2011	NTU	6.9
Turbidity		1/23/2011	NTU	6.9
Turbidity		1/24/2011	NTU	6.8
Turbidity		1/25/2011	NTU	6.6
Turbidity		1/26/2011	NTU	6.3
Turbidity		1/27/2011	NTU	7.3
Turbidity		1/28/2011	NTU	6
Turbidity		1/29/2011	NTU	6.59
Turbidity		1/29/2011	NTU	6.2
Turbidity		1/30/2011	NTU	6.9
Turbidity		1/31/2011	NTU	6.5
Turbidity		1/31/2011	NTU	7.12
Turbidity		2/1/2011	NTU	6.6
Turbidity		2/2/2011	NTU	6.5
Turbidity		2/3/2011	NTU	8
Turbidity		2/4/2011	NTU	15
Turbidity		2/5/2011	NTU	9.42
Turbidity		2/5/2011	NTU	11
Turbidity		2/6/2011	NTU	8.8
Turbidity		2/7/2011	NTU	10
Turbidity		2/8/2011	NTU	8.7
Turbidity		2/9/2011	NTU	9.1

BLENDING EVENT
BLENDING EVENT

Turbidity	2/10/2011	NTU	8.3
Turbidity	2/11/2011	NTU	7.7
Turbidity	2/12/2011	NTU	8.4
Turbidity	2/12/2011	NTU	6.2
Turbidity	2/13/2011	NTU	6.7
Turbidity	2/14/2011	NTU	6.3
Turbidity	2/15/2011	NTU	5.6
Turbidity	2/16/2011	NTU	6
Turbidity	2/17/2011	NTU	5.8
Turbidity	2/18/2011	NTU	5.4
Turbidity	2/19/2011	NTU	6.2
Turbidity	2/19/2011	NTU	7.6
Turbidity	2/20/2011	NTU	7.7
Turbidity	2/21/2011	NTU	6.7
Turbidity	2/22/2011	NTU	5
Turbidity	2/23/2011	NTU	5.1
Turbidity	2/24/2011	NTU	5.4
Turbidity	2/25/2011	NTU	9.1
Turbidity	2/26/2011	NTU	10
Turbidity	2/26/2011	NTU	7
Turbidity	2/27/2011	NTU	6.5
Turbidity	2/28/2011	NTU	4.9
Turbidity	2/28/2011	NTU	7.49
Turbidity	3/1/2011	NTU	5.6
Turbidity	3/2/2011	NTU	5.4
Turbidity	3/3/2011	NTU	5.4
Turbidity	3/4/2011	NTU	8.1
Turbidity	3/5/2011	NTU	6
Turbidity	3/5/2011	NTU	5.99
Turbidity	3/6/2011	NTU	8.8
Turbidity	3/7/2011	NTU	8.3
Turbidity	3/8/2011	NTU	7.6
Turbidity	3/9/2011	NTU	7.4
Turbidity	3/10/2011	NTU	6
Turbidity	3/11/2011	NTU	5.8
Turbidity	3/12/2011	NTU	5
Turbidity	3/12/2011	NTU	6.99
Turbidity	3/13/2011	NTU	6.3
Turbidity	3/14/2011	NTU	5.7
Turbidity	3/15/2011	NTU	6
Turbidity	3/16/2011	NTU	9.8
Turbidity	3/17/2011	NTU	8.7
Turbidity	3/18/2011	NTU	7.5
Turbidity	3/19/2011	NTU	9.7
Turbidity	3/19/2011	NTU	7.67
Turbidity	3/20/2011	NTU	8.5
Turbidity	3/21/2011	NTU	9.3
Turbidity	3/22/2011	NTU	7.2
Turbidity	3/23/2011	NTU	5.4
Turbidity	3/24/2011	NTU	12
Turbidity	3/25/2011	NTU	13
Turbidity	3/26/2011	NTU	12

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	3/26/2011	NTU	9.63
Turbidity	3/27/2011	NTU	10
Turbidity	3/28/2011	NTU	10
Turbidity	3/29/2011	NTU	8.8
Turbidity	3/30/2011	NTU	7.1
Turbidity	3/31/2011	NTU	7.82
Turbidity	3/31/2011	NTU	5.9
Turbidity	4/1/2011	NTU	6
Turbidity	4/2/2011	NTU	7.3
Turbidity	4/2/2011	NTU	7.87
Turbidity	4/3/2011	NTU	5.8
Turbidity	4/4/2011	NTU	4.9
Turbidity	4/5/2011	NTU	5.3
Turbidity	4/6/2011	NTU	5.4
Turbidity	4/7/2011	NTU	6.6
Turbidity	4/8/2011	NTU	6.9
Turbidity	4/9/2011	NTU	6.01
Turbidity	4/9/2011	NTU	7.2
Turbidity	4/10/2011	NTU	5.9
Turbidity	4/11/2011	NTU	5.6
Turbidity	4/12/2011	NTU	6
Turbidity	4/13/2011	NTU	6.1
Turbidity	4/14/2011	NTU	5.8
Turbidity	4/15/2011	NTU	6.1
Turbidity	4/16/2011	NTU	6.79
Turbidity	4/16/2011	NTU	12
Turbidity	4/17/2011	NTU	5.5
Turbidity	4/18/2011	NTU	7.6
Turbidity	4/19/2011	NTU	5.2
Turbidity	4/20/2011	NTU	5.6
Turbidity	4/21/2011	NTU	6.2
Turbidity	4/22/2011	NTU	6.4
Turbidity	4/23/2011	NTU	5.2
Turbidity	4/23/2011	NTU	5.96
Turbidity	4/24/2011	NTU	5.3
Turbidity	4/25/2011	NTU	4.6
Turbidity	4/26/2011	NTU	4.7
Turbidity	4/27/2011	NTU	4.6
Turbidity	4/28/2011	NTU	6
Turbidity	4/29/2011	NTU	5.6
Turbidity	4/30/2011	NTU	5.33
Turbidity	4/30/2011	NTU	6.06
Turbidity	4/30/2011	NTU	6.5
Turbidity	5/1/2011	NTU	7.3
Turbidity	5/2/2011	NTU	6.4
Turbidity	5/3/2011	NTU	6.7
Turbidity	5/4/2011	NTU	6.6
Turbidity	5/5/2011	NTU	6.3
Turbidity	5/6/2011	NTU	7.4
Turbidity	5/7/2011	NTU	7.2
Turbidity	5/7/2011	NTU	6.84
Turbidity	5/8/2011	NTU	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity		5/9/2011	NTU	6.6
Turbidity		5/10/2011	NTU	6.9
Turbidity		5/11/2011	NTU	7.7
Turbidity		5/12/2011	NTU	7.4
Turbidity		5/13/2011	NTU	7.4
Turbidity		5/14/2011	NTU	7.09
Turbidity		5/14/2011	NTU	6.8
Turbidity		5/15/2011	NTU	6.3
Turbidity		5/16/2011	NTU	6.4
Turbidity		5/17/2011	NTU	6
Turbidity		5/18/2011	NTU	5.4
Turbidity		5/19/2011	NTU	6.2
Turbidity		5/20/2011	NTU	6.1
Turbidity		5/21/2011	NTU	6.11
Turbidity		5/21/2011	NTU	6.4
Turbidity		5/22/2011	NTU	6.2
Turbidity		5/23/2011	NTU	6.1
Turbidity		5/24/2011	NTU	6.8
Turbidity		5/25/2011	NTU	6.3
Turbidity		5/26/2011	NTU	6.2
Turbidity		5/27/2011	NTU	6.3
Turbidity		5/28/2011	NTU	6.1
Turbidity		5/28/2011	NTU	6.29
Turbidity		5/29/2011	NTU	7.7
Turbidity		5/30/2011	NTU	6.1
Turbidity		5/31/2011	NTU	6.58
Turbidity		5/31/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/1/2011	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/2/2011	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/3/2011	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/4/2011	NTU	5.6
Turbidity		6/4/2011	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/5/2011	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/6/2011	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/7/2011	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/8/2011	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/9/2011	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/10/2011	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/11/2011	NTU	6.8
Turbidity		6/11/2011	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/12/2011	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/13/2011	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/14/2011	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/15/2011	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/16/2011	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/17/2011	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/18/2011	NTU	7
Turbidity		6/18/2011	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/19/2011	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/20/2011	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/21/2011	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/22/2011	NTU	6.3

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/23/2011	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/24/2011	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/25/2011	NTU	6.4
Turbidity		6/25/2011	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/26/2011	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/27/2011	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/28/2011	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/29/2011	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/30/2011	NTU	5.7
Turbidity		6/30/2011	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/1/2011	NTU	5.8
Turbidity		7/2/2011	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/2/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/3/2011	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/4/2011	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/5/2011	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/6/2011	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/7/2011	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/8/2011	NTU	5.9
Turbidity		7/9/2011	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/9/2011	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/10/2011	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/11/2011	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/12/2011	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/13/2011	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/14/2011	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/15/2011	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/16/2011	NTU	5.9
Turbidity		7/16/2011	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/17/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/18/2011	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/19/2011	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/20/2011	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/21/2011	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/22/2011	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/23/2011	NTU	6.8
Turbidity		7/23/2011	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/24/2011	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/25/2011	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/26/2011	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/27/2011	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/28/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/29/2011	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/30/2011	NTU	6
Turbidity		7/30/2011	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/31/2011	NTU	5.6
Turbidity		7/31/2011	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/1/2011	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/2/2011	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/3/2011	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/4/2011	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/5/2011	NTU	5.7

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/6/2011	NTU	5.3
Turbidity		8/6/2011	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/7/2011	NTU	4.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/8/2011	NTU	4.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/9/2011	NTU	4.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/10/2011	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/11/2011	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/12/2011	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/13/2011	NTU	4.8
Turbidity		8/13/2011	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/14/2011	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/15/2011	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/16/2011	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/17/2011	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/18/2011	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/19/2011	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/20/2011	NTU	6.6
Turbidity		8/20/2011	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/21/2011	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/22/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/23/2011	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/24/2011	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/25/2011	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/26/2011	NTU	5.6
Turbidity		8/27/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/27/2011	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/28/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/29/2011	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/30/2011	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/31/2011	NTU	4.8
Turbidity		8/31/2011	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/1/2011	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/2/2011	NTU	4.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/3/2011	NTU	4.5
Turbidity		9/3/2011	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/4/2011	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/5/2011	NTU	4.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/6/2011	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/7/2011	NTU	4.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/8/2011	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/9/2011	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/10/2011	NTU	4.7
Turbidity		9/10/2011	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/11/2011	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/12/2011	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/13/2011	NTU	4.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/14/2011	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/15/2011	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/16/2011	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/17/2011	NTU	4.6
Turbidity		9/17/2011	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/18/2011	NTU	5.3

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/19/2011	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/20/2011	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/21/2011	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/22/2011	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/23/2011	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/24/2011	NTU	5.1
Turbidity		9/24/2011	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/25/2011	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/26/2011	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/27/2011	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/28/2011	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/29/2011	NTU	5.4
Turbidity		9/30/2011	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/30/2011	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/1/2011	NTU	4.6
Turbidity		10/1/2011	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/2/2011	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/3/2011	NTU	4.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/4/2011	NTU	4.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/5/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/6/2011	NTU	4.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/7/2011	NTU	4.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/8/2011	NTU	4
Turbidity		10/8/2011	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/9/2011	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/10/2011	NTU	4.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/11/2011	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/12/2011	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/13/2011	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/14/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/15/2011	NTU	5.1
Turbidity		10/15/2011	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/16/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/17/2011	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/18/2011	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/19/2011	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/20/2011	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/21/2011	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/22/2011	NTU	5.8
Turbidity		10/22/2011	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/23/2011	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/24/2011	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/25/2011	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/26/2011	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/27/2011	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/28/2011	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/29/2011	NTU	8.6
Turbidity		10/29/2011	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/30/2011	NTU	9
Turbidity		10/31/2011	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/31/2011	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/1/2011	NTU	8.2

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/2/2011	NTU	9.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/3/2011	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/4/2011	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/5/2011	NTU	8.7
Turbidity		11/5/2011	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/6/2011	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/7/2011	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/8/2011	NTU	8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/9/2011	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/10/2011	NTU	8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/11/2011	NTU	8.8
Turbidity		11/12/2011	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/12/2011	NTU	9.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/13/2011	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/14/2011	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/15/2011	NTU	8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/16/2011	NTU	9.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/17/2011	NTU	8.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/18/2011	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/19/2011	NTU	9.6
Turbidity		11/19/2011	NTU	9.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/20/2011	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/21/2011	NTU	9.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/22/2011	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/23/2011	NTU	9.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/24/2011	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/25/2011	NTU	9.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/26/2011	NTU	8.6
Turbidity		11/26/2011	NTU	9.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/27/2011	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/28/2011	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/29/2011	NTU	8.4
Turbidity		11/30/2011	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/30/2011	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/1/2011	NTU	8.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/2/2011	NTU	8.5
Turbidity		12/3/2011	NTU	7.87
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/3/2011	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/4/2011	NTU	9.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/5/2011	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/6/2011	NTU	8.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/7/2011	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/8/2011	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/9/2011	NTU	9.5
Turbidity		12/10/2011	NTU	8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/10/2011	NTU	8.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/11/2011	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/12/2011	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/13/2011	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/14/2011	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/15/2011	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/16/2011	NTU	11

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity		12/17/2011	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/17/2011	NTU	9.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/18/2011	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/19/2011	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/20/2011	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/21/2011	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/22/2011	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/23/2011	NTU	9.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/24/2011	NTU	8
Turbidity		12/24/2011	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/25/2011	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/26/2011	NTU	8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/27/2011	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/28/2011	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/29/2011	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/30/2011	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/31/2011	NTU	13
Turbidity		12/31/2011	NTU	9.8
Turbidity		12/31/2011	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/1/2012	NTU	9.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/2/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/3/2012	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/4/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/5/2012	NTU	9.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/6/2012	NTU	8.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/7/2012	NTU	11
Turbidity		1/7/2012	NTU	9.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/8/2012	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/9/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/10/2012	NTU	9.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/11/2012	NTU	9.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/12/2012	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/13/2012	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/14/2012	NTU	10
Turbidity		1/14/2012	NTU	10.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/15/2012	NTU	9.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/16/2012	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/17/2012	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/18/2012	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/19/2012	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/20/2012	NTU	18
Turbidity		1/21/2012	NTU	14.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/21/2012	NTU	18
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/22/2012	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/23/2012	NTU	9.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/24/2012	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/25/2012	NTU	9.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/26/2012	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/27/2012	NTU	8.8
Turbidity		1/28/2012	NTU	9.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/28/2012	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/29/2012	NTU	23

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/30/2012	NTU	21
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/31/2012	NTU	8.3
Turbidity		1/31/2012	NTU	11.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/1/2012	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/2/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/3/2012	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/4/2012	NTU	9.1
Turbidity		2/4/2012	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/5/2012	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/6/2012	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/7/2012	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/8/2012	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/9/2012	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/10/2012	NTU	8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/11/2012	NTU	10
Turbidity		2/11/2012	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/12/2012	NTU	9.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/13/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/14/2012	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/15/2012	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/16/2012	NTU	9.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/17/2012	NTU	9.3
Turbidity		2/18/2012	NTU	9.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/18/2012	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/19/2012	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/20/2012	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/21/2012	NTU	8.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/22/2012	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/23/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/24/2012	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/25/2012	NTU	11
Turbidity		2/25/2012	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/26/2012	NTU	9.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/27/2012	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/28/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/29/2012	NTU	12
Turbidity		2/29/2012	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/1/2012	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/2/2012	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/3/2012	NTU	12
Turbidity		3/3/2012	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/4/2012	NTU	8.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/5/2012	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/6/2012	NTU	9.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/7/2012	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/8/2012	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/9/2012	NTU	8.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/10/2012	NTU	9
Turbidity		3/10/2012	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/11/2012	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/12/2012	NTU	18
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/13/2012	NTU	17

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/14/2012	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/15/2012	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/16/2012	NTU	14
Turbidity		3/17/2012	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/17/2012	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/18/2012	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/19/2012	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/20/2012	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/21/2012	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/22/2012	NTU	9.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/23/2012	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/24/2012	NTU	7.9
Turbidity		3/24/2012	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/25/2012	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/26/2012	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/27/2012	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/28/2012	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/29/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/30/2012	NTU	22
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/31/2012	NTU	16
Turbidity		3/31/2012	NTU	11
Turbidity		3/31/2012	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/1/2012	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/2/2012	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/3/2012	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/4/2012	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/5/2012	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/6/2012	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/7/2012	NTU	5.6
Turbidity		4/7/2012	NTU	8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/8/2012	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/9/2012	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/10/2012	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/11/2012	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/12/2012	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/13/2012	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/14/2012	NTU	6.9
Turbidity		4/14/2012	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/15/2012	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/16/2012	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/17/2012	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/18/2012	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/19/2012	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/20/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/21/2012	NTU	5.5
Turbidity		4/21/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/22/2012	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/23/2012	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/24/2012	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/25/2012	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/26/2012	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/27/2012	NTU	6.9

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/28/2012	NTU	6
Turbidity		4/28/2012	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/29/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/30/2012	NTU	6.1
Turbidity		4/30/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/1/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/2/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/3/2012	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/4/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/5/2012	NTU	5.4
Turbidity		5/5/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/6/2012	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/7/2012	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/8/2012	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/9/2012	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/10/2012	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/11/2012	NTU	5.7
Turbidity		5/12/2012	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/12/2012	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/13/2012	NTU	8.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/14/2012	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/15/2012	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/16/2012	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/17/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/18/2012	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/19/2012	NTU	6.4
Turbidity		5/19/2012	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/20/2012	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/21/2012	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/22/2012	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/23/2012	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/24/2012	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/25/2012	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/26/2012	NTU	7.8
Turbidity		5/26/2012	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/27/2012	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/28/2012	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/29/2012	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/30/2012	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/31/2012	NTU	6.5
Turbidity		5/31/2012	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/1/2012	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/2/2012	NTU	7.4
Turbidity		6/2/2012	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/3/2012	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/4/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/5/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/6/2012	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/7/2012	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/8/2012	NTU	7.2
Turbidity		6/9/2012	NTU	6.47
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/9/2012	NTU	7.2

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/10/2012	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/11/2012	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/12/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/13/2012	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/14/2012	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/15/2012	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/16/2012	NTU	6
Turbidity		6/16/2012	NTU	6.63
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/17/2012	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/18/2012	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/19/2012	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/20/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/21/2012	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/22/2012	NTU	5.3
Turbidity		6/23/2012	NTU	5.76
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/23/2012	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/24/2012	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/25/2012	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/26/2012	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/27/2012	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/28/2012	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/29/2012	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/30/2012	NTU	5.3
Turbidity		6/30/2012	NTU	5.6
Turbidity		6/30/2012	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/1/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/2/2012	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/3/2012	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/4/2012	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/5/2012	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/6/2012	NTU	6
Turbidity		7/7/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/7/2012	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/8/2012	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/9/2012	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/10/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/11/2012	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/12/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/13/2012	NTU	5.4
Turbidity		7/14/2012	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/14/2012	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/15/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/16/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/17/2012	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/18/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/19/2012	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/20/2012	NTU	5.4
Turbidity		7/21/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/21/2012	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/22/2012	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/23/2012	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/24/2012	NTU	4.5

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/25/2012	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/26/2012	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/27/2012	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/28/2012	NTU	4.5
Turbidity		7/28/2012	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/29/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/30/2012	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/31/2012	NTU	4.7
Turbidity		7/31/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/1/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/2/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/3/2012	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/4/2012	NTU	6.4
Turbidity		8/4/2012	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/5/2012	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/6/2012	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/7/2012	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/8/2012	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/9/2012	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/10/2012	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/11/2012	NTU	6.4
Turbidity		8/11/2012	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/12/2012	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/13/2012	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/14/2012	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/15/2012	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/16/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/17/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/18/2012	NTU	6.5
Turbidity		8/18/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/19/2012	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/20/2012	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/21/2012	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/22/2012	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/23/2012	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/24/2012	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/25/2012	NTU	5.1
Turbidity		8/25/2012	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/26/2012	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/27/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/28/2012	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/29/2012	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/30/2012	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/31/2012	NTU	5.6
Turbidity		8/31/2012	NTU	6
Turbidity		9/1/2012	NTU	5.2
Turbidity		9/1/2012	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/1/2012	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/2/2012	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/3/2012	NTU	4.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/4/2012	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/5/2012	NTU	4.9

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/6/2012	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/7/2012	NTU	5.8
Turbidity		9/8/2012	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/8/2012	NTU	5.5
Turbidity		9/8/2012	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/9/2012	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/10/2012	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/11/2012	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/12/2012	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/13/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/14/2012	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/15/2012	NTU	6.4
Turbidity		9/15/2012	NTU	5.5
Turbidity		9/15/2012	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/16/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/17/2012	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/18/2012	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/19/2012	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/20/2012	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/21/2012	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/22/2012	NTU	5.6
Turbidity		9/22/2012	NTU	7.5
Turbidity		9/22/2012	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/23/2012	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/24/2012	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/25/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/26/2012	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/27/2012	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/28/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/29/2012	NTU	7.3
Turbidity		9/29/2012	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/30/2012	NTU	6.5
Turbidity		9/30/2012	NTU	5.8
Turbidity		9/30/2012	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/1/2012	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/2/2012	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/3/2012	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/4/2012	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/5/2012	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/6/2012	NTU	6.5
Turbidity		10/6/2012	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/7/2012	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/8/2012	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/9/2012	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/10/2012	NTU	8.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/11/2012	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/12/2012	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/13/2012	NTU	6.4
Turbidity		10/13/2012	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/14/2012	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/15/2012	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/16/2012	NTU	7.3

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/17/2012	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/18/2012	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/19/2012	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/20/2012	NTU	6.4
Turbidity		10/20/2012	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/21/2012	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/22/2012	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/23/2012	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/24/2012	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/25/2012	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/26/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/27/2012	NTU	7.2
Turbidity		10/27/2012	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/28/2012	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/29/2012	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/30/2012	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/31/2012	NTU	7.2
Turbidity		10/31/2012	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/1/2012	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/2/2012	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/3/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/4/2012	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/5/2012	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/6/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/7/2012	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/8/2012	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/9/2012	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/10/2012	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/11/2012	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/12/2012	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/13/2012	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/14/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/15/2012	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/16/2012	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/17/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/18/2012	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/19/2012	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/20/2012	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/21/2012	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/22/2012	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/23/2012	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/24/2012	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/25/2012	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/26/2012	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/27/2012	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/28/2012	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/29/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/30/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/1/2012	NTU	8.7
Turbidity		12/1/2012	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/2/2012	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/3/2012	NTU	8.4

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/4/2012	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/5/2012	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/6/2012	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/7/2012	NTU	6.9
Turbidity		12/8/2012	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/8/2012	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/9/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/10/2012	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/11/2012	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/12/2012	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/13/2012	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/14/2012	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/15/2012	NTU	6.6
Turbidity		12/15/2012	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/16/2012	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/17/2012	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/18/2012	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/19/2012	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/20/2012	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/21/2012	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/22/2012	NTU	13
Turbidity		12/22/2012	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/23/2012	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/24/2012	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/25/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/26/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/27/2012	NTU	9.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/28/2012	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/29/2012	NTU	6.2
Turbidity		12/29/2012	NTU	9.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/30/2012	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/31/2012	NTU	5
Turbidity		12/31/2012	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/1/2013	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/2/2013	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/3/2013	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/4/2013	NTU	8.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/5/2013	NTU	8.4
Turbidity		1/5/2013	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/6/2013	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/7/2013	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/8/2013	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/9/2013	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/10/2013	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/11/2013	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/12/2013	NTU	5.6
Turbidity		1/12/2013	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/13/2013	NTU	8.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/14/2013	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/15/2013	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/16/2013	NTU	8.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/17/2013	NTU	11

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/18/2013	NTU	9.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/19/2013	NTU	9.9
Turbidity		1/19/2013	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/20/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/21/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/22/2013	NTU	8.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/23/2013	NTU	9.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/24/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/25/2013	NTU	9.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/26/2013	NTU	9.1
Turbidity		1/26/2013	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/27/2013	NTU	9.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/28/2013	NTU	8.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/29/2013	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/30/2013	NTU	8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/31/2013	NTU	8.8
Turbidity		1/31/2013	NTU	8.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/1/2013	NTU	8.9
Turbidity		2/2/2013	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/2/2013	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/3/2013	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/4/2013	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/5/2013	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/6/2013	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/7/2013	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/8/2013	NTU	9.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/9/2013	NTU	8.4
Turbidity		2/9/2013	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/10/2013	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/11/2013	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/12/2013	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/13/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/14/2013	NTU	8.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/15/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/16/2013	NTU	9.2
Turbidity		2/16/2013	NTU	9.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/17/2013	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/18/2013	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/19/2013	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/20/2013	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/21/2013	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/22/2013	NTU	9.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/23/2013	NTU	9.8
Turbidity		2/23/2013	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/24/2013	NTU	9.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/25/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/26/2013	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/27/2013	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/28/2013	NTU	7.7
Turbidity		2/28/2013	NTU	9.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/1/2013	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/2/2013	NTU	10

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity		3/2/2013	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/3/2013	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/4/2013	NTU	9.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/5/2013	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/6/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/7/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/8/2013	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/9/2013	NTU	7
Turbidity		3/9/2013	NTU	9.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/10/2013	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/11/2013	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/12/2013	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/13/2013	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/14/2013	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/15/2013	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/16/2013	NTU	8.1
Turbidity		3/16/2013	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/17/2013	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/18/2013	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/19/2013	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/20/2013	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/21/2013	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/22/2013	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/23/2013	NTU	8.1
Turbidity		3/23/2013	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/24/2013	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/25/2013	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/26/2013	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/27/2013	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/28/2013	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/29/2013	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/30/2013	NTU	7.4
Turbidity		3/30/2013	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/31/2013	NTU	10
Turbidity		3/31/2013	NTU	8.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/1/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/2/2013	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/3/2013	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/4/2013	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/5/2013	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/6/2013	NTU	6.8
Turbidity		4/6/2013	NTU	8.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/7/2013	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/8/2013	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/9/2013	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/10/2013	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/11/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/12/2013	NTU	5.8
Turbidity		4/13/2013	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/13/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/14/2013	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/15/2013	NTU	6.6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/16/2013	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/17/2013	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/18/2013	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/19/2013	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/20/2013	NTU	6.1
Turbidity		4/20/2013	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/21/2013	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/22/2013	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/23/2013	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/24/2013	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/25/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/26/2013	NTU	5.2
Turbidity		4/27/2013	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/27/2013	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/28/2013	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/29/2013	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/30/2013	NTU	6
Turbidity		4/30/2013	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/1/2013	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/2/2013	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/3/2013	NTU	6.8
Turbidity		5/4/2013	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/4/2013	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/5/2013	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/6/2013	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/7/2013	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/8/2013	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/9/2013	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/10/2013	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/11/2013	NTU	9.2
Turbidity		5/11/2013	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/12/2013	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/13/2013	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/14/2013	NTU	8.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/15/2013	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/16/2013	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/17/2013	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/18/2013	NTU	8.7
Turbidity		5/18/2013	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/19/2013	NTU	8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/20/2013	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/21/2013	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/22/2013	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/23/2013	NTU	8.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/24/2013	NTU	7
Turbidity		5/25/2013	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/25/2013	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/26/2013	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/27/2013	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/28/2013	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/29/2013	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/30/2013	NTU	8.4

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/31/2013	NTU	7.5
Turbidity		5/31/2013	NTU	7.94
Turbidity		6/1/2013	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/1/2013	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/2/2013	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/3/2013	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/4/2013	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/5/2013	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/6/2013	NTU	4.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/7/2013	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/8/2013	NTU	5.1
Turbidity		6/8/2013	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/9/2013	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/10/2013	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/11/2013	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/12/2013	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/13/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/14/2013	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/15/2013	NTU	6.2
Turbidity		6/15/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/16/2013	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/17/2013	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/18/2013	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/19/2013	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/20/2013	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/21/2013	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/22/2013	NTU	5.5
Turbidity		6/22/2013	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/23/2013	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/24/2013	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/25/2013	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/26/2013	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/27/2013	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/28/2013	NTU	6.4
Turbidity		6/29/2013	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/29/2013	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/30/2013	NTU	6.1
Turbidity		6/30/2013	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/1/2013	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/2/2013	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/3/2013	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/4/2013	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/5/2013	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/6/2013	NTU	8.8
Turbidity		7/6/2013	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/7/2013	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/8/2013	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/9/2013	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/10/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/11/2013	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/12/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/13/2013	NTU	6.2

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity		7/13/2013	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/14/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/15/2013	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/16/2013	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/17/2013	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/18/2013	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/19/2013	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/20/2013	NTU	5.2
Turbidity		7/20/2013	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/21/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/22/2013	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/23/2013	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/24/2013	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/25/2013	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/26/2013	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/27/2013	NTU	5.3
Turbidity		7/27/2013	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/28/2013	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/29/2013	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/30/2013	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/31/2013	NTU	5.8
Turbidity		7/31/2013	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/1/2013	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/2/2013	NTU	5.8
Turbidity		8/3/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/3/2013	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/4/2013	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/5/2013	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/6/2013	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/7/2013	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/8/2013	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/9/2013	NTU	5
Turbidity		8/10/2013	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/10/2013	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/11/2013	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/12/2013	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/13/2013	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/14/2013	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/15/2013	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/16/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/17/2013	NTU	8.1
Turbidity		8/17/2013	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/18/2013	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/19/2013	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/20/2013	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/21/2013	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/22/2013	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/23/2013	NTU	6.2
Turbidity		8/24/2013	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/24/2013	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/25/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/26/2013	NTU	6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/27/2013	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/28/2013	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/29/2013	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/30/2013	NTU	5.4
Turbidity		8/31/2013	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/31/2013	NTU	4.8
Turbidity		8/31/2013	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/1/2013	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/2/2013	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/3/2013	NTU	4.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/4/2013	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/5/2013	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/6/2013	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/7/2013	NTU	4.9
Turbidity		9/7/2013	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/8/2013	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/9/2013	NTU	4.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/10/2013	NTU	4.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/11/2013	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/12/2013	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/13/2013	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/14/2013	NTU	5.5
Turbidity		9/14/2013	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/15/2013	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/16/2013	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/17/2013	NTU	4.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/18/2013	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/19/2013	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/20/2013	NTU	4.7
Turbidity		9/21/2013	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/21/2013	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/22/2013	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/23/2013	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/24/2013	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/25/2013	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/26/2013	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/27/2013	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/28/2013	NTU	4.6
Turbidity		9/28/2013	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/29/2013	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/30/2013	NTU	4.9
Turbidity		9/30/2013	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/1/2013	NTU	4.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/2/2013	NTU	4.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/3/2013	NTU	4.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/4/2013	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/5/2013	NTU	4.6
Turbidity		10/5/2013	NTU	4.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/6/2013	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/7/2013	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/8/2013	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/9/2013	NTU	7.2

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/10/2013	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/11/2013	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/12/2013	NTU	7.6
Turbidity		10/12/2013	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/13/2013	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/14/2013	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/15/2013	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/16/2013	NTU	8.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/17/2013	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/18/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/19/2013	NTU	9.1
Turbidity		10/19/2013	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/20/2013	NTU	9.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/21/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/22/2013	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/23/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/24/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/25/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/26/2013	NTU	12
Turbidity		10/26/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/27/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/28/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/29/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/30/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/31/2013	NTU	13
Turbidity		10/31/2013	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/1/2013	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/2/2013	NTU	12
Turbidity		11/2/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/3/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/4/2013	NTU	20
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/5/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/6/2013	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/7/2013	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/8/2013	NTU	13
Turbidity		11/9/2013	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/9/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/10/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/11/2013	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/12/2013	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/13/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/14/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/15/2013	NTU	8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/16/2013	NTU	9.8
Turbidity		11/16/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/17/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/18/2013	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/19/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/20/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/21/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/22/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/23/2013	NTU	13

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity		11/23/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/24/2013	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/25/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/26/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/27/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/28/2013	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/29/2013	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	11/30/2013	NTU	13
Turbidity		11/30/2013	NTU	13
Turbidity		11/30/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/1/2013	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/2/2013	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/3/2013	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/5/2013	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/6/2013	NTU	18
Turbidity		12/7/2013	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/7/2013	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/8/2013	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/9/2013	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/10/2013	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/11/2013	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/12/2013	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/13/2013	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/14/2013	NTU	16
Turbidity		12/14/2013	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/15/2013	NTU	18
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/16/2013	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/17/2013	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/18/2013	NTU	19
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/19/2013	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/20/2013	NTU	18
Turbidity		12/21/2013	NTU	18
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/21/2013	NTU	20
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/22/2013	NTU	25
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/23/2013	NTU	22
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/24/2013	NTU	32
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/25/2013	NTU	46
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/26/2013	NTU	36
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/27/2013	NTU	23
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/28/2013	NTU	17
Turbidity		12/28/2013	NTU	29
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/29/2013	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/30/2013	NTU	12
Turbidity		12/31/2013	NTU	19
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	12/31/2013	NTU	20
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/1/2014	NTU	20
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/2/2014	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/3/2014	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/4/2014	NTU	17
Turbidity		1/4/2014	NTU	16.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/5/2014	NTU	20
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/6/2014	NTU	17

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/7/2014	NTU	18
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/8/2014	NTU	18
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/9/2014	NTU	19
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/10/2014	NTU	17
Turbidity		1/11/2014	NTU	18
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/11/2014	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/12/2014	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/13/2014	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/14/2014	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/15/2014	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/16/2014	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/17/2014	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/18/2014	NTU	17
Turbidity		1/18/2014	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/19/2014	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/20/2014	NTU	18
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/21/2014	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/22/2014	NTU	18
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/23/2014	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/24/2014	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/25/2014	NTU	18
Turbidity		1/25/2014	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/26/2014	NTU	21
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/27/2014	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/28/2014	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/29/2014	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/30/2014	NTU	18
Turbidity		1/31/2014	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	1/31/2014	NTU	15
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/1/2014	NTU	15
Turbidity		2/1/2014	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/2/2014	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/3/2014	NTU	9.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/4/2014	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/5/2014	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/6/2014	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/7/2014	NTU	8.6
Turbidity		2/8/2014	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/8/2014	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/9/2014	NTU	9.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/10/2014	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/11/2014	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/12/2014	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/13/2014	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/14/2014	NTU	11
Turbidity		2/15/2014	NTU	9.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/15/2014	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/16/2014	NTU	9.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/17/2014	NTU	8.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/18/2014	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/19/2014	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/20/2014	NTU	11

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/21/2014	NTU	9.2
Turbidity		2/22/2014	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/22/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/23/2014	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/24/2014	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/25/2014	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/26/2014	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/27/2014	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	2/28/2014	NTU	7.2
Turbidity		2/28/2014	NTU	8.9
Turbidity		3/1/2014	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/1/2014	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/2/2014	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/3/2014	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/4/2014	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/5/2014	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/6/2014	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/7/2014	NTU	6.9
Turbidity		3/8/2014	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/8/2014	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/9/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/10/2014	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/11/2014	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/12/2014	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/13/2014	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/14/2014	NTU	6
Turbidity		3/15/2014	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/15/2014	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/16/2014	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/17/2014	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/18/2014	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/19/2014	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/20/2014	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/21/2014	NTU	5.9
Turbidity		3/22/2014	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/22/2014	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/23/2014	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/24/2014	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/25/2014	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/26/2014	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/27/2014	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/28/2014	NTU	6.3
Turbidity		3/29/2014	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/29/2014	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/30/2014	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	3/31/2014	NTU	6.2
Turbidity		3/31/2014	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/1/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/2/2014	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/3/2014	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/4/2014	NTU	6.8
Turbidity		4/5/2014	NTU	6.8

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/5/2014	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/6/2014	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/7/2014	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/8/2014	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/9/2014	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/10/2014	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/11/2014	NTU	5.7
Turbidity		4/12/2014	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/12/2014	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/13/2014	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/14/2014	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/15/2014	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/16/2014	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/17/2014	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/18/2014	NTU	6
Turbidity		4/19/2014	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/19/2014	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/20/2014	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/21/2014	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/22/2014	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/23/2014	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/24/2014	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/25/2014	NTU	7.4
Turbidity		4/26/2014	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/26/2014	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/27/2014	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/28/2014	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/29/2014	NTU	6.7
Turbidity		4/30/2014	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	4/30/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/1/2014	NTU	16
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/2/2014	NTU	7
Turbidity		5/3/2014	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/3/2014	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/4/2014	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/5/2014	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/6/2014	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/7/2014	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/8/2014	NTU	6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/9/2014	NTU	6.2
Turbidity		5/10/2014	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/10/2014	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/11/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/12/2014	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/13/2014	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/14/2014	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/15/2014	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/16/2014	NTU	5.5
Turbidity		5/17/2014	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/17/2014	NTU	5.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/18/2014	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/19/2014	NTU	5

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/20/2014	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/21/2014	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/22/2014	NTU	6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/23/2014	NTU	7
Turbidity		5/24/2014	NTU	5.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/24/2014	NTU	5.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/25/2014	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/26/2014	NTU	4.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/27/2014	NTU	4.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/28/2014	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/29/2014	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/30/2014	NTU	5.1
Turbidity		5/31/2014	NTU	4.9
Turbidity		5/31/2014	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	5/31/2014	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/1/2014	NTU	4.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/2/2014	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/3/2014	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/4/2014	NTU	4.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/5/2014	NTU	5.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/6/2014	NTU	4.6
Turbidity		6/7/2014	NTU	5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/7/2014	NTU	5.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/8/2014	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/9/2014	NTU	5.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/10/2014	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/11/2014	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/12/2014	NTU	6.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/13/2014	NTU	7.3
Turbidity		6/14/2014	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/14/2014	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/15/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/16/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/17/2014	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/18/2014	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/19/2014	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/20/2014	NTU	7.3
Turbidity		6/21/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/21/2014	NTU	7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/22/2014	NTU	6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/23/2014	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/24/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/25/2014	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/26/2014	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/27/2014	NTU	8.8
Turbidity		6/28/2014	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/28/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/29/2014	NTU	7
Turbidity		6/30/2014	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	6/30/2014	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/1/2014	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/2/2014	NTU	6.9

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/3/2014	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/4/2014	NTU	8.1
Turbidity		7/5/2014	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/5/2014	NTU	9.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/6/2014	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/7/2014	NTU	9.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/8/2014	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/9/2014	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/10/2014	NTU	7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/11/2014	NTU	7.3
Turbidity		7/12/2014	NTU	8.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/12/2014	NTU	8.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/13/2014	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/14/2014	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/15/2014	NTU	6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/16/2014	NTU	6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/17/2014	NTU	5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/18/2014	NTU	5.9
Turbidity		7/19/2014	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/19/2014	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/20/2014	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/21/2014	NTU	5.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/22/2014	NTU	5.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/23/2014	NTU	6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/24/2014	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/25/2014	NTU	7.5
Turbidity		7/26/2014	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/26/2014	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/27/2014	NTU	7.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/28/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/29/2014	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/30/2014	NTU	7.1
Turbidity		7/31/2014	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	7/31/2014	NTU	7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/1/2014	NTU	6.8
Turbidity		8/2/2014	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/2/2014	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/3/2014	NTU	7.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/4/2014	NTU	6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/5/2014	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/6/2014	NTU	9.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/7/2014	NTU	9.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/8/2014	NTU	9.2
Turbidity		8/9/2014	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/9/2014	NTU	8.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/10/2014	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/11/2014	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/12/2014	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/13/2014	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/14/2014	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/15/2014	NTU	9.2
Turbidity		8/16/2014	NTU	8.6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/16/2014	NTU	9.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/17/2014	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/18/2014	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/19/2014	NTU	7.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/20/2014	NTU	8.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/21/2014	NTU	8.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/22/2014	NTU	9.9
Turbidity		8/23/2014	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/23/2014	NTU	9.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/24/2014	NTU	9.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/25/2014	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/26/2014	NTU	8.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/27/2014	NTU	17
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/28/2014	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/29/2014	NTU	10
Turbidity		8/30/2014	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/30/2014	NTU	11
Turbidity		8/31/2014	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	8/31/2014	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/1/2014	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/2/2014	NTU	12
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/3/2014	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/4/2014	NTU	23
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/5/2014	NTU	18
Turbidity		9/6/2014	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/6/2014	NTU	13
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/7/2014	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/8/2014	NTU	8.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/9/2014	NTU	9.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/10/2014	NTU	10
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/11/2014	NTU	9.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/12/2014	NTU	7.9
Turbidity		9/13/2014	NTU	9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/13/2014	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/14/2014	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/15/2014	NTU	7.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/16/2014	NTU	6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/17/2014	NTU	6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/18/2014	NTU	7.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/19/2014	NTU	7
Turbidity		9/20/2014	NTU	7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/20/2014	NTU	7.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/21/2014	NTU	8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/22/2014	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/23/2014	NTU	8.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/24/2014	NTU	11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/25/2014	NTU	14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/26/2014	NTU	10
Turbidity		9/27/2014	NTU	9.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/27/2014	NTU	8.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/28/2014	NTU	8.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/29/2014	NTU	7.6

Sierra Pacific Industries - Arcata Division Sawmill
Effluent Data
March 2011

Turbidity		9/30/2014	NTU		9.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	9/30/2014	NTU		7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/1/2014	NTU		7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/2/2014	NTU		7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/3/2014	NTU		7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/4/2014	NTU		6.8
Turbidity		10/4/2014	NTU		7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/5/2014	NTU		6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/6/2014	NTU		6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/7/2014	NTU		6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/8/2014	NTU		6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/9/2014	NTU		6.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/10/2014	NTU		6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/11/2014	NTU		6.6
Turbidity		10/11/2014	NTU		6.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/12/2014	NTU		6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/13/2014	NTU		5.9
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/14/2014	NTU		6.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/15/2014	NTU		6.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/16/2014	NTU		7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/17/2014	NTU		7.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/18/2014	NTU		6.4
Turbidity		10/18/2014	NTU		6.6
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/19/2014	NTU		6.1
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/20/2014	NTU		6.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/21/2014	NTU		6.2
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/22/2014	NTU		7.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/23/2014	NTU		9.4
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/24/2014	NTU		9.7
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/25/2014	NTU		9.2
Turbidity		10/25/2014	NTU		7.8
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/26/2014	NTU		8.3
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/27/2014	NTU		14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/28/2014	NTU		8.5
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/29/2014	NTU		14
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/30/2014	NTU		11
Turbidity	Standard Method (19th) 2130 B: Turbidity by Nephelometric Method	10/31/2014	NTU		9.6
Turbidity		10/31/2014	NTU		7.7
Vinyl acetate		12/14/2009	ug/L	<	ND
Vinyl acetate		12/11/2012	ug/L	<	ND
Vinyl acetate		12/10/2013	ug/L	<	ND

1	1
1	1
1	1

Sierra Pacific Industries - Arcata Division Sawmill
Receiving Water Data
March 2011

CTR No.	Pollutant	Analytical Method	Sample Date	Units	Qualifier	Result (ug/L)	MDL (ug/L)	RL (ug/L)	Location	Comments
1	Antimony	EPA 200.8	12/2/2013	ug/L	J	0.17	0.1	0.5	Site 1	
1	Antimony	EPA 200.8	12/2/2013	ug/L	J	0.24	0.1	0.5	Site 1 Field Dup	
1	Antimony	EPA 200.8	12/2/2013	ug/L	J	0.18	0.1	0.5	Site 2	
2	Arsenic	EPA 200.8	12/2/2013	ug/L		5.1	0.12	0.5	Site 1	
2	Arsenic	EPA 200.8	12/2/2013	ug/L		3.5	0.12	0.5	Site 1 Field Dup	
2	Arsenic	EPA 200.8	12/2/2013	ug/L		4.5	0.12	0.5	Site 2	
3	Beryllium	EPA 200.8	12/2/2013	ug/L	<	ND	0.12	0.2	Site 1	
3	Beryllium	EPA 200.8	12/2/2013	ug/L	<	ND	0.12	0.2	Site 1 Field Dup	
3	Beryllium	EPA 200.8	12/2/2013	ug/L	<	ND	0.12	0.2	Site 2	
4	Cadmium	EPA 200.8	12/2/2013	ug/L	<	ND	0.1	0.2	Site 1	
4	Cadmium	EPA 200.8	12/2/2013	ug/L	<	ND	0.1	0.2	Site 1 Field Dup	
4	Cadmium	EPA 200.8	12/2/2013	ug/L	<	ND	0.1	0.2	Site 2	
6	Copper	EPA 200.8	12/2/2013	ug/L		3.1	0.14	1	Site 1	
6	Copper	EPA 200.8	12/2/2013	ug/L		1.5	0.14	1	Site 1 Field Dup	
6	Copper	EPA 200.8	12/2/2013	ug/L		2.5	0.14	1	Site 2	
7	Lead	EPA 200.8	12/2/2013	ug/L		0.28	0.06	0.25	Site 1	
7	Lead	EPA 200.8	12/2/2013	ug/L	J	0.16	0.05	0.25	Site 1 Field Dup	
7	Lead	EPA 200.8	12/2/2013	ug/L	J	0.11	0.06	0.25	Site 2	
8	Mercury	EPA1631E	12/2/2013	ug/L		0.0011	0.0002	0.0005	Site 1	
8	Mercury	EPA1631E	12/2/2013	ug/L		0.0008	0.0002	0.0005	Site 1 Field Dup	
8	Mercury	EPA1631E	12/2/2013	ug/L		0.0011	0.0002	0.0005	Site 2	
9	Nickel	EPA 200.8	12/2/2013	ug/L		2.3	0.12	0.5	Site 1	
9	Nickel	EPA 200.8	12/2/2013	ug/L		1.5	0.12	0.5	Site 1 Field Dup	
9	Nickel	EPA 200.8	12/2/2013	ug/L		2.6	0.12	0.5	Site 2	
10	Selenium	EPA 200.8	12/2/2013	ug/L		1.5	0.12	1	Site 1	
10	Selenium	EPA 200.8	12/2/2013	ug/L		2.8	0.06	1	Site 1 Field Dup	
10	Selenium	EPA 200.8	12/2/2013	ug/L		3.1	0.12	1	Site 2	
11	Silver	EPA 200.8	12/2/2013	ug/L	<	ND	0.04	0.2	Site 1	
11	Silver	EPA 200.8	12/2/2013	ug/L	<	ND	0.04	0.2	Site 1 Field Dup	
11	Silver	EPA 200.8	12/2/2013	ug/L	<	ND	0.04	0.2	Site 2	
12	Thallium	EPA 200.8	12/2/2013	ug/L	<	ND	0.1	0.2	Site 1	
12	Thallium	EPA 200.8	12/2/2013	ug/L	<	ND	0.1	0.2	Site 1 Field Dup	
12	Thallium	EPA 200.8	12/2/2013	ug/L	<	ND	0.1	0.2	Site 2	
13	Zinc	EPA 200.8	12/2/2013	ug/L		17	1.4	2	Site 1	
13	Zinc	EPA 200.8	12/2/2013	ug/L		4.9	1.4	2	Site 1 Field Dup	
13	Zinc	EPA 200.8	12/2/2013	ug/L		3.1	1.4	2	Site 2	
14	Cyanide		12/2/2013	ug/L	<	ND	0.9	3	Site 1	
14	Cyanide		12/2/2013	ug/L	<	ND	0.9	3	Site 1 Field Dup	
14	Cyanide		12/2/2013	ug/L	<	ND	0.9	3	Site 2	
17	Acrolein		12/2/2013	ug/L	<	ND	1.7	5	Site 1	
17	Acrolein	EPA 624	12/2/2013	ug/L	<	ND	1.7	5	Site 1 Field Dup	
17	Acrolein	EPA 624	12/2/2013	ug/L	<	ND	1.7	5	Site 2	
18	Acrylonitrile		12/2/2013	ug/L	<	ND	1	2	Site 1	
18	Acrylonitrile	EPA 624	12/2/2013	ug/L	<	ND	1	2	Site 1 Field Dup	
18	Acrylonitrile	EPA 624	12/2/2013	ug/L	<	ND	1	2	Site 2	
19	Benzene		12/2/2013	ug/L	<	ND	0.18	0.5	Site 1	
19	Benzene	EPA 624	12/2/2013	ug/L	<	ND	0.18	0.5	Site 1 Field Dup	
19	Benzene	EPA 624	12/2/2013	ug/L	<	ND	0.18	0.5	Site 2	
20	Bromoform		12/2/2013	ug/L	<	ND	0.2	0.5	Site 1	
20	Bromoform	EPA 624	12/2/2013	ug/L	<	ND	0.2	0.5	Site 1 Field Dup	
20	Bromoform	EPA 624	12/2/2013	ug/L	<	ND	0.2	0.5	Site 2	

21	Carbon tetrachloride		12/2/2013	ug/L	<	ND	0.16	0.5	Site 1
21	Carbon tetrachloride	EPA 624	12/2/2013	ug/L	<	ND	0.16	0.5	Site 1 Field Dup
21	Carbon tetrachloride	EPA 624	12/2/2013	ug/L	<	ND	0.16	0.5	Site 2
22	Chlorobenzene		12/2/2013	ug/L	<	ND	0.18	0.5	Site 1
22	Chlorobenzene	EPA 624	12/2/2013	ug/L	<	ND	0.18	0.5	Site 1 Field Dup
22	Chlorobenzene	EPA 624	12/2/2013	ug/L	<	ND	0.18	0.5	Site 2
23	Chlorodibromomethane		12/2/2013	ug/L	<	ND	0.17	0.5	Site 1
23	Chlorodibromomethane		12/2/2013	ug/L	<	ND	0.17	0.5	Site 1 Field Dup
23	Chlorodibromomethane	EPA 624	12/2/2013	ug/L	<	ND	0.17	0.5	Site 2
24	Chloroethane		12/2/2013	ug/L	<	ND	0.38	0.5	Site 1
24	Chloroethane	EPA 624	12/2/2013	ug/L	<	ND	0.38	0.5	Site 1 Field Dup
24	Chloroethane	EPA 624	12/2/2013	ug/L	<	ND	0.38	0.5	Site 2
25	2-Chloroethylvinyl Ether		12/2/2013	ug/L	<	ND	0.28	1	Site 1
25	2-Chloroethylvinyl Ether		12/2/2013	ug/L	<	ND	0.28	1	Site 1 Field Dup
25	2-Chloroethylvinyl Ether	EPA 624	12/2/2013	ug/L	<	ND	0.28	1	Site 2
26	Chloroform		12/2/2013	ug/L	<	ND	0.19	0.5	Site 1
26	Chloroform		12/2/2013	ug/L	<	ND	0.19	0.5	Site 1 Field Dup
26	Chloroform	EPA 624	12/2/2013	ug/L	<	ND	0.19	0.5	Site 2
27	Dichlorobromomethane		12/2/2013	ug/L	<	ND	0.16	0.5	Site 1
27	Dichlorobromomethane	EPA 624	12/2/2013	ug/L	<	ND	0.16	0.5	Site 1 Field Dup
27	Dichlorobromomethane	EPA 624	12/2/2013	ug/L	<	ND	0.16	0.5	Site 2
28	1,1-Dichloroethane		12/2/2013	ug/L	<	ND	0.19	0.5	Site 1
28	1,1-Dichloroethane		12/2/2013	ug/L	<	ND	0.19	0.5	Site 1 Field Dup
28	1,1-Dichloroethane	EPA 624	12/2/2013	ug/L	<	ND	0.19	0.5	Site 2
29	1,2-Dichloroethane (EDC)		12/2/2013	ug/L	<	ND	0.18	0.5	Site 1
29	1,2-Dichloroethane (EDC)		12/2/2013	ug/L	<	ND	0.18	0.5	Site 1 Field Dup
29	1,2-Dichloroethane (EDC)	EPA 624	12/2/2013	ug/L	<	ND	0.18	0.5	Site 2
30	1,1-Dichloroethylene		12/2/2013	ug/L	<	ND	0.21	0.5	Site 1
30	1,1-Dichloroethylene		12/2/2013	ug/L	<	ND	0.21	0.5	Site 1 Field Dup
30	1,1-Dichloroethylene	EPA 624	12/2/2013	ug/L	<	ND	0.21	0.5	Site 2
31	1,2-Dichloropropane		12/2/2013	ug/L	<	ND	0.18	0.5	Site 1
31	1,2-Dichloropropane		12/2/2013	ug/L	<	ND	0.18	0.5	Site 1 Field Dup
31	1,2-Dichloropropane	EPA 624	12/2/2013	ug/L	<	ND	0.18	0.5	Site 2
32	cis-1,3-Dichloropropene		12/2/2013	ug/L	<	ND	0.16	0.5	Site 1
32	cis-1,3-Dichloropropene		12/2/2013	ug/L	<	ND	0.16	0.5	Site 1 Field Dup
32	cis-1,3-Dichloropropene		12/2/2013	ug/L	<	ND	0.16	0.5	Site 2
32	trans-1,3-Dichloropropene		12/2/2013	ug/L	<	ND	0.16	0.5	Site 1
32	trans-1,3-Dichloropropene		12/2/2013	ug/L	<	ND	0.16	0.5	Site 1 Field Dup
32	trans-1,3-Dichloropropene		12/2/2013	ug/L	<	ND	0.16	0.5	Site 2
33	Ethylbenzene		12/2/2013	ug/L	<	ND	0.26	0.5	Site 1
33	Ethylbenzene		12/2/2013	ug/L	<	ND	0.26	0.5	Site 1 Field Dup
33	Ethylbenzene		12/2/2013	ug/L	<	ND	0.26	0.5	Site 2
34	Methyl bromide		12/2/2013	ug/L	<	ND	0.17	0.5	Site 1
34	Methyl bromide	EPA 624	12/2/2013	ug/L	<	ND	0.17	0.5	Site 1 Field Dup
34	Methyl bromide	EPA 624	12/2/2013	ug/L	<	ND	0.17	0.5	Site 2
35	Methyl chloride		12/2/2013	ug/L	<	ND	0.23	0.5	Site 1
35	Methyl chloride		12/2/2013	ug/L	<	ND	0.23	0.5	Site 1 Field Dup
35	Methyl chloride	EPA 624	12/2/2013	ug/L	<	ND	0.23	0.5	Site 2
36	Methylene chloride		12/2/2013	ug/L	<	ND	0.3	0.5	Site 1
36	Methylene chloride		12/2/2013	ug/L	<	ND	0.3	0.5	Site 1 Field Dup
36	Methylene chloride		12/2/2013	ug/L	<	ND	0.3	0.5	Site 2
37	1,1,2,2-Tetrachloroethane		12/2/2013	ug/L	<	ND	0.2	0.5	Site 1

37	1,1,2,2-Tetrachloroethane		12/2/2013	ug/L	<	ND	0.2	0.5	Site 1 Field Dup
37	1,1,2,2-Tetrachloroethane		12/2/2013	ug/L	<	ND	0.2	0.5	Site 2
38	Tetrachloroethene (PCE)		12/2/2013	ug/L	<	ND	0.19	0.5	Site 1
38	Tetrachloroethene (PCE)		12/2/2013	ug/L	<	ND	0.19	0.5	Site 1 Field Dup
38	Tetrachloroethene (PCE)		12/2/2013	ug/L	<	ND	0.19	0.5	Site 2
39	Toluene		12/2/2013	ug/L	<	ND	0.19	0.5	Site 1
39	Toluene		12/2/2013	ug/L	<	ND	0.19	0.5	Site 1 Field Dup
39	Toluene		12/2/2013	ug/L	<	ND	0.19	0.5	Site 2
41	1,1,1-Trichloroethane		12/2/2013	ug/L	<	ND	0.19	0.5	Site 1
41	1,1,1-Trichloroethane		12/2/2013	ug/L	<	ND	0.19	0.5	Site 1 Field Dup
41	1,1,1-Trichloroethane		12/2/2013	ug/L	<	ND	0.19	0.5	Site 2
42	1,1,2-Trichloroethane		12/2/2013	ug/L	<	ND	0.16	0.5	Site 1
42	1,1,2-Trichloroethane		12/2/2013	ug/L	<	ND	0.16	0.5	Site 1 Field Dup
42	1,1,2-Trichloroethane		12/2/2013	ug/L	<	ND	0.16	0.5	Site 2
43	Trichloroethylene		12/2/2013	ug/L	<	ND	0.2	0.5	Site 1
43	Trichloroethylene		12/2/2013	ug/L	<	ND	0.2	0.5	Site 1 Field Dup
43	Trichloroethylene		12/2/2013	ug/L	<	ND	0.2	0.5	Site 2
44	Vinyl chloride		12/2/2013	ug/L	<	ND	0.25	0.5	Site 1
44	Vinyl chloride		12/2/2013	ug/L	<	ND	0.25	0.5	Site 1 Field Dup
44	Vinyl chloride		12/2/2013	ug/L	<	ND	0.25	0.5	Site 2
46	2,4-Dichlorophenol		12/2/2013	ug/L	<	ND	0.99	1	Site 1
46	2,4-Dichlorophenol	EPA 625	12/2/2013	ug/L	<	ND	0.99	1	Site 1 Field Dup
46	2,4-Dichlorophenol		12/2/2013	ug/L	<	ND	0.99	1	Site 2
47	2,4-Dimethylphenol		12/2/2013	ug/L	<	ND	0.87	2	Site 1
47	2,4-Dimethylphenol	EPA 625	12/2/2013	ug/L	<	ND	0.87	2	Site 1 Field Dup
47	2,4-Dimethylphenol		12/2/2013	ug/L	<	ND	0.87	2	Site 2
48	2-Methyl-4,6-dinitrophenol		12/2/2013	ug/L	<	ND	0.91	5	Site 1
48	2-Methyl-4,6-dinitrophenol		12/2/2013	ug/L	<	ND	0.91	5	Site 1 Field Dup
48	2-Methyl-4,6-dinitrophenol		12/2/2013	ug/L	<	ND	0.91	5	Site 2
49	2,4-Dinitrophenol		12/2/2013	ug/L	<	ND	0.83	5	Site 1
49	2,4-Dinitrophenol	EPA 625	12/2/2013	ug/L	<	ND	0.83	5	Site 1 Field Dup
49	2,4-Dinitrophenol		12/2/2013	ug/L	<	ND	0.83	5	Site 2
50	2-Nitrophenol		12/2/2013	ug/L	<	ND	0.89	5	Site 1
50	2-Nitrophenol		12/2/2013	ug/L	<	ND	0.89	5	Site 1 Field Dup
50	2-Nitrophenol		12/2/2013	ug/L	<	ND	0.89	5	Site 2
51	4-Nitrophenol		12/2/2013	ug/L	<	ND	0.83	5	Site 1
51	4-Nitrophenol		12/2/2013	ug/L	<	ND	0.83	5	Site 1 Field Dup
51	4-Nitrophenol		12/2/2013	ug/L	<	ND	0.83	5	Site 2
52	3-Methyl-4-Chlorophenol	EPA 625	12/2/2013	ug/L	<	ND	0.91	1	Site 1
52	3-Methyl-4-Chlorophenol	EPA 625	12/2/2013	ug/L	<	ND	0.91	1	Site 1 Field Dup
52	3-Methyl-4-Chlorophenol		12/2/2013	ug/L	<	ND	0.91	1	Site 2
53	Pentachlorophenol		12/2/2013	ug/L	<	ND	0.81	1	Site 1
53	Pentachlorophenol		12/2/2013	ug/L	<	ND	0.81	1	Site 1 Field Dup
53	Pentachlorophenol		12/2/2013	ug/L	<	ND	0.81	1	Site 2
54	Phenol		12/2/2013	ug/L	<	ND	0.69	1	Site 1
54	Phenol		12/2/2013	ug/L	<	ND	0.69	1	Site 1 Field Dup
54	Phenol		12/2/2013	ug/L	<	ND	0.69	1	Site 2
55	2,4,6-Trichlorophenol		12/2/2013	ug/L	<	ND	0.97	5	Site 1
55	2,4,6-Trichlorophenol		12/2/2013	ug/L	<	ND	0.97	5	Site 1 Field Dup
55	2,4,6-Trichlorophenol		12/2/2013	ug/L	<	ND	0.97	5	Site 2
56	Acenaphthene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1
56	Acenaphthene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1 Field Dup

56	Acenaphthene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 2
57	Acenaphthylene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.2	Site 1
57	Acenaphthylene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.2	Site 1 Field Dup
57	Acenaphthylene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.2	Site 2
58	Anthracene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1
58	Anthracene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1 Field Dup
58	Anthracene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 2
59	Benzidine	EPA 625	12/2/2013	ug/L	<	ND	5	5	Site 1
59	Benzidine	EPA 625	12/2/2013	ug/L	<	ND	5	5	Site 1 Field Dup
59	Benzidine	EPA 625	12/2/2013	ug/L	<	ND	5	5	Site 2
60	Benzo(a)anthracene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1
60	Benzo(a)anthracene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1 Field Dup
60	Benzo(a)anthracene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 2
61	Benzo(a)pyrene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1
61	Benzo(a)pyrene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1 Field Dup
61	Benzo(a)pyrene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 2
62	Benzo(b)fluoranthene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1
62	Benzo(b)fluoranthene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1 Field Dup
62	Benzo(b)fluoranthene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 2
63	Benzo(g,h,i)perylene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.1	Site 1
63	Benzo(g,h,i)perylene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.1	Site 1 Field Dup
63	Benzo(g,h,i)perylene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.1	Site 2
64	Benzo(k)fluoranthene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1
64	Benzo(k)fluoranthene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1 Field Dup
64	Benzo(k)fluoranthene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 2
65	Bis(2-chloroethoxy)methane	EPA 625	12/2/2013	ug/L	<	ND	0.93	5	Site 1
65	Bis(2-chloroethoxy)methane	EPA 625	12/2/2013	ug/L	<	ND	0.93	5	Site 1 Field Dup
65	Bis(2-chloroethoxy)methane		12/2/2013	ug/L	<	ND	0.93	5	Site 2
66	Bis(2-chloroethyl)ether	EPA 625	12/2/2013	ug/L	<	ND	0.95	1	Site 1
66	Bis(2-chloroethyl)ether	EPA 625	12/2/2013	ug/L	<	ND	0.95	1	Site 1 Field Dup
66	Bis(2-chloroethyl)ether		12/2/2013	ug/L	<	ND	0.95	1	Site 2
67	Bis(2-chloroisopropyl)ether	EPA 625	12/2/2013	ug/L	<	ND	0.81	2	Site 1
67	Bis(2-chloroisopropyl)ether	EPA 625	12/2/2013	ug/L	<	ND	0.81	2	Site 1 Field Dup
67	Bis(2-chloroisopropyl)ether		12/2/2013	ug/L	<	ND	0.81	2	Site 2
68	Bis(2-ethylhexyl)phthalate		12/2/2013	ug/L	<	ND	0.95	3	Site 1
68	Bis(2-ethylhexyl)phthalate	EPA 625	12/2/2013	ug/L	<	ND	0.95	3	Site 1 Field Dup
68	Bis(2-ethylhexyl)phthalate		12/2/2013	ug/L	<	ND	0.95	3	Site 2
69	4-Bromophenyl phenyl ether	EPA 625	12/2/2013	ug/L	<	ND	0.97	5	Site 1
69	4-Bromophenyl phenyl ether	EPA 625	12/2/2013	ug/L	<	ND	0.97	5	Site 1 Field Dup
69	4-Bromophenyl phenyl ether		12/2/2013	ug/L	<	ND	0.97	5	Site 2
70	Butylbenzyl phthalate	EPA 625	12/2/2013	ug/L	<	ND	0.98	5	Site 1
70	Butylbenzyl phthalate	EPA 625	12/2/2013	ug/L	<	ND	0.98	5	Site 1 Field Dup
70	Butylbenzyl phthalate	EPA 625	12/2/2013	ug/L	<	ND	0.98	5	Site 2
71	2-Chloronaphthalene	EPA 625	12/2/2013	ug/L	<	ND	0.98	5	Site 1
71	2-Chloronaphthalene	EPA 625	12/2/2013	ug/L	<	ND	0.98	5	Site 1 Field Dup
71	2-Chloronaphthalene		12/2/2013	ug/L	<	ND	0.98	5	Site 2
72	4-Chlorophenyl phenyl ether		12/2/2013	ug/L	<	ND	0.99	5	Site 1
72	4-Chlorophenyl phenyl ether	EPA 625	12/2/2013	ug/L	<	ND	0.99	5	Site 1 Field Dup
72	4-Chlorophenyl phenyl ether		12/2/2013	ug/L	<	ND	0.99	5	Site 2
73	Chrysene		12/2/2013	ug/L	<	ND	0.03	0.3	Site 1
73	Chrysene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.3	Site 1 Field Dup
73	Chrysene		12/2/2013	ug/L	<	ND	0.03	0.3	Site 2

74	Dibenzo(a,h)anthracene		12/2/2013	ug/L	<	ND	0.03	0.1	Site 1
74	Dibenzo(a,h)anthracene	EPA 625	12/2/2013	ug/L	<	ND	0.03	0.1	Site 1 Field Dup
74	Dibenzo(a,h)anthracene		12/2/2013	ug/L	<	ND	0.03	0.1	Site 2
75	1,2-Dichlorobenzene		12/2/2013	ug/L	<	ND	0.27	0.5	Site 1
75	1,2-Dichlorobenzene		12/2/2013	ug/L	<	ND	0.27	0.5	Site 1 Field Dup
75	1,2-Dichlorobenzene	EPA 624	12/2/2013	ug/L	<	ND	0.27	0.5	Site 2
76	1,3-Dichlorobenzene		12/2/2013	ug/L	<	ND	0.18	0.5	Site 1
76	1,3-Dichlorobenzene		12/2/2013	ug/L	<	ND	0.18	0.5	Site 1 Field Dup
76	1,3-Dichlorobenzene	EPA 624	12/2/2013	ug/L	<	ND	0.18	0.5	Site 2
77	1,4-Dichlorobenzene		12/2/2013	ug/L	<	ND	0.18	0.5	Site 1
77	1,4-Dichlorobenzene		12/2/2013	ug/L	<	ND	0.18	0.5	Site 1 Field Dup
77	1,4-Dichlorobenzene	EPA 624	12/2/2013	ug/L	<	ND	0.18	0.5	Site 2
78	3,3-Dichlorobenzidine		12/2/2013	ug/L	<	ND	5	5	Site 1
78	3,3-Dichlorobenzidine	EPA 625	12/2/2013	ug/L	<	ND	5	5	Site 1 Field Dup
78	3,3-Dichlorobenzidine		12/2/2013	ug/L	<	ND	5	5	Site 2
79	Diethyl phthalate		12/2/2013	ug/L	<	ND	0.86	2	Site 1
79	Diethyl phthalate	EPA 625	12/2/2013	ug/L	<	ND	0.86	2	Site 1 Field Dup
79	Diethyl phthalate		12/2/2013	ug/L	<	ND	0.86	2	Site 2
80	Dimethyl phthalate		12/2/2013	ug/L	<	ND	0.97	2	Site 1
80	Dimethyl phthalate	EPA 625	12/2/2013	ug/L	<	ND	0.97	2	Site 1 Field Dup
80	Dimethyl phthalate		12/2/2013	ug/L	<	ND	0.97	2	Site 2
81	Di-n-butyl phthalate		12/2/2013	ug/L	<	ND	0.91	5	Site 1
81	Di-n-butyl phthalate	EPA 625	12/2/2013	ug/L	<	ND	0.91	5	Site 1 Field Dup
81	Di-n-butyl phthalate		12/2/2013	ug/L	<	ND	0.91	5	Site 2
82	2,4-Dinitrotoluene		12/2/2013	ug/L	<	ND	0.96	5	Site 1
82	2,4-Dinitrotoluene	EPA 625	12/2/2013	ug/L	<	ND	0.96	5	Site 1 Field Dup
82	2,4-Dinitrotoluene		12/2/2013	ug/L	<	ND	0.96	5	Site 2
83	2,6-Dinitrotoluene		12/2/2013	ug/L	<	ND	0.98	5	Site 1
83	2,6-Dinitrotoluene	EPA 625	12/2/2013	ug/L	<	ND	0.98	5	Site 1 Field Dup
83	2,6-Dinitrotoluene		12/2/2013	ug/L	<	ND	0.98	5	Site 2
84	Di-n-octylphthalate		12/2/2013	ug/L	<	ND	0.92	5	Site 1
84	Di-n-octylphthalate	EPA 625	12/2/2013	ug/L	<	ND	0.92	5	Site 1 Field Dup
84	Di-n-octylphthalate		12/2/2013	ug/L	<	ND	0.92	5	Site 2
85	1,2-Diphenylhydrazine		12/2/2013	ug/L	<	ND	0.9	1	Site 1
85	1,2-Diphenylhydrazine	EPA 625	12/2/2013	ug/L	<	ND	0.9	1	Site 1 Field Dup
85	1,2-Diphenylhydrazine		12/2/2013	ug/L	<	ND	0.9	1	Site 2
86	Fluoranthene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 1
86	Fluoranthene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 1 Field Dup
86	Fluoranthene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 2
87	Fluorene		12/2/2013	ug/L	<	ND	0.03	0.1	Site 1
87	Fluorene		12/2/2013	ug/L	<	ND	0.03	0.1	Site 1 Field Dup
87	Fluorene		12/2/2013	ug/L	<	ND	0.03	0.1	Site 2
88	Hexachlorobenzene		12/2/2013	ug/L	<	ND	0.91	1	Site 1
88	Hexachlorobenzene		12/2/2013	ug/L	<	ND	0.91	1	Site 1 Field Dup
88	Hexachlorobenzene		12/2/2013	ug/L	<	ND	0.91	1	Site 2
89	Hexachlorobutadiene		12/2/2013	ug/L	<	ND	0.92	1	Site 1
89	Hexachlorobutadiene		12/2/2013	ug/L	<	ND	0.92	1	Site 1 Field Dup
89	Hexachlorobutadiene		12/2/2013	ug/L	<	ND	0.92	1	Site 2
90	Hexachlorocyclopentadiene		12/2/2013	ug/L	<	ND	0.9	1	Site 1
90	Hexachlorocyclopentadiene		12/2/2013	ug/L	<	ND	0.9	1	Site 1 Field Dup
90	Hexachlorocyclopentadiene		12/2/2013	ug/L	<	ND	0.9	1	Site 2
91	Hexachloroethane		12/2/2013	ug/L	<	ND	0.94	1	Site 1

91	Hexachloroethane		12/2/2013	ug/L	<	ND	0.94	1	Site 1 Field Dup
91	Hexachloroethane		12/2/2013	ug/L	<	ND	0.94	1	Site 2
92	Indeno(1,2,3-cd)pyrene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 1
92	Indeno(1,2,3-cd)pyrene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 1 Field Dup
92	Indeno(1,2,3-cd)pyrene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 2
93	Isophorone		12/2/2013	ug/L	<	ND	0.93	1	Site 1
93	Isophorone		12/2/2013	ug/L	<	ND	0.93	1	Site 1 Field Dup
93	Isophorone		12/2/2013	ug/L	<	ND	0.93	1	Site 2
94	Naphthalene		12/2/2013	ug/L	<	ND	0.03	0.2	Site 1
94	Naphthalene		12/2/2013	ug/L	<	ND	0.03	0.2	Site 1 Field Dup
94	Naphthalene		12/2/2013	ug/L	<	ND	0.03	0.2	Site 2
95	Nitrobenzene		12/2/2013	ug/L	<	ND	0.95	1	Site 1
95	Nitrobenzene		12/2/2013	ug/L	<	ND	0.95	1	Site 1 Field Dup
95	Nitrobenzene		12/2/2013	ug/L	<	ND	0.95	1	Site 2
96	N-Nitrosodimethylamine		12/2/2013	ug/L	<	ND	0.88	5	Site 1
96	N-Nitrosodimethylamine		12/2/2013	ug/L	<	ND	0.88	5	Site 1 Field Dup
96	N-Nitrosodimethylamine		12/2/2013	ug/L	<	ND	0.88	5	Site 2
97	N-Nitroso-di-n-propylamine		12/2/2013	ug/L	<	ND	0.97	5	Site 1
97	N-Nitroso-di-n-propylamine		12/2/2013	ug/L	<	ND	0.97	5	Site 1 Field Dup
97	N-Nitroso-di-n-propylamine		12/2/2013	ug/L	<	ND	0.97	5	Site 2
98	N-Nitrosodiphenylamine		12/2/2013	ug/L	<	ND	0.83	1	Site 1
98	N-Nitrosodiphenylamine		12/2/2013	ug/L	<	ND	0.83	1	Site 1 Field Dup
98	N-Nitrosodiphenylamine		12/2/2013	ug/L	<	ND	0.83	1	Site 2
99	Phenanthrene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 1
99	Phenanthrene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 1 Field Dup
99	Phenanthrene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 2
100	Pyrene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 1
100	Pyrene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 1 Field Dup
100	Pyrene		12/2/2013	ug/L	<	ND	0.03	0.05	Site 2
101	1,2,4-Trichlorobenzene		12/2/2013	ug/L	<	ND	0.98	5	Site 1
101	1,2,4-Trichlorobenzene		12/2/2013	ug/L	<	ND	0.98	5	Site 1 Field Dup
101	1,2,4-Trichlorobenzene		12/2/2013	ug/L	<	ND	0.98	5	Site 2
102	Aldrin	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
102	Aldrin		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
102	Aldrin		12/2/2013	ug/L	<	ND	0.1		Site 2
103	alpha-BHC	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
103	alpha-BHC		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
103	alpha-BHC		12/2/2013	ug/L	<	ND	0.1		Site 2
104	beta-BHC	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
104	beta-BHC		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
104	beta-BHC		12/2/2013	ug/L	<	ND	0.1		Site 2
105	gamma-BHC	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
105	gamma-BHC		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
105	gamma-BHC		12/2/2013	ug/L	<	ND	0.1		Site 2
106	delta-BHC	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
106	delta-BHC		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
106	delta-BHC		12/2/2013	ug/L	<	ND	0.1		Site 2
107	Chlordane	EPA 608	12/2/2013	ug/L	<	ND	1		Site 1
107	Chlordane		12/2/2013	ug/L	<	ND	1		Site 1 Field Dup
107	Chlordane		12/2/2013	ug/L	<	ND	1		Site 2
108	4,4-DDT	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
108	4,4-DDT		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup

108	4,4-DDT		12/2/2013	ug/L	<	ND	0.1		Site 2
109	4,4-DDE	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
109	4,4-DDE		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
109	4,4-DDE		12/2/2013	ug/L	<	ND	0.1		Site 2
110	4,4-DDD	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
110	4,4-DDD		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
110	4,4-DDD		12/2/2013	ug/L	<	ND	0.1		Site 2
111	Dieldrin	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
111	Dieldrin		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
111	Dieldrin		12/2/2013	ug/L	<	ND	0.1		Site 2
112	alpha-Endosulfan	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
112	alpha-Endosulfan		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
112	alpha-Endosulfan		12/2/2013	ug/L	<	ND	0.1		Site 2
113	beta-Endosulfan	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
113	beta-Endosulfan		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
113	beta-Endosulfan		12/2/2013	ug/L	<	ND	0.1		Site 2
114	Endosulfan Sulfate	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
114	Endosulfan Sulfate		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
114	Endosulfan Sulfate		12/2/2013	ug/L	<	ND	0.1		Site 2
115	Endrin	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
115	Endrin		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
115	Endrin		12/2/2013	ug/L	<	ND	0.1		Site 2
116	Endrin Aldehyde	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
116	Endrin Aldehyde		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
116	Endrin Aldehyde		12/2/2013	ug/L	<	ND	0.1		Site 2
117	Heptachlor	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
117	Heptachlor		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
117	Heptachlor		12/2/2013	ug/L	<	ND	0.1		Site 2
118	Heptachlor Epoxide	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
118	Heptachlor Epoxide		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
118	Heptachlor Epoxide		12/2/2013	ug/L	<	ND	0.1		Site 2
126	Toxaphene	EPA 608	12/2/2013	ug/L	<	ND	1		Site 1
126	Toxaphene		12/2/2013	ug/L	<	ND	1		Site 1 Field Dup
126	Toxaphene		12/2/2013	ug/L	<	ND	1		Site 2
5a	Chromium	EPA 200.8	12/2/2013	ug/L		1.6	0.1	0.5	Site 1
5a	Chromium	EPA 200.8	12/2/2013	ug/L		1.1	0.1	0.5	Site 1 Field Dup
5a	Chromium	EPA 200.8	12/2/2013	ug/L		1.8	0.1	0.5	Site 2
5b	Chromium (VI)	3500CR B	12/2/2013	ug/L	<	ND	5		Site 1
5b	Chromium (VI)	3500CR B	12/2/2013	ug/L	<	ND	5		Site 1 Field Dup
5b	Chromium (VI)		12/2/2013	ug/L	<	ND	5		Site 2
	2-Chlorophenol	EPA 625	12/2/2013	ug/L	<	ND	0.98	2	Site 1
	2-Chlorophenol	EPA 625	12/2/2013	ug/L	<	ND	0.98	2	Site 1 Field Dup
	2-Chlorophenol		12/2/2013	ug/L	<	ND	0.98	2	Site 2
	cis-1,2-Dichloroethene		12/2/2013	ug/L	<	ND	0.2	0.5	Site 1
	cis-1,2-Dichloroethene		12/2/2013	ug/L	<	ND	0.2	0.5	Site 1 Field Dup
	cis-1,2-Dichloroethene	EPA 624	12/2/2013	ug/L	<	ND	0.2	0.5	Site 2
	Dichlorodifluoromethane		12/2/2013	ug/L	<	ND	0.3	0.5	Site 1
	Dichlorodifluoromethane		12/2/2013	ug/L	<	ND	0.3	0.5	Site 1 Field Dup
	Dichlorodifluoromethane	EPA 624	12/2/2013	ug/L	<	ND	0.3	0.5	Site 2
	Dichlorotrifluoroethane		12/2/2013	ug/L	<	ND	0.14	0.5	Site 1
	Dichlorotrifluoroethane		12/2/2013	ug/L	<	ND	0.14	0.5	Site 1 Field Dup
	Dichlorotrifluoroethane		12/2/2013	ug/L	<	ND	0.14	0.5	Site 2

Endrin Ketone	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
Endrin Ketone		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
Endrin Ketone		12/2/2013	ug/L	<	ND	0.1		Site 2
Methoxychlor	EPA 608	12/2/2013	ug/L	<	ND	0.1		Site 1
Methoxychlor		12/2/2013	ug/L	<	ND	0.1		Site 1 Field Dup
Methoxychlor		12/2/2013	ug/L	<	ND	0.1		Site 2
Methyl tert-butyl ether (MTBE)		12/2/2013	ug/L	<	ND	0.15	0.5	Site 1
Methyl tert-butyl ether (MTBE)		12/2/2013	ug/L	<	ND	0.15	0.5	Site 1 Field Dup
Methyl tert-butyl ether (MTBE)		12/2/2013	ug/L	<	ND	0.15	0.5	Site 2
PCB Arochlor 1016	EPA 608	12/2/2013	ug/L	<	ND	1		Site 1
PCB Arochlor 1016		12/2/2013	ug/L	<	ND	1		Site 1 Field Dup
PCB Arochlor 1016		12/2/2013	ug/L	<	ND	1		Site 2
PCB Arochlor 1221	EPA 608	12/2/2013	ug/L	<	ND	1		Site 1
PCB Arochlor 1221		12/2/2013	ug/L	<	ND	1		Site 1 Field Dup
PCB Arochlor 1221		12/2/2013	ug/L	<	ND	1		Site 2
PCB Arochlor 1232	EPA 608	12/2/2013	ug/L	<	ND	1		Site 1
PCB Arochlor 1232		12/2/2013	ug/L	<	ND	1		Site 1 Field Dup
PCB Arochlor 1232		12/2/2013	ug/L	<	ND	1		Site 2
PCB Arochlor 1242	EPA 608	12/2/2013	ug/L	<	ND	1		Site 1
PCB Arochlor 1242		12/2/2013	ug/L	<	ND	1		Site 1 Field Dup
PCB Arochlor 1242		12/2/2013	ug/L	<	ND	1		Site 2
PCB Arochlor 1248	EPA 608	12/2/2013	ug/L	<	ND	1		Site 1
PCB Arochlor 1248		12/2/2013	ug/L	<	ND	1		Site 1 Field Dup
PCB Arochlor 1248		12/2/2013	ug/L	<	ND	1		Site 2
PCB Arochlor 1254	EPA 608	12/2/2013	ug/L	<	ND	1		Site 1
PCB Arochlor 1254		12/2/2013	ug/L	<	ND	1		Site 1 Field Dup
PCB Arochlor 1254		12/2/2013	ug/L	<	ND	1		Site 2
PCB Arochlor 1260	EPA 608	12/2/2013	ug/L	<	ND	1		Site 1
PCB Arochlor 1260		12/2/2013	ug/L	<	ND	1		Site 1 Field Dup
PCB Arochlor 1260		12/2/2013	ug/L	<	ND	1		Site 2
Salinity	2520B	12/2/2013	PPTH		31	0.1		Site 1
Salinity	2520B	12/2/2013	PPTH		31	0.1		Site 1 Field Dup
Salinity		12/2/2013	PPTH		32	0.1		Site 2
trans-1,2-Dichloroethene		12/2/2013	ug/L	<	ND	0.22	0.5	Site 1
trans-1,2-Dichloroethene		12/2/2013	ug/L	<	ND	0.22	0.5	Site 1 Field Dup
trans-1,2-Dichloroethene	EPA 624	12/2/2013	ug/L	<	ND	0.22	0.5	Site 2
Trichlorofluoromethane		12/2/2013	ug/L	<	ND	0.29	0.5	Site 1
Trichlorofluoromethane		12/2/2013	ug/L	<	ND	0.29	0.5	Site 1 Field Dup
Trichlorofluoromethane		12/2/2013	ug/L	<	ND	0.29	0.5	Site 2
Trichlorotrifluoroethane		12/2/2013	ug/L	<	ND	0.11	1	Site 1
Trichlorotrifluoroethane		12/2/2013	ug/L	<	ND	0.11	1	Site 1 Field Dup
Trichlorotrifluoroethane		12/2/2013	ug/L	<	ND	0.11	1	Site 2
Xylenes, total		12/2/2013	ug/L	<	ND	0.26	0.5	Site 1
Xylenes, total		12/2/2013	ug/L	<	ND	0.26	0.5	Site 1 Field Dup
Xylenes, total		12/2/2013	ug/L	<	ND	0.26	0.5	Site 2

Sierra Pacific Industries - Arcata Division Sawmill
Criteria
March 2011

Hardness (mg/L CaCO3) 400 For Cd, Cr(III), Cu, Pb, Ni, Ag, Zn - not applicable to Se
pH (s.u.) 6.1
Note: DO NOT enter any value for the column that is NOT applicable
Note: Numbers in blue have formula in the cells - calculates values automatically

			Basin Plan Objectives (ug/L)		CTR Water Quality Criter			
					Freshwater		Saltwater	
# in CTR	**PRIORITY POLLUTANTS**	*Lowest (most stringent) Criteria*		Title 22 MCL	CMC (acute)	CCC (chronic)	CMC (acute)	CCC (chronic)
		ug/L		ug/L	ug/L	ug/L	ug/L	ug/L
1	Antimony	6		6				
2	Arsenic	10		10	340	150	69.00	36.00
3	Beryllium	4		4.0				
4	Cadmium	5.0		5.0	21.58	7.3	42.25	9.36
5a	Chromium (III)	644			5404.6	644.2		
5b	Chromium (VI) or total Cr	11		50	16	11	1107.75	50.35
6	Copper	3.7			51.7	30.5	5.78	3.73
7	Lead	8.5			476.8	18.58	221	8.52
8	Mercury	0.05		2.0				
9	Nickel	8		100	1515.9	168.5	75	8.3
10	Selenium	5		50		5	291	71
11	Silver	2.2			44.0		2.24	
12	Thallium	1.7		2				
13	Zinc	86			387.8	387.8	95	85.6
14	Cyanide	1		150	22	5.20	1.00	1.00
15	Asbestos	7		7				
16	2,3,7,8-TCDD (Dioxin)	1.3E-08		3.0E-05				
17	Acrolein	320						
18	Acrylonitrile	0.059						
19	Benzene	1		1				
20	Bromoform	4.3						
21	Carbon Tetrachloride	0.25		0.5				
22	Chlorobenzene	70		70				
23	Chlorodibromomethane	0.401						
24	Chloroethane	No Criteria						
25	2-Chloroethylvinyl Ether	No Criteria						
26	Chloroform	No Criteria						
27	Dichlorobromomethane	0.56						
28	1,1-Dichloroethane	5		5				
29	1,2-Dichloroethane	0.38		0.5				
30	1,1-Dichloroethylene	0.057		6				
31	1,2-Dichloropropane	0.52		5				
32	1,3-Dichloropropylene	0.5		0.5				
33	Ethylbenzene	300		300				
34	Methyl Bromide	48						

[File]
Criteria
[Date]

·ia (ug/L)		Factors for Metals Freshwater Criteria Calculation				Conversion Factor (CF)			
Human Health for consumption of:									
Water & organisms	Organisms only	ma	ba	mc	bc	freshwater acute criteria	freshwater chronic criteria	saltwater acute criteria	saltwater chronic criteria
ug/L	ug/L								
14	4,300								
						1	1	1	1
		1.128	-3.6867	0.7852	-2.715	0.886	0.851	0.994	0.994
		0.8190	3.6880	0.8190	1.5610	0.316	0.86		
						0.982	0.962	0.993	0.993
1300		0.9422	-1.7000	0.8545	-1.7020	0.96	0.96	0.83	0.83
		1.2730	-1.4600	1.2730	-4.7050	0.589	0.589	0.951	0.951
0.050	0.051								
610	4,600	0.8460	2.2550	0.8460	0.0584	0.998	0.997	0.99	0.99
								0.998	0.998
		1.7200	-6.5200			0.85		0.85	
1.7	6.3								
		0.8473	0.8840	0.8473	0.8840	0.978	0.986	0.946	0.946
700	220,000								
7									
1.3E-08	1.40E-08								
320	780								
0.059	0.66								
1.2	71								
4.3	360								
0.25	4.4								
680	21,000								
0.401	34								
0.56	46								
0.38	99								
0.057	3.2								
0.52	39								
10	1,700								
3100	29,000								
48	4,000								

35	Methyl Chloride	No Criteria						
36	Methylene Chloride	4.7		5				
37	1,1,2,2-Tetrachloroethane	0.17		1				
38	Tetrachloroethylene	0.8		5				
39	Toluene	150		150				
40	1,2-Trans-Dichloroethylene	10		10				
41	1,1,1-Trichloroethane	200		200				
42	1,1,2-Trichloroethane	0.6		5				
43	Trichloroethylene	2.7		5				
44	Vinyl Chloride	0.5		0.5				
45	Chlorophenol	120						
46	2,4-Dichlorophenol	93						
47	2,4-Dimethylphenol	540						
48	2-Methyl-4,6-Dinitrophenol	13						
49	2,4-Dinitrophenol	70						
50	2-Nitrophenol	No Criteria						
51	4-Nitrophenol	No Criteria						
52	3-Methyl-4-Chlorophenol	No Criteria						
53	Pentachlorophenol	0.28		1	4	3	13	7.9
54	Phenol	21000						
55	2,4,6-Trichlorophenol	2.1						
56	Acenaphthene	1200						
57	Acenephthylene	No Criteria						
58	Anthracene	9600						
59	Benzidine	0.00012						
60	Benzo(a)Anthracene	0.0044						
61	Benzo(a)Pyrene	0.0044		0.2				
62	Benzo(b)Fluoranthene	0.0044						
63	Benzo(ghi)Perylene	No Criteria						
64	Benzo(k)Fluoranthene	0.0044						
65	Bis(2-Chloroethoxy)Methane	No Criteria						
66	Bis(2-Chloroethyl)Ether	0.031						
67	Bis(2-Chloroisopropyl)Ether	1400						
68	Bis(2-Ethylhexyl)Phthalate	1.8		4				
69	4-Bromophenyl Phenyl Ether	No Criteria						
70	Butylbenzyl Phthalate	3000						
71	2-Chloronaphthalene	1700						
72	4-Chlorophenyl Phenyl Ether	No Criteria						
73	Chrysene	0.0044						
74	Dibenzo(a,h)Anthracene	0.0044						
75	1,2-Dichlorobenzene	600		600				
76	1,3-Dichlorobenzene	400						
77	1,4-Dichlorobenzene	5		5				
78	3,3'-Dichlorobenzidine	0.04						
79	Diethyl Phthalate	23000						
80	Dimethyl Phthalate	313000						
81	Di-n-Butyl Phthalate	2700						
82	2,4-Dinitrotoluene	0.11						
83	2,6-Dinitrotoluene	No Criteria						

4.7	16,000								
0.17	11								
0.8	8085.00								
6800	200,000								
700	140,000								
0.6	42								
2.7	81								
2	525								
120	400								
93	790								
540	2,300								
13.4	765								
70	14,000								
0.28	8.2								
21000	4,600,000								
2.1	6.5								
1200	2,700								
9600	110,000								
0.00012	0.00054								
0.0044	0.049								
0.0044	0.049								
0.0044	0.049								
0.0044	0.049								
0.031	1.4								
1400	170,000								
1.8	5.9								
3000	5,200								
1700	4,300								
0.0044	0.049								
0.0044	0.049								
2700	17,000								
400	2,600								
400	2,600								
0.04	0.077								
23000	120,000								
313000	2,900,000								
2700	12,000								
0.11	9.1								

Sierra Pacific Industries - Arcata Division Sawmill
Criteria
March 2011

84	Di-n-Octyl Phthalate	No Criteria						
85	1,2-Diphenylhydrazine	0.04						
86	Fluoranthene	300						
87	Fluorene	1300						
88	Hexachlorobenzene	0.00075		1				
89	Hexachlorobutadiene	0.44						
90	Hexachlorocyclopentadiene	50		50				
91	Hexachloroethane	1.9						
92	Indeno(1,2,3-cd) Pyrene	0.0044						
93	Isophorone	8.4						
94	naphthalene	No Criteria						
95	Nitrobenzene	17						
96	N-Nitrosodimethylamine	0.00069						
97	N-Nitrosodi-n-Propylamine	0.005						
98	N-Nitrosodiphenylamine	5						
99	Phenanthrene	No Criteria						
100	Pyrene	960						
101	1,2,4-Trichlorobenzene	5		5				
102	Aldrin	0.00013			3		1.3	
103	alpha-BHC	0.0039						
104	beta-BHC	0.014						
105	gamma-BHC	0.019		0.2	0.95		0.16	
106	delta-BHC	No Criteria						
107	Chlordane	0.00057		0.1	2.4	0.0043	0.09	0.004
108	4,4-DDT	0.00059			1.1	0.001	0.13	0.001
109	4,4-DDE	0.00059						
110	4,4-DDD	0.00083						
111	Dieldrin	0.00014			0.24	0.056	0.71	0.0019
112	alpha-Endosulfan	0.0087			0.22	0.056	0.034	0.0087
113	beta-Endosulfan	0.0087			0.22	0.056	0.034	0.0087
114	Endosulfan Sulfate	110						
115	Endrin	0.0023		2	0.086	0.036	0.037	0.0023
116	Endrin Aldehyde	0.76						
117	Heptachlor	0.00021		0.01	0.52	0.0038	0.053	0.0036
118	Heptchlor Epoxide	0.0001		0.01	0.52	0.0038	0.053	0.0036
119-125	PCBs sum (1)	0.00017		0.5		0.014		0.03
126	Toxaphene	0.0002		3	0.73	0.0002	0.21	0.0002

Notes:

(1) PCBs sum refers to sum of PCB 1016, 1221, 1232, 1242, 1248, 1254, and 1260

0.04	0.54								
300	370								
1300	14,000								
0.00075	0.00077								
0.44	50								
240	17,000								
1.9	8.9								
0.0044	0.049								
8.4	600								
17	1,900								
0.00069	8.1								
0.005	1.4								
5	16								
960	11,000								
0.00013	0.00014								
0.0039	0.013								
0.014	0.046								
0.019	0.063								
0.00057	0.00059								
0.00059	0.00059								
0.00059	0.00059								
0.00083	0.00084								
0.00014	0.00014								
110	240								
110	240								
110	240								
0.76	0.81								
0.76	0.81								
0.00021	0.00021								
0.0001	0.00011								
0.00017	0.00017								
0.00073	0.00075								

Cell: C3
Comment: Brittany Hale:
Lowest EFF pH

Cell: F14
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: G14
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: L14
Comment: laducan:
These reflect the values in the CTR, not the revised Cd criteria/factors published in April 2000.

Cell: P14
Comment: used eq in Table 3 of paragraph (b)(2)- page 31717 of CTR

Cell: Q14
Comment: used eq in Table 3 of paragraph (b)(2)- page 31717 of CTR

Cell: F15
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: G15
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: F17
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: G17
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: F18
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: G18
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: P18
Comment: used eq in Table 3 of paragraph (b)(2)- page 31717 of CTR

Cell: Q18
Comment: used eq in Table 3 of paragraph (b)(2)- page 31717 of CTR

Cell: F20
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: G20
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: F22
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: F24
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: G24
Comment: used eq in paragraph b(2) - page 31717 of CTR

Cell: F64
Comment: pH dependence in accordance with footnote 'f' of CTR

Cell: G64
Comment: pH dependent in accordance with footnote 'f' of the CTR

Sierra Pacific Industries - Arcata Division Sawmill
Input for RPA
March 2011

Green highlight checks for input inconsistency (see "input check" spreadsheet for logic)
Yellow highlights are user input
Note: MDLs used are below MLs in the SIP

		EFFLUENT DATA					AMBIENT BACKGROUND (RECEIVING WATER) DATA (B)					
	Constituent name	*Effluent Data Available (Y/N)?*	*Are all data points non-detects (Y/N)?*	*If all data points ND Enter the MDL (method detection*	*Enter the pollutant effluent detected max conc (ug/L)*	Input Check	*B Available (Y/N)?*	*Are all B non-detects (Y/N)?*	*If all data points ND Enter the Pract. Quant. Limit (PQL) (ug/L)*	*B (µg/L) Enter the Detected Maximum Background Conc*	Input Check	*7) Review other information in the SIP page 4. If information is unavailable or insufficient: 8) the RWQCB shall establish interim monitoring requirements.*
1	Antimony	Y	Y	1			Y	N		0.24		
2	Arsenic	Y	Y	1			Y	N		5.1		
3	Beryllium	Y	Y	0.2			Y	Y	0.1			
4	Cadmium	Y	Y	1			Y	Y	0.10			
5a	Chromium (III)	Y	N		1.2		Y	N		1.8		
5b	Chromium (VI)	Y	N		6.9		Y	Y	5.0			
6	Copper	Y	N		55		Y	N		3.1		
7	Lead	Y	Y	1			Y	N		0.28		
8	Mercury	Y	Y	0.02			Y	N		0.0011		
9	Nickel	Y	N		6.2		Y	N		2.6		
10	Selenium	Y	Y	1			Y	N		3.10		
11	Silver	Y	Y	1			Y	Y	0.04			
12	Thallium	Y	Y	1			Y	Y	0.1			
13	Zinc	Y	N		70		Y	N		17		
14	Cyanide	Y	N		21		Y	Y	0.9			
15	Asbestos	N					N					
16	2,3,7,8 TCDD	Y	Y	0.000001000			N					
17	Acrolein	Y	Y	0.4			Y	Y	1.70			
18	Acrylonitrile	Y	Y	1			Y	Y	1.00			
19	Benzene	Y	Y	0.1			Y	Y	0.18			
20	Bromoform	Y	N		0.63		Y	Y	0.20			
21	Carbon Tetrachloride	Y	Y	0.1			Y	Y	0.16			
22	Chlorobenzene	Y	Y	0.1			Y	Y	0.18			
23	Chlorodibromomethane	Y	N		2		Y	Y	0.17			
24	Chloroethane	Y	Y	0.50			Y	Y	0.38			No Criteria
25	2-Chloroethylvinyl ether	N					Y	Y	0.28			No Criteria
26	Chloroform	Y	N		6		Y	Y	0.19			No Criteria
27	Dichlorobromomethane	Y	N		5		Y	Y	0.16			
28	1,1-Dichloroethane	Y	Y	0.5			Y	Y	0.19			
29	1,2-Dichloroethane	Y	Y	0.1			Y	Y	0.18			
30	1,1-Dichloroethylene	Y	Y	0.1			Y	Y	0.21			
31	1,2-Dichloropropane	Y	Y	0.5			Y	Y	0.18			
32	1,3-Dichloropropylene	Y	Y	1			Y	Y	0.16			
33	Ethylbenzene	Y	Y	0.1			Y	Y	0.26			
34	Methyl Bromide	Y	Y	0.5			Y	Y	0.17			
35	Methyl Chloride	Y	Y	0.5			Y	Y	0.23			No Criteria
36	Methylene Chloride	Y	Y	0.1			Y	Y	0.30			
37	1,1,2,2-Tetrachloroethane	Y	Y	0.1			Y	Y	0.20			
38	Tetrachloroethylene	Y	Y	0.1			Y	Y	0.19			
39	Toluene	Y	Y	0.1			Y	Y	0.19			
40	1,2-Trans-Dichloroethylene	N					N					
41	1,1,1-Trichloroethane	Y	Y	0.1			Y	Y	0.19			
42	1,1,2-Trichloroethane	Y	Y	0.1			Y	Y	0.16			
43	Trichloroethylene	Y	Y	0.1			Y	Y	0.20			
44	Vinyl Chloride	Y	Y	0.1			Y	Y	0.25			
45	2-Chlorophenol	Y	Y	9.8			N					
46	2,4-Dichlorophenol	Y	Y	9.8			Y	Y	0.99			
47	2,4-Dimethylphenol	Y	Y	9.8			Y	Y	0.9			
48	2-Methyl- 4,6-Dinitrophenol	Y	Y	10			Y	Y	0.91			
49	2,4-Dinitrophenol	Y	Y	10			Y	Y	1			
50	2-Nitrophenol	Y	Y	9.8			Y	Y	0.89			No Criteria
51	4-Nitrophenol	Y	Y	10			Y	Y	0.83			No Criteria
52	3-Methyl 4-Chlorophenol	Y	Y	9.8			Y	Y	0.91			No Criteria
53	Pentachlorophenol	Y	Y	10			Y	Y	1			
54	Phenol	Y	Y	0.1			Y	Y	0.69			
55	2,4,6-Trichlorophenol	Y	Y	2			Y	Y	0.97			
56	Acenaphthene	Y	Y	9.8			Y	Y	0.03			
57	Acenaphthylene	Y	Y	9.8			Y	Y	0.030			No Criteria
58	Anthracene	Y	Y	9.8			Y	Y	0.030			

59	Benzidine	Y	Y	10			Y	Y	5.0			
60	Benzo(a)Anthracene	Y	Y	9.8			Y	Y	0.030			
61	Benzo(a)Pyrene	Y	Y	9.8			Y	Y	0.030			
62	Benzo(b)Fluoranthene	Y	Y	9.8			Y	Y	0.030			
63	Benzo(ghi)Perylene	Y	Y	9.8			Y	Y	0.030			No Criteria
64	Benzo(k)Fluoranthene	Y	Y	9.8			Y	Y	0.030			
65	Bis(2-Chloroethoxy)Methane	Y	Y	2			Y	Y	0.93			No Criteria
66	Bis(2-Chloroethyl)Ether	Y	Y	5			Y	Y	0.95			
67	Bis(2-Chloroisopropyl)Ether	Y	Y	2			Y	Y	0.8			
68	Bis(2-Ethylhexyl)Phthalate	Y	Y	2			Y	Y	1.0			
69	4-Bromophenyl Phenyl Ether	Y	Y	9.8			Y	Y	0.97			No Criteria
70	Butylbenzyl Phthalate	Y	Y	9.8			Y	Y	0.98			
71	2-Chloronaphthalene	Y	Y	9.8			Y	Y	0.98			
72	4-Chlorophenyl Phenyl Ether	Y	Y	9.8			Y	Y	0.99			No Criteria
73	Chrysene	Y	Y	9.8			Y	Y	0.030			
74	Dibenzo(a,h)Anthracene	Y	Y	9.8			Y	Y	0.030			
75	1,2-Dichlorobenzene	Y	Y	0.50			Y	Y	0.27			
76	1,3-Dichlorobenzene	Y	Y	0.50			Y	Y	0.18			
77	1,4-Dichlorobenzene	Y	Y	0.10			Y	Y	0.18			
78	3,3 Dichlorobenzidine	Y	Y	5.0			Y	Y	5.00			
79	Diethyl Phthalate	Y	Y	2			Y	Y	0.86			
80	Dimethyl Phthalate	Y	Y	2			Y	Y	0.97			
81	Di-n-Butyl Phthalate	Y	Y	2			Y	Y	0.91			
82	2,4-Dinitrotoluene	Y	Y	2			Y	Y	0.96			
83	2,6-Dinitrotoluene	Y	Y	9.8			Y	Y	0.98			No Criteria
84	Di-n-Octyl Phthalate	Y	Y	9.8			Y	Y	0.920			No Criteria
85	1,2-Diphenylhydrazine	Y	Y	0.4			Y	Y	0.9			
86	Fluoranthene	Y	Y	2			Y	Y	0.030			
87	Fluorene	Y	Y	9.8			Y	Y	0.030			
88	Hexachlorobenzene	Y	Y	2			Y	Y	0.910			
89	Hexachlorobutadiene	Y	Y	0.1			Y	Y	0.92			
90	Hexachlorocyclopentadiene	Y	Y	5			Y	Y	0.900			
91	Hexachloroethane	Y	Y	0.4			Y	Y	0.94			
92	Indeno(1,2,3-cd)Pyrene	Y	Y	9.8			Y	Y	0.03			
93	Isophorone	Y	Y	2			Y	Y	0.93			
94	Naphthalene	Y	Y	1			Y	Y	0.030			No Criteria
95	Nitrobenzene	Y	Y	2			Y	Y	0.95			
96	N-Nitrosodimethylamine	Y	Y	2			Y	Y	0.88			
97	N-Nitrosodi-n-Propylamine	Y	Y	2			Y	Y	0.97			
98	N-Nitrosodiphenylamine	Y	Y	2			Y	Y	0.83			
99	Phenanthrene	Y	Y	9.8			Y	Y	0.030			No Criteria
100	Pyrene	Y	Y	9.8			Y	Y	0.030			
101	1,2,4-Trichlorobenzene	Y	Y	0.5			Y	Y	0.98			
102	Aldrin	Y	Y	0.0200			Y	Y	0.100			
103	alpha-BHC	Y	Y	0.1			Y	Y	0.100			
104	beta-BHC	Y	Y	0.1			Y	Y	0.100			
105	gamma-BHC	Y	Y	0.1			Y	Y	0.100			
106	delta-BHC	Y	Y	0.1			Y	Y	0.100			No Criteria
107	Chlordane	Y	Y	0.2			N					
108	4,4'-DDT	Y	Y	0.1			Y	Y	0.100			
109	4,4'-DDE	Y	Y	0.1			Y	Y	0.100			
110	4,4'-DDD	Y	Y	0.1			Y	Y	0.100			
111	Dieldrin	Y	Y	0.0200			Y	Y	0.100			
112	alpha-Endosulfan	Y	Y	0.1			Y	Y	0.100			
113	beta-Endolsulfan	Y	Y	0.1			Y	Y	0.100			
114	Endosulfan Sulfate	Y	Y	0.1			Y	Y	0.100			
115	Endrin	Y	Y	0.0200			Y	Y	0.100			
116	Endrin Aldehyde	Y	Y	0.1			Y	Y	0.100			
117	Heptachlor	Y	Y	0.0200			Y	Y	0.100			
118	Heptachlor Epoxide	Y	Y	0.0200			Y	Y	0.100			
119-125	**PCBs sum**	Y	Y	1.40000			Y	Y	1.00			
126	Toxaphene	Y	Y	0.2			Y	Y	1.00			

Cell: D11
Comment: Enter data if it is an "Y" in the 1st column to the left

Cell: E11
Comment: Indra:
Enter data only if there is an 'Y' in 1st column to the left

Cell: F11
Comment: Indra:
Enter data only if there is 'N' in 2nd column to the left and 'Y' in 3rd column to the left

Cell: J11
Comment: Enter data if it is an "Y" in the 1st column to the left

Cell: K11
Comment: Indra:
Enter data only if there is an 'Y' in 1st column to the left

Cell: L13
Comment: Brittany Hale:
J-flag

Beginning			Step 2	Step 3					Step 4	Step 5				
	Constituent name	C (µg/L) Lowest (most stringent) Criteria (Enter "No Criteria" for no criteria)	Effluent Data Available (Y/N)?	Are all data points non-detects (Y/N)?	If all data points ND Enter the min detection limit (MDL) (ug/L)	Enter the pollutant effluent detected max conc (ug/L)	If all data points are ND and MinDL>C, interim monitoring is required	Maximum Pollutant Concentration from the effluent (MEC) (ug/L) (MEC= detected max value; if all ND & MDL<C then MEC = MDL)	MEC vs. C 1. If MEC> or =C, effluent limitation is required; 2. If MEC<C, go to Step 5	B Available (Y/N)?	Are all B data points non-detects (Y/N)?	If all data points ND Enter the min detection limit (MDL) (ug/L)	Enter the pollutant B detected max conc (ug/L)	If all B is ND, is MDL>C?
1	Antimony	6	Y	Y	1		All ND, MDL<C, MEC=MDL	1	MEC<C, go to Step 5	Y	N		0.24	
2	Arsenic	10	Y	Y	1		All ND, MDL<C, MEC=MDL	1	MEC<C, go to Step 5	Y	N		5.1	
3	Beryllium	4	Y	Y	0.2		All ND, MDL<C, MEC=MDL	0.2	MEC<C, go to Step 5	Y	Y	0.12		N
4	Cadmium	5.0	Y	Y	1		All ND, MDL<C, MEC=MDL	1	MEC<C, go to Step 5	Y	Y	0.1		N
5a	Chromium (III)	644	Y	N		1.21		1.21	MEC<C, go to Step 5	Y	N		1.8	
5b	Chromium (VI)	11	Y	N		6.9		6.9	MEC<C, go to Step 5	Y	Y	5		N
6	Copper	3.7	Y	N		55		55	MEC>=C, Effluent Limits Required	Y	N		3.1	
7	Lead	8.5	Y	Y	1		All ND, MDL<C, MEC=MDL	1	MEC<C, go to Step 5	Y	N		0.28	
8	Mercury	0.050	Y	Y	0.02		All ND, MDL<C, MEC=MDL	0.02	MEC<C, go to Step 5	Y	N		0.0011	
9	Nickel	8	Y	N		6.2		6.2	MEC<C, go to Step 5	Y	N		2.6	
10	Selenium	5.0	Y	Y	1		All ND, MDL<C, MEC=MDL	1	MEC<C, go to Step 5	Y	N		3.1	
11	Silver	2.2	Y	Y	1		All ND, MDL<C, MEC=MDL	1	MEC<C, go to Step 5	Y	Y	0.04		N
12	Thallium	1.7	Y	Y	1		All ND, MDL<C, MEC=MDL	1	MEC<C, go to Step 5	Y	Y	0.1		N
13	Zinc	86	Y	N		70		70	MEC<C, go to Step 5	Y	N		17	
14	Cyanide	1.0	Y	N		21		21	MEC>=C, Effluent Limits Required	Y	Y	0.9		N
15	Asbestos	7.0	N				All ND, MinDL>C, Go to Step 5, & IM			N				
16	2,3,7,8 TCDD	1.3E-08	Y	Y	1.0E-06		All ND, MinDL>C, Go to Step 5, & IM			N				
17	Acrolein	320	Y	Y	0.4		All ND, MDL<C, MEC=MDL	0.4	MEC<C, go to Step 5	Y	Y	1.7		N
18	Acrylonitrile	0.06	Y	Y	1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	1		Y
19	Benzene	1.0	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.18		N
20	Bromoform	4.3	Y	N		0.63		0.63	MEC<C, go to Step 5	Y	Y	0.2		N
21	Carbon Tetrachloride	0.25	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.16		N
22	Chlorobenzene	70	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.18		N
23	Chlorodibromomethane	0.40	Y	N		2		2	MEC>=C, Effluent Limits Required	Y	Y	0.17		N
24	Chloroethane	No Criteria	Y	Y	0.5		No Criteria	No Criteria	No Criteria	Y	Y	0.38		N
25	2-Chloroethylvinyl ether	No Criteria	N				No Criteria	No Criteria	No Criteria	Y	Y	0.28		N
26	Chloroform	No Criteria	Y	N		6	No Criteria	No Criteria	No Criteria	Y	Y	0.19		N
27	Dichlorobromomethane	0.56	Y	N		5		5	MEC>=C, Effluent Limits Required	Y	Y	0.16		N
28	1,1-Dichloroethane	5.0	Y	Y	0.5		All ND, MDL<C, MEC=MDL	0.5	MEC<C, go to Step 5	Y	Y	0.19		N
29	1,2-Dichloroethane	0.38	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.18		N
30	1,1-Dichloroethylene	0.057	Y	Y	0.1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.21		Y
31	1,2-Dichloropropane	0.52	Y	Y	0.5		All ND, MDL<C, MEC=MDL	0.5	MEC<C, go to Step 5	Y	Y	0.18		N
32	1,3-Dichloropropylene	0.50	Y	Y	1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.16		N
33	Ethylbenzene	300	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.26		N
34	Methyl Bromide	48	Y	Y	0.5		All ND, MDL<C, MEC=MDL	0.5	MEC<C, go to Step 5	Y	Y	0.17		N
35	Methyl Chloride	No Criteria	Y	Y	0.5		No Criteria	No Criteria	No Criteria	Y	Y	0.23		N
36	Methylene Chloride	4.7	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.3		N
37	1,1,2,2-Tetrachloroethane	0.17	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.2		Y
38	Tetrachloroethylene	0.80	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.19		N
39	Toluene	150	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.19		N
40	1,2-Trans-Dichloroethylene	10	N				No effluent data			N				
41	1,1,1-Trichloroethane	200	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.19		N
42	1,1,2-Trichloroethane	0.60	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.16		N
43	Trichloroethylene	2.7	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.2		N
44	Vinyl Chloride	0.50	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.25		N
45	2-Chlorophenol	120	Y	Y	9.8		All ND, MDL<C, MEC=MDL	9.8	MEC<C, go to Step 5	N				
46	2,4-Dichlorophenol	93	Y	Y	9.8		All ND, MDL<C, MEC=MDL	9.8	MEC<C, go to Step 5	Y	Y	0.99		N
47	2,4-Dimethylphenol	540	Y	Y	9.8		All ND, MDL<C, MEC=MDL	9.8	MEC<C, go to Step 5	Y	Y	0.87		N
48	2-Methyl- 4,6-Dinitrophenol	13	Y	Y	10		All ND, MDL<C, MEC=MDL	10	MEC<C, go to Step 5	Y	Y	0.91		N
49	2,4-Dinitrophenol	70	Y	Y	10		All ND, MDL<C, MEC=MDL	10	MEC<C, go to Step 5	Y	Y	0.83		N
50	2-Nitrophenol	No Criteria	Y	Y	9.8		No Criteria	No Criteria	No Criteria	Y	Y	0.89		N
51	4-Nitrophenol	No Criteria	Y	Y	10		No Criteria	No Criteria	No Criteria	Y	Y	0.83		N
52	3-Methyl 4-Chlorophenol	No Criteria	Y	Y	9.8		No Criteria	No Criteria	No Criteria	Y	Y	0.91		N
53	Pentachlorophenol	0.28	Y	Y	10		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.81		Y
54	Phenol	21,000	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.69		N
55	2,4,6-Trichlorophenol	2.1	Y	Y	2		All ND, MDL<C, MEC=MDL	2	MEC<C, go to Step 5	Y	Y	0.97		N
56	Acenaphthene	1,200	Y	Y	9.8		All ND, MDL<C, MEC=MDL	9.8	MEC<C, go to Step 5	Y	Y	0.03		N
57	Acenaphthylene	No Criteria	Y	Y	9.8		No Criteria	No Criteria	No Criteria	Y	Y	0.03		N
58	Anthracene	9,600	Y	Y	9.8		All ND, MDL<C, MEC=MDL	9.8	MEC<C, go to Step 5	Y	Y	0.03		N
59	Benzidine	0.00012	Y	Y	10		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	5		Y
60	Benzo(a)Anthracene	0.0044	Y	Y	9.8		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.03		Y
61	Benzo(a)Pyrene	0.0044	Y	Y	9.8		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.03		Y
62	Benzo(b)Fluoranthene	0.0044	Y	Y	9.8		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.03		Y
63	Benzo(ghi)Perylene	No Criteria	Y	Y	9.8		No Criteria	No Criteria	No Criteria	Y	Y	0.03		N
64	Benzo(k)Fluoranthene	0.0044	Y	Y	9.8		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.03		Y
65	Bis(2-Chloroethoxy)Methane	No Criteria	Y	Y	2		No Criteria	No Criteria	No Criteria	Y	Y	0.93		N

Step 6	Steps 7 & 8	Final Result	
B vs. C			
If B>C and pollutant detected in effluent, effluent limitation is required	*7) Review other information in the SIP page 4. If information is unavailable or insufficient: 8) the RWQCB shall establish interim monitoring requirements.*	*RPA Result*	*Reason*
B<C, Step 7		**No**	MEC<C & B<C
B<C, Step 7		**No**	MEC<C & B<C
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
B<C, Step 7		**No**	MEC<C & B<C
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
B<C, Step 7		**Yes**	MEC>C
B<C, Step 7		**No**	MEC<C & B<C
B<C, Step 7		**No**	MEC<C & B<C
B<C, Step 7		**No**	MEC<C & B<C
B<C, Step 7		**No**	MEC<C & B<C
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
B<C, Step 7		**No**	MEC<C & B<C
No detected value of B, Step 7		**Yes**	MEC>C
No detected value of B, Step 7		**No**	MDL>C & No B
No detected value of B, Step 7		**No**	MDL>C & No B
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**Yes**	MEC>C
No Criteria	No Criteria	**Uo**	No Criteria
No Criteria	No Criteria	**Uo**	No Criteria
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**Yes**	MEC>C
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**Yes**	MEC>C
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**Ud**	no effluent data & no B
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No Criteria	No Criteria	**Uo**	No Criteria
No Criteria	No Criteria	**Uo**	No Criteria
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No Criteria	No Criteria	**Uo**	No Criteria

66	Bis(2-Chloroethyl)Ether	0.031	Y	Y	5		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.95		Y
67	Bis(2-Chloroisopropyl)Ether	1,400	Y	Y	2		All ND, MDL<C, MEC=MDL	2	MEC<C, go to Step 5	Y	Y	0.81		N
68	Bis(2-Ethylhexyl)Phthalate	1.8	Y	Y	2		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.95		N
69	4-Bromophenyl Phenyl Ether	No Criteria	Y	Y	9.8		No Criteria	No Criteria	No Criteria	Y	Y	0.97		N
70	Butylbenzyl Phthalate	3,000	Y	Y	9.8		All ND, MDL<C, MEC=MDL	9.8	MEC<C, go to Step 5	Y	Y	0.98		N
71	2-Chloronaphthalene	1,700	Y	Y	9.8		All ND, MDL<C, MEC=MDL	9.8	MEC<C, go to Step 5	Y	Y	0.98		N
72	4-Chlorophenyl Phenyl Ether	No Criteria	Y	Y	9.8		No Criteria	No Criteria	No Criteria	Y	Y	0.99		N
73	Chrysene	0.0044	Y	Y	9.8		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.03		Y
74	Dibenzo(a,h)Anthracene	0.0044	Y	Y	9.8		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.03		Y
75	1,2-Dichlorobenzene	600	Y	Y	0.5		All ND, MDL<C, MEC=MDL	0.5	MEC<C, go to Step 5	Y	Y	0.27		N
76	1,3-Dichlorobenzene	400	Y	Y	0.5		All ND, MDL<C, MEC=MDL	0.5	MEC<C, go to Step 5	Y	Y	0.18		N
77	1,4-Dichlorobenzene	5.0	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.18		N
78	3,3 Dichlorobenzidine	0.040	Y	Y	5		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	5		Y
79	Diethyl Phthalate	23,000	Y	Y	2		All ND, MDL<C, MEC=MDL	2	MEC<C, go to Step 5	Y	Y	0.86		N
80	Dimethyl Phthalate	313,000	Y	Y	2		All ND, MDL<C, MEC=MDL	2	MEC<C, go to Step 5	Y	Y	0.97		N
81	Di-n-Butyl Phthalate	2,700	Y	Y	2		All ND, MDL<C, MEC=MDL	2	MEC<C, go to Step 5	Y	Y	0.91		N
82	2,4-Dinitrotoluene	0.110	Y	Y	2		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.96		Y
83	2,6-Dinitrotoluene	No Criteria	Y	Y	9.8		No Criteria	No Criteria	No Criteria	Y	Y	0.98		N
84	Di-n-Octyl Phthalate	No Criteria	Y	Y	9.8		No Criteria	No Criteria	No Criteria	Y	Y	0.92		N
85	1,2-Diphenylhydrazine	0.040	Y	Y	0.4		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.9		Y
86	Fluoranthene	300	Y	Y	2		All ND, MDL<C, MEC=MDL	2	MEC<C, go to Step 5	Y	Y	0.03		N
87	Fluorene	1,300	Y	Y	9.8		All ND, MDL<C, MEC=MDL	9.8	MEC<C, go to Step 5	Y	Y	0.03		N
88	Hexachlorobenzene	0.00075	Y	Y	2		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.91		Y
89	Hexachlorobutadiene	0.44	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.92		Y
90	Hexachlorocyclopentadiene	50	Y	Y	5		All ND, MDL<C, MEC=MDL	5	MEC<C, go to Step 5	Y	Y	0.9		N
91	Hexachloroethane	1.9	Y	Y	0.4		All ND, MDL<C, MEC=MDL	0.4	MEC<C, go to Step 5	Y	Y	0.94		N
92	Indeno(1,2,3-cd)Pyrene	0.0044	Y	Y	9.8		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.03		Y
93	Isophorone	8.4	Y	Y	2		All ND, MDL<C, MEC=MDL	2	MEC<C, go to Step 5	Y	Y	0.93		N
94	Naphthalene	No Criteria	Y	Y	1		No Criteria	No Criteria	No Criteria	Y	Y	0.03		N
95	Nitrobenzene	17	Y	Y	2		All ND, MDL<C, MEC=MDL	2	MEC<C, go to Step 5	Y	Y	0.95		N
96	N-Nitrosodimethylamine	0.00069	Y	Y	2		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.88		Y
97	N-Nitrosodi-n-Propylamine	0.0050	Y	Y	2		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.97		Y
98	N-Nitrosodiphenylamine	5.0	Y	Y	2		All ND, MDL<C, MEC=MDL	2	MEC<C, go to Step 5	Y	Y	0.83		N
99	Phenanthrene	No Criteria	Y	Y	9.8		No Criteria	No Criteria	No Criteria	Y	Y	0.03		N
100	Pyrene	960	Y	Y	9.8		All ND, MDL<C, MEC=MDL	9.8	MEC<C, go to Step 5	Y	Y	0.03		N
101	1,2,4-Trichlorobenzene	5.0	Y	Y	0.5		All ND, MDL<C, MEC=MDL	0.5	MEC<C, go to Step 5	Y	Y	0.98		N
102	Aldrin	0.00013	Y	Y	0.02		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
103	alpha-BHC	0.0039	Y	Y	0.1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
104	beta-BHC	0.014	Y	Y	0.1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
105	gamma-BHC	0.019	Y	Y	0.1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
106	delta-BHC	No Criteria	Y	Y	0.1		No Criteria	No Criteria	No Criteria	Y	Y	0.1		N
107	Chlordane	0.00057	Y	Y	0.2		All ND, MinDL>C, Go to Step 5, & IM			N				
108	4,4'-DDT	0.00059	Y	Y	0.1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
109	4,4'-DDE	0.00059	Y	Y	0.1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
110	4,4'-DDD	0.00083	Y	Y	0.1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
111	Dieldrin	0.00014	Y	Y	0.02		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
112	alpha-Endosulfan	0.009	Y	Y	0.1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
113	beta-Endolsulfan	0.009	Y	Y	0.1		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
114	Endosulfan Sulfate	110	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.1		N
115	Endrin	0.002	Y	Y	0.02		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
116	Endrin Aldehyde	0.76	Y	Y	0.1		All ND, MDL<C, MEC=MDL	0.1	MEC<C, go to Step 5	Y	Y	0.1		N
117	Heptachlor	0.00021	Y	Y	0.02		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
118	Heptachlor Epoxide	0.00010	Y	Y	0.02		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	0.1		Y
119-125	PCBs sum	0.00017	Y	Y	1.4		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	1		Y
126	Toxaphene	0.00020	Y	Y	0.2		All ND, MinDL>C, Go to Step 5, & IM			Y	Y	1		Y

No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No Criteria	No Criteria	**Uo**	No Criteria
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No Criteria	No Criteria	**Uo**	No Criteria
No detected value of B, Step 7		**No**	MDL>C & No B
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	Ud;MEC<C & B is ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND
No detected value of B, Step 7		**No**	UD; effluent data and B are ND

PRIORITY POLLUTANTS	Copper	Cyanide	Chlorodibromo methane	Dichlorobromo methane
Units	**ug/L**	**ug/L**	**ug/L**	**ug/L**
Basis and Criteria type	Aquatic Life	Aquatic Life	Human Health	Human Health
Lowest WQO	3.7	1.0	0.40	0.56
CTR Conversion Factor for Saltwater (Acute)	0.83	--	--	---
CTR Conversion Factor for Saltwater (Chronic)	0.83	--	--	---
Dilution Factor (D) (if applicable)	0	0	0	0
No. of samples per month	4	4	4	4
Aquatic life criteria analysis required? (Y/N)	Y	Y	N	N
HH criteria analysis required? (Y/N)	Y	Y	Y	Y
Applicable Acute WQO	5.8	1.0		
Applicable Chronic WQO	3.7	1.0		
HH criteria	1300	150	0.40	0.56
Background (Maximum Conc for Aquatic Life calc)	3.1	0.90	0.17	0.16
Background (Average Conc for Human Health calc)	2.4	0.90	0.17	0.16
Is the pollutant Bioaccumulative(Y/N)? (e.g., Hg)	N	N	N	N
ECA acute	5.8	1.0	---	---
ECA chronic	3.7	1.0	---	---
ECA HH	1300	150	0.40	0.56
No. of data points <10 or at least 80% of data reported non detect? (Y/N)	N	Y	Y	Y
Avg of effluent data points	30			
Std Dev of effluent data points	7.6			
CV calculated	0.25	N/A	N/A	N/A
CV (Selected) - Final	0.25	0.60	0.60	0.60
ECA acute mult99	0.58	0.32		
ECA chronic mult99	0.75	0.53		
LTA acute	3.3	0.32		
LTA chronic	2.8	0.53		
minimum of LTAs	2.8	0.32		
AMEL mult95	1.2	1.6	1.6	1.6
MDEL mult99	1.7	3.1	3.1	3.1
AMEL (aq life)	3.4	0.50		
MDEL(aq life)	4.8	1.0		
MDEL/AMEL Multiplier	1.4	2.0	2.0	2.0
AMEL (human hlth)	1300	150	0.40	0.56
MDEL (human hlth)	1844	301	0.80	1.1
minimum of AMEL for Aq. life vs HH	3.4	0.50	0.40	0.56
minimum of MDEL for Aq. Life vs HH	4.8	1.0	0.80	1.1
Current limit in permit (daily)	312	124	---	---
Final limit - AMEL	3.4	0.50	0.40	0.56
Final limit - MDEL	4.8	1.0	0.80	1.1
Max Effl Conc (MEC)	55	21	2	5.0

Cell: B8
Comment: Matt Reusswig:
If sampling frequency is four times per month or less, set n=4. See page 10 of the SIP.

Cell: C8
Comment: Matt Reusswig:
If sampling frequency is four times per month or less, set n=4. See page 10 of the SIP.

Cell: D8
Comment: Matt Reusswig:
If sampling frequency is four times per month or less, set n=4. See page 10 of the SIP.

Cell: E8
Comment: Matt Reusswig:
If sampling frequency is four times per month or less, set n=4. See page 10 of the SIP.

			EFF001				
			12/11/2012				
Parameter	Units	TEF Factor	MDL	RL		Result	TCDD Eq
2,3,7,8-TCDD	pg/L	1	0.46	10	<	ND	
1,2,3,7,8-PeCDD	pg/L	1	0.37	50	<	ND	
1,2,3,4,7,8-HxCDD	pg/L	0.1	0.2	50	<	ND	
1,2,3,6,7,8-HxCDD	pg/L	0.1	0.17	50	<	ND	
1,2,3,7,8,9-HxCDD	pg/L	0.1	0.16	50	<	ND	
1,2,3,4,6,7,8-HpCDD	pg/L	0.01	**0.18**	**50**	**J**	**3.1**	**0.031**
OCDD	pg/L	0.0001	**0.41**	**100**	**J**	**21**	**0.0021**
2,3,7,8-TCDF	pg/L	0.1	0.22	10	<	ND	
1,2,3,7,8-PeCDF	pg/L	0.05	0.3	50	<	ND	
2,3,4,7,8-PeCDF	pg/L	0.5	0.31	50	<	ND	
1,2,3,4,7,8-HxCDF	pg/L	0.1	0.17	50	<	ND	
1,2,3,6,7,8-HxCDF	pg/L	0.1	0.16	50	<	ND	
2,3,4,6,7,8-HxCDF	pg/L	0.1	**0.11**	**50**	**J**	**0.22**	**0.022**
1,2,3,7,8,9-HxCDF	pg/L	0.1	0.13	50	<	ND	
1,2,3,4,6,7,8-HpCDF	pg/L	0.01	**0.19**	**50**	**J,q**	**1.5**	**0.015**
1,2,3,4,7,8,9-HpCDF	pg/L	0.01	0.25	50	<	ND	
OCDF	pg/L	0.0001	**0.31**	**100**	**J,B,q**	**2**	
		Sum of dioxins (pg/L)					0.0701

J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
estimated quantity because the quantitation is based on the
B = Compound was found in the blank and sample.

Converter (pg/L to ug/L)

INPUT (MEC in pg/L)	8.55
OUTPUT (MEC in ug/L)	8.55E-06

CTR Criteria for 2,3,7,8-TCDD (ug/L)

1.3E-08

Polychlorinated Dioxins and Furans

TCDD = Tetrachlorodibenzo-p-dioxin
TCDF = Tetrachlorodibenzofuran
PeCDD = Pentachlorodibenzo-p-dioxin
PeCDF = Pentachlorodibenzofuran
HxCDD = Hexachlorodibenzo-p-dioxin
HxCDF = Hexachlorodibenzofuran
HpCDD = Heptachlorodibenzo-p-dioxin
HpCDF = Heptachlorodibenzofuran
OCDD = Octachlorodibenzo-p-dioxin
OCDF = Octachlorodibenzofuran

EFF001				
12/10/2013				
MDL	RL		Result	TCDD Eq
0.21	9.5	<	ND	
0.32	48	<	ND	
0.2	48	<	ND	
0.14	**48**	**J,q**	**1.1**	**0.11**
0.15	48	<	ND	
0.51	**48**	**J**	**23**	**0.23**
1	**95**	**B**	**360**	
0.15	**9.5**	**J**	**69**	**6.9**
0.23	48	<	ND	
0.24	48	<	ND	
0.24	**48**	**J**	**11**	**1.1**
0.18	**48**	**J**	**2.1**	**0.21**
0.21	48	<	ND	
0.23	48	<	ND	
0.43	**48**	**B**	**52**	
0.5	48	<	ND	
0.59	**95**	**J,B**	**69**	
				8.55

CTR No.	Pollutant	Analytical Method	Sample Date	Units	Qualifier	Result (ug/L)	MDL (ug/L)	RL (ug/L)	Facility	Location	Comments
	Acute Toxicity		6/10/2010	% survival		100			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity	Data Unavailable	9/12/2011	% survival		100			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity		12/5/2011	% survival		95			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity	Data Unavailable	5/23/2012	% survival		100			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity	Data Unavailable	8/13/2012	% survival		100			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity	Data Unavailable	12/10/2012	% survival		100			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	3/7/2013	% survival		100			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	4/26/2013	% survival		100			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	7/29/2013	% survival		100			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	10/16/2013	% survival		100			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	2/10/2014	% survival		100			Eureka Elk River WWTF	EFF-001	
	Acute Toxicity	Acute Toxicity Test with Effluents and Receiving Waters	4/21/2014	% survival		100			Eureka Elk River WWTF	EFF-001	
	Chronic Toxicity	Survival and Growth	8/31/2009	TUc		8			Eureka Elk River WWTF	EFF-001	Topsmelt
	Chronic Toxicity	Survival and Growth	11/30/2009	TUc		8			Eureka Elk River WWTF	EFF-001	Topsmelt
	Chronic Toxicity	Larval Development	8/31/2009	TUc		8			Eureka Elk River WWTF	EFF-001	Abalone
	Chronic Toxicity	Larval Development	11/30/2009	TUc		8			Eureka Elk River WWTF	EFF-001	Abalone
	Chronic Toxicity	Growth	8/31/2009	TUc		10			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Growth	11/30/2009	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Growth	5/24/2010	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Data Unavailable	8/29/2011	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity		11/21/2011	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Data Unavailable	5/21/2012	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Data Unavailable	8/13/2012	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Data Unavailable	12/10/2012	TUc		10			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Data Unavailable	3/7/2013	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Data Unavailable	4/26/2013	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Data Unavailable	7/29/2013	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Data Unavailable	10/16/2013	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Data Unavailable	2/10/2014	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp
	Chronic Toxicity	Data Unavailable	4/21/2014	TUc		8			Eureka Elk River WWTF	EFF-001	Kelp

CTR No.	Pollutant	Analytical Method	Sample Date	Units
	PCB 1016	EPA 608	11/16/2011	ug/L
	PCB 1016		12/10/2013	ug/L
	PCB 1060		12/11/2012	ug/L
	PCB 1221	EPA 608	11/16/2011	ug/L
	PCB 1221		12/11/2012	ug/L
	PCB 1221		12/10/2013	ug/L
	PCB 1232	EPA 608	11/16/2011	ug/L
	PCB 1232		12/11/2012	ug/L
	PCB 1232		12/10/2013	ug/L
	PCB 1242		12/11/2012	ug/L
	PCB 1242		12/10/2013	ug/L
	PCB 1248	EPA 608	11/16/2011	ug/L
	PCB 1248		12/11/2012	ug/L
	PCB 1248		12/10/2013	ug/L
	PCB 1254	EPA 608	11/16/2011	ug/L
	PCB 1254		12/11/2012	ug/L
	PCB 1260	EPA 608	11/16/2011	ug/L
	PCB 1260		12/11/2012	ug/L
	PCB 1260		12/10/2013	ug/L
	PCB Aroclor 1016		12/14/2009	ug/L
	PCB Aroclor 1016	EPA 608	12/31/2010	ug/L
	PCB Aroclor 1221		12/14/2009	ug/L
	PCB Aroclor 1221	EPA 608	12/31/2010	ug/L
	PCB Aroclor 1232		12/14/2009	ug/L
	PCB Aroclor 1232	EPA 608	12/31/2010	ug/L
	PCB Aroclor 1242		12/14/2009	ug/L
	PCB Aroclor 1242	EPA 608	12/31/2010	ug/L
	PCB Aroclor 1248		12/14/2009	ug/L
	PCB Aroclor 1248	EPA 608	12/31/2010	ug/L
	PCB Aroclor 1254		12/14/2009	ug/L
	PCB Aroclor 1254	EPA 608	12/31/2010	ug/L
	PCB Aroclor 1260		12/14/2009	ug/L
	PCB Aroclor 1260	EPA 608	12/31/2010	ug/L
	Polychlorinated Biphenyls (PCBs), Sum	Organochlorine Pesticides and PCBs	11/16/2011	ug/L
	Polychlorinated Biphenyls (PCBs), Sum	Organochlorine Pesticides and PCBs	12/11/2012	ug/L
	Polychlorinated Biphenyls (PCBs), Sum	Organochlorine Pesticides and PCBs	12/10/2013	ug/L

Qualifier	Result (ug/L)	MDL (ug/L)	RL (ug/L)
<	ND	1	
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	1	1
<	ND	1	
<	ND	7	
<	ND	7	
<	ND	1.4	7