Message

From: Moutoux, Nicole [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=574B3A85014D46D3965B59700A04A55E-NMOUTOUX]
Sent: 2/21/2020 7:28:55 PM
To: Perry, Thu [Thu.Perry@doh.hawaii.gov]; TU, LYNDSEY [Tu.Lyndsey@epa.gov]
CC: Ichinotsubo, Lene K [lene.ichinotsubo@doh.hawaii.gov]
Subject: RE: draft press releases - Red Hill

Hi Thu
I will join Lyndsey at 3pm PST after the GW modeling call so we can have a quick chat.
Thanks
Nicole

Nicole G. Moutoux
Assistant Director
Land, Chemicals and Redevelopment Division
RCRA Branch
Office: 415-972-3012
Cell: 415-271-0701

From: Perry, Thu <Thu.Perry@doh.hawaii.gov>
Sent: Friday, February 21, 2020 11:26 AM
To: Moutoux, Nicole <Moutoux.Nicole@epa.gov>; TU, LYNDSEY <Tu.Lyndsey@epa.gov>
Cc: Ichinotsubo, Lene K <lene.ichinotsubo@doh.hawaii.gov>
Subject: RE: draft press releases - Red Hill

Hi Nicole,
Sorry Lene has interviews all morning. I apologize… I meant to add that we certainly can do joint email blasts/press release. Steve told me EPA preference of informal update but we wanted to keep the formal option on the table for Keith and Janice to look at.

Yes, we've started talking points. One of them does address DOH's on-site inspection of the filling process.

Maybe we can talk after the GW meetings.
Thu

From: Moutoux, Nicole <Moutoux.Nicole@epa.gov>
Sent: Friday, February 21, 2020 9:08 AM
To: TU, LYNDSEY <Tu.Lyndsey@epa.gov>
Cc: Ichinotsubo, Lene K <lene.ichinotsubo@doh.hawaii.gov>; Perry, Thu <Thu.Perry@doh.hawaii.gov>
Subject: [EXTERNAL] RE: draft press releases - Red Hill

Hi Lene and Thu
Can we talk today? My understanding was that we were going to do a joint email "blast" regarding tank 5 refill. We are generally good with the language but think it would be good to add information about HDOH's role in on-site inspection. Since this is not an agency action it seems odd for the agencies to do a press release. Also, have you started worked on FAQs since there will likely be many questions,
Please let us know if you we can talk for 30 minutes.
Thanks
Nicole

Nicole G. Moutoux
Assistant Director
Land, Chemicals and Redevelopment Division
RCRA Branch
Office: 415-972-3012
Cell: 415-271-0701

From: TU, LYNDSEY <Tu.Lyndsey@epa.gov>
Sent: Friday, February 21, 2020 10:30 AM
To: Moutoux, Nicole <Moutoux.Nicole@epa.gov>
Subject: FW: draft press releases - Red Hill

From: Perry, Thu <Thu.Perry@doh.hawaii.gov>
Sent: Friday, February 21, 2020 10:29 AM
To: keith.kawaoka@doh.hawaii.gov; Linder, Steven <Linder.Steven@epa.gov>
Cc: Rodrigues, Darlene L. <darlene.rodrigues@doh.hawaii.gov>; TU, LYNDSEY <Tu.Lyndsey@epa.gov>; Ichinotsubo, Lene K <lene.ichinotsubo@doh.hawaii.gov>; roxanne.kwan@doh.hawaii.gov
Subject: draft press releases - Red Hill

Good morning Keith and Steve,
We have drafted two press releases. One is to message that the Navy is refilling Tank 5 and the second is about the regulator's disapproval of the Navy Corrosion report. Please review and comment.

1) We are open to combining these two releases but want the information for the Tank 5 fill to go out **asap.**
2) The disapproval letter is not yet final but we are very close. A combined message may take more time.
3) We have not had an opportunity to run this through our PIO (Janice Okubo)
4) We are debating about the last line in the Tank 5 press release identifying that other operational tanks haven't been inspected in a very long time. We need it to justify the urgency to continue and not impede the clean, inspect and repair process but it may not be entirely necessary in this initial press release.

Keith, we are working on talking points for you as well.
Thank you,

Thu "2" Perry
Public Participation Coordinator
Underground Storage Tank Section
Solid & Hazardous Waste Branch
Hawaii Department of Health
2827 Waimano Home Road, #100
Pearl City, HI 96782
(808) 586-4226