Message

From: Cruz, Auria [Cruz.Auria@epa.gov]
Sent: 1/24/2022 1:14:06 PM
To: Ruvo, Richard [Ruvo.Richard@epa.gov]; Chan, Suilin [Chan.Suilin@epa.gov]; Doctor, Katherine [Doctor.Katherine@epa.gov]
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Good morning, ☺

This is the CMS that I forwarded to APB. I don't have access to it anymore.

Kathy, can you please request an extension? It will need to be requested for 2 weeks.

In the request box, write that **a respond is being drafted, but more time is needed so that R1 can review.**

Gracias
Auria

From: Ruvo, Richard <Ruvo.Richard@epa.gov>
Sent: Thursday, January 20, 2022 7:50 AM
To: Chan, Suilin <Chan.Suilin@epa.gov>; Cruz, Auria <Cruz.Auria@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Ex. 5 Deliberative Process (DP)

Thanks, Rick

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Wednesday, January 19, 2022 7:53 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>
Cc: Ruvo, Richard <Ruvo.Richard@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Auria,

Have we been given a deadline for the response? This was addressed to the Administrator, is the response signed by the Administrator or Lisa or Rick?

Thanks,
Suilin

From: Cruz, Auria <Cruz.Auria@epa.gov>
Sent: Wednesday, January 12, 2022 2:56 PM
To: Ruvo, Richard <Ruvo.Richard@epa.gov>

Cc: Chan, Suilin <Chan.Suilin@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Here you go! ☺

Who should respond to this CMS?

Gracias
Auria

-----Original Message-----
From: Ruvo, Richard <Ruvo.Richard@epa.gov>
Sent: Wednesday, January 12, 2022 2:34 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Auria-
Please download a copy of the letter for me and Suilin. I'd like to review for my personal knowledge.
Thanks, Rick

-----Original Message-----
From: cmsadmin@epa.gov <cmsadmin@epa.gov>
Sent: Wednesday, January 12, 2022 2:08 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>
Subject: CMS New Assignment - Danla Boykin - AX-22-000-1797

Control AX-22-000-1797 has been assigned to your office on 1/12/2022 2:08:25 PM by Danla Boykin. Please go to the CMS webpage to view the details of the control.

Summary Information -
Control Number: AX-22-000-1797
Control Subject: Reading File - Defect in South Fork Wind Revised Draft Air Permit: Failure to Require Offsets for Construction-Related Air Emissions
From: Edlich, Gouri Orekondy

Note: This Email was automatically generated. Please do not attempt to respond to it. You can access this control at https://cms.epa.gov/cms. Questions or comments concerning CMS should be directed to CMS Support at 202-564-4985 or CMS Information@epa.gov.