Message

From: Chan, Suilin [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=52A7E14EA92C4B378851ADD37BA89866-CHAN, SUILIN]
Sent: 1/24/2022 1:33:01 PM
To: Cruz, Auria [Cruz.Auria@epa.gov]
CC: Ruvo, Richard [Ruvo.Richard@epa.gov]; Doctor, Katherine [Doctor.Katherine@epa.gov]
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Auria,

Is 1/27 the original due date? We need a 3-week extension. **Ex. 5 Deliberative Process (DP)**
Ex. 5 Deliberative Process (DP) WD needs until 2/4 to address the water issue. APB is drafting a response to one issue as well.

Thanks,
Suilin

From: Cruz, Auria <Cruz.Auria@epa.gov>
Sent: Monday, January 24, 2022 8:21 AM
To: Chan, Suilin <Chan.Suilin@epa.gov>
Cc: Ruvo, Richard <Ruvo.Richard@epa.gov>; Doctor, Katherine <Doctor.Katherine@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Suilin, ☺

Due date is 1/27/22.

Document List for AX-22-000-1797

Citizen: Edlich, Gouri Orekondy
Primary Subject: Reading File - Defect in South Fork Wind Revised Draft Air Perm **Status:** Pending
Due Date: 1/27/2022, 12 **Received Date:** 1/11/2022, 12

Checkout Add Component Import Component

Correspondence

22-000-1797
Creater: cmsdockt **Size:** 1597204
Format: pdf **Modified:** 1/12/2022, 1:47:25 PM
Check Out By:

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Wednesday, January 19, 2022 7:53 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>
Cc: Ruvo, Richard <Ruvo.Richard@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Auria,

Have we been given a deadline for the response? This was addressed to the Administrator, is the response signed by the Administrator or Lisa or Rick?

Thanks,
Suilin

From: Cruz, Auria <Cruz.Auria@epa.gov>
Sent: Wednesday, January 12, 2022 2:56 PM
To: Ruvo, Richard <Ruvo.Richard@epa.gov>
Cc: Chan, Suilin <Chan.Suilin@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Here you go! ☺

Who should respond to this CMS?

Gracias
Auria

-----Original Message-----
From: Ruvo, Richard <Ruvo.Richard@epa.gov>
Sent: Wednesday, January 12, 2022 2:34 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Auria-
Please download a copy of the letter for me and Suilin. I'd like to review for my personal knowledge.
Thanks, Rick

-----Original Message-----
From: cmsadmin@epa.gov <cmsadmin@epa.gov>
Sent: Wednesday, January 12, 2022 2:08 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>
Subject: CMS New Assignment - Danla Boykin - AX-22-000-1797

Control AX-22-000-1797 has been assigned to your office on 1/12/2022 2:08:25 PM by Danla Boykin. Please go to the CMS webpage to view the details of the control.

Summary Information -
Control Number: AX-22-000-1797
Control Subject: Reading File - Defect in South Fork Wind Revised Draft Air Permit: Failure to Require Offsets for Construction-Related Air Emissions
From: Edlich, Gouri Orekondy

Note: This Email was automatically generated. Please do not attempt to respond to it. You can access this control at https://cms.epa.gov/cms. Questions or comments concerning CMS should be directed to CMS Support at 202-564-4985 or CMS Information@epa.gov.