Message

From: Froikin, Sara [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=E52FE29F223F4E869B82918294900D8F-FROIKIN, SARA]
Sent: 1/13/2022 1:56:19 PM
To: Petriman, Viorica [Petriman.Viorica@epa.gov]
CC: Chan, Suilin [Chan.Suilin@epa.gov]
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Thanks, Viorica!

Sara Froikin, Assistant Regional Counsel
U.S. Environmental Protection Agency, Region 2
290 Broadway, 16th Floor
New York, NY 10007
Phone: 212-637-3263

From: Petriman, Viorica <Petriman.Viorica@epa.gov>
Sent: Thursday, January 13, 2022 8:55 AM
To: Froikin, Sara <Froikin.Sara@epa.gov>
Cc: Chan, Suilin <Chan.Suilin@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Sara – That was me!
I checked with Pat first if it's ok and he said yes.

From: Froikin, Sara <Froikin.Sara@epa.gov>
Sent: Thursday, January 13, 2022 8:54 AM
To: Petriman, Viorica <Petriman.Viorica@epa.gov>
Cc: Chan, Suilin <Chan.Suilin@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Oh, you did that – thanks! OK, then I won't forward it back. ☺

Sara Froikin, Assistant Regional Counsel
U.S. Environmental Protection Agency, Region 2
290 Broadway, 16th Floor
New York, NY 10007
Phone: 212-637-3263

From: Petriman, Viorica <Petriman.Viorica@epa.gov>
Sent: Thursday, January 13, 2022 8:54 AM
To: Froikin, Sara <Froikin.Sara@epa.gov>
Cc: Chan, Suilin <Chan.Suilin@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Sara – I just forwarded you the invite for today's 1 pm call on this issue.

Viorica

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Thursday, January 13, 2022 8:52 AM

To: Petriman, Viorica <Petriman.Viorica@epa.gov>; Froikin, Sara <Froikin.Sara@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

I misspoke, it is not a FOIA, but a letter.

Sara – Pat scheduled a call with OAQPS and Brian to discuss how we will coordinate the agency's response. Would you like me to attend?

Suilin

From: Petriman, Viorica <Petriman.Viorica@epa.gov>
Sent: Thursday, January 13, 2022 8:47 AM
To: Froikin, Sara <Froikin.Sara@epa.gov>
Cc: Chan, Suilin <Chan.Suilin@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Sara -- FYI

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Wednesday, January 12, 2022 5:42 PM
To: Bird, Patrick <Bird.Patrick@epa.gov>
Cc: Ruvo, Richard <Ruvo.Richard@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Pat,

We were assigned this FOIA from a Gouri Edlich, a Chairwoman of the Citizens for the Preservation of Wainscott (CPW) to Administrator Regan. She wrote about the South Fork wind project transmission cable and EPA's proposal to not require ERC to offset construction phase emissions.

Ex. 5 Deliberative Process (DP)

By the way, what is the status of the South Fork final OCS permit?

Thanks,
Suilin

From: Cruz, Auria <Cruz.Auria@epa.gov>
Sent: Wednesday, January 12, 2022 2:56 PM
To: Ruvo, Richard <Ruvo.Richard@epa.gov>
Cc: Chan, Suilin <Chan.Suilin@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Here you go! ☺

Who should respond to this CMS?

Gracias
Auria

-----Original Message-----
From: Ruvo, Richard <Ruvo.Richard@epa.gov>
Sent: Wednesday, January 12, 2022 2:34 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Auria-
Please download a copy of the letter for me and Suilin. I'd like to review for my personal knowledge.
Thanks, Rick

-----Original Message-----
From: cmsadmin@epa.gov <cmsadmin@epa.gov>
Sent: Wednesday, January 12, 2022 2:08 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>
Subject: CMS New Assignment - Danla Boykin - AX-22-000-1797

Control AX-22-000-1797 has been assigned to your office on 1/12/2022 2:08:25 PM by Danla Boykin. Please go to the CMS webpage to view the details of the control.

Summary Information -
Control Number: AX-22-000-1797
Control Subject: Reading File - Defect in South Fork Wind Revised Draft Air Permit: Failure to Require Offsets for Construction-Related Air Emissions
From: Edlich, Gouri Orekondy

Note: This Email was automatically generated. Please do not attempt to respond to it. You can access this control at https://cms.epa.gov/cms. Questions or comments concerning CMS should be directed to CMS Support at 202-564-4985 or CMS Information@epa.gov.