Appointment

From: Fennessy, Christopher [christopher.fennessy@Rocket.com]
Sent: 10/2/2017 5:09:34 PM
To: Fennessy, Christopher [christopher.fennessy@Rocket.com]; Keller, Lynn [Keller.Lynn@epa.gov]; MacNicholl, Peter@DTSC (Peter.MacNicholl@dtsc.ca.gov) (Peter.MacNicholl@dtsc.ca.gov) [Peter.MacNicholl@dtsc.ca.gov]; MacDonald, Alex@Waterboards (Alex.MacDonald@waterboards.ca.gov) [Alex.MacDonald@waterboards.ca.gov]; sforbess@Geosyntec.com; Joe Niland (JNiland@Geosyntec.com) [JNiland@Geosyntec.com]; Sue (Sue.Kraemer@cbi.com) Kraemer (Sue.Kraemer@cbi.com) [Sue.Kraemer@cbi.com]; (Tom.Lae@ch2m.com) [Tom.Lae@ch2m.com]; PPhillips@GilbaneCo.com; Stralka, Daniel [Stralka.Daniel@epa.gov]; Plate, Mathew [Plate.Mathew@epa.gov]
BCC: ~PW-Conf - Room 21 (20, P, PC) [pwconf21@corp.aerojet.com]

Subject: Area 40 - Winter indoor air sample planning and Area 40 - Fall Ambient Air Planning, FS, RAP
Location: ~PW-Conf - Room 21 (20, P, PC)

Start: 11/8/2017 5:00:00 PM
End: 11/8/2017 11:30:00 PM
Show Time As: Busy

Recurrence: (none)