Appointment

From: Keller, Lynn [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=08038B86D66A47D3AACA8BEE1A63A5A7-LKELLER]
Sent: 7/11/2017 4:52:53 PM
To: Plate, Mathew [Plate.Mathew@epa.gov]; MacNicholl, Peter@DTSC [Peter.MacNicholl@dtsc.ca.gov]; Dan.Gallagher@dtsc.ca.gov
BCC: R9SF-Room-10314-8-LakeMead [R9SF-Room-10314-8-LakeMead@epa.gov]

Subject: Aerojet Area 40 VI Guidance - DTSC Small Structures Draft & EPA Region 9 Guidelines
Location: R9SF-Room-10314-8-LakeMead

Start: 7/11/2017 9:30:00 PM
End: 7/11/2017 10:00:00 PM
Show Time As: Tentative

Importance: High

Required Attendees: Plate, Mathew; MacNicholl, Peter@DTSC; Dan.Gallagher@dtsc.ca.gov

Pete, Dan, and Matt,

Can we please have a brief call today at 2:30 pm to discuss regulatory VI guidance with regard to the Aerojet Area 40 site? We should all be on the same page prior to the Aerojet conference call tomorrow morning at 10:30, if it will be happening. Matt can't make the call tomorrow and I don't feel we're prepared to have it—I'd like Chris to reschedule it and have asked a few times.

Please use the following call in information:
Conference Bridge Call in number: **415-947-8200**
Conference Number: **4159729251**
Participant Access Code: **460580**

Once you dial into the main conference bridge number **415-947-8200**, you will need to enter the 10 digit conference number. At the next prompt, participants will press 2 and then enter the participant access code followed by the # sign.

If today from 2:30-3:00 pm doesn't work for you, Dan and Pete, will tomorrow morning work at 9 am?

Thank you,
Lynn

Lynn M. Keller, EI, PMP
US EPA Region 9 RPM
75 Hawthorne St, SFD 7-1
San Francisco, CA 94105
415.947.4162