Message

From: Ehe, Robert@Waterboards [Robert.Ehe@waterboards.ca.gov]
Sent: 4/19/2019 5:38:45 PM
To: Brett Bowyer [brettbowyer@bowyerenvironmental.com]
CC: Ly, Jillian@Waterboards [Jillian.Ly@waterboards.ca.gov]; Michael Lebow [mlebow@srllplaw.com]; Lin, Kevin@Waterboards [Kevin.Lin@Waterboards.ca.gov]; Castellana, Ben [castellana.ben@epa.gov]; Alan Malagon [alanmalagon@bowyerenvironmental.com]
Subject: RE: Slauson Tanker Fire ER Business Card File

Thank you. That sounds good. I will look for the work plan in a week.

Robert J. Ehe, P.E.
Water Resource Control Engineer
Regional Water Quality Control Board, Los Angeles Region

From: Brett Bowyer <brettbowyer@bowyerenvironmental.com>
Sent: Friday, April 19, 2019 10:19 AM
To: Ehe, Robert@Waterboards <Robert.Ehe@waterboards.ca.gov>
Cc: Ly, Jillian@Waterboards <Jillian.Ly@waterboards.ca.gov>; Michael Lebow <mlebow@srllplaw.com>; Lin, Kevin@Waterboards <Kevin.Lin@Waterboards.ca.gov>; Castellana, Ben <castellana.ben@epa.gov>; Alan Malagon <alanmalagon@bowyerenvironmental.com>
Subject: RE: Slauson Tanker Fire ER Business Card File

Hi Robert,

We plan on sending the workplan out to you and the EPA by the end of next week. I will incorporate a summary of the incident and current conditions into the workplan, per your request. We were not involved directly in the initial emergency response (BEC started working on this project two weeks ago today) and will be using information (including pictures) provided by the emergency response contractor (Clean Harbors) and the EPA On-Site Coordinator (Ben Castellana). As of today, no in situ soil or soil vapor samples have been collected.

We plan on collecting a series of soil and soil vapor samples on and off-Site were the original release occurred, which will be described in the workplan. Once we have the initial data we can assess next steps including evaluating the need for a risk assessment. It is possible that the data may indicate that a shallow soil excavation could be done to remove impacted soil to applicable conservative screening levels, in which case it may not be necessary to prepare a site-specific risk assessment. Our current plan is to acquire the initial set of data, report it to the EPA and RWQCB, and make recommendations with respect to next steps.

Please let me know if you have any comments regarding the general approach laid out here. You might also want to discuss this with Ben Castellana.

Thank you.

Brett Bowyer, P.G.
BOWYER ENVIRONMENTAL CONSULTING, INC.
17011 Beach Boulevard, Suite 900
Huntington Beach, CA 92647
Office: (877) 232-4620 Ext. 101

Cell: (714) 878-7191
FAX: (714)494-1912

To send large files to Brett Bowyer through the BEC drop box click on the following link:

https://spaces.hightail.com/uplink/BECdropbox

PRIVILEGED AND CONFIDENTIAL
This e-mail may contain material that is confidential, privileged and/or attorney work product for the sole use of the intended recipient(s). All information transmitted hereby is intended solely for the viewing and use of the addressee(s) named above. If you are not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient(s), please note that any further reading, printing, copying or other distribution of this message is strictly prohibited. If you have received this message in error, please notify us immediately by telephone or reply e-mail and delete the message from your e-mail system.

To comply with IRS regulations, we advise you that any discussion of Federal tax issues in this e-mail was not intended or written to be used, and cannot be used by you, (i) to avoid any penalties imposed under the Internal Revenue Code or (ii) to promote, market or recommend to another party any transaction or matter addressed herein.

From: Ehe, Robert@Waterboards <Robert.Ehe@waterboards.ca.gov>
Sent: Friday, April 19, 2019 9:38 AM
To: Brett Bowyer <brettbowyer@bowyerenvironmental.com>
Cc: Ly, Jillian@Waterboards <Jillian.Ly@waterboards.ca.gov>; Michael Lebow <mlebow@srllplaw.com>; Lin, Kevin@Waterboards <Kevin.Lin@Waterboards.ca.gov>; Castellana, Ben <castellana.ben@epa.gov>
Subject: RE: Slauson Tanker Fire ER Business Card File

Please send me your schedule for submitting the work plan for soil sampling at the Site. Please include pictures and all the background on this incident in this report. Also, let me know a timeline for preparing a human health risk assessment for the Site. I'm still uncertain of the damage done to structures by the explosion, so forward a copy of an inspection report or something that describes the current conditions at the site. Thank you.

Robert J. Ehe, P.E.
Water Resource Control Engineer
Regional Water Quality Control Board, Los Angeles Region

From: Brett Bowyer <brettbowyer@bowyerenvironmental.com>
Sent: Thursday, April 18, 2019 3:25 PM
To: Lin, Kevin@Waterboards <Kevin.Lin@Waterboards.ca.gov>; Castellana, Ben <castellana.ben@epa.gov>; droberts@aqmd.gov
Cc: Ehe, Robert@Waterboards <Robert.Ehe@waterboards.ca.gov>; Ly, Jillian@Waterboards <Jillian.Ly@waterboards.ca.gov>; Michael Lebow <mlebow@srllplaw.com>; Heath, Arthur@Waterboards <Arthur.Heath@waterboards.ca.gov>
Subject: RE: Slauson Tanker Fire ER Business Card File

Thank you, Kevin and hello Robert.

Please feel free to call me if you have any questions or would like to get more background on this incident. We are currently developing a workplan for soil sampling at the Site to attempt to define the extent of impacts associated with

the gasoline release. We have been working with the EPA in developing this workplan and would like to also coordinate with the RWQCB on these activities.

We are looking forward to working closely with you on this project.

Please call me when you have a chance to discuss.

Thanks.

Brett Bowyer, P.G.
BOWYER ENVIRONMENTAL CONSULTING, INC.
17011 Beach Boulevard, Suite 900
Huntington Beach, CA 92647
Office: (877) 232-4620 Ext. 101
Cell: (714) 878-7191
FAX: (714)494-1912

To send large files to Brett Bowyer through the BEC drop box click on the following link:

https://spaces.hightail.com/uplink/BECdropbox

PRIVILEGED AND CONFIDENTIAL
This e-mail may contain material that is confidential, privileged and/or attorney work product for the sole use of the intended recipient(s). All information transmitted hereby is intended solely for the viewing and use of the addressee(s) named above. If you are not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient(s), please note that any further reading, printing, copying or other distribution of this message is strictly prohibited. If you have received this message in error, please notify us immediately by telephone or reply e-mail and delete the message from your e-mail system.

To comply with IRS regulations, we advise you that any discussion of Federal tax issues in this e-mail was not intended or written to be used, and cannot be used by you, (i) to avoid any penalties imposed under the Internal Revenue Code or (ii) to promote, market or recommend to another party any transaction or matter addressed herein.

From: Lin, Kevin@Waterboards <Kevin.Lin@Waterboards.ca.gov>
Sent: Thursday, April 18, 2019 3:04 PM
To: Castellana, Ben <castellana.ben@epa.gov>; Brett Bowyer <brettbowyer@bowyerenvironmental.com>; droberts@aqmd.gov
Cc: Ehe, Robert@Waterboards <Robert.Ehe@waterboards.ca.gov>; Ly, Jillian@Waterboards <Jillian.Ly@waterboards.ca.gov>; Heath, Arthur@Waterboards <Arthur.Heath@waterboards.ca.gov>
Subject: RE: Slauson Tanker Fire ER Business Card File

Hi All,

Due to case load management, the Los Angeles Regional Water Quality Control Board (LARWQCB)case worker will be Mr. Robert Ehe instead. His contact information is below:

Robert Ehe, P.E.
Water Resource Control Engineer
Los Angeles Regional Water Quality Control Board
Site Cleanup Program Unit IV

320 West 4th Street, Suite 200
Los Angeles, CA 90013
Robert.Ehe@waterboards.ca.gov
(213) 576-6740

Robert is cc'd in this email along with Arthur Heath (LARWQCB's remediation program manager) and Jillian Ly (Unit IV's unit chief).

I apologize for the confusion.

Thank you,
Kevin Lin

From: Castellana, Ben <castellana.ben@epa.gov>
Sent: Thursday, April 18, 2019 2:43 PM
To: Brett Bowyer (brettbowyer@bowyerenvironmental.com) <brettbowyer@bowyerenvironmental.com>; droberts@aqmd.gov
Cc: Lin, Kevin@Waterboards <Kevin.Lin@Waterboards.ca.gov>
Subject: Slauson Tanker Fire ER Business Card File

Hi Brett and Deryck,
As per your request during today's site visit, attached please find photos of the business cards collected by OSC Robert Wise during the Slauson Tanker Fire Incident, as well as cards I collected today at the Site.

In addition, the Los Angeles Regional Water Quality Control Board has expressed concern about the site from a water resources protection standpoint. My understanding is that the case representative will be:

Kevin Lin, P.E.
Water Resource Control Engineer
Los Angeles Regional Water Quality Control Board
Site Cleanup Program Unit IV
320 West 4th Street, Suite 200
Los Angeles, CA 90013
213-576-6781
Kevin.Lin@waterboards.ca.gov

I have cc-ed Mr. Lin on this email.

Sincerely,

Ben Castellana, Ph.D.
On-Scene Coordinator
US EPA Region 9
Superfund Emergency Response
(562) 305-0694 cell