Message

From: Schadel, Chuck [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=03560FE66A634057A4B852B342DF2F87-CSCHADEL]
Sent: 3/16/2022 5:45:45 PM
To: Saxton, Jena (DNREC) [Jena.Saxton@delaware.gov]
Subject: RE: Pending DE Complaint Inspections LAWSON RD & INLAND BAYS POTW SPRAY FIELDS

That's great. Anyone else ?

From: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Sent: Wednesday, March 16, 2022 1:25 PM
To: Schadel, Chuck <Schadel.Chuck@epa.gov>; Cody.Letsinger@Delaware.gov; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>; Greenwald, Michael <Greenwald.Michael@epa.gov>
Subject: RE: Pending DE Complaint Inspections LAWSON RD & INLAND BAYS POTW SPRAY FIELDS

Good Afternoon!

I actually had some additional items pop up next week as well, so March 31st works for me!

Thank you,

Jena L. Saxton

From: Schadel, Chuck <Schadel.Chuck@epa.gov>
Sent: Wednesday, March 16, 2022 9:20 AM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>; Greenwald, Michael <Greenwald.Michael@epa.gov>
Subject: RE: Pending DE Complaint Inspections LAWSON RD & INLAND BAYS POTW SPRAY FIELDS

Mornin folks,
Pete and I have been directed to conduct a more pressing inspection in WV next week. Is it acceptable to you folks that we conduct our inspections the following week on March 31st ?
Very sorry for the inconvenience.

From: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Sent: Tuesday, March 15, 2022 8:46 AM
To: Gold, Peter <Gold.Peter@epa.gov>
Cc: Schadel, Chuck <Schadel.Chuck@epa.gov>; Cody.Letsinger@Delaware.gov; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Subject: RE: Pending DE Complaint Inspections LAWSON RD & INLAND BAYS POTW SPRAY FIELDS

Hello,

Both of those days work for me. Just let me know where you plan to go each of the days.

Thank you,

Jena L. Saxton

From: Gold, Peter <Gold.Peter@epa.gov>
Sent: Tuesday, March 15, 2022 8:06 AM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Cc: Schadel, Chuck <Schadel.Chuck@epa.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Subject: RE: Pending DE Complaint Inspections LAWSON RD & INLAND BAYS POTW SPRAY FIELDS

Adam and Jena,

Would Thursday and Friday March 24th and 25th work for the inspections? We will conduct one on Thursday afternoon and the other on Friday morning. Let us know how that would work for you. Thanks

From: Schadel, Chuck <Schadel.Chuck@epa.gov>
Sent: Wednesday, January 19, 2022 2:44 PM
To: Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>; Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Gold, Peter <Gold.Peter@epa.gov>; Cody.Letsinger@Delaware.gov; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Subject: RE: Pending DE Complaint Inspections LAWSON RD & INLAND BAYS POTW SPRAY FIELDS

Hello Everyone,
Considering the potential for reduced visability of ground surface (due to snow) which would impede our inspection and considering that transient/sporadic activities which are supected at Lawson Rd usually cease operations during the months of Jan and Feb, my concern is we could come away with a false negative (no observations which indicate reason for concern) regarding discharges or impacts. Id rather avoid the scenario (as best as possible) where we come back from the inspection and report that we observed nothing of concern, then subsequently receive photos the followng week, or month, from a citizen which show reason (discharges/impacts) for concern. As a result, I am in agreement with postponing the inspections.

I am wondering if we should wait until March, since that is when outside operations usually resume. I will schedule a call for all of us tomorrow at 10 am (I think we should all be free) to discuss.
Thanks for your time, it is appreciated.

From: Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>
Sent: Wednesday, January 19, 2022 10:16 AM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Schadel, Chuck <Schadel.Chuck@epa.gov>; Gold, Peter <Gold.Peter@epa.gov>; Cody.Letsinger@Delaware.gov; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Subject: RE: Pending DE Complaint Inspections

I'm fine with postponing. I'm out January 28th if we need to look at next week for scheduling.

Thanks,
Adam

From: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Sent: Wednesday, January 19, 2022 8:15 AM
To: Schadel, Chuck <Schadel.Chuck@epa.gov>; Gold, Peter <Gold.Peter@epa.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>; Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>; Sunde, Jason W.

(DNREC) <Jason.Sunde@delaware.gov>
Subject: RE: Pending DE Complaint Inspections

Hello!

I did not even know they were calling for snow (and the chances of precipitation are fairly high). Thank you for bringing that up. For everyone's safety and being able to see what we are going to look at, I think it would be best to postpone.

Is anyone opposed to this?

Thank you,

Jena L. Saxton

From: Schadel, Chuck <Schadel.Chuck@epa.gov>
Sent: Tuesday, January 18, 2022 3:02 PM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Subject: RE: Pending DE Complaint Inspections

Id say yes, but the weather forecast looks like snow. We wont see a lot if everything is covered. What are your thoughts ?

From: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Sent: Tuesday, January 18, 2022 2:32 PM
To: Gold, Peter <Gold.Peter@epa.gov>; Cody.Letsinger@Delaware.gov; Schadel, Chuck <Schadel.Chuck@epa.gov>; Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Subject: RE: Pending DE Complaint Inspections

Good Afternoon!

Just wanted to follow up and make sure we had a solid plan in place for Thursday.

If we go with our previous agreement we will be meeting at Thurman Adams State Service Complex (546 S. Bedford St., Georgetown, DE 19947) next to the DelDOT yard at 10:00am.

Does this still suit?

Thank you,

Jena L. Saxton

From: Saxton, Jena (DNREC)
Sent: Tuesday, January 11, 2022 2:00 PM
To: Gold, Peter <Gold.Peter@epa.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>; Schadel, Chuck <Schadel.Chuck@epa.gov>; Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Subject: RE: Pending DE Complaint Inspections

Yes. That works for me.

Thank you,

Jena L. Saxton

From: Gold, Peter <Gold.Peter@epa.gov>
Sent: Tuesday, January 11, 2022 1:59 PM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>; Schadel, Chuck <Schadel.Chuck@epa.gov>; Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Subject: RE: Pending DE Complaint Inspections

Jena,

The 20th will work for us as well. Is it still ok with you? Thanks

From: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Sent: Wednesday, January 05, 2022 5:46 PM
To: Cody.Letsinger@Delaware.gov; Schadel, Chuck <Schadel.Chuck@epa.gov>; Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: Re: Pending DE Complaint Inspections

Hello all!

My apologies for the delay, but the 20th would be best for me.

Thank you,
-Jena

Jena Saxton

From: Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>
Sent: Wednesday, January 5, 2022 12:55:56 PM
To: Schadel, Chuck <Schadel.Chuck@epa.gov>; Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>; Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: Re: Pending DE Complaint Inspections

The 20th or 21st works for me too.

-Cody

From: Schadel, Chuck <Schadel.Chuck@epa.gov>
Sent: Wednesday, January 5, 2022 11:23 AM
To: Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>; Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

Im good for either 20th or 21st.

From: Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>
Sent: Wednesday, January 05, 2022 10:03 AM

To: Schadel, Chuck <Schadel.Chuck@epa.gov>; Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>; Cody.Letsinger@Delaware.gov
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

Hi Everyone,

The 19th is the meeting for our Governor's appointed recycling committee. I would prefer the 20th and 21st if that's possible for everyone else.

Thanks,
Adam

From: Schadel, Chuck <Schadel.Chuck@epa.gov>
Sent: Wednesday, January 5, 2022 9:42 AM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>; Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

Hi folks, Happy New Year and we hope the Holidays were good.
Our apologies for the delay. We would like to conduct the identified inspections when condusive to your team. We are thinking 19th, 20th or 21st of January. Please let us know and thanks for your time. It is appreciated.

From: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Sent: Monday, December 20, 2021 1:06 PM
To: Schadel, Chuck <Schadel.Chuck@epa.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>; Cody.Letsinger@Delaware.gov; Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

Great!

We will see you tomorrow at 10:30am in Georgetown.

My cell is Ex. 6 Personal Privacy (PP)

Thank you,

Jena L. Saxton

From: Schadel, Chuck <Schadel.Chuck@epa.gov>
Sent: Monday, December 20, 2021 11:51 AM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>; Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

That sounds good by me. Lets make it 1030 in case we get a little lost. My cell is Ex. 6 Personal Privacy (PP)
One of your cell numbers would be useful in case we need to re-route or need to be coached to our meeting point.
Thanks and we look forward to working w you.

From: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Sent: Friday, December 17, 2021 4:19 PM
To: Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>; Schadel, Chuck <Schadel.Chuck@epa.gov>; Cody.Letsinger@Delaware.gov; Schlachter, Adam (DNREC) <Adam.Schlachter@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

Hello,

I looped Adam in (he will be attending from WHS). I do like Jason's idea of meeting somewhere that is perhaps easier to find.

What are you thoughts Chuck and Peter?

Tuesday, December 21, 2021 meet at Thurman Adams State Service Complex (546 S. Bedford St., Georgetown, DE 19947) next to the DelDOT yard at 10:00am?

Thank you and have a great weekend!

Jena L. Saxton

From: Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Sent: Thursday, December 16, 2021 4:07 PM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Schadel, Chuck <Schadel.Chuck@epa.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

A bit farther away but right off the Rt 113 is the State Service Center next to the DelDot yard near to Georgetown (intersection of Rt113 and Rt 9/S Bedford St). May be easier to find and get to. The church is certainly closer though.

Jason W. Sunde
Environmental Program Administrator

302-739-9403 302-387-9407
jason.sunde@delaware.gov
89 Kings Highway, Dover, DE 19901
dnrec.delaware.gov

From: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Sent: Thursday, December 16, 2021 3:59 PM
To: Schadel, Chuck <Schadel.Chuck@epa.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>; Letsinger, Cody

(DNREC) <Cody.Letsinger@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

I am not super familiar with the area of the Lawson Road activity but on maps it looks like there is a Zoar Church off of Zoar Road nearby.

We could all meet there at 10am and travel to the Lawson Road property. Jason, do you have any ideas of other places to meet in the area?

Thank you,

Jena L. Saxton

From: Schadel, Chuck <Schadel.Chuck@epa.gov>
Sent: Thursday, December 16, 2021 11:39 AM
To: Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>; Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

Hey folks, Id like to insp the Lawson Road activity first, since it is more unkown at this point, and reserve the afternoon for the Inland Bays operation. I think Pete and I can meet you folks at 10 am. Do you have a place w can meet prior to going to Lawson Rd ?

From: Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Sent: Wednesday, December 15, 2021 2:33 PM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Schadel, Chuck <Schadel.Chuck@epa.gov>; Cody.Letsinger@Delaware.gov
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

We are fairly flexible. Would you be going to the wastewater facility first then the Lawson Rd property? I believe the potential for solid waste issues was at the Lawson Rd property only. We can certainly accompany you to both sites if that works better for timing.

Jason W. Sunde
Environmental Program Administrator

302-739-9403 302-387-9407
jason.sunde@delaware.gov
89 Kings Highway, Dover, DE 19901
dnrec.delaware.gov

From: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>
Sent: Wednesday, December 15, 2021 2:02 PM
To: Schadel, Chuck <Schadel.Chuck@epa.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>; Sunde, Jason

W. (DNREC) <Jason.Sunde@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: Pending DE Complaint Inspections

Good Afternoon Chuck!

Attached you will find the facility's draft storm water plan. We currently have a few comments out to the facility about it.

Cody and I discussed a time and we are fairly flexible. Would you guys want to meet between 10 and 11?

Jason, what does your schedule look like?

Thank you,

Jena L. Saxton

From: Schadel, Chuck <Schadel.Chuck@epa.gov>
Sent: Tuesday, December 14, 2021 7:49 PM
To: Saxton, Jena (DNREC) <Jena.Saxton@delaware.gov>; Letsinger, Cody (DNREC) <Cody.Letsinger@delaware.gov>; Sunde, Jason W. (DNREC) <Jason.Sunde@delaware.gov>
Cc: Gold, Peter <Gold.Peter@epa.gov>
Subject: FW: Pending DE Complaint Inspections

Hi folks,
Id like to coord w you regarding inspections of these 2 acitvities. What time frames are you thinking ? We have a little bit of hike, but we will try to get there early . Do you have any background info we can read before the inspection ?
Thanks for your time, it is appreciated.

Chuck Schadel, Eng
Enforcement Officer
NPDES Enforcement Section
USEPA Region 3
Ex. 6 Personal Privacy (PP)