Message

From: Weekley, Erin [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D8FA6CBB166A47AB951D5FAEC0F84EF1-WEEKLEY, ERIN]
Sent: 9/29/2021 9:02:08 PM
To: Ex. 7(A)/ Ex. 5 AWP
Subject: FW: Clarification of AltEn Wastewater Treatment Permitting Process Requested

Ex. 7(A)/ Ex. 5 AWP

Erin Weekley
Air and Crosscutting Issues Branch Chief
Office of Regional Counsel
U.S. Environmental Protection Agency, Region 7
11201 Renner Boulevard
Lenexa, Kansas 66219
office (913) 551-7095
work cell (816) 274-1107

-----Original Message-----
From: Jim Boucher <cbouchr@cox.net>
Sent: Tuesday, September 28, 2021 8:49 AM
To: Bednar, Candace <Bednar.Candace@epa.gov>; tom.buell@nebraska.gov; NDEQ Records <ndeq.records@nebraska.gov>
Cc: Jody < Ex. 6 Personal Privacy (PP) >; Jane Kleeb <jane@nebraskademocrats.org>; George Cunningham < Ex. 6 Personal Privacy (PP) ; Jody Ex. 6 Personal Privacy (PP) Judy Wu-Smart <jwu-smart@unl.edu>; Jon Wilbeck <jon.wilbeck@nebraska.gov>; Schalles, John F <JohnSchalles@creighton.edu>; Chris Dunker <cdunker@journalstar.com>
Subject: Clarification of AltEn Wastewater Treatment Permitting Process Requested

Good Morning Friends
In review of the NDEE document review portal & the NDEE AltEn information page it appears that NDEE is considering approval of construction & installation of a new wastewater treatment process at the AltEn site.
Specifically, a new process said to remove the problem pesticides through a filtration scheme appears to be contemplated.
In addition, disposal of over 150,000,000 gallons of this filtered wastewater would be accomplished via discharge through new & existing piping & irrigation systems on to certain adjacent farm land.
1) Please clarify for us whether EPA regulations allow AFRG to construct and implement this new process by without thorough Engineering review by NDEE & it's Professional Engineering staff and outside consultants. (This would presumably require public comments & hearings, same as the awaited engineered RAP.)
2) NDEE has asserted on its AltEn information page that newly discovered levels of site pesticides in off site groundwater wells may be treated, at owner's option and expense, with NSF- rated equipment certified to remove pesticides. Please clarify on what technical basis NDEE makes this recommendation. (In fact, our research has shown that such equipment thus specified is not effective with these pollutants nor commercially and economically available to local residents.) Thanks for you help and kind attention to these questions.
Regards,
Jim Boucher, PE (Retired)

Ex. 6 Personal Privacy (PP)

Sent from my iPhone