To: Nonresponsive based on revised scope @tetratech.com]
From: Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Tue 7/26/2022 10:29:00 PM (UTC)
Subject: Re: T601-20-10-003 - Shiloh Church Road Removal Assessment Support TD

Also and Nonresponsive based on revised scope are familiar with the site. spent some time there but I don't think he knows the data

Thanks
Chris

On Jul 26, 2022, at 1:01 PM, Nonresponsive based on revised scope @tetratech.com> wrote:

Hi Chris!

I am reaching out regarding the Shiloh Church Road Removal Assessment Support TD (T601-20-10-003) that was previously managed by Nonresponsive based on revised scope I noticed that the TD expired on September 30, 2021. I am not incredibly familiar with this project, and with taking over as Program Manager I am trying to tie up loose ends. Would you like for me to move forward with closing out the TD, or would you like to keep the project open?

Any information would be greatly appreciated, and please let me know if you have any questions. Feel free to call if it's easier to discuss.

Thank you for your help!

Nonresponsive based on revised scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

Please consider the environment before printing. Read more

TETRA TECH