To: Nonresponsive based on revised scope @westonsolutions.com]
From: Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Sun 4/19/2020 12:26:57 AM (UTC)
Subject: FW: Unvalidated Electronic Data for Shiloh Church Road, 48470 - Still slugging through data

EQuIS 1_48470_C0AT7_31504323.xls
EQuIS 1_48470_MC0AT7_31501300.xls
EQuIS 2_48470_C0AT7_31504323.xls
EQuIS 2_48470_MC0AT7_31501300.xls
EQuIS 3_48470_C0AT7_31504323.xls
EQuIS 3_48470_MC0AT7_31501300.xls
EQuIS_48470_C0AT7_31504323.xls
EQuIS_48470_MC0AT7_31501300.xls

Hi Nonresponsive based on revised scope

I'm still trying to file my electronic data. Next week (NOT OVER THE WEEKEND), can you look at this and advise what it is for? Looks like rinse blanks to me. I must be misunderstanding something here (shocking.)

Thanks
Chris

From: Nonresponsive based on revised scope @epa.gov>
Sent: Friday, October 11, 2019 12:24 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Cc: Nonresponsive based on revised scope @westonsolutions.com> Nonresponsive based on revised scope @WestonSolutions.com>
Subject: Unvalidated Electronic Data for Shiloh Church Road, 48470

Christine,

Attached you will find the unvalidated data for case 48470, SDGs MC0AT7 & C0AT7 from Shiloh Church Road. Please contact Nonresponsive based on revised scope at Nonresponsive based on revised scope or Nonresponsive based on revised scope @epa.gov if additional assistance is required.

ICF

Nonresponsive based on revised scope | Chemistry Data Manager | Nonresponsive based on revised scope @epa.gov

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350