To: Nonresponsive based on revised scope @epa.gov]; Wagner, Christine[Wagner.Christine@epa.gov]; Nonresponsive based on revised scope, Nonresponsive based on revised scope @epa.gov]
Cc: Nonresponsive based on revised scope etratech.com]; O'Neal, Nathaniel[ONeal.Nathaniel@epa.gov]; Nonresponsive based on revised scope
Nonresponsive based on revised scope @epa.gov]; Nonresponsive based on revised scope @epa.gov]; Graybill, Eric[graybill.eric@epa.gov]; Fortune, Warren[Fortune.Warren@epa.gov]; R3 ESC-CLIENTS[R3_ESCCLIENTS@epa.gov]; Nonresponsive based on revised scope @tetratech.com];
Nonresponsive based on revised scope @tetratech.com]
From: Nonresponsive based on revised scope @tetratech.com]
Sent: Mon 8/9/2021 3:23:37 PM (UTC)
Subject: RE: CT9205/ SHILOH CHURCH ROAD REMOVAL/ R3 Lab DAS Case Number R35978
R35978_C0CX6_RegionalCOC_0158.pdf

Good Morning All,

One cooler will be shipped this afternoon to Ft Meade under case R35978 (FedEx # 7744 7953 7886) and is scheduled to arrive at the lab tomorrow morning. The regional COC has been attached for your reference.

This case will be complete once these samples have been received.

Thank you,

Nonresponsive based on revised scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

Please consider the environment before printing. Read more

TETRA TECH

From: Nonresponsive based on revised scope @epa.gov>
Sent: Thursday, August 5, 2021 11:04 AM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Cc: Nonresponsive based on revised scope @tetratech.com>; Nonresponsive based on revised scope @tetratech.com>; O'Neal, Nathaniel <ONeal.Nathaniel@epa.gov>; Nonresponsive based on revised scope @epa.gov>; Nonresponsive based on revised scope @epa.gov>; Graybill, Eric <graybill.eric@epa.gov>; Fortune, Warren <Fortune.Warren@epa.gov>; R3 ESC-CLIENTS <R3_ESCCLIENTS@epa.gov>
Subject: CT9205/ SHILOH CHURCH ROAD REMOVAL/ R3 Lab DAS Case Number R35978

CLIENT'S LABORATORY ASSIGNMENT NOTIFICATION

Please send the *Eight Soil PCB Aroclor* samples from SHILOH CHURCH ROAD REMOVAL, DAS Case Number R35978, to the Region 3 Laboratory located here at the Environmental Science Center (address provided below):

USEPA Region III
Environmental Science Center
701 Mapes Road
Fort Meade, Maryland 20755-5350

PLEASE NOTE THE REGIONAL LABORATORY DOES NOT ACCEPT SAMPLE DELIVERIES ON FRIDAYS, SATURDAYS OR SUNDAYS.

When notifying the Regional Laboratory of sample shipments, *each day samples are shipped*, please provide the following information:

- **DAS Case Number R35978**
- **Number of Samples**
- **FedEx Tracking Number/s**

Regional Laboratory sample shipment notification must also be provided by sending an email to the following individuals:

Nonresponsive based on revised scope

Eric Graybill	graybill.eric@epa.gov	410-305-2665
Warren Fortune	fortune.warren@epa.gov	410-305-2974

Nonresponsive based on revised scope

If you have any questions, please do not hesitate to contact me.

Nonresponsive based on revised scope