To: Nonresponsive based on revised scope @erllc.com]; Wagner, Christine[Wagner.Christine@epa.gov]
From: Nonresponsive based on revised scope r@tetratech.com]
Sent: Mon 10/19/2020 2:49:45 PM (UTC)
Subject: Fwd: [EXT]Shiloh Church Rd/3-S467[3123264]
3123264_935725_fr.PDF
ATT00001.htm

The post x samples are attached for the driveway.

Regards,
Nonresponsive based on revised scope
Get Outlook for iOS

From: Nonresponsive based on revised scope @tetratech.com>
Sent: Friday, September 11, 2020 10:37:53 AM
To: Nonresponsive based on revised scope @tetratech.com>
Subject: Fwd: [EXT]Shiloh Church Rd/3-S467[3123264]

Get Outlook for iOS

From: Nonresponsive based on revised scope
Sent: Friday, September 11, 2020 6:08:26 AM
To: Nonresponsive based on revised scope y@erllc.com>
Subject: FW: [EXT]Shiloh Church Rd/3-S467[3123264]

Attached are the results from Paul on the waste stockpile form the drive way.

Regards,
Nonresponsive based on revised scope

Nonresponsive based on revised scope
Tetra Tech Inc. |
712 Melrose Avenue | Nashville, TN 37211 | www.tetratech.com
PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Friday, August 28, 2020 10:52 AM
To: Nonresponsive based on revised scope @tetratech.com>
Subject: Fwd: [EXT]Shiloh Church Rd/3-S467[3123264]

⚠ **CAUTION:** This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Nonresponsive based on revised scope

Post ex results for driveway. These will need to be entered into Scribe at some point

Thank you
Chris

Begin forwarded message:

From: Nonresponsive based on revised scope h@erllc.com>

Date: August 28, 2020 at 11:42:06 AM EDT
To: Nonresponsive based on revised scope @erllc.com>, "Wagner, Christine" <Wagner.Christine@epa.gov>
Subject: FW: [EXT]Shiloh Church Rd/3-S467[3123264]

Lab results

Nonresponsive based on revised scope

-------- Original message --------
From: Nonresponsive based on revised scope @Alsglobal.com
Date: 8/28/20 11:39 (GMT-05:00)
To: Nonresponsive based on revised scope @erllc.com>
Subject: [EXT]Shiloh Church Rd/3-S467[3123264]

CAUTION This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.

The following reports are attached:

WO 3123264 , Work ID Shiloh Church Rd/3-S467 []

--- End Of List ---

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.