Message

From: Nonresponsive based on revised scope @erllc.com]
Sent: 12/31/2019 11:56:15 AM
To: Wagner, Christine [Wagner.Christine@epa.gov]; Nonresponsive based on revised scope @westonsolutions.com]
Subject: Mound 5W Disposal Analysis FW: Shiloh Church 3-5467[3076913]
Attachments: 3076913_935725_fr.PDF

Good morning.
Please see the attached data for Mound 5W. There is approximately 100 tons of this soil stockpiled.
75'Lx11'Wx2'H= 1650cf/27=61cydx1.6 density=98 tons

Nonresponsive based on revised scope

-----Original Message-----
From: Nonresponsive based on revised scope @Alsglobal.com Nonresponsive based on revised scope @Alsglobal.com>
Sent: Monday, December 30, 2019 10:34 PM
To: Nonresponsive based on revised scope @erllc.com>
Subject: Shiloh Church 3-5467[3076913]

The following reports are attached:

WO 3076913 , Work ID Shiloh Church 3-5467 []

--- End Of List ---

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.